

## REFERENCES

- Adzkiya, M. A. Z., & Hidayat, A. P. (2022). Uji Fitokimia, Kandungan Total Fenol dan Aktivitas Antioksidan Kopi Arabik (*Coffea arabica*) pada Tingkat Penyangraian Sama. *Jurnal Sains Terapan*, 12(1), 101–112. <https://doi.org/10.29244/jstsv.12.1.101-112>
- Afriliana, A., Harada, H., Khotijah, P. Q., Jayus, -, & Giyarto, -. (2018). *Fermented Technology of Robusta Coffee Beans (Canephora Coffee) With Kefir Milk to Produce Specialty Coffee*. 172(FANRes), 302–309. <https://doi.org/10.2991/fanres-18.2018.61>
- AOAC. (1995). Official Method of Analysis of AOAC International, 16th Edition. In *AOAC International* (pp. 1–300).
- Avallone, S., Guyot, B., Brillouet, J. M., Olguin, E., & Guiraud, J. P. (2001). Microbiological and biochemical study of coffee fermentation. *Current Microbiology*, 42(4), 252–256. <https://doi.org/10.1007/s002840110213>
- Ayelnig, A., & Sabally, K. (2013). Determination of Chlorogenic Acids (CGA) in Coffee Beans using HPLC. *American Journal of Research Communication*, 1(2), 78–91. [www.usa-journals.com](http://www.usa-journals.com)
- Ayseli, M. T., Kelebek, H., & Selli, S. (2021). Elucidation of aroma-active compounds and chlorogenic acids of Turkish coffee brewed from medium and dark roasted *Coffea arabica* beans. *Food Chemistry*, 338(March 2020), 127821. <https://doi.org/10.1016/j.foodchem.2020.127821>
- Azizah, M., Sutamihardja, R., & Wijaya, N. (2019). Karakteristik Kopi Bubuk Arabika (*Coffea arabica* L) Terfermentasi *Saccharomyces cerevisiae*. *Jurnal Sains Natural*, 9(1), 37. <https://doi.org/10.31938/jsn.v9i1.173>
- Badan Pusat Statistik. (2021). Statistik Kopi Indonesia. In *Badan Pusat Statistik*.
- Belloch, C., Querol, A., & Barrio, E. (2011). *Kluyveromyces* spp. In *Encyclopedia of Dairy Sciences, second edition* (pp. 754–764).
- Bhumiratana, N., Adhikari, K., & Chambers, E. (2011). Evolution of sensory aroma attributes from coffee beans to brewed coffee. *Lwt*, 44(10), 2185–2192. <https://doi.org/10.1016/j.lwt.2011.07.001>
- Bressani, A. P. P., Martinez, S. J., Batista, N. N., Simão, J. B. P., Dias, D. R., & Schwan, R. F. (2021a). Co-inoculation of yeasts starters: A strategy to improve quality of low altitude Arabica coffee. *Food Chemistry*, 361(May). <https://doi.org/10.1016/j.foodchem.2021.130133>
- Bressani, A. P. P., Martinez, S. J., Batista, N. N., Simão, J. B. P., Dias, D. R., & Schwan, R. F. (2021b). Co-inoculation of yeasts starters: A strategy to improve quality of low altitude Arabica coffee. *Food Chemistry*, 361(January). <https://doi.org/10.1016/j.foodchem.2021.130133>

- Bressani, A. P. P., Martinez, S. J., Evangelista, S. R., Dias, D. R., & Schwan, R. F. (2018). Characteristics of fermented coffee inoculated with yeast starter cultures using different inoculation methods. *LWT - Food Science and Technology*, 92(February), 212–219. <https://doi.org/10.1016/j.lwt.2018.02.029>
- Bressani, A. P. P., Martinez, S. J., Sarmiento, A. B. I., Borém, F. M., & Schwan, R. F. (2020). Organic acids produced during fermentation and sensory perception in specialty coffee using yeast starter culture. *Food Research International*, 128(October 2019), 108773. <https://doi.org/10.1016/j.foodres.2019.108773>
- Caporaso, N., Whitworth, M. B., Cui, C., & Fisk, I. D. (2018). Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS. *Food Research International*, 108(March), 628–640. <https://doi.org/10.1016/j.foodres.2018.03.077>
- Cassimiro, D. M. de J., Batista, N. N., Fonseca, H. C., Naves, J. A. O., Dias, D. R., & Schwan, R. F. (2022). Coinoculation of lactic acid bacteria and yeasts increases the quality of wet fermented Arabica coffee. *International Journal of Food Microbiology*, 369(March). <https://doi.org/10.1016/j.ijfoodmicro.2022.109627>
- Celestine, A. (2017). *Antagonistic Activity of Indigenous Yeast From Fermented Coffee Beans Against *Aspergillus ochraceus**.
- da Silva Vale, A., de Melo Pereira, G. V., de Carvalho Neto, D. P., Rodrigues, C., Pagnoncelli, M. G. B., & Soccol, C. R. (2019). Effect of Co-Inoculation with *Pichia fermentans* and *Pediococcus acidilactici* on metabolite produced during fermentation and volatile composition of coffee beans. *Fermentation*, 5(3), 1–17. <https://doi.org/10.3390/fermentation5030067>
- Darwin, Mahyudi, R., Sundari, D., & Muliawati, A. (2021). Influence of solid state fermentation on Robusta coffee (*Coffea canephora*) beans inoculated with microbial culture of civet fecal suspensions. *Research on Crops*, 22(4), 968–976. <https://doi.org/10.31830/2348-7542.2021.158>
- de Melo Pereira, G. V., de Carvalho Neto, D. P., Magalhães Júnior, A. I., Vásquez, Z. S., Medeiros, A. B. P., Vandenberghe, L. P. S., & Soccol, C. R. (2019). Exploring the impacts of postharvest processing on the aroma formation of coffee beans – A review. *Food Chemistry*, 272, 441–452. <https://doi.org/10.1016/j.foodchem.2018.08.061>
- de Oliveira Junqueira, A. C., de Melo Pereira, G. V., Coral Medina, J. D., Alvear, M. C. R., Rosero, R., de Carvalho Neto, D. P., Enríquez, H. G., & Soccol, C. R. (2019). First description of bacterial and fungal communities in Colombian coffee beans fermentation analysed using Illumina-based amplicon sequencing. *Scientific Reports*, 9(1), 1–10. <https://doi.org/10.1038/s41598-019-45002-8>
- Dippong, T., Dan, M., Kovacs, M. H., Kovacs, E. D., Levei, E. A., & Cadar, O. (2022). Analysis of Volatile Compounds , Composition , and Thermal

Roasting Intensity. *Foods*, 11, 2–15.

Edowai, D. N., & Tahoba, A. E. (2018). Proses Produksi dan Uji Mutu Bubuk Kopi Arabika (*Coffea arabica* L) Asal Kabupaten Dogiyai, Papua. *Agriovet*, 1(1), 1–18.

Edvan, B. T., Edison, R., & Same, M. (2016). Pengaruh Suhu dan Lama Penyangraian pada Mutu Kopi Robusta (*Coffea robusta*). *Jurnal Agro Industri Perkebunan*, 4(1), 31–40.

Elhalis, H., Cox, J., Frank, D., & Zhao, J. (2020). The crucial role of yeasts in the wet fermentation of coffee beans and quality. *International Journal of Food Microbiology*, 333(May), 108796. <https://doi.org/10.1016/j.ijfoodmicro.2020.108796>

Elhalis, H., Cox, J., Frank, D., & Zhao, J. (2021a). Microbiological and biochemical performances of six yeast species as potential starter cultures for wet fermentation of coffee beans. *Lwt*, 137(August 2020), 110430. <https://doi.org/10.1016/j.lwt.2020.110430>

Elhalis, H., Cox, J., Frank, D., & Zhao, J. (2021b). Microbiological and Chemical Characteristics of Wet Coffee Fermentation Inoculated With *Hansinasporea uvarum* and *Pichia kudriavzevii* and Their Impact on Coffee Sensory Quality. *Frontiers in Microbiology*, 12(August), 1–13. <https://doi.org/10.3389/fmicb.2021.713969>

Elhalis, H., Cox, J., & Zhao, J. (2020). Ecological diversity, evolution and metabolism of microbial communities in the wet fermentation of Australian coffee beans. *International Journal of Food Microbiology*, 321(November 2019), 108544. <https://doi.org/10.1016/j.ijfoodmicro.2020.108544>

Fan, G., Teng, C., Xu, D., Fu, Z., Liu, P., Wu, Q., Yang, R., & Li, X. (2019). Improving ethyl acetate production in baijiu manufacture by *wickerhamomyces anomalus* and *saccharomyces cerevisiae* mixed culture fermentations. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/1470543>

Farhaty, N., & Muchtaridi. (2016). Tinjauan Kimia dan Aspek Farmakologi Senyawa Asam Klorogenat pada Biji Kopi: Review. *Farmaka*, 14(1), 214–227.

Galarza, G., & Figueroa, J. G. (2022). Volatile Compound Characterization of Coffee (*Coffea arabica*) Processed at Different Fermentation Times Using SPME–GC–MS. *Molecules*, 27(6). <https://doi.org/10.3390/molecules27062004>

Haile, M., Bae, H. M., & Kang, W. H. (2020). Comparison of the antioxidant activities and volatile compounds of coffee beans obtained using digestive bio-processing (elephant dung coffee) and commonly known processing methods. *Antioxidants*, 9(5). <https://doi.org/10.3390/antiox9050408>

Haile, M., & Kang, W. H. (2019a). Isolation, identification, and characterization of

- pectinolytic yeasts for starter culture in coffee fermentation. *Microorganisms*, 7(10). <https://doi.org/10.3390/microorganisms7100401>
- Haile, M., & Kang, W. H. (2019b). The Role of Microbes in Coffee Fermentation and Their Impact on Coffee Quality. *Journal of Food Quality*, 2019. <https://doi.org/10.1155/2019/4836709>
- Haile, M., & Kang, W. H. (2020). Antioxidant Properties of Fermented Green Coffee Beans with *Wickerhamomyces anomalus* (Strain KNU18Y3). *Fermentation*, 6(1), 1–16. <https://doi.org/10.3390/fermentation6010018>
- Happyana, N., Pratiwi, A., & Hakim, E. H. (2021). Metabolite Profiles of the Green Beans of Indonesian Arabica Coffee Varieties. *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/5782578>
- Hatiningsih, S., Antara, N. S., & Gunam, I. B. W. (2018). Microbiological and Physicochemical Changes of Green Coffee (*Coffea arabica*) Fermentation in Kintamani, Bangli, Bali. *Media Ilmiah Teknologi Pangan*, 5(2), 123–138.
- International Coffee Organization. (2021). *Coffee Production Report* (Issue August).
- Kim, H. J., Hong, D. L., Yu, J. W., Lee, S. M., & Lee, Y. B. (2019). Identification of headspace volatile compounds of blended coffee and application to principal component analysis. *Preventive Nutrition and Food Science*, 24(2), 217–223. <https://doi.org/10.3746/pnf.2019.24.2.217>
- Krajangsang, S., Seephin, P., Tantayotai, P., Mahingsapun, R., Meeampun, Y., Panyachanakul, T., Samosorn, S., Dolsophon, K., Jiamjariyatam, R., Lorliam, W., & Srisuk, N. (2022). New approach for screening of microorganisms from Arabica coffee processing for their ability to improve Arabica coffee flavor. *3 Biotech*, 12(7), 1–11. <https://doi.org/10.1007/s13205-022-03203-5>
- Kulapichitr, F., Borompichaichartkul, C., Fang, M., Suppavorasatit, I., & Cadwallader, K. R. (2022). Effect of post-harvest drying process on chlorogenic acids, antioxidant activities and CIE-Lab color of Thai Arabica green coffee beans. *Food Chemistry*, 366(July 2021), 130504. <https://doi.org/10.1016/j.foodchem.2021.130504>
- Kwak, H. S., Jeong, Y., & Kim, M. (2018). Effect of Yeast Fermentation of Green Coffee Beans on Antioxidant Activity and Consumer Acceptability. *Journal of Food Quality*, 2018. <https://doi.org/10.1155/2018/5967130>
- Li, Y., Yuan, L., Liu, H., Liu, H., Zhou, Y., Li, M., & Gao, R. (2022). Analysis of the changes of volatile flavor compounds in a traditional Chinese shrimp paste during fermentation based on electronic nose, SPME-GC-MS and HS-GC-IMS. *Food Science and Human Wellness*, 12(1), 173–182. <https://doi.org/10.1016/j.fshw.2022.07.035>
- Lopes, G. R., Petronilho, S., Ferreira, A. S., Pinto, M., Passos, C. P., Coelho, E., Rodrigues, C., Figueira, C., Rocha, S. M., & Coimbra, M. A. (2021). Insights on single-dose espresso coffee capsules' volatile profile: From ground powder

- volatiles to prediction of espresso brew aroma properties. *Foods*, 10(10). <https://doi.org/10.3390/foods10102508>
- Mahingsapun, R., Tantayotai, P., Panyachanakul, T., Samosorn, S., Dolsophon, K., Jiamjariyatam, R., Lorliam, W., Srisuk, N., & Krajangsang, S. (2022). Enhancement of Arabica coffee quality with selected potential microbial starter culture under controlled fermentation in wet process. *Food Bioscience*, 48(April), 101819. <https://doi.org/10.1016/j.fbio.2022.101819>
- Maicas, S. (2020). The role of yeasts in fermentation processes. *Microorganisms*, 8(8), 1–8. <https://doi.org/10.3390/microorganisms8081142>
- Martinez, S. J., Bressani, A. P. P., Dias, D. R., Simão, J. B. P., & Schwan, R. F. (2019). Effect of bacterial and yeast starters on the formation of volatile and organic acid compounds in coffee beans and selection of flavors markers precursors during wet fermentation. *Frontiers in Microbiology*, 10(JUN). <https://doi.org/10.3389/fmicb.2019.01287>
- Martos, M. A., Zubreski, E. R., Garro, O. A., & Hours, R. A. (2013). Production of Pectinolytic Enzymes by the Yeast *Wickerhamomyces anomalus* isolated from Citrus Fruits Peels. *Biotechnology Research International*, 2013, 1–7.
- Mills, C. E., Oruna-Concha, M. J., Mottram, D. S., Gibson, G. R., & Spencer, J. P. E. (2013). The effect of processing on chlorogenic acid content of commercially available coffee. *Food Chemistry*, 141(4), 3335–3340. <https://doi.org/10.1016/j.foodchem.2013.06.014>
- Morgan, J., & Mosawy, S. (2016). The Potential of Apple Cider Vinegar in the Management of Type 2 Diabetes. *International Journal of Diabetes Research*, 5(6), 129–134. <https://doi.org/10.5923/j.diabetes.20160506.02>
- Mulyara, B., Supriyadi, S., Rahmadian, Y., & Ichsan, O. A. N. (2021). Sensory Properties and Volatile Compound Profile of Anaerobic Fermented Gayo Arabica Coffee In Non-Washed Processing. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 37(3), 239–254. <https://doi.org/10.22302/iccri.jur.pelitaperkebunan.v37i3.464>
- Muzaiifa, M., Hasni, D., Febriani, Patria, A., & Abubakar, A. (2019). Fermentation of coffee beans with inoculation of *Bacillus subtilis* and its impact on coffee sensory quality. *IOP Conference Series: Earth and Environmental Science*, 364(1). <https://doi.org/10.1088/1755-1315/364/1/012010>
- Nasanit, R., & Satyawut, K. (2015). Microbiological study during coffee fermentation of *Coffea arabica* var. *chiangmai 80* in Thailand. *Kasetsart Journal - Natural Science*, 49(1), 32–41.
- Noorazwani, Z., Nurfitrah, A. H. S., Norzalina, O., Soleh, R., Alyani, M. S., & Norasiah, S. (2021). Characteristic of local Robusta cherries upon fermentation and roasting during wet coffee processing. *AIP Conference Proceedings*, 2347(July). <https://doi.org/10.1063/5.0051799>
- Pimpley, V., Patil, S., Srinivasan, K., Desai, N., & Murthy, P. S. (2020). The

- chemistry of chlorogenic acid from green coffee and its role in attenuation of obesity and diabetes. *Preparative Biochemistry and Biotechnology*, 50(10), 969–978. <https://doi.org/10.1080/10826068.2020.1786699>
- Poltronieri, P., & Rossi, F. (2016). Challenges in Specialty Coffee Processing and Quality Assurance. *Challenges*, 7(2), 19. <https://doi.org/10.3390/challe7020019>
- Preedy, V. R. (2015). *Coffee in Health and Disease Prevention*.
- Rabelo, M. H. S., Borém, F. M., Lima, R. R. de, Alves, A. P. de C., Pinheiro, A. C. M., Ribeiro, D. E., Santos, C. M. dos, & Pereira, R. G. F. A. (2021). Impacts of quaker beans over sensory characteristics and volatile composition of specialty natural coffees. *Food Chemistry*, 342(November 2019), 128304. <https://doi.org/10.1016/j.foodchem.2020.128304>
- Ribeiro, L. S., da Cruz Pedrozo Miguel, M. G., Martinez, S. J., Bressani, A. P. P., Evangelista, S. R., Silva e Batista, C. F., & Schwan, R. F. (2020). The use of mesophilic and lactic acid bacteria strains as starter cultures for improvement of coffee beans wet fermentation. *World Journal of Microbiology and Biotechnology*, 36(12), 1–15. <https://doi.org/10.1007/s11274-020-02963-7>
- Rodriguez-Campos, J., Escalona-Buendía, H. B., Contreras-Ramos, S. M., Orozco-Avila, I., Jaramillo-Flores, E., & Lugo-Cervantes, E. (2012). Effect of fermentation time and drying temperature on volatile compounds in cocoa. *Food Chemistry*, 132(1), 277–288. <https://doi.org/10.1016/j.foodchem.2011.10.078>
- Rottiers, H., Tzompa Sosa, D. A., De Winne, A., Ruales, J., De Clippeleer, J., De Leersnyder, I., De Wever, J., Everaert, H., Messens, K., & Dewettinck, K. (2019). Dynamics of volatile compounds and flavor precursors during spontaneous fermentation of fine flavor Trinitario cocoa beans. *European Food Research and Technology*, 245(9), 1917–1937. <https://doi.org/10.1007/s00217-019-03307-y>
- Ruta, L. L., & Farcasanu, I. C. (2021). Coffee and yeasts: From flavor to biotechnology. *Fermentation*, 7(1). <https://doi.org/10.3390/fermentation7010009>
- Saeed Alkaltham, M., Musa Özcan, M., Uslu, N., Salamatullah, A. M., & Hayat, K. (2020). Effect of microwave and oven roasting methods on total phenol, antioxidant activity, phenolic compounds, and fatty acid compositions of coffee beans. *Journal of Food Processing and Preservation*, 44(11), 1–9. <https://doi.org/10.1111/jfpp.14874>
- Santosa, K. M., Supriyadi, Anggrahini, S., & Rahmadian, Y. (2021a). Sensory Analysis, Caffeine, Chlorogenic Acid and Non-Volatile Taste Compounds of Arabica Coffee (*Coffea arabica*) Fermented with Sugar Addition for Brew Taste. *Indonesian Food and Nutrition Progress*, 17(2), 45. <https://doi.org/10.22146/ifnp.58664>

- Santosa, K. M., Supriyadi, Anggrahini, S., & Rahmadian, Y. (2021b). Sensory Analysis Caffeine, Chlorogenic Acid and Non-Volatile Taste Compounds of Arabica Coffee (*Coffea arabica*) Fermented with Sugar Addition for Brew Taste. *Indonesian Food and Nutrition Progress*, 17(2), 45. <https://doi.org/10.22146/ifnp.58664>
- Saputri, M., Lioe, H. N., & Wijaya, C. H. (2020). Pemetaan Karakteristik Kimia Biji Kopi Arabika Gayo Dan Robusta Gayo. *Jurnal Teknologi Dan Industri Pangan*, 31(1), 76–85. <https://doi.org/10.6066/jtip.2020.31.1.76>
- Schwan, R. F., & Fleet, G. H. (2015). Cocoa and Coffee Fermentations. In *Cocoa and Coffee Fermentations*. Taylor & Francis Group. <https://doi.org/10.1201/b17536>
- Sinaga, H. L. R., Bastian, F., & Syarifuddin, A. (2021). Effect of decaffeination and re-fermentation on level of caffeine, chlorogenic acid and total acid in green bean robusta coffee. *IOP Conference Series: Earth and Environmental Science*, 807(2). <https://doi.org/10.1088/1755-1315/807/2/022069>
- Toledo, P. R. A. B., Pezza, L., Pezza, H. R., & Toci, A. T. (2016). Relationship Between the Different Aspects Related to Coffee Quality and Their Volatile Compounds. *Comprehensive Reviews in Food Science and Food Safety*, 15(4), 705–719. <https://doi.org/10.1111/1541-4337.12205>
- Várady, M., Tauchen, J., Fraňková, A., Klouček, P., & Popelka, P. (2022). Effect of method of processing specialty coffee beans (natural, washed, honey, fermentation, maceration) on bioactive and volatile compounds. *Lwt*, 172(December). <https://doi.org/10.1016/j.lwt.2022.114245>
- Wang, C., Sun, J., Lassabliere, B., Yu, B., & Liu, S. Q. (2020). Coffee flavour modification through controlled fermentation of green coffee beans by *Lactococcus lactis* subsp. *cremoris*. *Lwt*, 120(December 2019). <https://doi.org/10.1016/j.lwt.2019.108930>
- Wibowo, N. A., Mangunwardoyo, W., Santoso, T. J., & Yasman. (2021). Effect of fermentation on sensory quality of liberica coffee beans inoculated with bacteria from saliva arcticis binturong raffles, 1821. *Biodiversitas*, 22(9), 3922–3928. <https://doi.org/10.13057/biodiv/d220938>
- Wu, H., Viejo, C. G., Fuentes, S., Dunshea, F. R., & Suleria, H. A. R. (2023). The Impact of Wet Fermentation on Coffee Quality Traits and Volatile Compounds Using Digital Technologies. *Fermentation*, 9(1), 68. <https://doi.org/10.3390/fermentation9010068>
- Yang, S., Mei, X. D., Zhang, X. F., Li, Y. F., She, D., Zhang, T., & Ning, J. (2017). Attraction of Coffee Bean Weevil, *Araecerus fasciculatus*, to Volatiles from the Industrial Yeast *Kluyveromyces lactis*. *Journal of Chemical Ecology*, 43(2), 180–187. <https://doi.org/10.1007/s10886-016-0809-5>
- Yu, J. M., Chu, M., Park, H., Park, J., & Lee, K. G. (2021). Analysis of volatile compounds in coffee prepared by various brewing and roasting methods.

*Foods*, 10(6). <https://doi.org/10.3390/foods10061347>

Zakidou, P., Plati, F., Matsakidou, A., Varka, E. M., Blekas, G., & Paraskevopoulou, A. (2021). Single origin coffee aroma: From optimized flavor protocols and coffee customization to instrumental volatile characterization and chemometrics. *Molecules*, 26(15). <https://doi.org/10.3390/molecules26154609>