



## DAFTAR PUSTAKA

- Adachi, K., Sugiyama, T., Yamaguchi, Y., Tamura, Y., Izawa, S., Hijikata, Y., Ebi, M., Funaki, Y., Ogasawara, N., Goto, C., Sasaki, M., & Kasugai, K. (2019). Gut microbiota disorders cause type 2 diabetes mellitus and homeostatic disturbances in gutrelated metabolism in Japanese subjects. *Journal of Clinical Biochemistry and Nutrition*, 64(3), 231–238. <https://doi.org/10.3164/jcbn.18-101>
- Akbari, V., & Hendijani, F. (2016). Effects of probiotic supplementation in patients with type 2 diabetes: Systematic review and meta-analysis. *Nutrition Reviews*, 74(12), 774–784. <https://doi.org/10.1093/nutrit/nuw039>
- Al-jameel, S. S. (2021). Association of diabetes and microbiota : An update. *Saudi Journal of Biological Sciences*, 28(8), 4446–4454. <https://doi.org/10.1016/j.sjbs.2021.04.041>
- Almugadams, B. S., Liu, Y., Chen, S. M., Wang, C. H., Shao, C. Y., Ren, B. W., & Tang, L. (2020). Alterations of Gut Microbiota in Type 2 Diabetes Individuals and the Confounding Effect of Antidiabetic Agents. *Journal of Diabetes Research*, 2020, 1–14. <https://doi.org/10.1155/2020/7253978>
- Alokail, M. S., Sabico, S., Al-saleh, Y., Al-daghri, N. M., Alkhafry, K. M., Vanhoutte, P. M., & McTernan, P. G. (2013). Effects of probiotics in patients with diabetes mellitus type 2 : study protocol for a randomized ,. *Trials*, 14(95), 1–8. <https://doi.org/10.1186/1745-6215-14-195>
- Alou, M. T., Lagier, J., & Raoult, D. (2016). Diet influence on the gut microbiota and dysbiosis related to nutritional disorders. *Human Microbiome Journal*, 1, 3–11. <https://doi.org/10.1016/j.humic.2016.09.001>
- Anonim. (2015). *Konsensus Pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia 2015*. PB Perkeni.
- Anonim. (2018). *Laporan Nasional Riskesdas 2018*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Anonim. (2019). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia*. PB Perkeni.
- Arshad, F., Mehmood, R., Khan, S., Hussain, S., & Farooq, O. (2018). Lactobacilli as Probiotics and their Isolation from Different Sources. *British Journal of Research*, 5(3), 1–11. <https://doi.org/10.21767/2394-3718.100043>
- Baequny, A., Harnany, A. S., & Rumimper, E. (2015). The effect of high-calorie diet towards the increase of blood sugar levels in patients with type 2 diabetes mellitus. *Jurnal Riset Kesehatan*, 4(1), 687–692.
- Behera, S. S., Ray, R. C., & Zdolec, N. (2018). Lactobacillus plantarum with Functional Properties : An Approach to Increase Safety and Shelf-Life of Fermented Foods. *BioMed Research International*, 1–18. <https://doi.org/10.1155/2018/9361614>
- Bejar, W., Hamden, K., Ben, R., & Chouayekh, H. (2013). Anaerobe Lactobacillus plantarum TN627 signif cantly reduces complications of alloxan-induced



- diabetes in rats. *Anaerobe*, 24, 4–11. <https://doi.org/10.1016/j.anaerobe.2013.08.006>
- Bielka, W., Przezak, A., & Pawlik, A. (2022). The role of the gut microbiota in the pathogenesis of diabetes. *International Journal of Molecular Sciences*, 23(1), 1–20. <https://doi.org/10.3390/ijms23010480>
- Booth, M. (2000). *Assessment of Physical Activity : An International Perspective Assessment of Physical Activity : An International Perspective*. 71(2), 114–120. <https://doi.org/10.1080/02701367.2000.11082794>
- Burr, J. F., Rowan, C. P., Jamnik, V. K., Michael, C., Burr, J. F., Rowan, C. P., Jamnik, V. K., & Riddell, M. C. (2010). The Role of Physical Activity in Type 2 Diabetes Prevention : Physiological and Practical Perspectives The Role of Physical Activity in Type 2 Diabetes Prevention : Physiological and Practical Perspectives. *The Physician and Sportmedicine*, 38(November), 72–82. <https://doi.org/10.3810/psm.2010.04.1764>
- Candela, M., Biagi, E., Soverini, M., Consolandi, C., Quercia, S., Severgnini, M., Peano, C., Turroni, S., Rampelli, S., Pozzilli, P., Pianesi, M., Fallucca, F., & Brigidi, P. (2016). Modulation of gut microbiota dysbioses in type 2 diabetic patients by macrobiotic Ma-Pi 2 diet. *British Journal of Nutrition*, 116(1), 80–93. <https://doi.org/10.1017/S0007114516001045>
- Cani, P. D., Amar, J., Iglesias, M. A., Poggi, M., Knauf, C., Bastelica, D., Neyrinck, A. M., Fava, F., Tuohy, K. M., Chabo, C., Ferrie, J., Gibson, G. R., Casteilla, L., Delzenne, N. M., Alessi, M. C., Xu, G., Kaneto, H., Laybutt, D. R., Duvivier-kali, V. F., ... Bonner-weir, S. (2007). Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes*, 56(7), 1761–1772. <https://doi.org/10.2337/db06-1491.P.D.C>
- Cani, P. D., Bibiloni, R., Knauf, C., Neyrinck, A. M., & Delzenne, N. M. (2008). Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes*, 57, 1470–1481. <https://doi.org/10.2337/db07-1403.Additional>
- Castro, A. V. B., Kolka, C. M., Kim, S. P., & Bergman, R. N. (2014). Obesity, insulin resistance and comorbidities- Mechanisms of association. *Arq Bras Endocrinol Metabol*, 58(6), 600–609. <https://doi.org/10.1159/000398850>
- Chen, Y., Mou, R., & Wang, M. (2021). Effect of different HbA<sub>1c</sub> levels on the gut microbiota in patients with type 2 diabetes mellitus. *World Academy of Sciences Journal*, 3(5), 1–8. <https://doi.org/10.3892/wasj.2021.115>
- Chen, Z., Watanabe, R. M., Stram, D. O., & Buchanan, T. A. (2014). *High Calorie Intake Is Associated With Worsening Insulin Resistance and b -Cell Function in Hispanic Women After Gestational Diabetes Mellitus*. 37(December), 3294–3300. <https://doi.org/10.2337/dc14-1433>
- Chikowore, T., Pisa, P. T., van Zyl, T., Feskens, E. J. M., Wentzel-Viljoen, E., & Conradie, K. R. (2017). Nutrient patterns associated with fasting glucose and glycated haemoglobin levels in a black South African population. *Nutrients*, 9(1). <https://doi.org/10.3390/nu9010009>
- Chumpitazi, B. P., Self, M. M., Czyzewski, D. I., Cejka, S., Swank, P. R., &



- Shulman, R. J. (2016). Bristol stool form scale reliability and agreement decreases when determining rome III stool form designation. *Neurogastroenterol Motil*, 28(3), 443–448. <https://doi.org/10.1111/nmo.12738>. Bristol
- Chung, J. O., Cho, D. H., Chung, D. J., & Chung, M. Y. (2012). Associations among Body Mass Index , Insulin Resistance , and Pancreatic  $\beta$ -Cell Function in Korean Patients with New- Onset Type 2 Diabetes. *Korean J Intern Med*, 27, 66–71.
- Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., Horton, E. S., Castorino, K., & Tate, D. F. (2016). Physical Activity / Exercise and Diabetes : A Position Statement of the American Diabetes Association. *Diabetes Care*, 39, 2065–2079. <https://doi.org/10.2337/dc16-1728>
- Cunningham, A. L., Stephens, J. W., & Harris, D. A. (2021). Gut microbiota influence in type 2 diabetes mellitus (T2DM). *Gut Pathogens*, 13(1), 1–13. <https://doi.org/10.1186/s13099-021-00446-0>
- Daeli, W. A. C., & Nurwahyuni, A. (2019). Determinan Sosial Ekonomi Konsumsi Minuman Berpemanis di Indonesia: Analisis Data Susenas 2017. *Jurnal Ekonomi Kesehatan Indonesia*, 4(1). <https://doi.org/10.7454/eki.v4i1.3066>
- De La Cuesta-Zuluaga, J., Mueller, N. T., Corrales-Agudelo, V., Velásquez-Mejía, E. P., Carmona, J. A., Abad, J. M., & Escobar, J. S. (2017). Metformin is associated with higher relative abundance of mucin-degrading akkermansia muciniphila and several short-chain fatty acid-producing microbiota in the gut. *Diabetes Care*, 40(1), 54–62. <https://doi.org/10.2337/dc16-1324>
- Della Corte, K. W., Perrar, I., Penczynski, K. J., Schwingshackl, L., Herder, C., & Buyken, A. E. (2018). Effect of dietary sugar intake on biomarkers of subclinical inflammation: A systematic review and meta-analysis of intervention studies. *Nutrients*, 10(5), 1–20. <https://doi.org/10.3390/nu10050606>
- Díaz-Perdigones, C. M., Muñoz-Garach, A., Álvarez-Bermúdez, M. D., Moreno-Indias, I., & Tinahones, F. J. (2022). Gut microbiota of patients with type 2 diabetes and gastrointestinal intolerance to metformin differs in composition and functionality from tolerant patients. *Biomedicine and Pharmacotherapy*, 145(September 2021). <https://doi.org/10.1016/j.biopha.2021.112448>
- Du, H., Guo, Y., Bennett, D. A., Bragg, F., Bian, Z., Chadni, M., Yu, C., Chen, Y., Tan, Y., Millwood, I. Y., Gan, W., Yang, L., Yao, P., Luo, G., Li, J., Qin, Y., Lv, J., Lin, X., Key, T., ... Chen, Z. (2020). Red meat, poultry and fish consumption and risk of diabetes: a 9 year prospective cohort study of the China Kadoorie Biobank. *Diabetologia*, 63(4), 767–779. <https://doi.org/10.1007/s00125-020-05091-x>
- Egshatyan, L., Kashtanova, D., Popenko, A., Tkacheva, O., Tyakht, A., Alexeev, D., Karamnova, N., Kostryukova, E., Babenko, V., Vakhitova, M., & Boytsov, S. (2016). Gut microbiota and diet in patients with different glucose tolerance. *Endocrine Connections*, 5(1), 1–9. <https://doi.org/10.1530/EC-15-0094>



- Feller, S., Boeing, H., & Pischon, T. (2010). Body Mass Index, Waist Circumference, and the Risk of Type 2 Diabetes Mellitus. *Deutsches Aerzteblatt Online*, 107(26), 470–477. <https://doi.org/10.3238/arztebl.2010.0470>
- Firouzi, S., Abdul, H., Amin, M., Nor, I., & Kamaruddin, A. (2017). Effect of multi - strain probiotics ( multi - strain microbial cell preparation ) on glycemic control and other diabetes - related outcomes in people with type 2 diabetes : a randomized controlled trial. *European Journal of Nutrition*, 56(4), 1535–1550. <https://doi.org/10.1007/s00394-016-1199-8>
- Forbes, J. M., & Cooper, M. E. (2013). Mechanisms of Diabetic Complications. *Physiological Reviews*, 93(1), 137–188. <https://doi.org/10.1152/physrev.00045.2011>
- Forslund, K., Hildebrand, F., Nielsen, T., & Falony, G. (2015). Disentangling the effects of type 2 diabetes and metformin on the human gut microbiota. *Nature*, 528(7581), 262–266. <https://doi.org/10.1038/nature15766>
- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of type 2 diabetes mellitus. *International Journal of Molecular Sciences*, 21(17), 1–34. <https://doi.org/10.3390/ijms21176275>
- Grahnemo, L., Nethander, M., Coward, E., Gabrielsen, M. E., Sree, S., Billod, J. M., Engstrand, L., Abrahamsson, S., Langhammer, A., Hveem, K., & Ohlsson, C. (2022). Cross-sectional associations between the gut microbe *Ruminococcus gnavus* and features of the metabolic syndrome. *The Lancet Diabetes and Endocrinology*, 10(7), 481–483. [https://doi.org/10.1016/S2213-8587\(22\)00113-9](https://doi.org/10.1016/S2213-8587(22)00113-9)
- Gurung, M., Li, Z., You, H., Rodrigues, R., Jump, D. B., Morgan, A., & Shulzhenko, N. (2020). Role of gut microbiota in type 2 diabetes pathophysiology. *EBioMedicine*, 51, 102590. <https://doi.org/10.1016/j.ebiom.2019.11.051>
- Hasain, Z., Raja Ali, R. A., Abdul Razak, S., Azizan, K. A., El-Omar, E., Razalli, N. H., & Mokhtar, N. M. (2021). Gut Microbiota Signature Among Asian Post-gestational Diabetes Women Linked to Macronutrient Intakes and Metabolic Phenotypes. *Frontiers in Microbiology*, 12(June). <https://doi.org/10.3389/fmicb.2021.680622>
- Hata, S., Nakajima, H., Hashimoto, Y., Miyoshi, T., Hosomi, Y., Okamura, T., Majima, S., Nakanishi, N., Senmaru, T., Osaka, T., Okada, H., Ushigome, E., Hamaguchi, M., Asano, M., Yamazaki, M., & Fukui, M. (2022). Effects of probiotic *Bifidobacterium bifidum* G9-1 on the gastrointestinal symptoms of patients with type 2 diabetes mellitus treated with metformin: An open-label, single-arm, exploratory research trial. *Journal of Diabetes Investigation*, 13(3), 489–500. <https://doi.org/10.1111/jdi.13698>
- He, J., Zhang, F., & Han, Y. (2017). Effect of probiotics on lipid profiles and blood pressure in patients with type 2 diabetes: A meta-analysis of RCTs. *Medicine (United States)*, 96(51), 1–7. <https://doi.org/10.1097/MD.00000000000009166>



- He, J., Zhang, P., Shen, L., Niu, L., Tan, Y., Chen, L., Zhao, Y., Bai, L., Hao, X., Li, X., Zhang, S., & Zhu, L. (2020). Short-chain fatty acids and their association with signalling pathways in inflammation, glucose and lipid metabolism. *International Journal of Molecular Sciences*, 21(17), 1–16. <https://doi.org/10.3390/ijms21176356>
- Heianza, Y., Arase, Y., Kodama, S., Hsieh, S. D., Tsuji, H., Saito, K., Shimano, H., Hara, S., & Sone, H. (2013). Effect of Postmenopausal Status and Age at Menopause on Type 2 Diabetes and Prediabetes in Japanese Individuals : *Diabetes Care*, 36, 4007–4014. <https://doi.org/10.2337/dc13-1048>
- Hendriks, H. F. J., Mukamal, K. J., & Beulens, J. W. J. (2015). *The Effect of Alcohol Consumption on Insulin Sensitivity and Glycemic Status : A Systematic Review and Meta-analysis of Intervention Studies*. 38, 723–732. <https://doi.org/10.2337/dc14-1556>
- Hi, M., Dae, P., Kim, H., & Kyeong, E. (2014). *Age-related inflammation and insulin resistance : a review of their intricate interdependency*. 1507–1514. <https://doi.org/10.1007/s12272-014-0474-6>
- Hosseini-Esfahani, F., Beheshti, N., Koochakpoor, G., Mirmiran, P., & Azizi, F. (2022). Meat Food Group Intakes and the Risk of Type 2 Diabetes Incidence. *Frontiers in Nutrition*, 9(June), 1–11. <https://doi.org/10.3389/fnut.2022.891111>
- Hu, Y. H., Meyer, K., Lulla, A., Lewis, C. E., Carnethon, M. R., Schreiner, P. J., Sidney, S., Shikany, J. M., Meirelles, O., & Launer, L. J. (2023). Gut microbiome and stages of diabetes in middle - aged adults : CARDIA microbiome study. *Nutrition & Metabolism*, 1–11. <https://doi.org/10.1186/s12986-022-00721-0>
- Huang, H., Korivi, M., Tsai, C., Yang, J., & Tsai, Y. (2013). Supplementation of *Lactobacillus plantarum* K68 and Fruit-Vegetable Ferment along with High Fat-Fructose Diet Attenuates Metabolic Syndrome in Rats with Insulin Resistance. *Evidence-Based Complementary and Alternative Medicine*, 943020, 1–12.
- Huang, Y., Wang, Z., Ma, H., Ji, S., Chen, Z., Cui, Z., Chen, J., & Tang, S. (2021). Dysbiosis and Implication of the Gut Microbiota in Diabetic Retinopathy. *Frontiers in Cellular and Infection Microbiology*, 11(March), 1–12. <https://doi.org/10.3389/fcimb.2021.646348>
- Huebschmann, A. G., Huxley, R. R., Kohrt, W. M., Zeitler, P., Regensteiner, J. G., & Reusch, J. E. B. (2019). Sex differences in the burden of type 2 diabetes and cardiovascular risk across the life course. *Diabetologia*, 62(10), 1761–1772. <https://doi.org/10.1007/s00125-019-4939-5>
- Jafari-Koshki, T., Mansourian, M., Hosseini, S. M., & Amini, M. (2016). Association of waist and hip circumference and waist-hip ratio with type 2 diabetes risk in first-degree relatives. *Journal of Diabetes and Its Complications*, 30(6), 1050–1055. <https://doi.org/10.1016/j.jdiacomp.2016.05.003>
- Jayedi, A., Soltani, S., Motlagh, S. Z., Emadi, A., Shahinfar, H., Moosavi, H., &



- Shab-bidar, S. (2022). Anthropometric and adiposity indicators and risk of type 2 diabetes : systematic review and dose-response meta-analysis of cohort studies. *BMJ*, 376(e067516), 1–15. <https://doi.org/10.1136/bmj-2021-067516>
- Joshi, B., & Shrestha, L. (2019). A Comparative Study of Waist Hip Ratio and Body Mass Index (BMI) in Diabetic and Non Diabetic Individuals of Chitwan, Nepal. *Journal of Diabetes & Metabolism*, 10(01). <https://doi.org/10.35248/2155-6156.19.10.817>
- Karczewski, J., Troost, F. J., Konings, I., Dekker, J., Kleerebezem, M., Brummer, R. M., & Wells, J. M. (2010). Regulation of human epithelial tight junction proteins by *Lactobacillus plantarum* in vivo and protective effects on the epithelial barrier. *Am. J. Physiol. Gastrointest. Liver Physiol.*, 298, 851–859. <https://doi.org/10.1152/ajpgi.00327.2009>.
- Karlsson, F. H., Tremaroli, V., Nookaew, I., Bergström, G., Behre, C. J., Fagerberg, B., Nielsen, J., & Bäckhed, F. (2013). Gut metagenome in European women with normal, impaired and diabetic glucose control. *Nature*, 498(7452), 99–103. <https://doi.org/10.1038/nature12198>
- Kasińska, M. A., & Drzewoski, J. (2015). Effectiveness of probiotics in type 2 diabetes : a meta-analysis. *Pol Arch Med Wewn*, 125(11), 803–813.
- Kasmiati, Utami, T., Harmayani, E., dan Rahayu, E. S. (2002). Potensi Bakteri Asam Laktat Indigenous Untuk Menurunkan Kadar Laktosa. *Seminar Nasional PATPI. Malang*, 30-31 Juli 2002.
- Khalili, L., Alipour, B., Jafarabadi, M. A., Hassanalilou, T., & Abbasi, M. M. (2019). Probiotic assisted weight management as a main factor for glycemic control in patients with type 2 diabetes : a randomized controlled trial. *Diabetology & Metabolic Syndrome*, 11(5), 1–9. <https://doi.org/10.1186/s13098-019-0400-7>
- Khil, J., Kim, S. M., Chang, J., Choi, S., Lee, G., Son, J. S., Park, S. M., & Keum, N. N. (2023). Changes in total cholesterol level and cardiovascular disease risk among type 2 diabetes patients. *Scientific Reports*, 13(1), 1–11. <https://doi.org/10.1038/s41598-023-33743-6>
- Kobyliak, N., Falalyeyeva, T., Mykhachyshyn, G., Kyriienko, D., & Komissarenko, I. (2018). Effect of alive probiotic on insulin resistance in type 2 diabetes patients: Randomized clinical trial. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 12(5), 617–624. <https://doi.org/10.1016/j.dsx.2018.04.015>
- Kolahdouz-Mohammadi, R., Soltani, S., Clayton, Z. S., & Salehi-Abargouei, A. (2021). Sodium status is associated with type 2 diabetes mellitus: a systematic review and meta-analysis of observational studies. *European Journal of Nutrition*, 60(7), 3543–3565. <https://doi.org/10.1007/s00394-021-02595-z>
- Larsen, N., Vogensen, F. K., Van Den Berg, F. W. J., Nielsen, D. S., Andreasen, A. S., Pedersen, B. K., Al-Soud, W. A., Sørensen, S. J., Hansen, L. H., & Jakobsen, M. (2010). Gut microbiota in human adults with type 2 diabetes differs from non-diabetic adults. *PLoS ONE*, 5(2). <https://doi.org/10.1371/journal.pone.0009085>



- Lee, C. Bin, Chae, S. U., Jo, S. J., Jerng, U. M., & Bae, S. K. (2021). The relationship between the gut microbiome and metformin as a key for treating type 2 diabetes mellitus. *International Journal of Molecular Sciences*, 22(7). <https://doi.org/10.3390/ijms22073566>
- Li, X., Shimizu, Y., & Kimura, I. (2017). Gut microbial metabolite short-chain fatty acids and obesity. *Bioscience of Microbiota, Food and Health*, 36(4), 135–140. <https://doi.org/10.12938/bmfh.17-010>
- Li, X., Wang, N., Yin, B., Fang, D., Jiang, T., Fang, S., Zhao, J., Zhang, H., Wang, G., & Chen, W. (2016). Effects of *Lactobacillus plantarum* CCFM0236 on Hyperglycemia and Insulin Resistance in High-fat and Streptozotocin Induced Type 2 Diabetic Mice. *J.Appl. Microbiol.*, 121, 1727–1736. <https://doi.org/10.1111/jam.13276>
- Lin, Y., Yang, X., Li, J., & Chen, Y. (2021). Association Between Dietary Salt and Plasma Glucose, Insulin and Hemoglobin A 1c Levels Among Type 2 Diabetes Patients in Eastern China. 4811–4818.
- Liu, W., Yang, M., Wu, Y., Chen, P., Hsu, C., & Chen, L. (2018). *Lactobacillus plantarum* reverse diabetes- induced Fmo3 and ICAM expression in mice through enteric dysbiosis-related c-Jun NH2- terminal kinase pathways. *PLoS ONE*, 13(5), 1–23.
- Liu, Y., Liong, M., & Tsai, Y. (2018). New perspectives of *Lactobacillus plantarum* as a probiotic : The gut-heart-brain axis. *Journal of Microbiology*, 56(9), 601–613. <https://doi.org/10.1007/s12275-018-8079-2>
- Liu, Y., Su, Y., Ong, W., Cheng, T., & Tsai, Y. (2011). Oral administration of *Lactobacillus plantarum* K68 ameliorates DSS-induced ulcerative colitis in BALB / c mice via the anti-inflammatory and immunomodulatory activities. *International Immunopharmacology*, 11(12), 2159–2166. <https://doi.org/10.1016/j.intimp.2011.09.013>
- Maddatu, J., Anderson-baucum, E., & Evans-molina, C. (2017). Smoking and the Risk of Type 2 Diabetes. *Transl Res.*, 184, 101–107. <https://doi.org/10.1016/j.trsl.2017.02.004>.Smoking
- Malik, V. S., Popkin, B. M., Bray, G. A., Despres, J.-P., Willet, Wa. C., & Hu, F. B. (2010). Sugar-Sweetened Beverages and Risk of Metabolic Syndrome and Type 2 Diabetes. *Diabetes Care*, 33(11), 2477–2483. <https://doi.org/10.2337/dc10-1079>.
- Marsono, Y. (2016). The Role and Mechanism of Resistant Starch (RS) in Reducing Plasma Glucose Concentration. *Proceedings International Food Conference*, 23–28.
- Matsuda, K., Tsuji, H., Asahara, T., Matsumoto, K., Takada, T., & Nomoto, K. (2009). Establishment of an analytical system for the human fecal microbiota, based on reverse transcription-quantitative PCR targeting of multicopy rRNA molecules. *Applied and Environmental Microbiology*, 75(7), 1961–1969. <https://doi.org/10.1128/AEM.01843-08>
- Matsuki, T., Watanabe, K., Fujimoto, J., Miyamoto, Y., Takada, T., Matsumoto, K., Oyaizu, H., & Tanaka, R. (2002). *Development of 16S rRNA-Gene-*



- Targeted Group-Specific Primers for the Detection and Identification of Predominant Bacteria in Human Feces.* 68(11), 5445–5451. <https://doi.org/10.1128/AEM.68.11.5445>
- Meng, Y., Li, S., Khan, J., Dai, Z., Li, C., Hu, X., Shen, Q., & Xue, Y. (2021). Sugar-and artificially sweetened beverages consumption linked to type 2 diabetes, cardiovascular diseases, and all-cause mortality: A systematic review and dose-response meta-analysis of prospective cohort studies. *Nutrients*, 13(8). <https://doi.org/10.3390/nu13082636>
- Michael, M., Phebus, R. K., & Schmidt, K. a. (2010). Impact of a plant extract on the viability of *Lactobacillus delbrueckii* ssp. *bulgaricus* and *Streptococcus thermophilus* in nonfat yogurt. *International Dairy Journal*, 20(10), 665–672. <https://doi.org/10.1016/j.idairyj.2010.03.005>
- Mihardja, L., Soetrisno, U., & Soegondo, S. (2014). Prevalence and clinical profile of diabetes mellitus in productive aged urban Indonesians. *Journal of Diabetes Investigation*, 5(5), 507–512. <https://doi.org/10.1111/jdi.12177>
- Miller, L. E., Ouwehand, A. C., & Ibarra, A. (2017). Effects of probiotic-containing products on stool frequency and intestinal transit in constipated adults: Systematic review and meta-analysis of randomized controlled trials. *Annals of Gastroenterology*, 30(6), 629–639. <https://doi.org/10.20524/aog.2017.0192>
- Muñoz-Garach, A., García-Fontana, B., & Muñoz-Torres, M. (2019). Vitamin D status, calcium intake and risk of developing type 2 diabetes: An unresolved issue. *Nutrients*, 11(3), 1–17. <https://doi.org/10.3390/nu11030642>
- Murphy, R., Tsai, P., Jüllig, M., Liu, A., Plank, L., & Booth, M. (2017). Differential Changes in Gut Microbiota After Gastric Bypass and Sleeve Gastrectomy Bariatric Surgery Vary According to Diabetes Remission. *Obesity Surgery*, 27(4), 917–925. <https://doi.org/10.1007/s11695-016-2399-2>
- Nakayama, J., Watanabe, K., Jiang, J., Matsuda, K., Chao, S., Haryono, P., Laongkham, O., Sarwoko, M., Sujaya, I. N., Zhao, L., Chen, K., Chen, Y., Chiu, H., Hidaka, T., Huang, N.-X., Kiyohara, C., Kurakawa, T., Sakamoto, N., Sonomoto, K., ... Lee, Y. (2015). Diversity in gut bacterial community of school-age children in Asia. *Nature*, 5(8397), 1–11. <https://doi.org/10.1038/srep08397>
- Ngatirah, Harmayani, E., Rahayu, E.S. dan Utami, T. (2000). Seleksi Bakteri Asam Laktat yang Berpotensi Menurunkan Kolesterol. *Prosiding Seminar Nasional Industri Pangan Surabaya 10-11 Oktober 2000*.
- Nikbakht, E., Khalesi, S., Singh, I., Williams, L. T., West, N. P., & Colson, N. (2018). Effect of probiotics and synbiotics on blood glucose: a systematic review and meta-analysis of controlled trials. *European Journal of Nutrition*, 57(1), 95–106. <https://doi.org/10.1007/s00394-016-1300-3>
- Nkeh-Chungag, B. N., Mxhosa, T. H., & Mgoduka, P. N. (2015). Association of waist and hip circumferences with the presence of hypertension and pre-hypertension in young South African adults. *African Health Sciences*, 15(3), 908–916. <https://doi.org/10.4314/ahs.v15i3.27>
- Ohno, H., Murakami, H., Tanisawa, K., Konishi, K., & Miyachi, M. (2019).



- Validity of an observational assessment tool for multifaceted evaluation of faecal condition. *Scientific Reports*, 9(1), 1–9. <https://doi.org/10.1038/s41598-019-40178-5>
- Ostadrahimi, A., Taghizadeh, A., Mobasseri, M., Farrin, N., Payahoo, L., Gheshlaghi, Z. B., & Vahedjabbari, M. (2015). Effect of Probiotic Fermented Milk (Kefir) on Glycemic Control and Lipid Profile In Type 2 Diabetic Patients : A Randomized Double-Blind Placebo-Controlled Clinical Trial. *Iran J Public Health*, 44(2), 228–237.
- Osuka, A., Shimizu, K., Ogura, H., Tasaki, O., Hamasaki, T., Asahara, T., Nomoto, K., Morotomi, M., Kuwagata, Y., & Shimazu, T. (2012). Prognostic impact of fecal pH in critically ill patients. *Critical Care*, 16(4), R119. <https://doi.org/10.1186/cc11413>
- Papier, K., Este, C. D., Bain, C., Banwell, C., Seubsman, S., Sleigh, A., & Jordan, S. (2017). Consumption of sugar-sweetened beverages and type 2 diabetes incidence in Thai adults : results from an 8-year prospective study. *Nature Publishing Group, January*. <https://doi.org/10.1038/nutd.2017.27>
- Pawar, S. D., Thakur, P., Radhe, B. K., Jadhav, H., Behere, V., & Pagar, V. (2017). *The accuracy of polyuria , polydipsia , polyphagia , and Indian Diabetes Risk Score in adults screened for diabetes mellitus type - II*. 263–267. <https://doi.org/10.4103/0975-2870.206569>
- Paz, G. S., & Fernandes, J. (2022). Metformin, Microbiota and Health. *Journal of Exploratory Research in Pharmacology*, 8(1), 36–56. <https://doi.org/10.14218/jerp.2022.00032>
- Peng, Y., Zhong, G. C., Mi, Q., Li, K., Wang, A., Li, L., Liu, H., & Yang, G. (2017). Potassium measurements and risk of type 2 diabetes: A doseresponse meta-analysis of prospective cohort studies. *Oncotarget*, 8(59), 100603–100613. <https://doi.org/10.18632/oncotarget.21823>
- Portincasa, P., Bonfrate, L., Vacca, M., De Angelis, M., Farella, I., Lanza, E., Khalil, M., Wang, D. Q. H., Sperandio, M., & Di Ciaula, A. (2022). Gut Microbiota and Short Chain Fatty Acids: Implications in Glucose Homeostasis. *International Journal of Molecular Sciences*, 23(3). <https://doi.org/10.3390/ijms23031105>
- Prasad, J., Gill, H., Smart, J., & Gopal, P. K. (1999). Selection and Characterisation of Lactobacillus and Bifidobacterium Strains for Use as Probiotics. *International Dairy Journal*, 993–1002.
- Qin, J., Li, Y., Cai, Z., Li, S., Zhu, J., Zhang, F., Liang, S., Zhang, W., Guan, Y., Shen, D., Peng, Y., Zhang, D., Jie, Z., Wu, W., Qin, Y., Xue, W., Li, J., Han, L., Lu, D., ... Wang, J. (2012). A metagenome-wide association study of gut microbiota in type 2 diabetes. *Nature*, 490(7418), 55–60. <https://doi.org/10.1038/nature11450>
- Rahayu, E. S., Cahyanto, M. N., Sarwoko, M., Haryono, P., Windiarti, L., Sutriyanto, J., Kandarina, I., Nurfiani, S., Zulaichah, E., Utami, T., Technology, A., Mada, U. G., Street, F., Bulaksumur, N., Studies, N., Mada, U. G., Street, T. U., Medicine, F., Mada, U. G., ... Street, U. (2016). Effect of



- Consumption of Fermented Milk Containing Indigenous Probiotic *Lactobacillus Plantarum* DAD-13 on The Fecal Microbiota of Healthy Indonesian Volunteers. *International Journal of Probiotics and Prebiotics*, 11(2), 91–98.
- Rahayu, E. S., Mariyatun, M., Manurung, N. E. P., Hasan, P. N., Therdtatha, P., Mishima, R., Komalasari, H., Mahfuzah, N. A., Pamungkaningtyas, F. H., Yoga, W. K., Nurfiana, D. A., Liwan, S. Y., Juffrie, M., Nugroho, A. E., & Utami, T. (2021). Effect of probiotic *Lactobacillus plantarum* Dad-13 powder consumption on the gut microbiota and intestinal health of overweight adults. *World Journal of Gastroenterology*, 126(1), 107–128. <https://doi.org/10.3748/WJG.V27.I1.107>
- Rahayu, E. S., Rusdan, I. H., Athennia, A., Kamil, R. Z., Pramesi, P. C., Marsono, Y., Utami, T., & Widada, J. (2019). Safety Assessment of Indigenous Probiotic Strain *Lactobacillus plantarum* Dad-13 Isolated from Dadih Using Sprague Dawley Rats as a Model. *American Journal of Pharmacology and Toxicology*, 14(1), 38–47. <https://doi.org/10.3844/ajptsp.2019.38.47>
- Ramadhani, P., & Mahmudiono, T. (2018). Hubungan Konsumsi Sugar-Sweetened Beverages Dengan Kejadian Diabetes Mellitus Pada Lansia. *Media Gizi Indonesia*, 13(1), 49. <https://doi.org/10.20473/mgi.v13i1.49-56>
- Ríos-covián, D., Ruas-madiedo, P., Margolles, A., Gueimonde, M., Reyes-gavilán, C. G. D. L., & Salazar, N. (2016). Intestinal Short Chain Fatty Acids and their Link with Diet and Human Health. *Frontiers in Microbiology*, 7(February), 1–9. <https://doi.org/10.3389/fmicb.2016.00185>
- Rivièvre, A., Selak, M., Lantin, D., Leroy, F., & De Vuyst, L. (2016). Bifidobacteria and butyrate-producing colon bacteria: Importance and strategies for their stimulation in the human gut. *Frontiers in Microbiology*, 7, 1–21. <https://doi.org/10.3389/fmicb.2016.00979>
- Ruan, Y., Sun, J., He, J., Chen, F., Chen, R., & Chen, H. (2015). Effect of Probiotics on Glycemic Control: A Systematic Review and Meta-Analysis of Randomized, Controlled Trials. *PloS One*, 10(7), 1–15. <https://doi.org/10.1371/journal.pone.0132121>
- Russo, G. T., Manicardi, V., Rossi, M. C., Orsi, E., & Solini, A. (2022). Sex- and gender-differences in chronic long-term complications of type 1 and type 2 diabetes mellitus in Italy. *Nutrition, Metabolism and Cardiovascular Diseases*, 32(10), 2297–2309. <https://doi.org/10.1016/j.numecd.2022.08.011>
- Sakai, T., Taki, T., Nakamoto, A., Shuto, E., Tsutsumi, R., Toshimitsu, T., Makino, S., & Ikegami, S. (2013). *Lactobacillus plantarum* OLL2712 Regulates Glucose Metabolism in C57BL / 6 Mice Fed a High-Fat Diet. *J. Nur. Sci. Vitaminol.*, 59, 144–147.
- Saksono, D., Id, H., Tahapary, D. L., Juli, T., Tarigan, E., & Yunir, E. (2020). New proposed cut-off of waist circumference for central obesity as risk factor for diabetes mellitus : Evidence from the Indonesian Basic National Health Survey. *PLoS ONE*, 15(11), 1–12. <https://doi.org/10.1371/journal.pone.0242417>



- Salamon, D., Oleksiak, A. S., Kapusta, P., Szopa, M., Mrozińska, S., Słomczyńska, A. H. L., Wołkow, P. P., Bulanda, M., Klupa, T., Małecki, M. T., & Gosiewski, T. (2018). Characteristics of gut microbiota in adult patients with type 1 and type 2 diabetes based on next-generation sequencing of the 16S rRNA gene fragment. *Polish Archives of Internal Medicine*, 128(6), 336–343.
- Sato, J., Kanazawa, A., Azuma, K., Ikeda, F., Goto, H., Komiya, K., Kanno, R., Tamura, Y., Asahara, T., Takahashi, T., Nomoto, K., Yamashiro, Y., & Watada, H. (2017). Probiotic reduces bacterial translocation in type 2 diabetes mellitus: A randomised controlled study. *Scientific Reports*, 7(1), 1–10. <https://doi.org/10.1038/s41598-017-12535-9>
- Sheard, N. F., Clark, N. G., Brand-Miller, J. C., Franz, M. J., Pi-Sunyer, F. X., Mayer-Davis, E., Kulkarni, K., & Geil, P. (2004). Dietary Carbohydrate (Amount and Type) in Prevention and Management of Diabetes. *Diabetes Care*, 27(9), 2266–2271.
- Sheflin, A. M., Melby, C. L., Carbonero, F., Weir, T. L., Sheflin, A. M., Melby, C. L., Carbonero, F., & Weir, T. L. (2017). Linking dietary patterns with gut microbial composition and function. *Gut Microbes*, 8(2), 113–129. <https://doi.org/10.1080/19490976.2016.1270809>
- Silva, J. S. C., Seguro, C. S., & Naves, M. M. V. (2022). Gut microbiota and physical exercise in obesity and diabetes e A systematic review. *Nutrition, Metabolism and Cardiovascular Diseases*, 32(4), 863–877. <https://doi.org/10.1016/j.numecd.2022.01.023>
- Singh, R. K., Chang, H. W., Yan, D., Lee, K. M., Ucmak, D., Wong, K., Abrouk, M., Farahnik, B., Nakamura, M., Zhu, T. H., Bhutani, T., & Liao, W. (2017). Influence of diet on the gut microbiome and implications for human health. *Journal of Translational Medicine*, 1–17. <https://doi.org/10.1186/s12967-017-1175-y>
- Sircana, A., Framarin, L., Leone, N., Berrutti, M., Castellino, F., Parente, R., Michieli, F. De, Paschetta, E., & Musso, G. (2018). Altered Gut Microbiota in Type 2 Diabetes : Just a Coincidence ? *Current Diabetes Report*, 18(98), 1–11.
- Soccol, C. R., Porto, L., Vandenberghe, D. S., Spier, M. R., Bianchi, A., Medeiros, P., & Yamaguishi, C. T. (2013). *The Potential of Probiotics : A Review*. 48(4), 413–434.
- Soltani, S., & Clayton, Z. S. (2022). *Effects of Probiotics / Synbiotics Supplementation on Body Weight in Patients with Diabetes : A Systematic Review and Meta-Analyses of Randomized-Controlled Trials*.
- Sommers, T., Mitsuhashi, S., Singh, P., Hirsch, W., Katon, J., Ballou, S., Rangan, V., Cheng, V., Friedlander, D., Iturrino, J., Lembo, A., & Nee, J. (2019). Prevalence of Chronic Constipation and Chronic Diarrhea in Diabetic Individuals in the United States. *American Journal of Gastroenterology*, 114(1), 135–142. <https://doi.org/10.1038/s41395-018-0418-8>
- Stanhope, K. L., Goran, M. I., King, J. C., Schmidt, L. A., & Schwarz, J. (2018). Pathways and mechanisms linking dietary components to cardiometabolic



- disease : thinking beyond calories. *Obesity Reviews*, 19, 1205–1235. <https://doi.org/10.1111/obr.12699>
- Steyn, N. P., Mann, J., Bennett, P. H., Temple, N., Zimmet, P., Tuomilehto, J., & Lindstro, J. (2004). Diet , nutrition and the prevention of type 2 diabetes. *Public Health Nutrition*, 7(1A), 147–165. <https://doi.org/10.1079/PHN2003586>
- Sun, H., Saeedi, P., Karuranga, S., Pinkepank, M., Ogurtsova, K., Duncan, B. B., Stein, C., Basit, A., Chan, J. C. N., Mbanya, J. C., Pavkov, M. E., Ramachandaran, A., Wild, S. H., James, S., Herman, W. H., Zhang, P., Bommer, C., Kuo, S., Boyko, E. J., & Magliano, D. J. (2022). IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. *Diabetes Research and Clinical Practice*, 183, 109119. <https://doi.org/10.1016/j.diabres.2021.109119>
- Tao, Y. W., Gu, Y. L., Mao, X. Q., Zhang, L., & Pei, Y. F. (2020). Effects of probiotics on type II diabetes mellitus: A meta-analysis. *Journal of Translational Medicine*, 18(1), 1–11. <https://doi.org/10.1186/s12967-020-02213-2>
- Therdtatha, P., Song, Y., Tanaka, M., Mariyatun, M., Almunifah, M., Manurung, N. E. P., Indriarsih, S., Lu, Y., Nagata, K., Fukami, K., Ikeda, T., Lee, Y. K., Rahayu, E. S., & Nakayama, J. (2021). Gut microbiome of indonesian adults associated with obesity and type 2 diabetes: A cross-sectional study in an asian city, yogyakarta. *Microorganisms*, 9(5), 1–19. <https://doi.org/10.3390/microorganisms9050897>
- Tseng, T.-S., Lin, W.-T., Gonzalez, G. V., Kao, Y.-H., Chen, L.-S., & Lin, H.-Y. (2021). Sugar intake from sweetened beverages and diabetes: A narrative review. *World Journal of Diabetes*, 12(9), 1530–1538.
- Utami, T., Harmayani, E., & Rahayu, E. S. (2016). Survival of *Lactobacillus plantarum* Dad 13 during Spray Drying and Its Application for Yoghurt Fermentation. 5(2), 16–22.
- Valder, S., & Brinkmann, C. (2022). Exercise for the Diabetic Gut-Potential Health Effect and Underlying Mechanisms. *Nutrients*, 14(813), 1–17.
- Verma, M., Paneri, S., Badi, P., & Raman, P. G. (2006). Effect of Increasing Duration of Diabetes Mellitus Type 2 on Glycated Hemoglobin and Insulin Sensitivity. *Indian Journal of Clinical Biochemistry*, 21(1), 142–146.
- Walter, S. A., Kjellström, L., Nyhlin, H., Talley, N. J., & Agréus, L. (2010). Assessment of normal bowel habits in the general adult population: The Popcol study. *Scandinavian Journal of Gastroenterology*, 45(5), 556–566. <https://doi.org/10.3109/00365520903551332>
- WHO. (2008). *Waist Circumference and Waist-Hip Ratio: Report of a WHO Expert Consultation*.
- Willis, A. D. (2019). Rarefaction, alpha diversity, and statistics. *Frontiers in Microbiology*, 10(2407), 1–5. <https://doi.org/10.3389/fmicb.2019.02407>
- Willson, K., & Situ, C. (2017). Systematic Review on Effects of Diet on Gut Microbiota in Relation to Metabolic Syndromes. *Journal of Clinical Nutrition*



*and Metabolism*, 1(2), 1–12.

- Wondmkun, Y. T. (2020). Obesity, insulin resistance, and type 2 diabetes: Associations and therapeutic implications. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13, 3611–3616. <https://doi.org/10.2147/DMSO.S275898>
- Wong, S. K., Chin, K. Y., Suhaimi, F. H., Ahmad, F., & Ima-Nirwana, S. (2017). Vitamin E as a potential interventional treatment for metabolic syndrome: Evidence from animal and human studies. *Frontiers in Pharmacology*, 8(JUL), 1–12. <https://doi.org/10.3389/fphar.2017.00444>
- Wu, G. D., Chen, J., Hoffmann, C., Bittinger, K., Chen, Y., Sue, A., Bewtra, M., Knights, D., Walters, W. A., Knight, R., Gilroy, E., Gupta, K., Baldassano, R., Nessel, L., & Li, H. (2011). Linking Long-Term Dietary Patterns with Gut Microbial Enterotypes. *Science*, 334(6052), 105–108. <https://doi.org/10.1126/science.1208344>.Linking
- Wu, Y., Xu, H., Tu, X., & Gao, Z. (2021). The Role of Short-Chain Fatty Acids of Gut Microbiota Origin in Hypertension. *Frontiers in Microbiology*, 12, 1–14. <https://doi.org/10.3389/fmicb.2021.730809>
- Yakovlieva, M., Tacheva, T., Mihaylova, S., Tropcheva, R., Trifonova, K., Tolekova, A., Danova, S., & Vlaykova, T. (2015). Influence of *Lactobacillus brevis* 15 and *Lactobacillus plantarum* 13 on blood glucose and body weight in rats after high-fructose diet. *Beneficial Microbes*, 6(4), 505–511. <https://doi.org/10.3920/BM2014.0012>
- Yamaguchi, Y., Adachi, K., Sugiyama, T., Shimozato, A., Ebi, M., Ogasawara, N., Funaki, Y., Goto, C., Sasaki, M., & Kasugai, K. (2016). Association of Intestinal Microbiota with Metabolic Markers and Dietary Habits in Patients with Type 2 Diabetes. *Digestion*, 94, 66–72. <https://doi.org/10.1159/000447690>
- Zhang, M., Maruthur, N. M., Jurasichek, S. P., Iii, E. R. M., Appel, L. J., & Yeh, H. (2021). *Metformin Affects Gut Microbiome Composition and Function and Circulating Short-Chain Fatty Acids : A Randomized*. 44(July), 1462–1471.
- Zhang, Q., & Hu, N. (2020). Effects of metformin on the gut microbiota in obesity and type 2 diabetes mellitus. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13, 5003–5014. <https://doi.org/10.2147/DMSO.S286430>
- Zhang, Y., Ding, Y., Fan, Y., Xu, Y., Lu, Y., Zhai, L., & Wang, L. (2022). Influence of biotin intervention on glycemic control and lipid profile in patients with type 2 diabetes mellitus: A systematic review and meta-analysis. *Frontiers in Nutrition*, 9, 1–12. <https://doi.org/10.3389/fnut.2022.1046800>
- Zhang, Y., & Zhang, H. (2013). Microbiota associated with type 2 diabetes and its related complications. *Food Science and Human Wellness*, 2(3–4), 167–172. <https://doi.org/10.1016/j.fshw.2013.09.002>
- Zheng, Y., Ley, S. H., & Hu, F. B. (2018). Global aetiology and epidemiology of type 2 diabetes mellitus and its complications. *Nature Reviews Endocrinology*, 14(2), 88–98. <https://doi.org/10.1038/nrendo.2017.151>



Zhou, L., Zhang, M., Wang, Y., Dorfman, R. G., Liu, H., Yu, T., Chen, X., Tang, D., Xu, L., Yin, Y., Pan, Y., Zhou, Q., Zhou, Y., & Yu, C. (2018). *Faecalibacterium prausnitzii* Produces Butyrate to Maintain Th17/Treg Balance and to Ameliorate Colorectal Colitis by Inhibiting Histone Deacetylase 1. *Inflammatory Bowel Diseases*, 24(9), 1926–1940. <https://doi.org/10.1093/ibd/izy182>