

DAFTAR PUSTAKA

- Abraham, S., Rajamanick, D., and Srinivasan, B., 2018, Preparation, Characterization and Cross-linking of Chitosan by Microwave Assisted Synthesis, *Sci. Int.*, 6, 18–30.
- Adam, O., 2016, Removal of Resorcinol from Aqueous Solution by Activated Carbon: Isotherms, Thermodynamics and Kinetics, *Am. Chem. Sci. J.*, 16(1), 1–13.
- Adamu, A., Zewge, F., and Chebude, Y., 2022, Valorization of Spent Coffee Grounds Through Pyrolysis as Adsorbent for The Removal of Vivizole Red 3BS Dye from Aqueous Solution, *Water Pract. Technol.*, 17(5), 1019–1034.
- Adeel, M., Saeed, M., Khan, I., Muneer, M., and Akram, N., 2021, Synthesis and Characterization of Co-ZnO and Evaluation of Its Photocatalytic Activity for Photodegradation of Methyl Orange, *ACS Omega*, 6(2), 1426–1435.
- Aktar, J., 2020, *Batch Adsorption Process in Water Treatment*, Academic Press, Amerika Serikat.
- Akyüz, L., Duman, F., and Kaya, M., 2017, Püskürtmeli Kurutma Tekniği Kullanarak Flurbiprofenin Kitosan ile Enkapsülasyonu ve İn Vitro İlaç Salınımı ve Moleküler Modelleme Çalışmaları, *Turk. J. Pharm. Sci.*, 14(1), 34–39.
- Allwar, A., Hartati, R., and Fatimah, I., 2017, Effect of Nitric Acid Treatment on Activated Carbon Derived from Oil Palm Shell,. In, *AIP Conf. Proc.*, American Institute of Physics Inc.
- Auta, M. and Hameed, B.H., 2013, Coalesced Chitosan Activated Carbon Composite for Batch and Fixed-Bed Adsorption of Cationic and Anionic Dyes, *Colloids Surf. B. Biointerfaces*, 105, 199–206.
- Ayanda, O.S., Sodeinde, K.O., Okolo, P.O., Ajayi, A.A., Nelana, S.M., and Naidoo, E.B., 2018, Adsorptive Behavior of Kaolin for Amido Black Dye in Aqueous Solution, *Orient. J. Chem.*, 34(3), 1233–1239.
- Baghapour, M.A., Pourfadakari, S., and Mahvi, A.H., 2014, Investigation of Reactive Red Dye 198 Removal using Multiwall Carbon Nanotubes in Aqueous Solution, *J. Ind. Eng. Chem.*, 20(5), 2921–2926.
- Bai, Y.N., Wang, X.N., Zhang, F., Wu, J., Zhang, W., Lu, Y.Z., Fu, L., Lau, T.C., and Zeng, R.J., 2020, High-Rate Anaerobic Decolorization of Methyl Orange from Synthetic Azo Dye Wastewater in a Methane-Based Hollow Fiber Membrane Bioreactor, *J. Hazard. Mater.*, 388, 121753.

- Ballesteros, L.F., Teixeira, J.A., and Mussatto, S.I., 2014, Chemical, Functional, and Structural Properties of Spent Coffee Grounds and Coffee Silverskin, *Food Bioproc. Tech.*, 7, 3493–3503.
- Banerjee, S. and Chattopadhyaya, M.C., 2017, Adsorption Characteristics for The Removal of a Toxic Dye, Tartrazine from Aqueous Solutions by a Low Cost Agricultural By-Product, *Arab. J. Chem.*, 10, S1629–S1638.
- Bhatnagar, A. and Sillanpää, M., 2010, Utilization of Agro-Industrial and Municipal Waste Materials as Potential Adsorbents for Water Treatment-A Review, *J. Chem. Eng.*, 157(2), 277–296.
- Bhatnagar, A., Sillanpää, M., and Witek-Krowiak, A., 2015, Agricultural Waste Peels as Versatile Biomass for Water Purification-A review, *J. Chem. Eng.*, 270, 244–271.
- Biegun, M., Dymerska, A., Chen, X., and Mijowska, E., 2020, Study of The Active Carbon from Used Coffee Grounds as The Active Material for a High-Temperature Stable Supercapacitor with Ionic-Liquid Electrolyte, *Materials*, 13(18), 3919.
- Blachnio, M., Derylo-Marczewska, A., Charnas, B., Zienkiewicz-Strzalka, M., Bogatyrov, V., and Galaburda, M., 2020, Activated Carbon from Agricultural Wastes for Adsorption of Organic Pollutants, *Molecules*, 25(21), 5105
- Borah, L., Goswami, M., and Phukan, P., 2015, Adsorption of Methylene Blue and Eosin Yellow using Porous Carbon Prepared from Tea Waste: Adsorption Equilibrium, Kinetics and Thermodynamics Study, *J. Environ. Chem. Eng.*, 3(2), 1018–1028.
- Brandani, S., 2021, Kinetics of Liquid Phase Batch Adsorption Experiments, *Adsorption*, 27(3), 353–368.
- Chassary, P., Vincent, T., and Guibal, E., 2004, Metal Anion Sorption on Chitosan and Derivative Materials: A Strategy for Polymer Modification and Optimum Use, *React. Funct. Polym.*, 60, 137–149.
- Chen, S., Zhang, J., Zhang, C., Yue, Q., Li, Y., and Li, C., 2010, Equilibrium and Kinetic Studies of Methyl Orange and Methyl Violet Adsorption on Activated Carbon Derived from Phragmites Australis, *Desalination*, 252(1-3), 149–156.
- Choi, H.J., 2019, Applicability of Composite Beads, Spent Coffee Grounds/Chitosan, for The Adsorptive Removal of Pb(II) from Aqueous Solutions., *Ind. Chem.*, 30(5), 536-545.
- Chou, W.L., 2012, Investigation of Indium Ions Removal from Aqueous Solutions using Spent Coffee Grounds, *Int. J. Phys. Sci.*, 7(16), 2445-2454.

- Dakhil, I.H., 2020, Recycling of Agriculture Wastes for Efficient Removal of Methyl Orange Dye using Batch Adsorption Unit,. In, *IOP Conf. Ser.: Mater. Sci. Eng.*, 881(1), 012186.
- Edathil, A.A., Shittu, I., Zain, J.H., Banat, F., and Haija, M.A., 2018, Novel Magnetic Coffee Waste Nanocomposite as Effective Bioadsorbent for Pb(II) Removal from Aqueous Solutions, *J. Environ. Chem. Eng.*, 6(2), 2390–2400.
- Elamri, A., Zdiri, K., Hamdaoui, M., and Harzallah, O., 2022, Chitosan: A Biopolymer for Textile Processes and Products, *Text. Res. J.*, 93(5-6), 1456-1484.
- Fradj, A. Ben, Boubakri, A., Hafiane, A., and Hamouda, S. B., 2020, Removal of Azoic Dyes from Aqueous Solutions by Chitosan Enhanced Ultrafiltration, *Results Chem.*, 2, 100017.
- Guin, J.P., Bhardwaj, Y.K., and Varshney, L., 2017, Mineralization and Biodegradability Enhancement of Methyl Orange Dye by an Effective Advanced Oxidation Process, *Appl. Radiat. Isot.*, 122, 153–157.
- Gürses, A., Güneş, K., and Şahin, E., 2020, Removal of Dyes and Pigments from Industrial Effluents,. In, *Green Chem. Water Remediation: Res. Appl.*, 135–187.
- Hanafi, M.F. and Sapawe, N., 2020, A Review on The Water Problem Associate with Organic Pollutants Derived from Phenol, Methyl Orange, and Remazol Brilliant Blue Dyes, *Mater. Today: Proc.*, 31, A141–A150.
- Ho, Y.S., 2006, Review of Second-Order Models for Adsorption Systems, *J. Hazard. Mater.*, 136(3), 681–689.
- Hu, H. and Xu, K., 2019, Physicochemical Technologies for HRP and Risk Control,. In, *High-Risk Pollutants in Wastewater*, 169–207.
- Hubbe, M., Azizian, S., and Douven, S., 2019, Implications of Apparent Pseudo-Second-Order Adsorption Kinetics onto Cellulosic Materials: A Review, *Bioresources*, 14(3), 7582–7626.
- Hydari, S., Sharififard, H., Nabavinia, M., and Parvizi, M.R., 2012, A Comparative Investigation on Removal Performances of Commercial Activated Carbon, Chitosan Biosorbent and Chitosan/Activated Carbon Composite for Cadmium, *J. Chem. Eng.*, 193, 276–282.
- Islam, M.M. and Basu, S., 2015, Effect of Morphology and pH on (Photo) Electrochemical Degradation of Methyl Orange using TiO₂/Ti Mesh Photocathode Under Visible Light, *J. Environ. Chem. Eng.*, 3(4), 2323–2330.

- Islam, M.S., Ang, B.C., Gharekhani, S., and Afifi, A.B.M., 2016, Adsorption Capability of Activated Carbon Synthesized from Coconut Shell, *Carbon Lett.*, 20, 1–9.
- Iwuozor, K.O., 2019, Prospects and Challenges of using Coagulation-Flocculation Method in the Treatment of Effluents, *Adv. J. Chem.*, 2(2), 105-127.
- Iwuozor, K.O., Ighalo, J.O., Emenike, E.C., Ogunfowora, L.A., and Igwegbe, C.A., 2021, Adsorption of Methyl Orange: A Review on Adsorbent Performance, *CRGSC*, 4, 100179.
- Jalil, A.A., Triwahyono, S., Adam, S.H., Rahim, N.D., Aziz, M.A.A., Hairom, N.H.H., Razali, N.A.M., Abidin, M.A.Z., and Mohamadia, M.K.A., 2010, Adsorption of Methyl Orange from Aqueous Solution onto Calcined Lapindo Volcanic Mud, *J. Hazard. Mater.*, 181(1-3), 755–762.
- Jawad, A.H., Abdulhameed, A.S., and Mastuli, M.S., 2020, Mesoporous Crosslinked Chitosan-Activated Charcoal Composite for the Removal of Thionine Cationic Dye: Comprehensive Adsorption and Mechanism Study, *J Polym Environ*, 28, 1095–1105.
- Józwiak, T., Filipkowska, U., Bugajska, P., and Kalkowski, T., 2018, The Use of Coconut Shells for The Removal of Dyes from Aqueous Solutions, *J. Ecol. Eng.*, 19(4), 129–135.
- Kalam, S., Abu-Khamsin, S.A., Kamal, M.S., and Patil, S., 2021, Surfactant Adsorption Isotherms: A Review, *ACS Omega*, 6(48), 32342–32348.
- Khaniabadi, Y.O., Mohammadi, M.J., Shegerd, M., Sadeghi, S., and Basiri, H., 2016, Removal of Congo Red Dye from Aqueous Solutions by a Low-Cost Adsorbent: Activated Carbon Prepared from Aloe Vera Leaves Shell, *Environ. Health Eng. Manag.*, 4(1), 29–35.
- Khatri, J., Nidheesh, P. V., Singh, T.S.A., and Kumar, M.S., 2018, Advanced Oxidation Processes Based on Zero-Valent Aluminium for Treating Textile Wastewater, *J. Chem. Eng.*, 348, 67–73.
- Kilic, M., Apaydin-Varol, E., and Pütün, A.E., 2011, Adsorptive Removal of Phenol from Aqueous Solutions on Activated Carbon Prepared from Tobacco Residues: Equilibrium, Kinetics and Thermodynamics, *J. Hazard. Mater.*, 189(1-2), 397–403.
- Kumar, S. and Koh, J., 2012, Physiochemical, Optical and Biological Activity of Chitosan-Chromone Derivative for Biomedical Applications, *Int. J. Mol. Sci.*, 13(5), 6102–6116.

- Lafi, R. and Hafiane, A., 2016, Removal of Methyl Orange (MO) from Aqueous Solution using Cationic Surfactants Modified Coffee Waste (MCWs), *J. Taiwan Inst. Chem. Eng.*, 58, 424–433.
- Lellis, B., Fávaro-Polonio, C.Z., Pamphile, J.A., and Polonio, J.C., 2019, Effects of Textile Dyes on Health and The Environment and Bioremediation Potential of Living Organisms, *BIORI*, 3(2), 275–290.
- Li, W., Zhang, L., Peng, J., Li, N., Zhang, S., and Guo, S., 2008, Tobacco Stems as a Low Cost Adsorbent for The Removal of Pb(II) from Wastewater: Equilibrium and Kinetic Studies, *Ind. Crops. Prod.*, 28(3), 294–302.
- Liakos, E. V., Lazaridou, M., Michailidou, G., Koumentakou, I., Lambropoulou, D.A., Bikiaris, D.N., and Kyzas, G.Z., 2021, Chitosan Adsorbent Derivatives for Pharmaceuticals Removal from Effluents: A Review, *Macromol*, 1(2), 130–154.
- Liu, G., Xiao, J., Ren, H., and Zhong, H., 2015, Adsorption Thermodynamics and Kinetics of N,N'-Diisopropoxypropyl-N'',N'''-Oxydiethylenedicarbonyl Bis (Thiourea) on Chalcopyrite Surfaces, *J. Ind. Eng. Chem.*, 21, 1306–1313.
- Liu, Q.X., Zhou, Y.R., Wang, M., Zhang, Q., Ji, T., Chen, T.Y., and Yu, D.C., 2019, Adsorption of Methylene Blue from Aqueous Solution onto Viscose-Based Activated Carbon Fiber Felts: Kinetics and Equilibrium Studies, *Adsorpt. Sci. Technol.*, 37(3-4), 312–332.
- Loulidi, I., Jabri, M., Amar, A., Kali, A., A. Alrashdi, A., Hadey, C., Ouchabi, M., Abdullah, P.S., Lgaz, H., Cho, Y., and Boukhelifi, F., 2023, Comparative Study on Adsorption of Crystal Violet and Chromium (VI) by Activated Carbon Derived from Spent Coffee Grounds, *Appl. Sci.*, 13(2), 985.
- Mahaninia, M.H. and Wilson, L.D., 2017, A Kinetic Uptake Study of Roxarsone using Cross-Linked Chitosan Beads, *Ind. Eng. Chem. Res.*, 56(7), 1704–1712.
- Mariana, M., Mahidin, M., Mulana, F., and Aman, F., 2018, Utilization of Activated Carbon Prepared from Aceh Coffee Grounds as Bio-sorbent for Treatment of Fertilizer Industrial Waste Water., In, *IOP Conf. Ser.: Mater. Sci. Eng.*, 358(1), 012027.
- McNutt, J. and He, Q., 2019, Spent Coffee Grounds: A Review on Current Utilization, *J. Ind. Eng. Chem.*, 71, 78–88..
- Meshram, S., Katiyar, D., Asha, T., Dewangan, G.P., Joshi, A.N., and Thakur, R.S., 2020, NCNE-2020 Special Issue Preparation and Characterization of Activated Carbon from Spent Coffee Grounds using NaOH and KCl as Activating Agents, *J. Indian. Chem. Soc.*, 97, 1115-1118.

- Mohammed M.A., Shitu A., and Ibrahim A., 2014, Removal of Methylene Blue using Low Cost Adsorbent: A Review, *Res. J. Chem. Sci.*, 2231, 606.
- Mojiri, A., Kazeroon, R.A., and Gholami, A., 2019, Cross-Linked Magnetic Chitosan/Activated Biochar for Removal of Emerging Micropollutants from Water: Optimization by The Artificial Neural Network, *Water*, 11(3), 551.
- Moosavi, S., Lai, C.W., Gan, S., Zamiri, G., Pivehzhani, O.A., and Johan, M.R., 2020, Application of Efficient Magnetic Particles and Activated Carbon for Dye Removal from Wastewater, *ACS Omega*, 5(33), 20684–20697.
- Mourya, V.K. and Inamdar, N.N., 2008, Chitosan-Modifications and Applications: Opportunities Galore, *React. Funct. Polym.*, 68(6), 1013–1051.
- Mubarak, N.S.A., Chuan, T.W., Khor, H.P., Jawad, A.H., Wilson, L.D., and Sabar, S., 2021, Immobilized Fe-Loaded Chitosan Film for Methyl Orange Dye Removal: Competitive Ions, Reusability, and Mechanism, *J. Polym. Environ.*, 29, 1050–1062.
- Musah, M., Azeh, Y., Mathew, J., Umar, M., Abdulhamid, Z., and Muhammad, A., 2022, Adsorption Kinetics and Isotherm Models: A Review, *CaJOST*, 4(1), 20–26.
- Mussatto, S.I., Ballesteros, L.F., Martins, S., and Teixeira, J.A., 2011, Extraction of Antioxidant Phenolic Compounds from Spent Coffee Grounds, *Sep. Purif. Technol.*, 83, 173–179.
- Ocholi, O.J., Gimba, C.E., Ndukwe, G.I., Turoti, M., Abechi, S.E. and Edogbanya, P.R.O., 2016, Effect of Time on the Adsorption of Methylene Blue, Methyl Orange and Indigo Carmine onto Activated Carbon, *J. Appl. Chem.*, 9, 55–62.
- Omer, A.M., Ahmed, M.S., El-subruiti, G.M., Khalifa, R.E., and Eltaweil, A.S., 2021, Ph-Sensitive Alginate/Carboxymethyl Chitosan/Aminated Chitosan Microcapsules for Efficient Encapsulation and Delivery of Diclofenac Sodium, *Pharmaceutics*, 13(3), 338.
- Omer, A.M., Dey, R., Eltaweil, A.S., El-Monaem, E.M.A., and Ziora, Z.M., 2022, Insights into Recent Advances of Chitosan-Based Adsorbents for Sustainable Removal of Heavy Metals and Anions, *Arab. J. Chem.*, 15(2), 103543..
- Ostrowska-Czubenko, J. and Gierszewska, M., State of Water in Noncrosslinked and Crosslinked Hydrogel Chitosan Membranes-DSC Studies, *Prog. Chem. Appl.*, 16, 147-156.
- Özsin, G., Kılıç, M., Apaydın-Varol, E., and Pütün, A.E., 2019, Chemically Activated Carbon Production from Agricultural Waste of Chickpea and Its

Application for Heavy Metal Adsorption: Equilibrium, Kinetic, and Thermodynamic Studies, *Appl. Water Sci.*, 9, 1-14.

- Pagalan, E., Sebron, M., Gomez, S., Salva, S.J., Ampusta, R., Macarayo, A.J., Joyno, C., Ido, A., and Arazo, R., 2020, Activated Carbon from Spent Coffee Grounds as an Adsorbent for Treatment of Water Contaminated by Aniline Yellow Dye, *Ind. Crops. Prod.*, 145, 111953.
- Park, S.I., Kwak, I.S., Won, S.W., and Yun, Y.S., 2013, Glutaraldehyde-Crosslinked Chitosan Beads for Sorptive Separation of Au(III) and Pd(II): Opening a Way to Design Reduction-Coupled Selectivity-Tunable Sorbents for Separation of Precious Metals, *J. Hazard. Mater.*, 248, 211–218.
- Pollard, T.D. and De La Cruz, E.M., 2013, Take Advantage of Time in Your Experiments: A Guide to Simple, Informative Kinetics Assays, *Mol. Biol. Cell.*, 24(8), 1103–1110.
- Prabhakar, Y., Gupta, A., and Kaushik, A., 2019, Enhanced Decolorization of Reactive Violet Dye 1 by Halo-Alkaliphilic *Nesterenkonia* Strain: Process Optimization, Short Acclimatization and Reusability Analysis in Batch Cycles, *PSEP*, 131, 116–126.
- Prajapati, Y.N., Bhaduri, B., Joshi, H.C., Srivastava, A., and Verma, N., 2016, Aqueous Phase Adsorption of Different Sized Molecules on Activated Carbon Fibers: Effect of Textural Properties, *Chemosphere*, 155, 62–69.
- Purwitasari, D. G., Tussania, R., and Fathoni, 2022, Adsorpsi Logam Kadmium (Cd) pada Kadmium Sulfat (CdSO_4) Menggunakan Batang Pohon Pisang sebagai Adsorben, *Jurnal Chemurgy*, 6(1), 52–57.
- Rajasree, R. and Rahate, K., 2013, An Overview on Various Modifications of Chitosan and It's Applications, *Int. J. Pharm. Sci. Res.*, 4(11), 4175.
- Ramamoorthy, M., Ragupathy, S., Sakthi, D., Arun, V., and Kannadasan, N., 2020, Synthesis of SnO_2 Loaded on Corn Cob Activated Carbon for Enhancing The Photodegradation of Methylene Blue Under Sunlight Irradiation, *J. Environ. Chem. Eng.*, 8(5), 104331.
- Ramutshatsha-Makhwedzha, D., Mavhungu, A., Moropeng, M.L., and Mbaya, R., 2022, Activated Carbon Derived from Waste Orange and Lemon Peels for The Adsorption of Methyl Orange and Methylene Blue Dyes from Wastewater, *Heliyon*, 8(8), 09930.
- Rápó, E. and Tonk, S., 2021, Factors Affecting Synthetic Dye Adsorption; Desorption Studies: A Review of Results from The Last Five Years (2017–2021), *Molecules*, 26(17), 5419.

- Ratan, J.K., Kaur, M., and Adiraju, B., 2018, Synthesis of Activated Carbon from Agricultural Waste using a Simple Method: Characterization, Parametric and Isotherms Study,. In, *Mater. Today: Proc.*, 5(2), 3334-3345.
- Revellame, E.D., Fortela, D.L., Sharp, W., Hernandez, R., and Zappi, M.E., 2020, Adsorption Kinetic Modeling using Pseudo-First Order and Pseudo-Second Order Rate Laws: A Review, *Clean. Eng. Technol.*, 1, 100032.
- Rosanti, A.D., Kusumawati, Y., Hidayat, F., Fadlan, A., Wardani, A.R.K., and Anggraeni, H.A., 2022, Adsorption of Methylene Blue and Methyl Orange from Aqueous Solution using Orange Peel and CTAB-Modified Orange Peel, *J. Turk. Chem. Soc. A: Chem.*, 9(1), 237–246.
- Rosson, E., Garbo, F., Marangoni, G., Bertani, R., Lavagnolo, M.C., Moretti, E., Talon, A., Mozzon, M., and Sgarbossa, P., 2020, Activated Carbon from Spent Coffee Grounds: A Good Competitor of Commercial Carbons for Water Decontamination, *Appl. Sci.*, 10(16), 5998.
- Saelim, T., Sairiam, S., Siralermukul, K., Watcharamul, S., and Nuisin, R., 2020, Chitosan Beads as The Adsorbent for Glyphosate Removal from an Aqueous Solution, *J. Met. Mater. Miner.*, 30(3), 72–82.
- Saha, T.K., Bhounik, N.C., Karmaker, S., Ahmed, M.G., Ichikawa, H., and Fukumori, Y., 2010, Adsorption of Methyl Orange onto Chitosan from Aqueous Solution, *J. Water Resour. Prot.*, 2, 898–906.
- Saheed, I.O., Oh, W.D., and Suah, F.B.M., 2021, Chitosan Modifications for Adsorption of Pollutants – A Review, *J. Hazard. Mater.*, 408, 124889.
- Sawasdee, S., Suwanputa, S., Seesaiya, C., Sritotesporn, S., Tosri, N., Sawangsup, N., Pumpikun, R., and Watcharabundit, P., 2020, Application of Agricultural Waste Activated Carbon Prepared from Sugarcane Leaves for Methyl Orange Removal in Aqueous Solution, *Food Appl. Biosci. J.*, 8(3), 1-18.
- Sejie, P., Silas, N.M., and Nadiye-Tabbiruka, S., 2016, Removal of Methyl Orange (MO) from Water by adsorption onto Modified Local Clay (Kaolinite), *Phys. Chem.*, 6(2), 39–48.
- Shang, H., Lu, Y., Zhao, F., Chao, C., Zhang, B., and Zhang, H., 2015, Preparing High Surface Area Porous Carbon from Biomass by Carbonization in a Molten Salt Medium, *RSC Adv.*, 5(92), 75728–75734.
- Sharififard, H., Nabavinia, M., and Soleimani, M., 2016, Advances in Environmental Technology Evaluation of Adsorption Efficiency of Activated Carbon/Chitosan Composite for Removal of Cr (VI) and Cd (II) from Single and Bi-solute Dilute Solution, *AET*, 2(4), 215-227.

- Tekin, N., Şafaklı, A., and Bingöl, D., 2015, Process Modeling and Thermodynamics and Kinetics Evaluation of Basic Yellow 28 Adsorption onto Sepiolite, *Desalin.*, 54(7), 2023–2035.
- Theerakarunwong, C.D. and Boontong, D., 2020, Removal and Recyclable Chitosan Nanowires: Application to Water Soluble Dyes, *Results. Chem.*, 2, 100024.
- Vanamudan, A., Bandwala, K., and Pamidimukkala, P., 2014, Adsorption Property of Rhodamine 6G onto Chitosan-g-(N-vinyl pyrrolidone)/Montmorillonite Composite, *Int. J. Biol. Macromol.*, 69, 506–513.
- Wang, J. and Guo, X., 2020, Adsorption Isotherm Models: Classification, Physical Meaning, Application and Solving Method, *Chemosphere*, 258, 127279.
- Wang, S.G., Gong, W.X., Liu, X.W., Yao, Y.W., Gao, B.Y., and Yue, Q.Y., 2007, Removal of Lead(II) from Aqueous Solution by Adsorption onto Manganese Oxide-Coated Carbon Nanotubes, *Sep. Purif. Technol.*, 58(1), 17–23.
- Yao, Y., Bing, H., Feifei, X., and Xiaofeng, C., 2011, Equilibrium and Kinetic Studies of Methyl Orange Adsorption on Multiwalled Carbon Nanotubes, *J. Chem. Eng.*, 170(1), 82–89.
- Yin, M., Li, X., Liu, Y., and Ren, X., 2021, Functional Chitosan/Glycidyl Methacrylate-Based Cryogels for Efficient Removal of Cationic and Anionic Dyes and Antibacterial Applications, *Carbohydr. Polym.*, 266, 118129.
- Yuliusman, Nasruddin, Afdhol, M.K., Haris, F., Amiliana, R.A., Hanafi, A., and Ramadhan, I.T., 2017, Production of Activated Carbon from Coffee Grounds using Chemical and Physical Activation Method, *Adv. Sci. Lett.*, 23(6), 5751–5755.
- Zhang, B., Hu, R., Sun, D., Wu, T., and Li, Y., 2018, Fabrication of Chitosan/Magnetite-Graphene Oxide Composites as a Novel Bioadsorbent for Adsorption and Detoxification of Cr(VI) from Aqueous Solution, *Sci. Rep.*, 8(1), 15397.
- Zhang, Q., Cheng, Y., Fang, C., Chen, J., Chen, H., Li, H., and Yao, Y., 2020, Facile Synthesis of Porous Carbon/Fe₃O₄ Composites Derived from Waste Cellulose Acetate by One-Step Carbothermal Method as a Recyclable Adsorbent for Dyes, *J. Mater. Res. Technol.*, 9(3), 3384–3393.
- Znad, H., Abbas, K., Hena, S., and Awual, M.R., 2018, Synthesis a Novel Multilamellar Mesoporous TiO₂/ZSM-5 for Photo-Catalytic Degradation of Methyl Orange Dye in Aqueous Media, *J. Environ. Chem. Eng.*, 6(1), 218–227.