

## DAFTAR PUSTAKA

- Al Adawi, O. A., Barnes, I., Khan, I. A., & Al Subhi, A. M. (2013). *Ceratocystis manginecans* associated with a serious wilt disease of two native legume trees in Oman and Pakistan. March. <https://doi.org/10.1007/s13313-012-0196-5>
- Aparecida, D., Arriel, A., Mauro, L., Deon, M., Resende, V. De, Pinheiro, F., Neto, L., Flávia, D., Heid, S., Silva, S., Lopes, D., Siqueira, D., & Couto, A. (2016). Scientia horticulturae genetic control of resistance on *Mangifera indica* to *Ceratocystis* wilt. *Scientia Horticulturae*, 211, 312–318. <https://doi.org/10.1016/j.scienta.2016.09.001>
- Arnold, R. J., & Cuevas, E. (2003). Genetic variation in early growth, stem straightness and survival in *Acacia crassicarpa*, *A. mangium* and *Eucalyptus urophylla* in Bukbdnon province, Philippines. *Journal of Tropical Forest Science*, 15(2), 332–351.
- Awang, K., Shukor, N. A. A., & Senin, L. (1995). Two-year performance of *Acacia crassicarpa* provenances at Serdang , Malaysia. 18(3), 177–181.
- Barnes, Abdul Rauf, M. R., Fourie, A., Japarudin, Y., & Wingfield, M. J. (2023). *Ceratocystis manginecans* and not *C. Fimbriata* a threat to propagated *Acacia* spp. in Sabah, Malaysia. *Journal of Tropical Forest Science*, 35(Special Issue), 16–26. <https://doi.org/10.26525/jtfs2023.35s.si.16>
- Barnes, I. A., Roux, J. A., Wingfield, B. D. B., Neill, M. O. C., & Wingfield, M. J. A. (2003). *Ceratocystis fimbriata* infecting *Eucalyptus grandis* in Uruguay. *Australasian Plant Pathology*, 32, 361–366.
- Blaschek, L., Champagne, A., Dimotakis, C., Nuoendagula, C., Decou, R., Hishiyama, S., Kratzer, S., Kajita, S., & Pesquet, E. (2020). Cellular and genetic regulation of coniferaldehyde incorporation in lignin of herbaceous and woody plants by quantitative wiesner staining. *Frontiers in Plant Science*, 11(March), 1–17. <https://doi.org/10.3389/fpls.2020.00109>
- Brawner, J., Chi, N. M., Chi, N., Glen, M., Mohammed, C., Thu, P. Q., & Kien, N. D. (2020). Tolerance of *Acacia* populations following inoculation with the *Ceratocystis* canker and wilt pathogen in Vietnam. *Tree Genetics and Genomes*, 16(5), 16–77. <https://doi.org/10.1007/s11295-020-01470-y>
- Brawner, J., Japarudin, Y., Lapammu, M., Rauf, R., Boden, D., & Wingfield, M. J. (2015). Evaluating the inheritance of *Ceratocystis acaciivora* symptom expression in a diverse *Acacia mangium* breeding population. *Southern Forests*, 77(1), 83–90. <https://doi.org/10.2989/20702620.2015.1007412wqww>
- Brawner, Sunarti, S., Nirsatmanto, A., Indrayadi, H., Tarigan, M., Yuliarto, M., Rahayu, S., Hardiyanto, E. B., Glen, M., Mohammed, C., & Rimbawanto, A. (2022). Screening clonally replicated *Acacia mangium* breeding populations

- for tolerance to *Ceratocystis* canker and wilt disease. *Tree Genetics and Genomes*, 18(2). <https://doi.org/10.1007/s11295-022-01548-9>
- Callister, A. N., & Collins, S. L. (2008). Genetic parameter estimates in a clonally replicated progeny test of teak (*Tectona grandis* Linn. f.). *Tree Genetics and Genomes*, 4(2), 237–245. <https://doi.org/10.1007/s11295-007-0104-2>
- Chi, N. M., Nhung, N. P., Trang, T. T., Thu, P. Q., Hinh, T. X., Nam, N. V., Quang, D. N., & Dell, B. (2019). First report of wilt disease in *Dalbergia tonkinensis* caused by *Ceratocystis manginecans*. *Australasian Plant Pathology*, 48(5), 439–445. <https://doi.org/10.1007/s13313-019-00643-1>
- Chi, N. M., Thu, P. Q., & Mohammed, C. (2019). Screening disease resistance of *Acacia auriculiformis* clones against *Ceratocystis manginecans* by artificial and natural inoculation methods. *Australasian Plant Pathology*, 48(6), 617–624. <https://doi.org/10.1007/s13313-019-00665-9>
- Chittachumnonk, P., & Sirilak, S. (1991). Performance of *Acacia* species in Thailand. In J. W. Turnbull (Ed.), *Advances in tropical acacia research*. Australian Centre for International Agricultural Research.
- Clérivet, A., Déon, V., Alami, I., Lopez, F., Geiger, J. P., & Nicole, M. (2000). Tyloses and gels associated with cellulose accumulation in vessels are responses of plane tree seedlings (*Platanus x acerifolia*) to the vascular fungus *Ceratocystis fimbriata* f. sp. platani. *Trees - Structure and Function*, 15(1), 25–31. <https://doi.org/10.1007/s004680000063>
- Eynck, C., Koopmann, B., Karlovsky, P., & Von Tiedemann, A. (99 C.E.). Internal resistance in winter oilseed rape inhibits systemic spread of the vascular pathogen *Verticillium longisporum*. *Phytopathology*, 802–811.
- Ferreira, F. A., Maffia, L. A., Barreto, R. W., Demuner, N. L., & Pigatto, S. (2006). Sintomatologia da murcha de *Ceratocystis fimbriata* em eucalipto. *R. Árvore*, Viçosa-MG, 30(2), 155–162.
- Franke, R., McMichael, C. M., Meyer, K., Shirley, A. M., Cusumano, J. C., & Chappie, C. (2000). Modified lignin in tobacco and poplar plants over-expressing the Arabidopsis gene encoding ferulate 5-hydroxylase. *Plant Journal*, 22(3), 223–234. <https://doi.org/10.1046/j.1365-313X.2000.00727.x>
- Guimaraes, L. M. da S., Titon, M., Lau, D., Rosse, L. N., Oliveira, L. S. S., Rosado, C. C. G., Christo, G. G. O., & Alfenas, A. C. (2010). *Eucalyptus pellita* as a source of resistance to rust, ceratocystis wilt and leaf blight. *Crop Breeding and Applied Biotechnology*, 10, 124–131.
- Gunn, B. V., & Midgley, S. J. (1991). Exploring and accessing the genetic resources of four selected tropical acacias. In T. JW (Ed.), *Advances in tropical Acacia research* (p. no 35. 57-63). Australian Centre for International Agricultural Research.

- Hai, P. H. (2009). Genetic improvement of plantation-grown *Acacia auriculiformis* for sawn timber production. In Department of Plant Biology and Forest Genetics: Vol. PhD (Issue June).
- Harakava, R. (2005). Genes encoding enzymes of the lignin biosynthesis pathway in *Eucalyptus*. *Genetics and Molecular Biology*, 28(3 SUPPL.), 601–607. <https://doi.org/10.1590/s1415-47572005000400015>
- Harwood, C. E., Hardiyanto, E. B., & Yong, W. C. (2015). Genetic improvement of tropical acacias: achievements and challenges. *Southern Forests*, 77(1), 11–18. <https://doi.org/10.2989/20702620.2014.999302>
- Harwood, C. E., & Nambiar, E. K. S. (2013). Sustainable plantation forestry in South East Asia. Canberra, Australia, January, 12.
- Heimbürger, C. (1962). Breeding for disease resistance in forest trees. *For. Chron*, 38 (3), 356–362.
- Humphreys, J. M., & Chapple, C. (2002). Rewriting the lignin roadmap. *Current Opinion in Plant Biology*, 5(3), 224–229.
- Jahan, M. S., Sabina, R., & Rubaiyat, A. (2008). Alkaline pulping and bleaching of *Acacia auriculiformis* grown in Bangladesh. *Turkish Journal of Agriculture and Forestry*, 32(4), 339–347. <https://doi.org/10.3906/tar-0708-10>
- Jeger, M., Bragard, C., Chatzivassiliou, E., Dehnen-Schmutz, K., Gilioli, G., Miret, J. A. J., Macleod, A., Navarro, M. N., Niere, B., Parnell, S., Potting, R., Rafoss, T., Urek, G., Van Bruggen, A., Van der Werf, W., West, J., Winter, S., Santini, A., Tsopelas, P., ... Rossi, V. (2016). Risk assessment and reduction options for *Ceratocystis platani* in the EU. *EFSA Journal*, 14(12). <https://doi.org/10.2903/J.EFSA.2016.4640>
- Johnson, J. A., Harrington, T. C., & Engelbrecht, C. J. B. (2005). Phylogeny and taxonomy of the North American clade of the *Ceratocystis fimbriata* complex. *Mycologia*, 97(5), 1067–1092. <https://doi.org/10.3852/mycologia.97.5.1067>
- Kamgan, N. G., Jacobs, K., De Beer, Z. W., Wingfield, M. J., & Roux, J. (2008). *Ceratocystis* and *Ophiostoma* species, including three new taxa, associated with wounds on native South African trees. *Fungal Diversity*, 29(March), 37–59.
- Kha, L. D., & Nghia, N. H. (1991). Growth of some *Acacia* species in Vietnam (pp. 173–176). Australian Centre for International Agricultural Research.
- Kumar, & Dhillon, G. P. S. (2016). Clonal testing of *Eucalyptus* clones and estimation of their genetic parameters. *Indian Forester*, 142 (2)(February), 127–132.
- Kumar, M. S., Parameswari, N., Chin, C. F., Baharum, Z., Olalekan, K. K., & Aini,

- A. S. N. (2016). Selection and screening of superior genotypes for quality planting stock based on vegetative growth performance of some selected 12-Year-Old *Acacia* species. *Open Journal of Forestry*, 06(04), 217–229. <https://doi.org/10.4236/ojf.2016.64018>
- Lapammu, M., Warburton, P., Japarudin, Y., Boden, D., Wingfield, M., & Brawner, J. (2023). Verification of tolerance to infection by *Ceratocystis manginecans* in clones of *Acacia mangium*. *Journal of Tropical Forest Science*, 35(Special Issue), 42–50. <https://doi.org/10.26525/jtfs2023.35s.si.42>
- Latsamay, S. (1991). Australian Acacias in Laos. *Advances in Tropical Acacia Research*, 227–228.
- Laurila, R. (1995). Wood properties and utilization potential of eight fast-growing tropical plantation tree species. *Journal of Tropical Forest Products*, 1(2), 209–221. <https://www.cabdirect.org/cabdirect/abstract/19960606790>
- Lee, D. H., Roux, J., Wingfield, B. D., & Barnes, I. (2016). New host range and distribution of *Ceratocystis pirilliformis* in South Africa. *European Journal of Plant Pathology*. <https://doi.org/10.1007/s10658-016-0933-7>
- Lynch, M., & Walsh, B. (1998). *Genetics and analysis of quantitative traits*. Sinauer Associates.
- Mai, T. T. P., Hardner, C. M., Alam, M. M., Henry, R. J., & Topp, B. L. (2021). Phenotypic characterisation for growth and nut characteristics revealed the extent of genetic diversity in wild macadamia germplasm. *Agriculture (Switzerland)*, 11(7). <https://doi.org/10.3390/agriculture11070680>
- Martins, G. S., Pacific, A., International, R., Antes, R., Pacific, A., International, R., Prasetyo, A., Pacific, A., International, R., & Unda, F. (2020). Wood and pulping properties variation of *Acacia crassicarpa* A .Cunn. ex Benth. and sampling strategies for accurate phenotyping. *Forests*, 11(1043). <https://doi.org/10.3390/f11101043>
- McDonald, M. W., & Maslin, B. R. (2000). Taxonomic revision of the salwoods: *Acacia aulacocarpa* Cunn. ex Benth. and its allies (Leguminosae: Mimosoideae: section Juliflorae). *Australian Systematic Botany*, 13(1), 21–78. <https://doi.org/10.1071/SB98031>
- Méndez-Álvarez, D., Murillo-Gamboa, O., Badilla-Valverde, Y., & Hernández-Castro, W. (2021). Genetic tolerance to *Ceratocystis* wilt in melina (*Gmelina arborea* Roxb.). *Silvae Genetica*, 70(1), 195–204. <https://doi.org/10.2478/sg-2021-0017>
- Muslim, A., Pratama, R., Suwandi, S., & Hamidson, H. (2022). Diseases Severity, Genetic Variation, and Pathogenicity of *Ceratocystis* Wilt on *Lansium domesticum* in South Sumatra, Indonesia. *Plant Pathology Journal*, 38(2), 131–145. <https://doi.org/10.5423/PPJ.OA.12.2021.0182>

- Nambiar, E. S., Harwood, C. E., & Kien, N. D. (2015). *Acacia* plantations in Vietnam: research and knowledge application to secure a sustainable future. *Southern Forests*, 77(1), 1–10. <https://doi.org/10.2989/20702620.2014.999301>
- Nasution, A., Glen, M., Beadle, C., Mohammed, C., Glen, M., Beadle, C., & Ceratocystis, C. M. (2019). *Ceratocystis* wilt and canker – a disease that compromises the growing of commercial *Acacia* - based plantations in the tropics. *Australian Forestry*, 82(1), 80–93. <https://doi.org/10.1080/00049158.2019.1595347>
- Nasution, A., Indrayadi, H., Glen, M., Evans, K., Ratkowsky, D., Brawner, J., Gafur, A., & Mohammed, C. (2022). Phyllode inoculation provides a rapid protocol for preliminary screening of *Acacia* species for tolerance to *Ceratocystis* wilt and canker disease. *European Journal of Plant Pathology*, 163(2), 321–339. <https://doi.org/10.1007/s10658-022-02479-w>
- Niemann, G. J., Baayen, R. P., & Boon, J. J. (1990). Localization of phytoalexin accumulation and determination of changes in lignin and carbohydrate composition in carnation (*Dianthus caryophyllus* L.) xylem as a consequence of infection with *Fusarium oxysporum* f. sp. dianthi, by pyrolysis-mass spectrometry. *Netherlands Journal of Plant Pathology*, 96, 133–153.
- Nirsatmanto, A., & Sunarti, S. (2019). Genetics and breeding of tropical *Acacias* for forest products: *Acacia mangium*, *A. auriculiformis* and *A. crassicarpa*. In *Advances in Plant Breeding Strategies: Industrial and Food Crops* (Vol. 6). [https://doi.org/10.1007/978-3-030-23265-8\\_10](https://doi.org/10.1007/978-3-030-23265-8_10)
- Pedlar, J. H., Mckenney, D. W., Hope, E., Reed, S., & Sweeney, J. (2020). Assessing the climate suitability and potential economic impacts of Oak wilt in Canada. *Scientific Reports*, 1–12. <https://doi.org/10.1038/s41598-020-75549-w>
- Ploetz, R. C., Hulcr, J., Wingfield, M. J., & Wilhelm de Beer, Z. (2013). Destructive tree diseases associated with ambrosia and bark beetles: Black swan events in tree pathology? *Plant Disease*, 97(7), 856–872. <https://doi.org/10.1094/PDIS-01-13-0056-FE>
- Pouralibaba, H. R., Pérez-de-Luque, A., & Rubiales, D. (2017). Histopathology of the infection on resistant and susceptible lentil accessions by two contrasting pathotypes of *Fusarium oxysporum* f.sp. *lentis*. *European Journal of Plant Pathology*, 148(1), 53–63. <https://doi.org/10.1007/s10658-016-1068-6>
- Rahayu, S., Pratama, R. G., Imron, M. A., Mahmud, J., & Nugroho, W. D. (2021). The occurrence of gummosis on invasive *Acacia decurrens* after mount merapi eruption in Yogyakarta, Indonesia. *Management of Biological Invasions*, 12(4), 886–900. <https://doi.org/10.3391/MBI.2021.12.4.08>
- Raymond, C. A. (2002). Genetics of *Eucalyptus* wood properties. *Annals of Forest*



- Science, 59(July 2002), 525–531.  
<https://doi.org/http://dx.doi.org/10.1051/forest:2002037>
- Ridgway, R. (1912). Color standards and color nomenclature. The author, Washington, D. C. <https://library.si.edu/digital-library/book/colorstandardsc00ridg>
- Roux, J., Byabashaija, D. M., & Wingfield, M. J. (2001). Diseases of plantation *Eucalyptus* in Uganda. South African Journal of Science, 97(January).
- Roux, J., Wingfield, M. J., Bouillet, J. P., Wingfield, B. D., & Alfenas, A. C. (2000). A serious new wilt disease of *Eucalyptus* caused by *Ceratocystis fimbriata* in Central Africa. Forest Pathology, 30(3), 175–184.  
<https://doi.org/10.1046/j.1439-0329.2000.00202.x>
- Roux, J., Wyk, M. Van, Hatting, H., & Wingfield, M. J. (2004). *Ceratocystis* species infecting stem wounds on *Eucalyptus grandis* in South Africa. Plant Pathology Journal, 53, 414–421. <https://doi.org/10.1046/j.1365-3059.2004.01014.x>
- Sánchez-vargas, N. M., Vargas-hernández, J. J., Ruiz-posadas, L. del M., & López-Upton, J. (2004). Repeatibility of genetic parameters in a clonal test of *Eucalyptus urophylla* S. T. Blake in Southeastern Mexico. Agrobiencia, 38(July), 465–475.
- Sanhueza, R. P., White, T. L., Huber, D. A., & Griffin, A. R. (2002). Genetic parameters estimates, selection indices and predicted genetic gains from selection of *Eucalyptus globulus* in Chile. Forest Genetic, 9(1), 19–29.
- Santos, R. M. F., Silva, S. D. V. M., Sena, K., Micheli, F., & Gramacho, K. P. (2013). Kinetics and histopathology of the *Cacao-Ceratocystis cacaofunesta* interaction. Tropical Plant Biology, 6(1), 37–45.  
<https://doi.org/10.1007/s12042-012-9115-8>
- Sharma, J. K., Mohanan, C., & Florence, E. J. M. (1985). Disease survey in nurseries and plantations of forest tree species grown in Kerala. KFRI Research Report, Kerala Forest Research Institute, No. 36, 268 + vii pp.
- Shukla, S. R., Rao, R. V., Sharma, S. K., Kumar, P., Sudheendra, R., & Shashikala, S. (2007). Physical and mechanical properties of plantation-grown *Acacia auriculiformis* of three different ages. Australian Forestry, 70, 86–92.  
<https://doi.org/http://dx.doi.org/10.1080/00049158.2007.10675007>
- Shukor, N. A. A., Awang, K., Rashid, M. M., & Senin, A. L. (1994). Provenance trial of *Acacia auriculiformis* in Peninsular Malaysia: 12 - month performance. Journal of Tropical Forest Science, 6(3), 249–256.  
<https://www.jstor.org/stable/43582435>
- Shukor, N. A. A., Nang, A. N., & Awang, K. (1998). Selected wood properties of

- Acacia auriculiformis* and *A. crassicarpa* provenances in Malaysia. In J. W. Turnbull & H. R. Crompton (Eds.), Recent Developments in Acacia Planting, Proceedings of an International Workshop, Hanoi, Vietnam, 27–30 October 1997 (pp. 155–160). ACIAR (Australian Centre for Interational Agriculture Research).
- Silva, A. C., Betancourth, B. M. L., Ferreira, D. C., Tamiris, L., Rodrigues, F. Á., Alfenas, A. C., Silva, A. C., Betancourth, B. M. L., Ferreira, D. C., Elerati, T. L., & Ro-, F. Á. (2021). Responses of resistant and susceptible hybrid clones of *Eucalyptus urophylla* x *Eucalyptus grandis* to infection by *Ceratocystis fimbriata*. *Annals of Forest Science*, 77(2), pp.45. <https://doi.org/10.1007/s13595-020-00932-6>
- SIM, B. L., & Gan, E. (1991). Performance of *Acacia* species on sour Sites in Sabah Forest Industries. In J.W. Turnbull (Ed.), *Advances in tropical acacia research*. Australian Centre for International Agricultural Research.
- Sniezko, R., & Koch, J. (2017). Breeding trees resistant to insects and diseases: putting theory into application. *Forest Invasions*, 19, 3377–3400. <https://doi.org/10.1007/s10530-017-1482-5>
- Sugesty, S., Kardiansyah, T., & Pratiwi, W. (2015). Potensi *Acacia crassicarpa* sebagai bahan baku pulp kertas untuk Hutan Tanaman Industri. *Jurnal Selulosa*, 5(01), 21–32. <https://doi.org/10.25269/jssel.v5i01.75>
- Suhartati, Rahmayanto, Y., & Daeng, Y. (2014). Dampak penurunan daur tanaman HTI acacia terhadap kelestarian produksi, ekologis dan sosial. *Info Teknis EBONI*, 11(2), 103–116.
- Syazwan, S. A., Mohd-Farid, A., Wan-Muhd-azrul, W. A., Syahmi, H. M., Zaki, A. M., Ong, S. P., & Mohamed, R. (2021). Survey, identification, and pathogenicity of *Ceratocystis fimbriata* complex associated with wilt disease on *Acacia mangium* in malaysia. *Forests*, 12(12), 1–18. <https://doi.org/10.3390/f12121782>
- Tarigan, M., Roux, J., Van Wyk, M., Tjahjono, B., & Wingfield, M. J. (2011). A new wilt and die-back disease of *Acacia mangium* associated with *Ceratocystis manginecans* and *C. acaciivora* sp. nov. in Indonesia. *South African Journal of Botany*, 77(2), 292–304. <https://doi.org/10.1016/j.sajb.2010.08.006>
- Tarigan, M., van Wyk, M., Roux, J., Tjahjono, B., & Wingfield, M. J. (2010). Three new *Ceratocystis* spp. in the *Ceratocystis moniliformis* complex from wounds on *Acacia mangium* and *A. crassicarpa*. *Mycoscience*, 51(1), 53–67. <https://doi.org/10.1007/s10267-009-0003-5>
- Thomson, L.A, J. (1994). *Acacia aulacocarpa*, *A. cincinnata*, *A. crassicarpa* and *A. wetarensis*: An annotated bibliography. CSIRO Division of Forestry.

- Thomson L., Doran, J., & Clarke, B. (2018). Trees for life in Oceania: conservation and utilisation of genetic diversity. In ACIAR Monograph ((eds)2018, Vol. 201). Australian Centre for International Agricultural Research. <https://doi.org/10.1079/cabicompendium.50394>
- Tsopelas, P., Soulioti, N., & Michael, J. (2021). *Ceratocystis ficicola* causing a serious disease of *Ficus carica* in Greece. 60(2), 337–349. <https://doi.org/10.36253/phyto-12794>
- Turnbull, J. W., Midgley, S. J., & Cossalter, C. (1997). Tropical acacias planted in Asia: an overview of recent developments in acacias planting. In J. W. Turnbull (Ed.), Recent developments in acacia planting (p. ACIAR Proceeding no. 82, pp 14–28). Australian Centre for International Agricultural Research.
- Tyson, J. L., Manning, M. A., & Wright, P. J. (2020). Pathogenicity of *Ceratocystis fimbriata* from New Zealand kumara on kiwifruit cultivars. New Zealand Plant Protection, 73, 6–12. <https://doi.org/10.30843/NZPP.2020.73.11717>
- Valdetaro, D. C. O. F., Harrington, T. C., Oliveira, L. S. S., Mcnew, D. L., Pimenta, L. V. A., Gonçalves, R. C., Schurt, D. A., & Alfenas, A. C. (2019). A host specialized form of *Ceratocystis fimbriata* causes seed and seedling blight on native *Carapa guianensis* ( andiroba ) in Amazonian rainforests. 123, 170–182. <https://doi.org/10.1016/j.funbio.2018.12.001>
- Vance, C. P., Kirk, T. K., & Sherwood, R. T. (1980). Lignification as a mechanism of disease resistance. Annu Rev Phytopathol, 18, 259–288.
- Weerawardane, N. D. R., & Vivekanandan, K. (1991). *Acacia* species and provenance trials in uplands of Sri Lanka. In J.W. Turnbull (Ed.), Advances in Tropical Acacia Research. Australian Centre for International Agricultural Research.
- Wingfield, M. J., Wingfield, B. D., Warburton, P., Japarudin, Y., Lapammu, M., Abdul Rauf, M. R., Boden, D., & Barnes, I. (2023). *Ceratocystis* Wilt of *Acacia mangium* in Sabah: Understanding the Disease and Reducing Its Impact. Journal of Tropical Forest Science, 35(Special Issue), 51–66. <https://doi.org/10.26525/jtfs2023.35s.si.51>
- Wu, H. X. (2019). Benefits and risks of using clones in forestry – a review. Scandinavian Journal of Forest Research, 34(5), 352–359. <https://doi.org/10.1080/02827581.2018.1487579>
- Yang, M., & Zeng, Y. (1991). Results from a four-year-old tropical *Acacia* species/provenance trial on Hainan Island, China. In J.W. Turnbull (Ed.), Advances in Tropical Acacia Research. Australian Centre for International Agricultural Research.
- Zauza, E. A. V, Alfenas, A. C., Harrington, T., & Mizubuti, E. S. G. (2004). Resistance of *Eucalyptus* clones to *Ceratocystis fimbriata*. Plant Disease, July.



<https://doi.org/10.1094/PDIS.2004.88.7.758>

Zobel, B. J., & Talbert, J. (1984). Forest tree improvement. John Wiley.