



References

- World Health Organization, 2017. Guideline: preventive chemotherapy to control soil-transmitted helminth infections in at-risk population groups. World Health Organization.
- Montresor, A., Crompton, D.W., Gyorkos, T.W. and Savioli, L., 2002. Helminth control in school-age children: a guide for managers of control programmes. World Health Organization.
- Addo, H. (2018) 'The Impact of the School Based Deworming Program on Education in the Kwahu West Municipality of Ghana', 4, pp. 25–30.
- Ali, J. *et al.* (2018) 'Deworming school children in Ethiopia: The importance of a comprehensive approach', *Open Journal of Tropical Medicine*, 3(1), pp. 001–006. Available at: <https://doi.org/10.17352/ojtm.000008>.
- Ame, S. *et al.* (2022) 'Impact of preventive chemotherapy on transmission of soil-transmitted helminth infections in Pemba Island, United Republic of Tanzania, 1994–2021', *PLoS Neglected Tropical Diseases*, 16(6), p. e0010477. Available at: <https://doi.org/10.1371/journal.pntd.0010477>.
- Aruldas, K. *et al.* (2021) 'Community Drug Distributor Knowledge, Attitudes, and Motivation Surrounding Mass Drug Administration for Soil-Transmitted Helminths in India', *Frontiers in Public Health*, 9. Available at: <https://www.frontiersin.org/articles/10.3389/fpubh.2021.714606> (Accessed: 5 July 2022).
- Asfaw, M.A. *et al.* (2020) 'Preventive chemotherapy coverage against soil-transmitted helminth infection among school age children: Implications from coverage validation survey in Ethiopia, 2019', *PLoS ONE*, 15(6), p. e0235281. Available at: <https://doi.org/10.1371/journal.pone.0235281>.
- Asfaw, M.A., Hailu, C. and Beyene, T.J. (2021) 'Evaluating Equity and Coverage in Mass Drug Administration for Soil-Transmitted Helminth Infections among School-Age Children in the Hard-to-Reach Setting of Southern Ethiopia', *Pediatric Health, Medicine and Therapeutics*, 12, pp. 325–333. Available at: <https://doi.org/10.2147/PHMT.S316194>.
- Bangladesh (ed.) (2014) *Bangladesh population and housing census, 2011. National report*. Dhaka: Bangladesh Bureau of Statistics, Statistics and Informatics Division, Ministry of Planning, Bangladesh, Government of the People's Republic of Bangladesh.
- Breitenstein, S.M. *et al.* (2010) 'Implementation Fidelity in Community-Based Interventions', *Research in nursing & health*, 33(2), pp. 164–173. Available at: <https://doi.org/10.1002/nur.20373>.
- Bundy, D.A.P. *et al.* (2017) 'Mass Deworming Programs in Middle Childhood and Adolescence', in D.A.P. Bundy *et al.* (eds) *Child and Adolescent Health and Development*. 3rd edn. Washington (DC): The International Bank for Reconstruction and Development / The World Bank. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK525254/> (Accessed: 18 July 2022).



- Carroll, C. *et al.* (2007) ‘A conceptual framework for implementation fidelity’, *Implementation Science*, 2(1), p. 40. Available at: <https://doi.org/10.1186/1748-5908-2-40>.
- Davlin, S.L. *et al.* (2020) ‘Soil-transmitted helminthiasis in four districts in Bangladesh: household cluster surveys of prevalence and intervention status’, *BMC Public Health*, 20(1), pp. 1–12. Available at: <https://doi.org/10.1186/s12889-020-08755-w>.
- Dhakal, S. *et al.* (2020) ‘Post-intervention epidemiology of STH in Bangladesh: Data to sustain the gains’, *PLOS Neglected Tropical Diseases*, 14(12), p. e0008597. Available at: <https://doi.org/10.1371/journal.pntd.0008597>.
- Dhillon, C.N. *et al.* (2013) ‘Overestimation of Vitamin A Supplementation Coverage from District Tally Sheets Demonstrates Importance of Population-Based Surveys for Program Improvement: Lessons from Tanzania’, *PLOS ONE*, 8(3), p. e58629. Available at: <https://doi.org/10.1371/journal.pone.0058629>.
- Digital, S. (no date) *Guidelines for School-based Deworming Programs: Information for policy-makers and planners, Save the Children’s Resource Centre*. Available at: https://resourcecentre.savethechildren.net/pdf/school_health_integrated_programming_ship_school-based_deworming_guidelines.pdf/ (Accessed: 5 July 2022).
- Drake, L.J. *et al.* (2015) ‘Bihar’s Pioneering School-Based Deworming Programme: Lessons Learned in Deworming over 17 Million Indian School-Age Children in One Sustainable Campaign’, *PLOS Neglected Tropical Diseases*, 9(11), p. e0004106. Available at: <https://doi.org/10.1371/journal.pntd.0004106>.
- Dusenbury, L. *et al.* (2003) ‘A review of research on fidelity of implementation: implications for drug abuse prevention in school settings’, *Health Education Research*, 18(2), pp. 237–256. Available at: <https://doi.org/10.1093/her/18.2.237>.
- Eze, P. *et al.* (2020) ‘Perception and attitudinal factors contributing to periodic deworming of preschool children in an urban slum, Nigeria’, *BMC Public Health*, 20(1), p. 1839. Available at: <https://doi.org/10.1186/s12889-020-09958-x>.
- Faizah, F. *et al.* (2020) ‘Feasibility of school-based health intervention for compliance of mass drug administration for soil transmitted helminthiasis in Bangladesh’. Advance. Available at: <https://doi.org/10.31124/advance.11788941.v1>.
- FHI 360 (2013) *Technical Brief: Assessing Progress in Fighting STHs in Bangladesh*, FHI 360. Available at: <https://www.fhi360.org/resource/technical-brief-assessing-progress-fighting-sths-bangladesh> (Accessed: 24 June 2022).



- Hafiz, I. *et al.* (2015) ‘School-based mass distributions of mebendazole to control soil-transmitted helminthiasis in the Munshiganj and Lakshmipur districts of Bangladesh: an evaluation of the treatment monitoring process and knowledge, attitudes, and practices of the population’, *Acta Tropica*, 141(Pt B), pp. 385–390. Available at: <https://doi.org/10.1016/j.actatropica.2013.12.010>.
- Hasson, H. (2010) ‘Systematic evaluation of implementation fidelity of complex interventions in health and social care’, *Implementation Science*, 5(1), p. 67. Available at: <https://doi.org/10.1186/1748-5908-5-67>.
- Haynes, A. *et al.* (2016) ‘Figuring out fidelity: a worked example of the methods used to identify, critique and revise the essential elements of a contextualised intervention in health policy agencies’, *Implementation Science : IS*, 11, p. 23. Available at: <https://doi.org/10.1186/s13012-016-0378-6>.
- Jamison, D.T. *et al.* (eds) (2006) ‘Chapter 24. Helminth Infections: Soil-Transmitted Helminth Infections and Schistosomiasis’, in *Disease Control Priorities in Developing Countries (2nd Edition)*. World Bank Publications, pp. 467–482. Available at: <https://doi.org/10.1596/978-0-8213-6179-5/Chpt-24>.
- Lai, Y.-S. *et al.* (2019) ‘Risk profiling of soil-transmitted helminth infection and estimated number of infected people in South Asia: A systematic review and Bayesian geostatistical Analysis’, *PLoS Neglected Tropical Diseases*, 13(8), p. e0007580. Available at: <https://doi.org/10.1371/journal.pntd.0007580>.
- Makaula, P. *et al.* (2022) ‘An assessment of implementation and effectiveness of mass drug administration for prevention and control of schistosomiasis and soil-transmitted helminths in selected southern Malawi districts’, *BMC Health Services Research*, 22, p. 517. Available at: <https://doi.org/10.1186/s12913-022-07925-3>.
- Montresor, A. *et al.* (2017) ‘Preventive chemotherapy to control soil-transmitted helminthiasis averted more than 500 000 DALYs in 2015’, *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 111(10), pp. 457–463. Available at: <https://doi.org/10.1093/trstmh/trx082>.
- Montresor, A. *et al.* (2020) ‘The global progress of soil-transmitted helminthiases control in 2020 and World Health Organization targets for 2030’, *PLOS Neglected Tropical Diseases*, 14(8), p. e0008505. Available at: <https://doi.org/10.1371/journal.pntd.0008505>.
- Montresor, A. and World Health Organization. (2011) *Helminth control in school-age children : a guide for managers of control programmes*. World Health Organization.
- Nasreen, H. *et al.* (2018) ‘Assessment of the prevalence of Soil Transmitted Helminthiasis in Bangladesh’, *ABC Research Alert*, 6(3), p. Bangladesh-Bangladesh. Available at: <https://doi.org/10.18034/abcra.v6i3.334>.



- Nasution, R.K.A. *et al.* (2019) ‘Prevalence and Knowledge of Soil-Transmitted Helminth Infections in Mandailing Natal, North Sumatera, Indonesia’, *Open Access Macedonian Journal of Medical Sciences*, 7(20), pp. 3443–3446. Available at: <https://doi.org/10.3889/oamjms.2019.441>.
- Nath, T.C. *et al.* (2018) ‘Elimination of soil-transmitted helminthiasis infection in Bangladesh: Knowledge, attitudes, and practices regarding mass drug administration’, *Journal of Global Health Reports*, 2, p. e2018017. Available at: <https://doi.org/10.29392/joghr.2.e2018017>.
- Nath, T.C. *et al.* (2020) ‘Integration of health education intervention to improve the compliance to mass drug administration for soil-transmitted helminths infection in Bangladesh: An implementation research’, *Parasite Epidemiology and Control*, 11, p. e00165. Available at: <https://doi.org/10.1016/j.parepi.2020.e00165>.
- Nath, T.C., Padmawati, R.S. and Murhandarwati, E.H. (2019) ‘Barriers and gaps in utilization and coverage of mass drug administration program against soil-transmitted helminth infection in Bangladesh: An implementation research’, *Journal of Infection and Public Health*, 12(2), pp. 205–212. Available at: <https://doi.org/10.1016/j.jiph.2018.10.002>.
- Njomo, D.W. *et al.* (2012) ‘Factors associated with the motivation of community drug distributors in the lymphatic Filariasis Elimination Programme in Kenya’, *Southern African Journal of Epidemiology and Infection*, 27(2), pp. 66–70. Available at: <https://doi.org/10.1080/10158782.2012.11441487>.
- Njomo, Doris W. *et al.* (2019) ‘Perceptions and Experiences of School Teachers During the Implementation of a School-Based Deworming Activity in Kenya’, *The East African Health Research Journal*, 3(1), p. 57. Available at: <https://doi.org/10.24248/EAHRJ-D-18-00028>.
- Njomo, Doris W *et al.* (2019) ‘Perceptions and Experiences of School Teachers During the Implementation of a School-Based Deworming Activity in Kenya’, *The East African Health Research Journal*, 3(1), pp. 57–64. Available at: <https://doi.org/10.24248/EAHRJ-D-18-00028>.
- O’Cathain, A., Murphy, E. and Nicholl, J. (2010) ‘Three techniques for integrating data in mixed methods studies’, *BMJ*, 341, p. c4587. Available at: <https://doi.org/10.1136/bmj.c4587>.
- Okoyo, C. *et al.* (2016) ‘Monitoring the impact of a national school based deworming programme on soil-transmitted helminths in Kenya: the first three years, 2012 – 2014’, *Parasites & Vectors*, 9(1), p. 408. Available at: <https://doi.org/10.1186/s13071-016-1679-y>.
- PAR-19-274: Dissemination and Implementation Research in Health (R01 Clinical Trial Optional)* (no date). Available at: <https://grants.nih.gov/grants/guide/pa-files/PAR-19-274.html> (Accessed: 21 July 2022).
- Parikh, D.S. *et al.* (2013) ‘KNOWLEDGE, ATTITUDES AND PRACTICES AMONG PARENTS AND TEACHERS ABOUT SOIL-TRANSMITTED



HELMINTHIASIS CONTROL PROGRAMS FOR SCHOOL CHILDREN IN GUIMARAS, PHILIPPINES’, *Southeast Asian J Trop Med Public Health*, 44(5).

- Pérez, M.C. *et al.* (2018) ‘Comparison of registered and published intervention fidelity assessment in cluster randomised trials of public health interventions in low- and middle-income countries: systematic review’, *Trials*, 19(1), p. 410. Available at: <https://doi.org/10.1186/s13063-018-2796-z>.
- Peters, D.H. *et al.* (2013) ‘Implementation research: what it is and how to do it’, *BMJ*, 347, p. f6753. Available at: <https://doi.org/10.1136/bmj.f6753>.
- Pullan, R.L. *et al.* (2014) ‘Global numbers of infection and disease burden of soil transmitted helminth infections in 2010’, *Parasites & Vectors*, 7(1), p. 37. Available at: <https://doi.org/10.1186/1756-3305-7-37>.
- Rahman, M.M. (2017) ‘Biannually School Based Deworming by Mebendazole 500mg has Reduced the Worm Load Drastically in Bangladesh’, *Advances in Biotechnology & Microbiology*, 3(4). Available at: <https://doi.org/10.19080/aibm.2017.03.555617>.
- Report: Child marriage rate 60.3% in Bhola* (no date) *Dhaka Tribune*. Available at: <https://www.dhakatribune.com/bangladesh/nation/242360/report-child-marriage-rate-60.3%25-in-bhola> (Accessed: 19 August 2023).
- Rwamwejo, F. *et al.* (2023) ‘Assessing the knowledge, attitudes, practices, and perspectives of stakeholders of the deworming program in rural Rwanda’, *PLOS Neglected Tropical Diseases*, 17(8), p. e0010759. Available at: <https://doi.org/10.1371/journal.pntd.0010759>.
- Saha, A. *et al.* (2022a) ‘Depriving Out-of-School Children of Deworming Tablets for Soil-Transmitted Helminth Infection in Bangladesh: The Irony of a School-Based Deworming Programme’, *Tropical Medicine and Infectious Disease*, 7(3), p. 35. Available at: <https://doi.org/10.3390/tropicalmed7030035>.
- Saha, A. *et al.* (2022b) ‘Depriving Out-of-School Children of Deworming Tablets for Soil-Transmitted Helminth Infection in Bangladesh: The Irony of a School-Based Deworming Programme’, *Tropical Medicine and Infectious Disease*, 7(3), p. 35. Available at: <https://doi.org/10.3390/tropicalmed7030035>.
- Sangare, M. *et al.* (2021) ‘Evaluation of mass drug administration for schistosomiasis and soil-transmitted helminths in school-aged children in Bankass, Mali’, *International Journal of Infectious Diseases*, 112, pp. 196–201. Available at: <https://doi.org/10.1016/j.ijid.2021.08.063>.
- Sheahan, W. *et al.* (2022) ‘Overestimation of School-Based Deworming Coverage Resulting from School-Based Reporting’. medRxiv, p. 2022.04.11.22273689. Available at: <https://doi.org/10.1101/2022.04.11.22273689>.



- Silver, Z.A. *et al.* (2018) ‘Geographical distribution of soil transmitted helminths and the effects of community type in South Asia and South East Asia – A systematic review’, *PLOS Neglected Tropical Diseases*. Edited by N. de Silva, 12(1), p. e0006153. Available at: <https://doi.org/10.1371/journal.pntd.0006153>.
- World Health Organization (2012) ‘Soil-transmitted helminthiases : eliminating as public health problem soil-transmitted helminthiases in children : progress report 2001-2010 and strategic plan 2011-2020’. Available at: <https://apps.who.int/iris/handle/10665/44804> (Accessed: 24 June 2022).
- World Health Organization (2017) *Guideline: preventive chemotherapy to control soil-transmitted helminth infections in at-risk population groups*. Geneva: World Health Organization. Available at: <https://apps.who.int/iris/handle/10665/258983> (Accessed: 22 June 2022).
- Zerdo, Z. *et al.* (2022) ‘Prevalence, intensity and endemicity of intestinal schistosomiasis and soil-transmitted helminthiasis and its associated factors among school-aged children in Southern Ethiopia’, *Scientific Reports*, 12(1), p. 4586. Available at: <https://doi.org/10.1038/s41598-022-08333-7>.
- WHO (World Health Organization). 2002. Prevention and Control of Schistosomiasis and Soil-Transmitted Helminthiasis. WHO Technical Series Report 912. Geneva: WHO mondiale de la Santé, O. and World Health Organization, 2021. Summary of global update on implementation of preventive chemotherapy against NTDs in 2020–Résumé des données mondiales actualisées sur la mise en oeuvre de la chimioprévention contre les MTN en 2020. Weekly Epidemiological Record= Relevé épidémiologique hebdomadaire, 96(38), pp.468-475.
- Kamasho, A.J., 2012. Effectiveness of intervention with mass chemotherapy for soil-transmitted helminths among primary school children in Bagamoyo district, Tanzania (Doctoral dissertation, Muhimbili University of Health and Allied Sciences).
- World Health Organization, 2012. Accelerating work to overcome the global impact of neglected tropical diseases: a roadmap for implementation (No. WHO/HTM/NTD/2012.5). World Health Organization.
- Hong, S.T., Chai, J.Y., Choi, M.H., Huh, S., Rim, H.J. and Lee, S.H., 2006. A successful experience of soil-transmitted helminth control in the Republic of Korea. *The Korean journal of parasitology*, 44(3), p.177.
- Adamu, A.A., 2017. ASSESSING IMPLEMENTATION FIDELITY OF COMMUNITY BASED INTEGRATED MASS DRUG ADMINISTRATION FOR NEGLECTED TROPICAL DISEASE CONTROL IN KANO STATE, NIGERIA (Doctoral dissertation, University of the Witwatersrand, Johannesburg).
- Unknown, 2016. Guidelines for School Based Deworming Program, s.l.: PCD, Sightsavers, The World Bank Group publishers.
- Hossain, I. (2021). Report: Child marriage rate 60.3% in Bhola. Dhaka Tribune. [online] 27 Mar. Available at:



UNIVERSITAS
GADJAH MADA

Assessing adherence of deworming program to eliminate Soil-transmitted helminthiasis in Bhola district, Bangladesh: An Implementation Research

Adiba Tafhim Anisa, Dr. Dra. Retna Siwi Padmawati, dr. Elsa Herdiana Murhandarwati, M.Kes, Ph.D

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://www.dhakatribune.com/bangladesh/nation/242360/report-child-marriage-rate-60.3%25-in-bhola> [Accessed 19 Aug. 2023].



Assessing adherence of deworming program to eliminate Soil-transmitted helminthiasis in Bhola district, Bangladesh: An Implementation Research

Adiba Tafhim Anisa, Dr. Dra. Retna Siwi Padmawati, dr. Elsa Herdiana Murhandarwati, M.Kes, Ph.D

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA