UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abraham, T.M., Pencina, K.M., Pencina, M.J.. (2015). Trends in Diabetes Incidence : *The Framingham Heart Study* 38, 482–487.

Adi, S., Suastika, K., Lindarto D., Decroli, E., Permana, H., Sucipto, K., Kusnadi, Y., Budiman., Ikhsan, R., Sasiarini, L., Sanusi, H., Nugruho, K. H., Susanto, H. (2021). *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2021*. Jakarta: PB PERKENI

Ahn, N., & Kim, K. (2016). High-density lipoprotein cholesterol (HDL-C) in cardiovascular disease: effect of exercise training. *Integrative Medicine Research,* 5(3), pp. 212-215. doi https://dx.doi.org/10.1016%2Fj.imr.2016.07.001

Albright, J. M., Dunn, R. C., Shults, J. A., Boe, D. M., Afshar, M., & Kovacs, E. J. (2016) .Advanced Age Alters Monocyte and Macrophage Responses. *Antioxidan and Redox Signaling*, 25,pp. 805–815. doi : https://doi.org/10.1089/ars.2016.6691

Alqarni, A., Vennu, V., Alshammari, SA., Bindawas, SM. (2018). Cross-cultural adaptation and validation of the arabic version of the Physical Activty Scale for the Elderly among community-dwelling older adults in Saudi Arabia. *Clin interv Aging* 44(5):462-5

Annisa, B.B. (2015). Hubungan Aktivitas Fisik dengan Kejadian Retinopati Diabetika pada Pasien Diabetes Mellitus Tipe 2: Jogjakarta Eye Diabetic Study in the Community. https://etd.repository.ugm.ac.id/penelitian/detail/89462

Ashor, A. W., Lara, J., Siervo, M., Celis-Morales, C., Oggiony, C., Jakovljevic, D. G., & Mathers, J. J. (2015). Exercise Modalities and Endothelial Function: A Systematic Review and Dose–Response Meta-Analysis of Randomized Controlled Trials. *Sports Medicine,* 45, pp. 279-296. doi : 10.1007/s40279-014-0272-9

Aslan I., Kucuksayan E., Aslan M. (2013) Effect of Insulin analog initiation therapy on LDL/HDL subfraction profile and HDL associated enzymes in type 2 diabetic patient. *Lipids in Health and Disease*. 12:54.

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Arai, Y., Kamide, K.., Hirose, N. (2019). Adipokines and Aging: Findings From Centenarians and the Very Old. Front. *Endocrinol.* 10:142. doi: 10.3389/fendo.2019.00142

Avcıkurt, A., Korkut, O. (2017). Effect of certain non-steroidal anti-inflammatory drugs on the paraoxonase 2 (PON2) in human monocytic cell line U937. https://doi.org/10.1080/13813455.2017.1411371

Ayvat, E., Kilinc,M., Kirdi, M. (2017). The Turkish version of the Physical Activity Scale for the Elderly (PASE): its cultural adaptation, validation, and reliability. *Turk J Med Sci* 47: 908-915. doi: 10.3906/sag-1605-7.

Badan Pusat Statistik. (2020). *Angka Harapan Hidup Menurut Provinsi dan Jenis Kelamin (Tahun), 2018 - 2020*. https://www.bps.go.id/indicator/40/501/1/angka-harapan-hidup-ahh-menurut-provinsi-dan-jenis-kelamin. html. diakses pada 16 Oktober 2021

Badan Pusat Statistik. (2019). *Angka Harapan Hidup Menurut Provinsi dan Jenis Kelamin* [WWW Document]. Badan Pusat Statistik. URL https://www.bps.go.id/indicator/40/501/1/angka-harapan-hidup-ahh-menurut-provinsi-dan-jenis-kelamin. html (accessed 12.10.21).

Badan Pusat Statistik (BPS).(2021). *Angka Harapan Hidup* [WWW Document]. Badan Pusat Statistik. URL https://sirusa.bps.go.id/sirusa/index.php/indikator/48. Diakses 7 Desember 2021

Badan Pusat Statistik (BPS). (2021). Indeks Kebahagiaan Tahun 2021. https://www.bps.go.id/publication/2021/12/27/ba1b0f03770569b5ac3ef58e/indeks-kebahagiaan-2021.html. Diakses 19 Desember 2021

Badan Pusat Statistik (BPS). (2017). Berita Resmi Statistik No. 52/09/34/Th. XIX Indeks Kebahagiaan Daerah Istimewa Yogyakarta Tahun 2017. https://yogyakarta.bps.go.id/pressrelease/2017/09/04/812/indekskebahagiaandaerah-istimewa-yogyakarta-tahun-2017-sebesar-72-93.html. diakses 11 Desember 2021

Balta, S., Celik, T., Ozturk, C., Kaya, M. D., Aparci, M., Yildirim, A. O., Demir, M., Kilic, S., Aydin, I., & Iyisoy, A. (2016). The relation between monocyte to HDL ratio and no-reflow phenomenon in the patients with acute ST-segment elevation

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

myocardial infarction. *The American Journal of Emergency Medicine*. 2016;34(8):1542-1547. doi : https://doi.org/10.1016/j.ajem.2016.05.031

Bansal, N. (2015). Prediabetes diagnosis and treatment : A review 6, 296–303.

Barrett, T.J., Distel, E., Murphy, A.J., Hu, J., Garshick, M.S., Ogando, Y., Liu, J., Vaisar, T., Heinecke, J.W., Berger, J.S., Goldberg, I.J., Fisher, E.A. (2019). Apolipoprotein AI) Promotes Atherosclerosis Regression in Diabetic Mice by Suppressing Myelopoiesis and Plaque Inflammation. *Circulation* 140, 1170–1184.

Battaglia, S., Scialpi, N., Berardi, E., Antonica, G., Suppressa, P., Diella, F. A., Colapietro, F., Ruggieri, R., Guglielmini, G., Noia, A., Graziano, G., Sabbà, C., & Cariello, M. (2020). Gender, BMI and fasting hyperglycaemia influence Monocyte to-HDL ratio (MHR) index in metabolic subjects. *PloS one*, 15(4), e0231927. https://doi.org/10.1371/journal.pone.0231927

Becik, T., Studenik, C., Hoffman, G. (2018). Exercise Increase Adiponectin and Reduces Leptin Levels in Prediabetic dan Diabetic Individuals : Systemic Review and Meta-Analysis of RCT. *Med Sci 6*. https://doi.org/10.3390/medsci6040097

Boland, B.B., Rhodes, C.J., Grimsby, J.S. (2017). The dynamic plasticity of insulin production in b -cells. *Mol Metab* 6, 958–973.

Borras, C., Ingles, M., Mas-Bargues, C., Dromant, M., Sanz-Ros, J., Román-Domínguez, A., *et al*. (2019). Centenarians: An excellent example of resilience for successful ageing. Mechanisms of Ageing and Development*, 111199.* https://doi.org/10.1016/j.mad.2019.111199

Bouillet, B., Gautier, T., Denimal, D., Samson, M., Masson, D., Pais de Barros, J. P., Maquart, G., *et al.* (2020). Glucocorticoids impair HDL-mediated cholesterol efflux besides increased HDL cholesterol concentration: a proof of concept*, European Journal of Endocrinology, 183(3), 297-306.* https://doi.org/10.1530/EJE-20-0477

Budisusilo W. (2019). Hubungan Aktivitas Fisik dengan keseimbangan sebagai faktor risiko jatuh pada komunitas lansia. Jakarta. Program Studi Ilmu Kedokteran Olahraga. URI : https://lib.ui.ac.id/detail?id=20500454&lokasi=lokal

Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi
DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Calle, M. C., & Fernandez, M. L. (2010). Effects of resistance training on the inflammatory response. *Nutrition Research and Practice*, 4:259–269. https://doi.org/10.4162/nrp.2010.4.4.259

Canpolat, A., Emrall, C., Keskin, C., Canlar, S., Sahin, M., Corapcloglu, D. (2019) Association of monocyte-to-high density lipoprotein-cholesterol ratio with peripheral neuropathy in patients with Type II diabetes mellitus. *Biomark Med.* doi: 10.2217/bmm-2018-0451

Chia, C.W., Egan, J.M., Ferrucci, L. (2019). Age-related Changes in Glucose Metabolism, Hyperglycemia, and Cardiovascular Risk. *Circulation* 123, 886–904.

Choi KM. (2016) Sarcopenia and sarcopenic obesity. *Korean J Intern Med*; 31:1054-1060

Covotta A., Gagliardi M., Berardi A., Maggi G., Perelli F., Mollica R., et al (2018). Physical Activity Scale for Elderly: Translation, Cultural Adaptation ,and Validation of the Italian version. *Curr Gerontol Geriatr Res*, 1-7

Czech, M.P. (2020). Mechanisms of insulin resistance related to white , beige , and brown adipocytes. *Mol Metab* 34, 27–42.

Dahlan, M.S. (2013). Besar Sampel dan Cara Pengambilan Sampel, Tiga. ed. Salemba Medika, Jakarta.

De Borba, AT., Gas,R., Nedel,F., Jost, R.(2014). The influence of active and passive smoking on the cardiorespiratory fitness of adults. Multidisciplinary Respiratory Medicine 9(1):34

Dominguez, L.J., Barbagallo, M. (2016). The biology of the metabolic syndrome and aging 5–11. Doi : 10.1097/MCO.0000000000000243

Doubova, S. v., Sánchez-García, S., Infante-Castañeda, C., Pérez-Cuevas, R.. (2016). Factors associated with regular physical exercise and consumption of fruits and vegetables among Mexican older adults. *BMC Public Health* 16.

Drenth, J. P., Van Uum, S. H., Van Deuren, M., Pesman, G. J., Van der Ven-Jongekrijg, J., & Van der Meer, J. W. (2005). Endurance run increases circulating IL-6 and IL-1ra but downregulates ex vivo TNF-alpha and IL-1 beta production. *Journal of Applied Physiology*, 79:1497–1503. doi https://doi.org/10.1152/jappl.1995.79.5.1497

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Ebtehaj, S., Gruppen, E., Parvizi, M., Tietge, U., Dullaart, R. (2017) The anti-inflammatory funtion of HDL is impaired in type 2 diabetes : role of hyperglycaemi, paraoxonasi-1 and low grade inflammation. *Cardiovasc Diabetol*. 16:132

Einarson, T.R., Acs, A., Ludwig, C., Panton, U.H. (2018). Prevalence of cardiovascular disease in type 2 diabetes : a systematic literature review of scientific evidence from across the world in 2007 – 2017. *Cardiovasc Diabetol* 1–19.

Elisia, I., Lam, V., Cho,B., Hay, M., Yu, M., Yeung, M., et al.(2020). The effect of smoking on chronic inflammation, immune function and blood cell composition. *Sci Rep*. 10: 19480. doi: 10.1038/s41598-020-76556-7

European Society of Cardiology. (2021). Global statistics on diabetes. Scientific reports. doi : https://doi.org/10.1038/s41598-020-76556-7

Fitriyah, L., & Sunarti, S. (2014). Physical Activity Improves Muscle Strength and Reduces Inflammatory Markers in Diabetic Elderly Patients. *Jurnal Kedokteran Brawijaya,* 28(2), pp. 155-158. doi : http://dx.doi.org/10.21776/ub.jkb.2014.028.02.18

Franceschi C. & Campisi J. (2014). Chronic inflammation (inflammaging) and its potential contribution to age-associated diseases. *J Gerontol A Biol Sci Med Sci*. 2014 Jun;69 Suppl 1:S4-9. doi: 10.1093/gerona/glu057. PMID: 24833586.

Fulop, T., Larbi, A., Dupuis, G., Le Page, A., Frost, E. H., Cohen, A. A., et al. (2018). Immunosenescence and Inflamm-Aging As Two Sides of the Same Coin: Friends or Foes?. *Frontiers in Immunology*, 8. doi:10.3389/fimmu.2017.01960

Flynn, M. C., Pernes, G., Lee, M., Nagareddy, P. R., & Murphy, A. J. (2019). Monocytes, Macrophages, and Metabolic Disease in Atherosclerosis. *Frontiers in pharmacology*, 10, 666

Galicia-Garcia, U., Vicente, A. M., Jebari, S., Larrea-Sebal., A., Siddiqi., H., Uribe, K. B., Ostolaza, H & Marin, C. (2020) 'Pathophysiology of type 2 diabetes mellitus', *International Journal of Molecular Sciences*, 21(17), pp. 1–34. doi: 10.3390/ijms21176275.

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Ganjali, S., Jr, A. M. G., Ruscica, M., Atkin, S. L., Butler, A., Banach, M & Sahebkar, A. (2018). Monocyte - to - HDL - cholesterol ratio as a prognostic marker in cardiovascular diseases. *Journal of Cellular Physiology,* (March), pp. 1–10. doi: 10.1002/jcp.27028.

Gembillo, G., Siligato, R., Cernano, V., Satta, E., Conti, G., Salvo, A *et al.* (2021). Monocyte to HDL ratio: a novel marker of resistant hypertension in CKD patients. *International Urology and Nephrology.* doi : https://doi.org/100.1007/s11255-021-02904-9

Gonçalves, C., Ribeiro, I.,Galantini,M., Muniz, I.,, Lima,P., Santos, G., et al. (2022) Inflammaging and body composition: New insights in diabetic and hypertensive elderly men. *Experimental Gerontologi* 170. https://doi.org/10.1016/j.exger.2022.112005

Gopinath, B., Kifley, A., Flood, V.M., Mitchell, P. (2018). Physical Activity as a Determinant of Successful Aging over Ten Years. *Sci Rep* 8.

Hagiwara, A., Ito, N., Sawai, K., Kazuma, K. (2008) Validity and reliability of the Physical Activity Scale for the Elderly (PASE) in Japanese elderly people. *Geriatrics & Gerontology International*. Sep 1;8(3):143–51

Hamer, M., Lavoie, K., Bacon, S. (2014). Taking up physical activity in later life and healthy ageing: the English longitudinal study of ageing. Br J Sports Med Feb;48(3):239-43

Harada, ND., Chiu V., King, AC., Stewart, L. (2001). An Evaluation of three self-report Physical Activity instruments for older Adults. *Med Sci Sport Exercise*. 33(6) :962-70. DOI: 10.1097/00005768-200106000-00016

Härkänen, T., Kuulasmaa, K., Sares-Jäske, L., Jousilahti, P., Peltonen, M., Borodulin, K., *et al.,* 2020. Estimating expected life-years and risk factor associations with

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

mortality in Finland: cohort study. *BMJ Open*, 10(3), e033741. doi:10.1136/bmjopen-2019-033741

Hayashino, Y., Jackson, J.L., Fukumori, N., Nakamura, F., Fukuhara, S. (2012). Effects of supervised exercise on lipid profiles and blood pressure control in people with type 2 diabetes mellitus: a meta-analysis of randomized controlled trials. Diabetes Res Clin Pract Dec;98(3):349-60

Heydari, G., Hosseini, M., Yousefifard, M., Asady, H., Baikpour, M., Barat, A. (2015). Smoking and Physical Activity in Healthy Adults: A Cross Sectional Study in Tehran. National Research Institute of Tuberculosis and Lung Disease. *Tanaffos*. 14(4):238-245

Hidayat, A., (2009). Metode Penelitian Keperawatan dan Teknik. Analisis Data. Jakarta: Salemba Medika.

Higashi, Y., Nakagawa, K., Kimura, M., Nom, K., Hara, K., Sasaki, S., Goto, C. (2002). Circadian variation of blood pressure and endothelial function in patients with essential hypertension:a comparison of dippers and non-dippers. *J Am Coll Cardiol*. 4;40(11):2039-43. doi: 10.1016/s0735-1097(02)02535-4.

Hilgendorf, I., Swirski, F.K., Robbins, C.S. (2014). Monocyte Fate in Atherosclerosis. *Arterioscler Thromb Vasc Biol* ;35(2):272-9. doi: 10.1161/ATVBAHA.114.303565

Iftya, YS., Ruliati, Rosyidah, I., (2014). Aktivitas Fisik dengan kejadian Demensia pada Lansia Panti sosial Tresna Werdha Jombang. Diakses melalui : https://repo.stikesicmejbg.ac.id/2283/3/SKRIPSI%20Yuvitta%20sely%20153210041.doc. Diakses pada 6 Maret 2023.

Jialal, I., Jialal, G., Adams-Huet, B., Ramakrishnan, N. (2020). Neutrophil and monocyte ratios to high-density lipoprotein-cholesterol and adiponectin as biomarkers of nascent metabolic syndrome. *Horm Mol Biol Clin Investig* 41.

Kanbay, M., Solak, Y., Unal, H.U., Kurt, Y.G., Gok, M., Cetinkaya, H., *et al*. (2014). Monocyte count/HDL cholesterol ratio and cardiovascular events in patients with

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

chronic kidney disease. *Int Urol Nephrol. 2014;46(8):1619-1625*. https://doi.org/10.1007/s11255-014-0730-1

Kanter, J.E., Hsu, C., Bornfeldt, K.E. (2020). Monocytes and Macrophages as Protagonists in Vascular Complications of Diabetes. *Front Cardiovasc Med* ; 7: 101. doi: 10.3389/fcvm.2020.00010

Kaplan, IG., Kaplan, M., Abacioglu, OO., Yavuz, .,, Saler, T. (2020). Monocyte/HDL Ratio Predicts Hypertensive Complications. *Bratisl Lek Listy*. 2020;121(2):133-136. doi: 10.4149/BLL_2020_018

Karatas, A., Turkmen, E., Erdem, E., Dugeroglu, H., Kaya, Y. (2018).Monocyte to high-density lipoprotein cholesterol ratio in patients with dabetes mellitus and diabetic nephropathy. *Biomark Med* . doi https://doi.org/10.2217/bmm-2018-0048

Kaur, J. (2014) A Comprehensive Review on Metabolic Syndrome. *Cardiology Research and Practice*, 1–21. doi:10.1155/2014/943162

Kautzky-Willer, A., Harreiter, J., Pacini, G. (2016). Sex and Gender Differences in Risk, Pathophysiology and Complications of Type 2 Diabetes Mellitus. *Endocr Rev* 37, 278–316.

Kementrian Kesehatan Republik Indonesia. (2018). Riset Kesehatan Dasar (Riskesdas) 2018. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.

Kennedy, B. K., Berger, S. L., Brunet, A., Campisi, J., Cuervo, A. M., Epel, E. S., *et al.* (2014). *Geroscience: Linking Aging to Chronic Disease. Cell, 159(4), 709–713.* doi:10.1016/j.cell.2014.10.039

Kim, C. J., Kim, T. H., Ryu, W. S., & Ryoo, U. H. (2000). Influence of Menopause on High Density Lipoprotein-cholesterol and Lipids. *Journal of Korean Medical Science*, 15(4), 380. doi:10.3346/jkms.2000.15.4.380

Kitreerawutiwong, N., Keeratisiroj, O., Mekrungrongwong, S. (2021). Factors That Influence Physical Activity Among Older Adults Living in Rural Community in Wangthong District, Phitsanulok, Thailand. *Sage Open* ;11 (4). doi : https://doi.org/10.1177/2158244021106136

Kujala, U.M. (2018). Is physical activity a cause of longevity? It is not as straightforward as some would believe. A critical analysis. Br J Sports Med Jul;52(14):914-918

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Kusuma, DA., Widyastiti, N., Hendrianingtyas, M. (2021) Hba1c levels correlated o lioprotein-associated phospholipase A2 and monocyte HDL ratio in type 2 diabetes mellitus. *Bali Medical Journal*. Vol 10, 1:382-386

Landi, F., Russo, A., Cesari, M., Pahor, M., Bernabei, R., Onder, G. (2007). Hdl-Cholesterol And Physical Performance: Results From The Ageing And Longevity Study In The Sirente Geographic Area (Ilsirente Study). *Age and Ageing* ; 36: 514–520. doi:10.1093/ageing/afm105

Lemmink, KA., Kemper, H., de Greef, MH., Rispens,P., Stevens,M. (2001). Reliability of the Groningen Fitness Test for the Elderly. *Journal of Aging and Physical Activity*. 9, 194-212.

Liangruenrom, N., Craike, M., Biddle, S.J.H., Suttikasem, K., Pedisic, Z. (2019). Correlates of physical activity and sedentary behaviour in the Thai population: A systematic review. BMC Public Health.

Logan, S., Gottlieb, BH., Maitland, SB., Meegan, D., Spriet, LL.(2013) The Physical Activity Scale for the Elderly (PASE) Questionnaire; Does it predict Physical Health?. *Int.J. Environ. Res. Public Health* 10:3967-86. Doi : 10.3390/ijerph10093967

Lopes, DP., Ribeiro, I., Santos, DC., Lima, F., Santos, A., Souza, D., et al. (2021). Regular physical activity reduces the proinflammatory response in older women with diabetes and hypertension in the postmenopausal phase. *Experimental Gerontology* 152

Macdonald, I.A., Mazzatti, D.J., King, J.R.. (2016). The Effects of Insulin Resistance on Individual Tissues : An Application of a Mathematical Model of Metabolism in Humans. *Bull Math Biol* 78, 1189–1217.

Mackey, R.H., Mora, S., Bertoni, A.G., Wassel, C.L., Carnethon, M.R., Sibley, C.T., Jr, D.C.G. (2015). Lipoprotein Particles and Incident Type 2 Diabetes in the Multi- Ethnic Study of Atherosclerosis. *Diabetes Care* ;38(4):628-36. doi: 10.2337/dc14-0645.

Mackenbach, J.P., Valverde, J.R., Bopp, M., Brønnum-Hansen, H., Deboosere, P., Kalediene, R., et al. (2019). Determinants of inequalities in life expectancy: an

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

international comparative study of eight risk factors. *Lancet Public Health*; 4: e529–37. https://doi.org/10.1016/S2468-2667(19)30147-1

Macdonald, I. A., Mazzatti, D. J., & King, J. R. (2016). The Effects of Insulin Resistance on Individual Tissues : An Application of a Mathematical Model of Metabolism in Humans, *Bulletin of Mathematical Biology*. Springer US, 78(6), pp. 1189–1217. doi: 10.1007/s11538-016-0181-1.

McCracken, E., Monaghan, M., & Sreenivasan, S. (2018). Pathophysiology of the metabolic syndrome. *Clinics in Dermatology*, 36(1), 14–20. doi:10.1016/j.clindermatol.2017.09.004

Mchugh, D., Gil, J. (2018). Senescence and aging : Causes , consequences , and therapeutic avenues. *J Cell Biol* 2;217(1):65-77. doi: 10.1083/jcb.201708092. Epub 2017 Nov 7.

McTaggart, F., Jones, P. (2008). Effects of Statins on High-Density Lipoproteins: A Potential Contribution to Cardiovascular Benefit. *Cardiovasc Drugs Ther 22, 321–338*. https://doi.org/10.1007/s10557-008-6113-z

Milan-Mattos, J. C., Anibal, F. F., Perseguini, N. M., Minatel, V., Rehder-Santos,P., Castro, C. A., Vasilceac, F. A., Mattiello, S. M., Faccioli, L. H., & Catai, A. M. (2019). Effects of natural aging and gender on pro-inflammatory markers. Brazilian journal of medical and biological research/*Revista brasileira de pesquisas medicas e biologicas*, 52(9), e8392. https://doi.org/10.1590/1414-431X20198392

Mirhafez, S. R., Pasdar, A., Avan, A., Esmaily, H., Moezzi, A., Mohebati, M., Meshkat, Z., Mehrad-Majd, H., Eslami, S., Rahimi, H. R., Ghazavi, H., Ferns, G. A., & Ghayour-Mobarhan, M. (2015). Cytokine and growth factor profiling in patients with the metabolic syndrome. *British Journal of Nutrition*, 113(12):1911-1919. doi : https://doi.org/10.1017/S0007114515001038

Montecino-Rodriguez, E., Berent-Maoz, B., Dorshkind, K. (2013). Causes, consequences, and reversal of immune system aging. *J. Clin. Invest*. 123, 958–965. doi: 10.1172/JCI64096

Mulyadi, A. Fitriana, LA., Rohaedi, S. (2017) Gambaran Aktivitas Fisik Lanjut Usia Demensia di Balai Perlindungan Sosial Tresna Wreda Ciparay Bandung. Jurnal

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Kepelatihan Olahraga, vol 9. No 1. *http://repository.upi.edu.* Diakses pada 22 Februari 2023.

Myers, J., Kokkinos, P., & Nyelin, E. (2019). Physical Activity, Cardiorespiratory Fitness, and the Metabolic Syndrome. *Nutrients*, 11(7), 1652. doi : 10.3390/nu11071652

Nafidah, N. (2014). Hubungan antara Aktivitas Fisik dengan Tingkat Kogntif Lanjut usia di Panti Sosial Tresna Werdha Budi Mulia 4 Jakarta Selatan. Program Studi Ilmu Keperawatan UIN Syarif Hidayatullah Jakarta. *http://repository.uinjkt.ac.id/dspace/handle/123456789/25628.* Diakses pada 11 Februari 2023

New England Research Institute (NERI). (1991). Physical activity scale for the elderly (PASE). *http://www.neri.org.* Diakses pada 11 November 2021

Ngai S., Cheung R., Lam P., Chiu J., Fung E. (2012) Validation and Reliability of the PASE in chinese population. *J Rehabil Med*. 44(5);462-5

Norliana I., Hairi F., Wan Yuen C., Noran Naqiah H., Peramalah D., Bulgida A. (2015) The Physical Activity Scal for Elderly (PASE) valiity and reliability among community dwelling older adults in Malaysia. *Asia Pac J Public Health*, 27(85);625-725

Notthoff, N., Reisch, P., Gerstorf, D. (2017). Individual Characteristics and Physical Activity in Older Adults: A Systematic Review. *Gerontology* ;63(5):443-459. doi: 10.1159/000475558. Epub 2017 Jul 5.

Onalan, E., (2019). The relationship between monocyte to high-density lipoprotein cholesterol ratio and diabetic nephropathy. *Pak J Med Sci* ;35(4):1081-1086. doi: https://doi.org/10.12669/pjms.35.4.534

Pataky, M.W., Young, W.F., Nair, K.S. (2021). Hormonal and Metabolic Changes of Aging and the Influence of Lifestyle Modifications 96, 788–814. *Mayo Clin Proc* 96(3):788-814. doi: 10.1016/j.mayocp.2020.07.033.

Perkumpulan Endokrinologi Indonesia (2021). Pedoman Pengelolaan dan Pencegahan DM Tipe 2 di Indonesia. PB. PERKENI, Jakarta.

Pérez-Tasigchana, R. F., León-Muñoz, L. M., Lopez-Garcia, E., Gutierrez-Fisac, J. L., Laclaustra, M., Rodríguez-Artalejo, F., *et al.* (2017). Metabolic syndrome and

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

insulin resistance are associated with frailty in older adults: a prospective cohort study. *Age and Ageing,* 46(5), 807–812. doi:10.1093/ageing/afx023

Perrier, S., Darakhshan, F., & Hajduch, E. (2006). IL-1 receptor antagonist in metabolic diseases: Dr Jekyll or Mr Hyde?. *FEBS Letters*, 580:6289–6294. doi : https://doi.org/10.1016/j.febslet.2006.10.061

Petersen, A. M., Pedersen, B. K., (2006). The role of IL-6 in mediating the anti-inflammatory effects of exercise. *Journal of Physiology and Pharmacology*, 57(S10):43–51

Pirillo, A., Catapano, A. L., & Norata GD. (2019). Biological consequences of dysfunctional HDL. *Current Medical Chemistry*, 26:1644–64. doi: 10.2174/0929867325666180530110543

Prayuni A. (2021) Hubungan Tingkat Aktivitas Fisik dan Performa Fisik dengan Kondisi Sarkopenia pada Penderita besitas Usia Lanjut di Komunitas. Jakarta. Program Studi Kedokteran Fisik dan Rehabilitasi. URI : https://lib.ui.ac.id/detail?id=20526037&lokasi=lokal. Diakses pada 4 Januari 2022.

Qasim, A. N., Budharaju, V., Mehta, N. N., St Clair, C., Farouk, S., Braunstein, S., Schutta, M., Iqbal, N., Rader, D. J., & Reilly, M. P. (2011). Genderdifferences in the association of C-reactive protein with coronary artery calcium in type-2 diabetes. *Clinical endocrinology*, 74(1), 44–50. https://doi.org/10.1111/j.1365-2265.2010.03879.x

Rader, D. J., Hovingh, G. K. (2014). HDL and cardiovascular disease. Lipids and Cardiovascular Disease. *Lancet*, 384:618–25. https://doi.org/10.1016/S0140-6736(14)61217-4

Reed, J., Bain, S., Venkateswarlu, Kanamarlapudi. (2021). A Review of Current Trends with Type 2 Diabetes Epidemiology , Aetiology , Pathogenesis , Treatments and Future Perspectives. *Diabetes Metab Syndr Obes* 10;14:3567-3602. doi: 10.2147/DMSO.S319895

Ribeiro, F., Alves, A. J., Duarte, J. A., Oliverira, J. (2010). Is exercise training an effective therapy targeting endothelial dysfunction and vascular wall

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

inflammation?. *International Journal of Cardiology*, 141:214–221. doi : https://doi.org/10.1016/j.ijcard.2009.09.548

Rice L, Jung M. 2018. Neutrophilic, Leukocytosis, Neutropenia, Monocytosis, and Monocytopenia. Hematology 7th edition. *Amsterdam: Elsevier*. 675-681.

Richter, E. A., dan Hargreaves, M. (2013). Exercise, GLUT4, and Skeletal Muscle Glucose Uptake. *Physiological Reviews*, 93(3), 993–1017. doi:10.1152/physrev.00038.2012.https://journals.physiology.org/doi/full/10.1152/physrev.00038.2012. diakses pada 7 November 2021

Richter-Stretton, G. L., Fenning, A. S., & Vella, R. K. (2020). Skeletal muscle – A bystander or influencer of metabolic syndrome?. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 14(5), 867–875. doi:10.1016/j.dsx.2020.06.006

Roberts, C. K., Ng, C., Hama, S., Eliseo, A. J., & Barnard, R. J. (2006). Effect of a short-term diet and exercise intervention on inflammatory/anti- inflammatory properties of HDL in overweight/obese men with cardiovascular risk factors. *Journal of Applied Physiology*, 101, pp. 1727-1732. doi:10.1152/japplphysiol.00345.2006

Rochlani, Y., Pothineni, N. V., Kovelamudi, S., Mehta, J. L. (2017). Metabolic syndrome: pathophysiology, management, and modulation by natural compounds. *Therapeutic Advances in Cardiovascular Disease*, 11(8), 215–225. doi:10.1177/1753944717711379

Rohatgi A. (2015). High-density lipoprotein function measurement in human studies: focus on cholesterol efflux capacity. *Prog Cardiovasc Dis*.58(1):32-40.

Rose DJ. The role of exercise in preventing falls among older adults. (2015). *ACSMs Health Fit J* . 19(3):23-9

Ruiz-Raime, J. J., Barber, J. L., & Sarzynski, M. A. (2019). Effects of exercise on HDL functionality. *Current Opinion in Lipidology,* 30(1), pp. 16-23. doi : 10.1097/MOL.0000000000000568

Saare, M., Tserel, L., Haljasmägi, L., Taalberg, E., Peet, N., Eimre, M., Vetik, RKingo, K., Saks, K., Tamm, R., Milani, L., & Kisand, K. (2020). Monocytes

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

present age- related changes in phospholipid concentration and decreased energy metabolism. *Aging Cell*, 19(4). doi:10.1111/acel.13127

Samson, S. L., & Garber, A. J. (2014). Metabolic syndrome. *Endocrinology Metabolism Clinics of North America*, 43:1–23. doi : https://doi.org/10.1016/j.ecl.2013.09.009

Santos, M. J., & Fonseca, J. E. (2009). Metabolic syndrome, inflammation and atherosclerosis–the role of adipokines in health and in systemic inflammatory rheumatic disease. *Acta Reumatologica Portuguesa*, 34:590–598

Sapra, A., Bhandari, P. (2021). Diabetes Mellitus [WWW Document]. StatPearls Publishing. URL https://www.ncbi.nlm.nih.gov/books/NBK551501/. Diakses pada 17 November 2021.

Schwartz, S.S., Epstein, S., Corkey, B.E., Grant, S.F.A., Gavin, J.R., Aguilar, R.B. (2016). The time is right for a new classification system for diabetes: Rationale and implications of the β-cell-centric classification schema. *Diabetes Care* 39, 179–186.

Setiati, S., Harimurti, K., Govinda, A.R. (2015). Proses Menua dan Implikasi Kliniknya. Buku Ajar PAPDI Edisi VI. Jakarta Pusat. *InternaPublishing*.

Shou, J., Chen, P.-J., Xiao, W.-H. (2020). Mechanism of increased risk of insulin resistance in aging skeletal muscle. *Diabetol Metab Syndr* 12, 14.

Silveira, E.A., Pereira, C.C., Pagotto, V., Oliveira, C. (2022). Low muscle mass and mortality risk later in life: A 10-year follow-up study. PLoS One Jul 28;17(7)

Singh, G.M., Danaei, G., Farzadfar, F., Stevens, G.A., Woodward, M., Wormser, D., Kaptoge, S., Whitlock, G., Qiao, Q., Lewington, S., Di, E., Hoorn, S., Lawes, C.M.M., Ali, M.K. (2013). The Age-Specific Quantitative Effects of Metabolic Risk Factors on Cardiovascular Diseases and Diabetes : A Pooled Analysis. *PLoS One* 201 30;8(7):e65174. doi: 10.1371/journal.pone.0065174

Standl, E. (2021). *Global statistics on diabetes*.. https://www.escardio.org/Education/Diabetes-and-CVD/Recommended-Reading/global-statistics-on-diabetes. Diakses pada 14 Desember 2021.

Sirin, M.C., Korkmaz, S., Erturan, I., Filiz, B., Aridogan, B. C., Cetin, E. S., Yildirim, M. (2020). Evaluation of monocyte to HDL cholesterol ratio and other

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

inflammatory markers in patients with psoriasis. *Anais Brasileiros de Dermatologia*, S0365059620301756–. doi:10.1016/j.abd.2020.02.008

Smith, C., Kluck, L., Ruan, G., Ashrani, A., Marshall, A., Pruthi, R., et al. (2020). Leukocytosis and Tobacco Use : An observational Study of Asymptomtic Leukocytosis. *The American Journal of Medicine* doi : https://doi.org/10.1016/j.amjmed.2020.06.014

Soelistijo, A.S., Suastika, K., Lindarto, D., Decroli, E., et al. (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. Jakarta: PB PERKENI

Stefanska, A., Bergmann, K., Sypniewska, G. (2015). Metabolic Syndrome and Menopause : Pathophysiology , Clinical and Diagnostic Significance. *Adv Clin Chem* ;72:1-75. doi: 10.1016/bs.acc.2015.07.001. Epub 2015 Aug 21.

Tabas, I., Bornfeldt, K.E. (2016). Macrophage Phenotype and Function in Different Stages of Atherosclerosis. *Circ Res* 118, 653–667.

Tang, X., Tan, Y., Yang, Y., Li, M., He, X., Lu, Y., Shi, G. (2021). Association of the Monocyte – to – High-Density Lipoprotein Cholesterol Ratio With Diabetic Retinopathy.*Front Cardiovasc Med* 21;8:707008. doi: 10.3389/fcvm.2021.707008. eCollection 2021.

Tappen, R.M., Newman, D., Gropper, S.S., Horne, C., Vieira, E.R. (2022). Factors Associated with Physical Activity in a Diverse Older Population. *Geriatrics* (Switzerland). 7(5), 111. doi : https://doi.org/10.3390/geriatrics7050111

Tachkov, K., Mitov, K., Koleva, Y., Mitkova, Z., Kamusheva, M., Dimitrova, M., Petkova, V., Savova, A., Doneva, M., Tcarukciev, D. et al. (2020). Life expectancy and survival analysis of patients with diabetes compared to the non diabetic population in Bulgaria. *PloS one*, 15(5), e0232815. https://doi.org/10.1371/journal.pone.0232815

Todde, F., Melis, F., Mura, R., Pau, M., Fois, F., Magnani, S. (2016). 12-Week Vigorous Exercise Protocol in Healthy Group Persons over 65: Study of Physical Function by means of the Senior Fitness Test. *BioMed Res Int* 1-6

Tolle, M., Huang, T., Schuchardt, M., Jankowski, V., Prufer, N., Jankowski, J., Tietge, UJ., *et al.* (2012). High-Density Lipoprotein Loses Its Anti-Inflammatory

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Capacity By Accumulation Of Pro-Inflammatory-Serum Amyloid A. *Cardiovasc Res. 2012*;

Tönnies,T., Baumert, J., Heidemann, C., von der Lippe, E., Brinks, R., Hoyer, A. (2021). Diabetes free life expectancy and years of life lost associated with type 2 diabetes: projected trends in Germany between 2015 and 2040. *Popul Health Metrics* 19:38. https://doi.org/10.1186/s12963-021-00266-z.

Tjokroprawiro A. (2006). New approach in the treatment of T2DM and metabolic syndrome (focus on a novel insulin sensitizer). *Acta Medica Indonesiana*, Jul-Sep;38(3) 160-166. PMID: 17119268

Tulgar, Y., K., Cakar, S., Tulgar, S., Dalkilic,O., Cakiroglu, B., Uyanikl, B. (2016). The effect of smoking on neutrophil/lymphocyte and platelet/lymphocyte ratio and platelet indices: a retrospective. *Eur. Rev. Med. Pharmacol*. Sci. 20, 3112–3118

United Nations, Department of Economic and Social Affairs, Population Division (2019). *World Population Ageing 2019*: Highlights (ST/ESA/SER.A/430).

UNFPA. (2012). *Chapter 1: Setting the Scene* (PDF). Archived from *the original (PDF)*. https://www.unfpa.org/sites/default/files/admin-resource/Evaluation_report_-_Volume.pdf. Diakses pada 7 Oktober 2021

Uslu, A.U., Sekin, Y., Tarhan, G., Canakcı, N., Gunduz, M., Karagulle, M. (2018). Evaluation of Monocyte to High-Density Lipoprotein Cholesterol Ratio in the Presence and Severity of Metabolic Syndrome. *Clinical and Applied Thrombosis/Hemostasis* 24, 828–833.

van den Belt, A. W., Kaufman, J-M., Zillikens, M. C., Lamberts, S. W. J., Egan, J. M., & van der Lely, A. J. (2018). The physiology of endocrin systems with ageing. *Ageing and Endocrinology, Diabetes & Endocrinology,Lancet,* 6(8), pp. 647-658. doi : https://doi.org/10.1016/S2213-8587(18)30026-3

Viana JL, Kosmadakis GC, Watson EL, Bevington A, Feehally J, Bishop NC, Smith AC. (2014). Evidence for anti-inflammatory effects of exercise in CKD. *J Am Soc Nephrol*. 2014 Sep;25(9):2121-30. doi: 10.1681/ASN.2013070702. Epub 2014 Apr 3. PMID: 24700875; PMCID: PMC4147973.

UNIVERSITAS GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, Z., & Nakayama, T. (2010). Inflammation, a link between obesity and cardiovascular disease. Mediators of Inflammation in Obesity and Its Comorbidities, Hindawi, 535918. *Epub* 5. doi : https://doi.org/10.1155/2010/535918

Washburn, RA., Smith, KW., Jette, AM., Janney, CA. (1993) The Physical Activity Scale for the Elderly (PASE): development and evaluation. *J Clin Epidemiol* ;46(2):153-62. doi: 10.1016/0895-4356(93)90053-4

Washburn RA., McAuley, E., Katula ,J., Mihalko, SL., Boileau, RA. (1999). The Physical Activity Scale for the Elderly (PASE): Evidence for Validity, . *J Clin Epidemiol* ;52(7):643-51. doi: https://doi.org/10.1016/S0895-4356(99)00049-9

World Data. (2018). Average life expectancy by country. World Data. URL https://www.worlddata.info/life-expectancy.php. Diakses pada 12 Oktober 2021

World Health Organization (WHO). (2015). *Ageing and Health*. Luxembourg : World Health Organization

Wu, T., Zheng, Y., Chen, Y., Yu, Z., Ma, Y., Xie, X. (2019). Monocyte to high-density lipoprotein cholesterol ratio as long-term prognostic marker in patients with coronary artery disease undergoing percutaneous coronary intervention. *Lipids Health Dis* ; 18: 180. doi: 10.1186/s12944-019-1116-2

Wu, Y., Ding, Y., Tanaka, Y., Zhang, W. (2014). Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *Int J Med Sci* 11, 1185–1200.

Xiang, Y.,Liang, B., Zhang, X., Zheng,F. (2020) Lower HDL-C levels are associated with higher expressions of CD16 onmonocyte subsets in coronary atherosclerosis. *International Journal of Medical Sciences*. 17 (14), 2171–2179.

Xiong, H., Pamer, E. (2014) Monocytes and infection: Modulator, messenger and effector. *Immunobiology 220 (2015) 210–214.* doi : https://doi.org/10.1016/j.imbio.2014.08.007

Yamamoto, W.R., Bone, X.R.N., Sohn, P., Syed, F., Reissaus, C.A., Mosley, X.A.L., Wijeratne, A.B., True, J.D., Tong, X., Kono, T. (2019). cro Endoplasmic reticulum stress alters ryanodine receptor function in the murine pancreatic β cell. *J Biol Chem* 4;294(1):168-181. doi: 10.1074/jbc.RA118.005683.

UNIVERSITAS
GADJAH MADA
Hubungan Aktivitas Fisik Dengan Rasio Monosit-HDL Pada Lansia DM Usia Harapan Hidup Tinggi Provinsi DIY
Gibran Ilham Setiawan, Dr.dr. Probosuseno, SpPD-Kger, SE, MM; dr. Hemi Sinorita SpPD, KEMD
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Yamazaki, D., Hitomi, H., Nishiyama, A. (2018). Hypertension with diabetes mellitus complications. *Hypertens Res 41, 147–156*.

Yang, P., Feng, J., Peng, Q., Liu, X., Fan, Z., Luca, M. (2019). Advanced Glycation End Products: Potential Mechanism and Therapeutic Target in Cardiovascular Complications under Diabetes. *Oxid Med Cell Longev* :9570616. doi: 10.1155/2019/9570616.

Yang, W., Li, Y., Wang, J.Y., Han, R., Wang, L. (2018). Circulating levels of adipose tissue - derived inflammatory factors in elderly diabetes patients with carotid atherosclerosis : a retrospective study. *Cardiovasc Diabetol* ;17(1):75. doi: 10.1186/s12933-018-0723-y

Yılmaz, M. (2018). A New Inflammatory Marker : Elevated Monocyte to HDL Cholesterol Ratio Associated with Smoking. *J Clin Med*, 10;7(4):76. doi: 10.3390/jcm7040076.

Zhou, Y., Dan, H., Bai, L., Jia,L., Lu, B., Gu, G *et al.* (2022). Continues Positive Linear Association between the Monocyte to High-Density Lipoprotein Cholesterol Ratio and Hypertensive : A Cross Sectional Study. *Int J Hypertens*, 2022:8501726. doi: 10.1155/2022/8501726.