



## DAFTAR PUSTAKA

- Adhikari, K.C., Malla, R., Maskey, A., Rajbhandari, S., Baral, B.R., Budhathoki, A., et al. (2021). Contrast Induced Nephropathy and its predictors after Primary Percutaneous Intervention. *NHJ* 18 : 27–31.
- Andreucci, M., Faga, T., Riccio, E., Sabbatini, M., Pisani, A., & Michael, A. (2016). The potential use of biomarkers in predicting contrast-induced acute kidney injury. *Int J Nephrol Renov. Dis* 9 : 205–221.
- Ashalatha, V., Bitla, A., Suchitra, M., Rajasekhar, D., Kumar, Vs., Lakshmi, A., et al. (2015). Urinary enzymes and microalbuminuria as biomarkers of renal dysfunction after contrast administration. *J. Clin. Sci. Res.* 4 : 256.
- Bawazier, L.A. (2009). Proteinuria, in: *Buku Ajar Ilmu Penyakit Dalam*. pp. 959–961, Jakarta : Pusat Penerbit Departemen Ilmu Penyakit Dalam.
- Bolisetty, S., & Agarwal, A. (2011). Urine albumin as a biomarker in acute kidney injury. *Am. J. Physiol. - Ren. Physiol.* 300 : 626–628.
- Chalikias, G., Drosos, I., & Tziakas, D.N. (2016). Contrast-Induced Acute Kidney Injury: An Update. *Cardiovasc. Drugs Ther.* 30 : 215–228.
- Chillo, P., Malaja, N., & Kisenge, P. (2021). Magnitude and associated factors of contrast induced nephropathy among patients undergoing coronary angiography and interventions at a cardiac referral hospital in Tanzania - a cross-sectional study. *Pan Afr Med J* 38 : 311.
- Comoglu, M., Acehan, F., Katipoglu, B., Demir, B.F., Guven Cetin, Z., & Ates, I. (2023). Is eGFR  $\geq 60$  mL/min/1.73 m<sup>2</sup> in Patients Undergoing Coronary Angiography Really Safe for Contrast Nephropathy? *Angiology* 1–7.
- Goldenberg, I., & Matetzky, S. (2005). Nephropathy induced by contrast media: pathogenesis, risk factors and preventive strategies. *Cardiovasc. Intervent. Radiol.*
- Hall, J.E.P.D., & Guyton, A.C. (2011). Pembentukan Urin oleh Ginjal: Filtrasi Glomerulus, Aliran Darah Ginjal, dan Pengaturannya, in: *Guyton Dan Hall Buku Ajar Fisiologi Kedokteran*. pp. 309–310, Elsevier.
- Hidayati L dan Maradhona Y (2018). Six Sigma For Evaluation Of Quality Control in Clinical Laboratory. *Int. J. Public Heal. Clin. Sciences* 5 : 144–150.
- Jensen, M.B., Viken, I., Høgh, F., & Jacobsen, K.K. (2022). Quantification of urinary albumin and -creatinine: A comparison study of two analytical methods and their impact on albumin to creatinine ratio. *Clin. Biochem.* 108 : 5–9.
- Kandarini, Y., Wulandari, P.J., & Mahadita, G.W. (2021). Faktor resiko contrast induced nephropathy pada pasien yang menjalani prosedur coronary intervention. *Udayana J. Intern. Med.* 5 : 20–25.
- Kang, F., Zhang, C., Wang, W., & Wang, Z. (2016). Sigma metric analysis for performance of creatinine with fresh frozen serum. *Scand. J. Clin. Lab. Invest.*



76 : 40–44.

- Karkalousos, P., & Evangelopoulos, A. (2011). Quality Control in Clinical Laboratories <http://www.intechopen.com/books/applications-and-e>.
- Kashani, K., Cheungpasitporn, W., & Ronco, C. (2017). Biomarkers of acute kidney injury: The pathway from discovery to clinical adoption. *Clin. Chem. Lab. Med.* 55 : 1074–1089.
- Kayhan, S., Kivrakoğlu, F., Yarlıoğlu, A.M., & Tastemur, M. (2022). Effects of contrast medium exposure on urine albumin / creatinine ratio. *J Heal. Sci Med* 5 : 49–53.
- Kellum, J.A., Lameire, N., Aspelin, P., Barsoum, R.S., Burdmann, E.A., Goldstein, S.L., et al. (2013). Diagnosis, evaluation, and management of acute kidney injury: A KDIGO summary (Part 1). *Crit. Care* 17 : 1–15.
- Korolov, Y., Nogués, I., Gambarte, M.J., Donato, M.S., Ciambrone, M.G., Novo, F., et al. (2021). Microalbuminuria predicts contrast-induced nephropathy in patients with acute coronary syndrome. *REC Interv. Cardiol.* 3 : 21–35.
- Kumar, B.V., & Mohan, T. (2018). Sigma metrics as a tool for evaluating the performance of internal quality. *J. Lab. Physicians* 10 : 194–199.
- Limbong, M., Herry, Y., & Ardhianto, P. (2021). Risk score of contrast-induced nephropathy in patients after percutaneous coronary intervention 10 : 400–404.
- Liu, L.Y., Liu, Y., Wu, M.Y., Sun, Y.Y., & Ma, F.Z. (2018). Efficacy of atorvastatin on the prevention of contrast-induced acute kidney injury: A meta-analysis. *Drug Des. Devel. Ther.* 12 : 437–444.
- Ma, C., Tang, C., Qin, Y., Yan, G., & Ma, G. (2018). Relationship between Preoperative Urinary Microalbumin to Creatinine Ratio Level and Contrast-induced Nephropathy after Elective Coronary Angiography/Percutaneous Coronary Intervention. *Angiol. Open Access* 06 : 1–7.
- Marenzi Giancarlo , Emilio Assanelli, Jeness Campodonico, Gianfranco Lauri, Ivana Marana, Monica De Metrio, Marco Moltrasio, Marco Grazi, Mara Rubino, Fabrizio Veglia, Franco Fabbiocchi, and A.L.B. (2009). Article Annals of Internal Medicine Contrast Volume During Primary Percutaneous Coronary Intervention. *Development D* : 170–177.
- Mathieson, P.W. (2004). The cellular basis of albuminuria. *Clin. Sci.* 107 : 533–538.
- McCullough, P. (2006). Outcomes of contrast-induced nephropathy: Experience in patients undergoing cardiovascular intervention. *Catheter. Cardiovasc. Interv.* 67 : 335–343.
- McCullough, P.A., Choi, J.P., Feghali, G.A., Schussler, J.M., Stoler, R.M., Vallabahn, R.C., et al. (2016). Contrast-Induced Acute Kidney Injury. *J. Am. Coll. Cardiol.* 68 : 1465–1473.
- Mehrani, R., & Nikolsky, E. (2006). Contrast-induced nephropathy: Definition, epidemiology, and patients at risk. *Kidney Int.* 69 : S11-5.



- Mehran R, Dangas, G.D., & Weisbord, S.D. (2019). Contrast-Associated Acute Kidney Injury. *N Engl J Med* 380 : 2146–2155.
- Meinel, F.G., De Cecco, C.N., Schoepf, U.J., & Katzberg, R. (2014). Contrast-induced acute kidney injury: Definition, epidemiology, and outcome. *Biomed Res. Int.* 2014.
- Meng, H., Wu, P., Zhao, Y., Xu, Z., Wang, Z.M., Li, C., et al. (2016). Microalbuminuria in patients with preserved renal function as a risk factor for contrast-Induced acute kidney injury following invasive coronary angiography. *Eur. J. Radiol.* 85 : 1063–1067.
- National Kidney Foundation - Kidney Disease Improving Global Outcome (2012). KDIGO Clinical Practice Guideline for Acute Kidney Injury. *Kidney Int. Suppl.* 2 : 69–88.
- Ningrum, N.R., & Yuniadi, Y. (2009). Contrast Induced Nephropathy Tinjauan Pustaka Contrast Induced Nephropathy 30 : 71–79.
- Nyman, U., Almén, T., Jacobsson, B., & Aspelin, P. (2012). Are intravenous injections of contrast media really less nephrotoxic than intra-arterial injections? *Eur. Radiol.* 22 : 1366–1371.
- Oweis, A.O., Alshelleh, S.A., Saadeh, N., Jarrah, M.I., Ibdah, R., & Alzoubi, K.H. (2020). Long-Term Follow-Up of Contrast-Induced Acute Kidney Injury: A Study from a Developing Country. *Int. J. Vasc. Med.* 2020 : 15–20.
- Ozkok, S., & Ozkok, A. (2017). Contrast-induced acute kidney injury: A review of practical points. *World J. Nephrol.* 6 : 86.
- PERKI (2021). Pedoman Nasional Pelayanan Kedokteran Intervensi Koroner Perkutan. *J. Kardiol. Indones.* 22–28.
- PERKI (2018). Pedoman Tata Laksana Sindrom Koroner Akut. *J. Kardiol. Indones.* 44–59.
- Rakowski, T., Dziewierz, A., Węgiel, M., Siudak, Z., Zasada, W., Jąkała, J., et al. (2022). Risk factors of contrast-induced nephropathy in patients with acute coronary syndrome. *Kardiol. Pol.* 80 : 760–764.
- Ralib, A.M., Pickering, J.W., Shaw, G.M., Devarajan, P., Edelstein, C.L., Bonventre, J. V, et al. (2012). Test Characteristics of Urinary Biomarkers Depend on Quantitation Method in Acute Kidney Injury. *J Am Soc Nephrol* 23 : 322–333.
- Rear, R., Bell, R.M., & Hausenloy, D.J. (2016). Contrast-induced nephropathy following angiography and cardiac interventions. *Heart* 102 : 638–648.
- Ricos, C., Alvarez, V., & Cava, F. (2014). Desirable Biological Variation Database specifications [WWW Document]. *Westgard QC*.
- Roche Diagnostics Cobas (2020). Insert Kit Cobas c.
- Roche Diagnostics Cobas (2010). Creatinine Jaffé Gen.2 1–5.
- Romano, G., Briguori, C., Quintavalle, C., Zanca, C., Rivera, N. V., Colombo, A., et al. (2008). Contrast agents and renal cell apoptosis. *Eur Hear. J* 29 : 2569–



2576.

- Ronco, F., Tarantini, G., & McCullough, P.A. (2020). Contrast induced acute kidney injury in interventional cardiology: An update and key guidance for clinicians. *Rev. Cardiovasc. Med.* 21 : 9–23.
- Sadat, U. (2013). Radiographic Contrast-Media-Induced Acute Kidney Injury: Pathophysiology and Prophylactic Strategies. *ISRN Radiol.* 2013 : 1–21.
- Sana, M.A., Chaudhry, M., Malik, A., Iqbal, N., Zakiuddin, A., & Abdullah, M. (2020). Prevalence of Microalbuminuria in Type 2 Diabetes Mellitus. *Cureus* 12 : 10–13.
- Sany, D., Refaat, H., Elshahawy, Y., Mohab, A., & Ezzat, H. (2014). Frequency and risk factors of contrast-induced nephropathy after cardiac catheterization in type II diabetic patients: A study among Egyptian patients. *Ren. Fail.* 36 : 191–197.
- Silvain, J., Nguyen, L.S., Spagnoli, V., Kerneis, M., Guedeney, P., Vignolles, N., et al. (2018). Contrast-induced acute kidney injury and mortality in ST elevation myocardial infarction treated with primary percutaneous coronary intervention. *Heart* 104 : 767–772.
- Smith, C.A. (2019). Proteinuria and Albuminuria : What ' s the Difference ? *Clin. Rev.* 8–9.
- Tang, K.W.A., Toh, Q.C., & Teo, B.W. (2015). Normalisation of urinary biomarkers to creatinine for clinical practice and research – When and why. *Singapore Med. J.* 56 : 7–10.
- Thoenes, M., Bramlage, P., Khan, B. V., Schieffer, B., Kirch, W., & Weir, M.R. (2007). Albuminuria: Pathophysiology, epidemiology and clinical relevance of an emerging marker for cardiovascular disease. *Futur. Cardiol* 3 : 519–524.
- Toprak, O., & Cirit, M. (2006). Risk factors for contrast-induced nephropathy. *Kidney Blood Press. Res.* 29 : 84–93.
- Tziakas, D., Chalikias, G., Karelis, D., Tsigalou, C., Risgits, A., Kikas, P., et al. (2015). Spot urine albumin to creatinine ratio outperforms novel acute kidney injury biomarkers in patients with acute myocardial infarction. *Int. J. Cardiol* 197 : 48–55.
- Wang, C., Ma, S., Deng, B., Lu, J., Shen, W., Jin, B., et al. (2017). The predictive value of the product of contrast medium volume and urinary albumin/creatinine ratio in contrast-induced acute kidney injury. *Ren. Fail.* 39 : 555–560.
- Ware, L.B., Johnson, A.C.M., & Zager, R.A. (2011). Renal cortical albumin gene induction and urinary albumin excretion in response to acute kidney injury. *Am. J. Physiol. - Ren. Physiol.* 300 : 628–639.
- Watanabe, M., Saito, Y., Aonuma, K., Hirayama, A., Tamaki, N., Tsutsui, H., et al. (2016). Prediction of contrast-induced nephropathy by the serum creatinine level on the day following cardiac catheterization. *J. Cardiol.* 68 : 412–418.
- Westgard, S., & Westgard, Q. (2020). Six Sigma Metric Analysis for Analytical



Testing Processes. *Diagnostics* 1–9.

- Yang, J.Q., Ran, P., Chen, J.Y., He, Y.T., Li, L.W., Tan, N., *et al.* (2014). Development of contrast-induced acute kidney injury after elective contrast media exposure in patients with type 2 diabetes mellitus: Effect of Albuminuria. *PLoS One* 9.
- Yuniadi, Y., & Ningrum, N.R. (2008). Risk factors and incidence of contrast induced nephropathy following coronary intervention. *Med. J. Indones.* 17 : 131–137.
- Zhang, F., Lu, Z., & Wang, F. (2020). Advances in the pathogenesis and prevention of contrast-induced nephropathy. *Life Sci.* 259 : 118379.
- Zhou, S., Yuan, G., Huang, B., Geng, D., Lei, J., Zhang, S., *et al.* (2020). Feasibility of Using eGFR to Diagnose Contrast-Induced Nephropathy in Patients Undergoing Coronary Angiography. *J. Integr. Cardiol. Open Access* 8620813324 : 1–6.