

DAFTAR PUSTAKA

- Aggarwal, S., Garcia-Telles, N., Aggarwal, G., Lavie, C., Lippi, G., & Henry, B. M. (2020). Clinical features, laboratory characteristics, and outcomes of patients hospitalized with coronavirus disease 2019 (COVID-19): Early report from the United States. *Diagnosis*, 11(xxxx), 1–14. <https://doi.org/10.1007/s11046-020-00462>
- Al-Salameh, A., Lanoix, J. P., Bennis, Y., Andrejak, C., Brochot, E., Deschasse, G., et al. (2020). Characteristics and outcomes of COVID-19 in hospitalized patients with and without diabetes. *Diabetes/Metabolism Research and Reviews*, 2019(July), 1–9. <https://doi.org/10.1002/dmrr.3388>
- Alfano, G., Ferrari, A., Fontana, F., Perrone, R., Mori, G., Ascione, E., et al. (2021). Hypokalemia in Patients with COVID-19. *Clinical and Experimental Nephrology*, 25(4), 401–409. <https://doi.org/10.1007/s10157-020-01996-4>
- Alqahtani, J. S., Oyelade, T., Aldhahir, A. M., Alghamdi, S. M., Almeahmadi, M., Alqahtani, A. S., et al. (2020). Prevalence, severity and mortality associated with COPD and smoking in patients with COVID-19: A rapid systematic review and meta-analysis. *PLoS ONE*, 15(5), 1–13. <https://doi.org/10.1371/journal.pone.0233147>
- Balcı, A. K., Koksall, O., Kose, A., Armagan, E., Ozdemir, F., Inal, T., et al. (2013). *General characteristics of patients with electrolyte imbalance admitted to emergency department*. 4(2), 113–116.
- Belden, Z., Deiuliis, A., & Dobre, M. (2017). *The Role of the Mineralocorticoid Receptor in Inflammation : Focus on Kidney and Vasculature*. 010, 298–314. <https://doi.org/10.1159/000480652>
- Bergman, C. C., & Silverman, R. H. (2020). *COVID-19 : Coronavirus replication, pathogenesis, and therapeutic strategies*. June, 321–327. <https://doi.org/10.3949/ccjm.87a.20047>
- Berni, A., Malandrino, D., Parenti, G., Maggi, M., Poggesi, L., & Peri, A. (2020). Hyponatremia, IL-6, and SARS-CoV-2 (COVID-19) infection: may all fit together? *Journal of Endocrinological Investigation*, 43(8), 1137–1139. <https://doi.org/10.1007/s40618-020-01301-w>
- Bonanad, C., & García-blas, S. (2020). The Effect of Age on Mortality in Patients With COVID-19: A Meta-Analysis With 611,583 Subjects. *Journal of American Medical Association*, 21(7), 915–918.

- Bove-fenderson, E., & Mannstadt, M. (2018). Hypocalcemic Disorders. *Best Practice & Research Clinical Endocrinology & Metabolism*, 32(5), 639–656. <https://doi.org/10.1016/j.beem.2018.05.006>
- Buitrago-Garcia, D., Egli-Gany, D., Counotte, M. J., Hossmann, S., Imeri, H., Ipekci, A. M., et al. (2020). Occurrence and transmission potential of asymptomatic and presymptomatic SARSCoV-2 infections: A living systematic review and meta-analysis. *PLoS Medicine*, 17(9), 1–25. <https://doi.org/10.1371/journal.pmed.1003346>
- Centers for Disease Control and Prevention. (2023). *Risk for COVID-19 Infection, Hospitalization, and Death By Age Group*. COVID-19. <https://www.cdc.gov/coronavirus/2019-ncov/covid-data/investigations-discovery/hospitalization-death-by-age.html>
- Cha, M. H., Regueiro, M., & Sandhu, D. S. (2020). Gastrointestinal and hepatic manifestations of COVID-19: A comprehensive review. *World Journal of Gastroenterology*, 26(19), 2323–2332.
- Chan, G. C. K., Wong, C. K., So, B. Y. F., Ng, J. K. C., Lui, G. C. Y., Szeto, C. C., et al. (2023). Epidemiology and outcomes of hyponatremia in patients with COVID-19—A territory-wide study in Hong Kong. *Frontiers in Medicine*, 9(January), 1–11. <https://doi.org/10.3389/fmed.2022.1096165>
- Chary, M. A., Barbuto, A. F., Izadmehr, S., Hayes, B. D., & Burns, M. M. (2020). *COVID-19 : Therapeutics and Their Toxicities*. April, 284–294.
- Chen, D., Li, X., Song, Q., Hu, C., Su, F., Dai, J., et al. (2020). Assessment of Hypokalemia and Clinical Characteristics in Patients With Coronavirus Disease 2019 in Wenzhou, China. 3(6), 1–12. <https://doi.org/10.1001/jamanetworkopen.2020.11122>
- Clerkin, K. J., Fried, J. A., Raikhelkar, J., Sayer, G., Griffin, J. M., Masoumi, A., et al. (2020). COVID-19 and Cardiovascular Disease. *Circulation*, 141(20), 1648–1655. <https://doi.org/10.1161/CIRCULATIONAHA.120.046941>
- Cordero, A., Santos García-Gallego, C., Bertomeu-González, V., Fácila, L., Rodríguez-Mañero, M., Escribano, D., et al. (2021). Mortality associated with cardiovascular disease in patients with COVID-19. *REC: CardioClinics*, 56(1), 30–38. <https://doi.org/10.1016/j.rccl.2020.10.005>
- Costa, C., Duarte, I., Gameiro, J., Marques, F., Oliveira, J., Bernardo, J., et al. (2022). Chronic Kidney Disease in Patients with COVID-19: A Descriptive Analysis. *Kidney International Reports*, 7(2), S387.

- Dahlan, M. S. (2013). *Besar Sampel dan Cara Pengambilan Sampel* (Tiga). Salemba Medika.
- Dankhara, N., & Alur, P. (2021). *Hypochloremia Secondary to Diuretics in Preterm Infants : Should Clinicians Pay Close Attention ?* <https://doi.org/10.1177/2333794X21991014>
- De Carvalho, H., Letellier, T., Karakachoff, M., Desvaux, G., Caillon, H., Papuchon, E., et al. (2021). Hyponatremia is associated with poor outcome in COVID-19. *Journal of Nephrology*, 34(4), 991–998. <https://doi.org/10.1007/s40620-021-01036-8>
- De Carvalho, H., Richard, M. C., Chouihed, T., Goffinet, N., Le Bastard, Q., Freund, Y., et al. (2021). Electrolyte imbalance in COVID-19 patients admitted to the Emergency Department: a case–control study. *Internal and Emergency Medicine*, 0123456789. <https://doi.org/10.1007/s11739-021-02632-z>
- Dhamoon, M. S., Thaler, A., Gururangan, K., Kohli, A., Sisniega, D., Wheelwright, D., et al. (2021). Acute Cerebrovascular Events With COVID-19 Infection. *Stroke*, 52(1), 48–56. <https://doi.org/10.1161/STROKEAHA.120.031668>
- Ellison, D. H., Terker, A. S., & Gamba, G. (2015). *Potassium and Its Discontents : New Insight , New Treatments*. 1–9. <https://doi.org/10.1681/ASN.2015070751>
- Frontera, J. A., Valdes, E., Huang, J., Lewis, A., Lord, A. S., Zhou, T., et al. (2020). Prevalence and Impact of Hyponatremia in Patients with Coronavirus Disease 2019 in New York City. *Critical Care Medicine*, 48(12), E1211–E1217. <https://doi.org/10.1097/CCM.0000000000004605>
- Ghonimi, T. A. L., Alkad, M. M., Abuhelaiqa, E. A., Othman, M. M., Elgaali, M. A., Ibrahim, R. A. M., et al. (2021). Mortality and associated risk factors of COVID-19 infection in dialysis patients in Qatar: A nationwide cohort study. *PLoS ONE*, 16(7 July). <https://doi.org/10.1371/journal.pone.0254246>
- Gibertoni, D., Reno, C., Rucci, P., Fantini, M. P., Buscaroli, A., Mosconi, G., et al. (2021). COVID-19 incidence and mortality in non-dialysis chronic kidney disease patients. *PLoS ONE*, 16(7 July), 1–11. <https://doi.org/10.1371/journal.pone.0254525>
- Gumz, M. L., Rabinowitz, L., Wingo, C. S., & Biology, M. (2017). An Integrated View of Potassium Hemostasis. *New England Journal of Medicine*, 373(1), 60–72. <https://doi.org/10.1056/NEJMr1313341.An>

- Gupta, R., Choudhari, O. K., Mishra, H., & Ojha, U. C. (2021). Covid-19 thrombosis: Bridging the old and new concepts. *Malaysian Journal of Medical Sciences*, 28(1), 9–14. <https://doi.org/10.21315/mjms2021.28.1.2>
- Haase, N., Plovsing, R., Christensen, S., Poulsen, L. M., Brøchner, A. C., Rasmussen, B. S., et al. (2022). Changes over time in characteristics, resource use and outcomes among ICU patients with COVID-19—A nationwide, observational study in Denmark. *Acta Anaesthesiologica Scandinavica*, 66(8), 987–995. <https://doi.org/10.1111/aas.14113>
- Habas, E., Ali, E., Habas, A., Rayani, A., Ghazouani, H., Khan, F., et al. (2022). Hyponatremia and SARS-CoV-2 infection. *Medicine (Baltimore)*, 101(32).
- Hartantri, Y., Debora, J., Widyatmoko, L., Giwangkencana, G., Suryadinata, H., Susandi, E., et al. (2023). Clinical and treatment factors associated with the mortality of COVID-19 patients admitted to a referral hospital in Indonesia. *The Lancet Regional Health - Southeast Asia*, 11(38), 100167. <https://doi.org/10.1016/j.lansea.2023.100167>
- Hoffman, M., Kleine-Weber, H., Schroeder, S., Drosten, C., Muller, M. A., & Pohlmann, S. (2020). SARS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor. *Cell*, 181(January), 271–280.
- Holman, N., Knighton, P., Kar, P., O’Keefe, J., Curley, M., Weaver, A., et al. (2020). Risk factors for COVID-19-related mortality in people with type 1 and type 2 diabetes in England: a population-based cohort study. *The Lancet Diabetes and Endocrinology*, 8(10), 823–833. [https://doi.org/10.1016/S2213-8587\(20\)30271-0](https://doi.org/10.1016/S2213-8587(20)30271-0)
- Huang, Y., Yang, C., Xu, X. feng, Xu, W., & Liu, S. wen. (2020). Structural and functional properties of SARS-CoV-2 spike protein: potential antivirus drug development for COVID-19. *Acta Pharmacologica Sinica*, 41(9), 1141–1149. <https://doi.org/10.1038/s41401-020-0485-4>
- Hunt, R. H., East, E., & Lanas, A. (2021). COVID-19 and Gastrointestinal Disease : Implications for the Gastroenterologist. *Digestive Diseases*, 8, 119–139. <https://doi.org/10.1159/000512152>
- Jahnen-dechent, W., & Ketteler, M. (2012). *Magnesium basics*. 2. <https://doi.org/10.1093/ndtplus/sfr163>
- José Carlos de la Flor, M., Francisco Valga, A., Alexander, M., & Miguel Rodeles del, P. (2020). Hyponatremia in COVID-19 Infection - Possible Causal Factors and Management. *Journal of Clinical Nephrology and Renal Care*, 6(2), 53–56. <https://doi.org/10.23937/2572-3286.1510057>

- Khidir, R. J. Y., Ibrahim, B. A. Y., Adam, M. H. M., Hassan, R. M. E., Fedail, A. S. S., Abdulhamid, R. O., et al. (2022). Prevalence and outcomes of hyponatremia among COVID-19 patients: A systematic review and meta-analysis. *International Journal of Health Sciences*, 16(5), 69–84. <http://www.ncbi.nlm.nih.gov/pubmed/36101848><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC9441642>
- Kunutsor, S. K., & Laukkanen, J. A. (2020). Annals of Medicine Renal complications in COVID-19 : a systematic review and meta-analysis. *Annals of Medicine*, 52(7), 345–353<https://doi.org/10.1080/07853890.2020.1790643>
- Lazcano, U., Cuadrado-Godia, E., Grau, M., Subirana, I., Martínez-Carbonell, E., Boher-Massaguer, M., et al. (2022). Increased COVID-19 Mortality in People With Previous Cerebrovascular Disease: A Population-Based Cohort Study. *Stroke*, 53(4), 1276–1284. <https://doi.org/10.1161/STROKEAHA.121.036257>
- Liu, S., Zhang, L., Weng, H., Yang, F., Jin, H., Fan, F., et al. (2021). Association between average plasma potassium levels and 30-day mortality during hospitalization in patients with covid-19 in wuhan, china. *International Journal of Medical Sciences*, 18(3), 736–743. <https://doi.org/10.7150/ijms.50965>
- Liu, W., Tao, Z. W., Wang, L., Yuan, M. L., Liu, K., Zhou, L., et al. (2020). Analysis of factors associated with disease outcomes in hospitalized patients with 2019 novel coronavirus disease. *Chinese Medical Journal*, 133(9), 1032–1038. <https://doi.org/10.1097/CM9.0000000000000775>
- Lu, R., Zhao, X., Li, J., Niu, P., Yang, B., Wu, H., et al. (2020). Genomic characterisation and epidemiology of 2019 novel coronavirus: implications for virus origins and receptor binding. *The Lancet*, 395(10224), 565–574. [https://doi.org/10.1016/S0140-6736\(20\)30251-8](https://doi.org/10.1016/S0140-6736(20)30251-8)
- Lv, W., Wu, M., Ren, Y., Zeng, N., Deng, P., Zeng, H., et al. (2020). Coronavirus Disease 2019: Coronaviruses and Kidney Injury. *American Urological Association*, 204(November), 918–925.
- Malieckal, D. A., Uppal, N. N., Ng, J. H., Jhaveri, K. D., & Hirsch, J. S. (2021). Electrolyte abnormalities in patients hospitalized with COVID-19. *Clinical Kidney Journal*, 14(6), 1704–1707. <https://doi.org/10.1093/ckj/sfab060>
- McAdams, M., Ostrosky-Frid, M., Rajora, N., & Hedayati, S. (2021). Effect of COVID-19 on Kidney Disease Incidence and Management. *Kidney360*, 2(1), 141–153. <https://doi.org/10.34067/kid.0006362020>

- Meza, D., Khuder, B., Bailey, J. I., Rosenberg, S. R., Kalhan, R., & Reyfman, P. A. (2021). Mortality from covid-19 in patients with copd: A us study in the n3c data enclave. *International Journal of COPD*, 16, 2323–2326. <https://doi.org/10.2147/COPD.S318000>
- Mirza, H., Noori, M. A. M., Akbar, H., Fichadiya, H., Kaur, I. P., Sachdeva, S., et al. (2022). Hypertension as an Independent Risk Factor for In-Patient Mortality in Hospitalized COVID-19 Patients: A Multicenter Study. *Cureus*, 14(7), 6–12. <https://doi.org/10.7759/cureus.26741>
- Noori, M., Nejadghaderi, S. A., Sullman, M. J. M., Carson-Chahhoud, K., Kolahi, A. A., & Safiri, S. (2022). Epidemiology, prognosis and management of potassium disorders in Covid-19. *Reviews in Medical Virology*, 32(1), 1–13. <https://doi.org/10.1002/rmv.2262>
- Ou, X., Liu, Y., Lei, X., Li, P., Mi, D., Ren, L., et al. (2020). Characterization of spike glycoprotein of SARS-CoV-2 on virus entry and its immune cross-reactivity with SARS-CoV. *Nature Communications*, 11(1). <https://doi.org/10.1038/s41467-020-15562-9>
- Palmer, L. G. (2014). *Renal Physiology Integrated Control of Na Transport along the Nephron*. 1–12. <https://doi.org/10.2215/CJN.12391213>
- Parasher, A. (2021). *COVID-19 : Current understanding of its pathophysiology , clinical presentation and treatment*. 312–320. <https://doi.org/10.1136/postgradmedj-2020-138577>
- Pardhan, S., Wood, S., Vaughan, M., & Trott, M. (2021). The Risk of COVID-19 Related Hospitalisation, Intensive Care Unit Admission and Mortality in People With Underlying Asthma or COPD: A Systematic Review and Meta-Analysis. *Frontiers in Medicine*, 8(June). <https://doi.org/10.3389/fmed.2021.668808>
- Petnak, T., Thongprayoon, C., Cheungpasitporn, W., Bathini, T., Vallabhajosyula, S., Chewcharat, A., et al. (2020). Serum Chloride Levels at Hospital Discharge and One-Year Mortality among Hospitalized Patients. *Medical Sciences (Basel, Switzerland)*, 8(2), 1–10. <https://doi.org/10.3390/medsci8020022>
- Pijls, B. G., Jolani, S., Atherley, A., Derckx, R. T., Dijkstra, J. I. R., Franssen, G. H. L., et al. (2021). Demographic risk factors for COVID-19 infection , severity , ICU admission and death : a meta- - analysis of 59 studies. *BMJ Open*, 11, 1–10. <https://doi.org/10.1136/bmjopen-2020-044640>
- Raesi, A., Dezaki, E. S., Moosapour, H., & Saeidifard, F. (2021). *Hypocalcemia in Covid-19 : A Prognostic Marker for Severe Disease*. 16(2), 144–153.

- Ragab, D., Salah Eldin, H., Taeimah, M., Khattab, R., & Salem, R. (2020). The COVID-19 Cytokine Storm; What We Know So Far. *Frontiers in Immunology*, 11(June), 1–4. <https://doi.org/10.3389/fimmu.2020.01446>
- Rahim, F., Amin, S., Noor, M., Bahadur, S., Gul, H., Mahmood, A., et al (2020). Mortality of Patients With Severe COVID-19 in the Intensive Care Unit: An Observational Study From a Major COVID-19 Receiving Hospital. *Cureus*, 12(10), 6–13. <https://doi.org/10.7759/cureus.10906>
- Rastad, H., Karim, H., Ejtahed, H. S., Tajbakhsh, R., Noorisepehr, M., Babaei, M., et al. (2020). Risk and predictors of in-hospital mortality from COVID-19 in patients with diabetes and cardiovascular disease. *Diabetology and Metabolic Syndrome*, 12(1), 1–11. <https://doi.org/10.1186/s13098-020-00565-9>
- Rondon, H., & Badireddy, M. (2021). *Hyponatremia*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK470386/>
- Rothan, H. A., & Byrareddy, S. N. (2020). The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. *Journal of Autoimmunity*, 109(February), 102433. <https://doi.org/10.1016/j.jaut.2020.102433>
- Saldi, S. R. F., Safitri, E. D., Setiati, S., Ranakusuma, R. W., Marsigit, J., Azwar, M. K., et al. (2021). Prognostic Scoring System for Mortality of Hospitalized COVID-19 Patients in Resource-Limited Settings: A Multicenter Study from COVID-19 Referral Hospitals. *Acta Medica Indonesiana*, 53(4), 407–415.
- Santana, I., Melo, D., Sabino-silva, R., Marquez, T., Wagner, O., & Castro, D. (2021). Hydroelectrolytic Disorder in COVID-19 patients: Evidence Supporting the Involvement of Subfornical Organ and Paraventricular Nucleus of the Hypothalamus. *Neuroscience & Biobehavioral Reviews*, 124, 216–223.
- Shrimankher, I., & Bhattarai, S. (2021). *Electrolytes*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK541123/>
- Silhol, F., Sarlon, G., Deharo, J. C., & Vaïsse, B. (2020). Downregulation of ACE2 induces overstimulation of the renin–angiotensin system in COVID-19: should we block the renin–angiotensin system? *Hypertension Research*, 43(8), 854–856. <https://doi.org/10.1038/s41440-020-0476-3>
- Simon, T. G., Hagström, H., Sharma, R., Söderling, J., Roelstraete, B., Larsson, E., et al. (2021). Risk of severe COVID-19 and mortality in patients with established chronic liver disease: a nationwide matched cohort study. *BMC Gastroenterology*, 21(1), 1–11. <https://doi.org/10.1186/s12876-021-02017-8>

- Singh, D., Mathioudakis, A. G., & Higham, A. (2022). Chronic obstructive pulmonary disease and COVID-19: interrelationships. *Current Opinion in Pulmonary Medicine*, 28(2), 76–83. <https://doi.org/10.1097/MCP.0000000000000834>
- Sjöström, A., & Rysz, S. (2020). *Hypernatremia is common in patients with severe COVID-19 and indicates a poor prognosis*. 1–17.
- Song, H. J. J. M. D., Chia, A. Z. Q., Tan, B. K. J., Teo, C. B., Lim, V., Chua, H. R., et al. (2023). Electrolyte imbalances as poor prognostic markers in COVID-19: a systemic review and meta-analysis. *Journal of Endocrinological Investigation*, 46(2), 235–259. <https://doi.org/10.1007/s40618-022-01877-5>
- Ssentongo, P., Ssentongo, A. E., Heilbrunn, E. S., Ba, D. M., & Chinchilli, V. M. (2020). Association of cardiovascular disease and 10 other pre-existing comorbidities with COVID-19 mortality: A systematic review and meta-analysis. *PLoS ONE*, 15(8 August), 1–16. <https://doi.org/10.1371/journal.pone.0238215>
- Surendra, H., Elyazar, I. R., Djaafara, B. A., Ekawati, L. L., Saraswati, K., Adrian, V., et al. (2021). Clinical characteristics and mortality associated with COVID-19 in Jakarta, Indonesia: A hospital-based retrospective cohort study. *The Lancet Regional Health - Western Pacific*, 9, 100108. <https://doi.org/10.1016/j.lanwpc.2021.100108>
- Tezcan, M. E., Dogan Gokce, G., Sen, N., Zorlutuna Kaymak, N., & Ozer, R. S. (2020). Baseline electrolyte abnormalities would be related to poor prognosis in hospitalized coronavirus disease 2019 patients. *New Microbes and New Infections*, 37, 100753. <https://doi.org/10.1016/j.nmni.2020.100753>
- Turner, J. J. O. (2017). Hypercalcaemia – presentation and management. *Clinical Medicine*, 17(3), 270–273.
- Usul, E., San, I., Bekgöz, B., & Sahin, A. (2020). Role of hematological parameters in COVID-19 patients in the emergency room. *Biomarkers in Medicine*, 14(13), 1207–1215. <https://doi.org/10.2217/bmm-2020-0317>
- Valizadeh, R., Baradaran, A., Mirzazadeh, A., & Bhaskar, L. V. K. S. (2020). Coronavirus-nephropathy; renal involvement in COVID-19. *Nickan Research Institute*, 9(2), e18–e18. <https://doi.org/10.34172/jrip.2020.18>
- Veldurthy, V., Wei, R., Oz, L., Dhawan, P., Jeon, Y. H., & Christakos, S. (2016). *Vitamin D, calcium homeostasis and aging*. 25(July), 1–7. <https://doi.org/10.1038/boneres.2016.41>

- Viera, A. J., & Wouk, N. (2015). *Potassium Disorders: Hypokalemia and Hyperkalemia*.
- Wang, W., Tang, J., & Wei, F. (2020). Updated understanding of the outbreak of 2019 novel coronavirus (2019-nCoV) in Wuhan, China. *Journal of Medical Virology*, 92(4), 441–447. <https://doi.org/10.1002/jmv.25689>
- Watanabe, J. H., Kwon, J., & Mehta, S. R. (2021). Association of Age and Hospitalization Amongst Those with Underlying High-risk Conditions at COVID-19 Diagnosis in a Large, State-wide Health System. *Journal of General Internal Medicine*, 36(9), 2906–2908. <https://doi.org/10.1007/s11606-021-06942-y>
- Werion, A., Belkhir, L., Perrot, M., Schmit, G., & Aydin, S. (2020). SARS-CoV-2 causes a specific dysfunction of the kidney proximal tubule. *SARS-CoV-2 Causes a Specific Dysfunction of the Kidney Proximal Tubule*, 98(5), 1296–1307.
- World Health Organization. (2021). Coronavirus Disease 2019 (COVID-19) Situation Report-73. In *World Health Organization* (Vol. 73).
- Xu, Z., Shi, L., Wang, Y., Zhang, J., Huang, L., Zhang, C., et al. (2020). Case Report: Pathological findings of COVID-19 associated with acute respiratory distress syndrome. *Lancet Respir Med.*, 8(January), 420–422.
- Xu, Z., Tang, Y., Huang, Q., Fu, S., Li, X., Lin, B., et al. (2021). Systematic review and subgroup analysis of the incidence of acute kidney injury (AKI) in patients with COVID-19. *BMC Nephrology*, 22(1), 1–10. <https://doi.org/10.1186/s12882-021-02244-x>
- Yaghi, S., Ishida, K., Torres, J., Mac Grory, B., Raz, E., Humbert, K., et al. (2020). SARS-CoV-2 and Stroke in a New York Healthcare System. *Stroke*, 51(7), 2002–2011. <https://doi.org/10.1161/STROKEAHA.120.030335>
- Deepa A Malieckal, Nupur N Uppal, Jia N Ng, Kenar D Jhaveri, et al. (2021). Electrolyte abnormalities in patients hospitalized with COVID-19. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7989524/>
- Yang, N., & Shen, H. (2020). *Targeting the Endocytic Pathway and Autophagy Process as a Novel Therapeutic Strategy in COVID-19*. 16. <https://doi.org/10.7150/ijbs.45498>
- Zhou, F., Yu, T., Du, R., Fan, G., Liu, Y., Liu, Z., et al. (2020). Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *Lancet*, 395(10229), 1054–1062.