



DAFTAR PUSTAKA

- Alfirevic, Z., Milan, S.J., & Livio, S., 2013. Caesarean section versus vaginal delivery for preterm birth in singletons. *Cochrane Database Syst. Rev.* 2013. doi:10.1002/14651858.CD000078.pub3
- Aly, H., Hammad, T.A., Essers, J., & Wung, J.T., 2012. Is mechanical ventilation associated with intraventricular hemorrhage in preterm infants? *Brain Dev.* 34: 201–205. doi:10.1016/j.braindev.2011.04.006
- Baik-Schneditz, N., Höller, N., Urlesberger, B., Schwaberger, B., Schmölzer, G.M., & Pichler, G., 2020. Cerebral Doppler Resistance Index (RI) is associated with regional cerebral oxygenation. *Acta Paediatr. Int. J. Paediatr.* 109: 2299–2301. doi:10.1111/apa.15318
- Ballabh, P., 2014. Pathogenesis and Prevention of Intraventricular Hemorrhage. *Clin. Perinatol.* 41: 47–67. doi:10.1016/j.clp.2013.09.007
- Ballabh, P., 2010. Intraventricular hemorrhage in premature infants: Mechanism of disease. *Pediatr. Res.* 67: 1–8. doi:10.1203/PDR.0b013e3181c1b176
- Bansal, V., & Desai, A., 2022. Efficacy of Antenatal Magnesium Sulfate for Neuroprotection in Extreme Prematurity: A Comparative Observational Study. *J. Obstet. Gynecol. India* 72: 36–47. doi:10.1007/s13224-021-01531-9
- Bates, S., Odd, D., Luyt, K., Mannix, P., Wach, R., Evans, D., et al., 2016. Superior vena cava flow and intraventricular haemorrhage in extremely preterm infants. *J. Matern. Neonatal Med.* 29: 1581–1587. doi:10.3109/14767058.2015.1054805
- Bednarek, F.J., Bean, S., Barnard, M.R., Frelinger, A.L., & Michelson, A.D., 2009. The platelet hyporeactivity of extremely low birth weight neonates is age-dependent. *Thromb. Res.* 124: 42–45. doi:10.1016/j.thromres.2008.10.004
- Bischoff, A.R., Giesinger, R.E., Stanford, A.H., Ashwath, R., & McNamara, P.J., 2021. Assessment of superior vena cava flow and cardiac output in different patterns of patent ductus arteriosus shunt. *Echocardiography* 38: 1524–1533. doi:10.1111/echo.15163
- Bolisetty, S., Dhawan, A., Abdel-Latif, M., Bajuk, B., Stack, J., & Lui, K., 2014. Intraventricular hemorrhage and neurodevelopmental outcomes in extreme preterm infants. *Pediatrics* 133: 55–62. doi:10.1542/peds.2013-0372
- Capozzi, G., & Santoro, G., 2011. Patent ductus arteriosus: Patho-physiology, hemodynamic effects and clinical complications. *J. Matern. Neonatal Med.* 24: 15–16. doi:10.3109/14767058.2011.607564
- Caro-Domínguez, P., Lecacheux, C., Hernandez-Herrera, C., & Llorens-Salvador, R., 2021. Cranial ultrasound for beginners. *Transl. Pediatr.* 10: 1117–1137. doi:10.21037/tp-20-399
- Chiu, W.T., Lu, Y.H., Chen, Y.T., Tan, Y.L., Lin, Y.C., Chen, Y.L., et al., 2022. Reducing intraventricular hemorrhage following the implementation of a prevention bundle for neonatal hypothermia. *PLoS One* 17: 1–11. doi:10.1371/journal.pone.0273946
- Coskun, Y., Isik, S., Bayram, T., Urgun, K., Sakarya, S., & Akman, I., 2018. A clinical scoring system to predict the development of intraventricular



- hemorrhage (IVH) in premature infants. *Child's Nerv. Syst.* 34: 129–136.
doi:10.1007/s00381-017-3610-z
- Crowther, C.A., Hiller, J.E., Doyle, L.W., & Haslam, R.R., 2003. Effect of Magnesium Sulfate Given for Neuroprotection before Preterm Birth: A Randomized Controlled Trial. *Jama* 290: 2669–2676.
doi:10.1001/jama.290.20.2669
- Cuestas, E., Bas, J., & Pautasso, J., 2009. Sex differences in intraventricular hemorrhage rates among very low birth weight newborns. *Gend. Med.* 6: 376–382. doi:10.1016/j.genm.2009.06.001
- Dani, C., Poggi, C., Bertini, G., Pratesi, S., Tommaso, M. Di, Scarselli, G., et al., 2010. Method of delivery and intraventricular haemorrhage in extremely preterm infants. *J. Matern. Neonatal Med.* 23: 1419–1423.
doi:10.3109/14767051003678218
- de Waal, K., & Evans, N., 2010. Hemodynamics in Preterm Infants with Late-Onset Sepsis. *J. Pediatr.* 156: 918–922.e1. doi:10.1016/j.jpeds.2009.12.026
- de Waal, K., & Kluckow, M., 2020. Superior vena cava flow: Role, assessment and controversies in the management of perinatal perfusion. *Semin. Fetal Neonatal Med.* 25: 101122. doi:10.1016/j.siny.2020.101122
- de Waal, K.A., 2012. The Methodology of Doppler-Derived Central Blood Flow Measurements in Newborn Infants. *Int. J. Pediatr.* 2012: 1–13.
doi:10.1155/2012/680162
- Deschmann, E., Sola-Visner, M., & Saxonhouse, M.A., 2014. Primary hemostasis in neonates with thrombocytopenia. *J. Pediatr.* 164: 167–172.
doi:10.1016/j.jpeds.2013.08.037
- Egesa, W.I., Odoch, S., Odong, R.J., Nakalema, G., Asiimwe, D., Ekuk, E., et al., 2021. Germinal Matrix-Intraventricular Hemorrhage: A Tale of Preterm Infants. *Int. J. Pediatr. (United Kingdom)* 2021. doi:10.1155/2021/6622598
- El-Khuffash, A.F., & McNamara, P.J., 2011. Neonatologist-performed functional echocardiography in the neonatal intensive care unit. *Semin. Fetal Neonatal Med.* 16: 50–60. doi:10.1016/j.siny.2010.05.001
- Evans, N., & Kluckow, M., 2000. Superior vena cava flow in newborn infants: A novel marker of systemic blood flow. *Arch. Dis. Child. Fetal Neonatal Ed.* 82.
doi:10.1136/fn.82.3.f182
- Evans, N., & Kluckow, M., 1996. Early determinants of right and left ventricular output in ventilated preterm infants. *Arch Dis Child Fetal Neonatal Ed* 74: F88–F94.
- Farag, M.M., Gouda, M.H., Abd Almohsen, A.M., & Khalifa, M.A., 2022. Intraventricular hemorrhage prediction in premature neonates in the era of hemodynamics monitoring : a prospective cohort study. *EEur J Pediatr.* doi:10.1007/s00431-022-04630-5
- Ficial, B., Corsini, I., Bonafiglia, E., Petoello, E., Flore, A.I., Nogara, S., et al., 2022. Echocardiographic Quantification of Superior Vena Cava (SVC) Flow in Neonates: Pilot Study of Modified Technique. *Diagnostics* 12: 1–11.
doi:10.3390/diagnostics12092083
- Ficial, B., Finnemore, A.E., Cox, D.J., Broadhouse, K.M., Price, A.N., Durighel, G., et al., 2013. Validation study of the accuracy of echocardiographic



- measurements of systemic blood flow volume in newborn infants. *J. Am. Soc. Echocardiogr.* 26: 1365–1371. doi:10.1016/j.echo.2013.08.019
- Gamaleldin, I., Harding, D., Siassakos, D., Draycott, T., & Odd, D., 2019. Significant intraventricular hemorrhage is more likely in very preterm infants born by vaginal delivery: a multi-centre retrospective cohort study. *J. Matern. Neonatal Med.* 32: 477–482. doi:10.1080/14767058.2017.1383980
- Gillard, V., Tebani, A., Bekri, S., & Marret, S., 2020. Intraventricular hemorrhage in very preterm infants: A comprehensive review. *J. Clin. Med.* 9: 1–11. doi:10.3390/jcm9082447
- Groves, A., Kuschel, C.A., Knight, D.B., & Skinner, J.R., 2008. Echocardiographic assessment of blood flow volume in the superior vena cava and descending aorta in the newborn infant. *Arch. Dis. Child. Fetal Neonatal Ed.* 93: 24–29. doi:10.1136/adc.2006.109512
- Guerra, M., Blázquez, J.L., & Rodríguez, E.M., 2017. Blood-brain barrier and foetal-onset hydrocephalus, with a view on potential novel treatments beyond managing CSF flow. *Fluids Barriers CNS* 14: 1–15. doi:10.1186/s12987-017-0067-0
- Guzmán Cabañas, J.M., Párraga Quiles, M.J., Del Prado, N., Ruiz, M.D., García Del Río, M., Benito Zaballo, F., et al., 2009. Análisis de la utilidad del Clinical Risk Index for Babies por estratos de peso como predictor de muerte hospitalaria y de hemorragia intraventricular grave en la Red Neonatal Española SEN 1500. *An. Pediatr.* 71: 117–127. doi:10.1016/j.anpedi.2009.04.007
- Ha, K.S., Choi, B.M., Lee, E.H., Shin, J., Cho, H.J., Jang, G.Y., et al., 2018. Chronological echocardiographic changes in healthy term neonates within postnatal 72 hours using Doppler Studies. *J. Korean Med. Sci.* 33: 1–14. doi:10.3346/jkms.2018.33.e155
- Handley, S.C., Passarella, M., Lee, H.C., & Lorch, S.A., 2018. Incidence Trends and Risk Factor Variation in Severe Intraventricular Hemorrhage across a Population Based Cohort. *J. Pediatr.* 200: 24-29.e3. doi:10.1016/j.jpeds.2018.04.020
- Hansen, A., & Leviton, A., 1999. Labor and delivery characteristics and risks of cranial ultrasonographic abnormalities among very-low-birth-weight infants. *Am. J. Obstet. Gynecol.* 181: 997–1006. doi:10.1016/S0002-9378(99)70339-X
- Holberton, J.R., Drew, S.M., Mori, R., & König, K., 2012. The diagnostic value of a single measurement of superior vena cava flow in the first 24 h of life in very preterm infants. *Eur. J. Pediatr.* 171: 1489–1495. doi:10.1007/s00431-012-1755-z
- Hübner, M.E., Ramirez, R., Burgos, J., Dominguez, A., & Tapia, J.L., 2016. Mode of delivery and antenatal steroids and their association with survival and severe intraventricular hemorrhage in very low birth weight infants. *J. Perinatol.* 36: 832–836. doi:10.1038/jp.2016.78
- Johnston, N., & de Waal, K., 2022. Clinical and haemodynamic characteristics of preterm infants with early onset sepsis. *J. Paediatr. Child Health* 58: 2267–2272. doi:10.1111/jpc.16218



- Kaiser, J.R., Gauss, C.H., Pont, M.M., & Williams, D.K., 2006. Hypercapnia during the first 3 days of life is associated with severe intraventricular hemorrhage in very low birth weight infants. *J. Perinatol.* 26: 279–285. doi:10.1038/sj.jp.7211492
- Kenet, G., Kuperman, A.A., Strauss, T., & Brenner, B., 2011. Neonatal IVH - Mechanisms and management. *Thromb. Res.* 127: S120–S122. doi:10.1016/S0049-3848(11)70032-9
- Khanafer-Larocque, I., Soraisham, A., Stritzke, A., Al Awad, E., Thomas, S., Murthy, P., et al., 2019. Intraventricular Hemorrhage: Risk Factors and Association With Patent Ductus Arteriosus Treatment in Extremely Preterm Neonates. *Front. Pediatr.* 7: 1–9. doi:10.3389/fped.2019.00408
- Kim, K.R., Jung, S.W., & Kim, D.W., 2014. Risk factors associated with germinal matrix-intraventricular hemorrhage in preterm neonates. *J. Korean Neurosurg. Soc.* 56: 334–337. doi:10.3340/jkns.2014.56.4.334
- Kluckow, M., 2018. The pathophysiology of low systemic blood flow in the preterm infant. *Front. Pediatr.* 6: 1–6. doi:10.3389/fped.2018.00029
- Kluckow, M., 2005. Low systemic blood flow and pathophysiology of the preterm transitional circulation. *Early Hum. Dev.* 81: 429–437. doi:10.1016/j.earlhummdev.2005.03.006
- Kluckow, M., & Evans, N., 2000. Low superior vena cava flow and intraventricular haemorrhage in preterm infants. *Arch Dis Child Fetal Neonatal Ed* 82: F188–F194.
- Laptook, A.R., Salhab, W., & Bhaskar, B., 2007. Admission temperature of low birth weight infants: Predictors and associated morbidities. *Pediatrics* 119. doi:10.1542/peds.2006-0943
- Lee, A., Liestø, K., Nestaas, E., Brunvand, L., Lindemann, R., & Fugelseth, D., 2010. Superior vena cava flow: Feasibility and reliability of the off-line analyses. *Arch. Dis. Child. Fetal Neonatal Ed.* 95: 121–126. doi:10.1136/adc.2009.176883
- Linder, N., Haskin, O., Levit, O., Klinger, G., Prince, T., Naor, N., et al., 2003a. Risk Factors for Intraventricular Hemorrhage in Very Low Birth Weight Premature Infants: A Retrospective Case-Control Study. *Pediatrics* 111: e590–e595. doi:DOI: 10.1542/peds.111.5.e590
- Linder, N., Haskin, O., Levit, O., Klinger, G., Prince, T., Naor, N., et al., 2003b. Risk Factors for Intraventricular Hemorrhage in Very Low Birth Weight Premature Infants: A Retrospective Case-Control Study. *Pediatrics* 111: e590–e595. doi:10.1542/peds.111.5.e590
- Luque, M.J., Tapia, J.L., Villarroel, L., Marshall, G., Musante, G., Carlo, W., et al., 2014. A risk prediction model for severe intraventricular hemorrhage in very low birth weight infants and the effect of prophylactic indomethacin. *J. Perinatol.* 34: 43–48. doi:10.1038/jp.2013.127
- Mahoney, L., Fernandez-Alvarez, J.R., Rojas-Anaya, H., Aiton, N., Wertheim, D., Seddon, P., et al., 2018. Intra- and inter-rater agreement of superior vena cava flow and right ventricular outflow measurements in late preterm and term neonates. *J. Ultrasound Med.* 37: 2181–2190. doi:10.1002/jum.14568
- Marret, S., Chollat, C., Levèque, C., & Marpeau, L., 2011. Prevention of cerebral



- palsy using magnesium sulfate in pre-term newborns. *Arch. Pediatr.* 18: 324–330. doi:10.1016/j.arcped.2010.12.013
- McCrea, H.J., & Ment, L.R., 2008. The Diagnosis, Management, and Postnatal Prevention of Intraventricular Hemorrhage in the Preterm Neonate. *Clin. Perinatol.* 35: 777–792. doi:10.1016/j.clp.2008.07.014
- McGoldrick, E., Stewart, F., Parker, R., & Dalziel, S.R., 2020. Antenatal corticosteroids for accelerating fetal lung maturation for women at risk of preterm birth. *Cochrane Database Syst. Rev.* 2021. doi:10.1002/14651858.CD004454.pub4
- Meek, J.H., Tyszczuk, L., Elwell, C.E., & Wyatt, J.S., 1999. Low cerebral blood flow is a risk factor for severe intraventricular haemorrhage. *Arch. Dis. Child. Fetal Neonatal Ed.* 81: 15–19. doi:10.1136/fn.81.1.F15
- Miletin, J., & Dempsey, E.M., 2008. Low superior vena cava flow on day 1 and adverse outcome in the very low birthweight infant. *Arch. Dis. Child. Fetal Neonatal Ed.* 93: 368–372. doi:10.1136/adc.2007.129304
- Miller, S.S., Lee, H.C., & Gould, J.B., 2011. Hypothermia in very low birth weight infants: Distribution, risk factors and outcomes. *J. Perinatol.* 31: 49–56. doi:10.1038/jp.2010.177
- Moradi, Y., Khateri, R., Haghghi, L., Dehghani, S., Hanis, S.M., Valipour, M., et al., 2020. The effect of antenatal magnesium sulfate on intraventricular hemorrhage in premature infants: A systematic review and meta-analysis. *Obstet. Gynecol. Sci.* 63: 395–406. doi:10.5468/OGS.19210
- Moran, M., Miletin, J., Pichova, K., & Dempsey, E.M., 2009. Cerebral tissue oxygenation index and superior vena cava blood flow in the very low birth weight infant. *Acta Paediatr. Int. J. Paediatr.* 98: 43–46. doi:10.1111/j.1651-2227.2008.01006.x
- Noori, S., McCoy, M., Anderson, M.P., Ramji, F., & Seri, I., 2014. Changes in cardiac function and cerebral blood flow in relation to peri/intraventricular hemorrhage in extremely preterm infants. *J. Pediatr.* 164: 264–270.e3. doi:10.1016/j.jpeds.2013.09.045
- Paradisis, M., Evans, N., Kluckow, M., & Osborn, D., 2009. Randomized Trial of Milrinone Versus Placebo for Prevention of Low Systemic Blood Flow in Very Preterm Infants. *J. Pediatr.* 154: 189–195. doi:10.1016/j.jpeds.2008.07.059
- Paradisis, M., Evans, N., Kluckow, M., Osborn, D., & McLachlan, A.J., 2006. Pilot study of milrinone for low systemic blood flow in very preterm infants. *J Pediatr.* 148: 306–13. doi:10.1016/j.jpeds.2005.11.030
- Parodi, A., Govaert, P., Horsch, S., Bravo, M.C., Ramenghi, L.A., Agut, T., et al., 2020. Cranial ultrasound findings in preterm germinal matrix haemorrhage, sequelae and outcome. *Pediatr. Res.* 87: 13–24. doi:10.1038/s41390-020-0780-2
- Rhee, C.J., da Costa, C.S., Austin, T., Brady, K.M., Czosnyka, M., & Lee, J.K., 2018. Neonatal cerebrovascular autoregulation. *Pediatr. Res.* 84: 602–610. doi:10.1038/s41390-018-0141-6
- Riccardi, R., Barone, G., Iannotta, R., Prontera, G., D'Andrea, V., & Vento, G., 2023. Normal values for superior vena cava flow in preterm neonates using a



- new echocardiographic approach. *Echocardiography* 40: 45–50. doi:10.1111/echo.15507
- Rios, D.R., Bhattacharya, S., Levy, P.T., & McNamara, P.J., 2018. Circulatory insufficiency and hypotension related to the ductus arteriosus in neonates. *Front. Pediatr.* 6: 1–12. doi:10.3389/fped.2018.00062
- Roberts, D., Brown, J., Medley, N., & Dalziel, S., 2017. Antenatal corticosteroids for accelerating fetal lung maturation for women at risk of preterm birth (Review). *Cochrane Database Syst. Rev.* doi:10.1002/14651858.CD004454.pub3
- Schwab, M., Roedel, M., Akhtar Anwar, M., Müller, T., Schubert, H., Buchwalder, L.F., et al., 2000. Effects of betamethasone administration to the fetal sheep in late gestation on fetal cerebral blood flow. *J. Physiol.* 528: 619–632. doi:10.1111/j.1469-7793.2000.00619.x
- Shah, D.M., Condò, M., Bowen, J., & Kluckow, M., 2012. Blood pressure or blood flow: Which is important in the preterm infant? A case report of twins. *J. Paediatr. Child Health* 48: 2011–2013. doi:10.1111/j.1440-1754.2010.01938.x
- Sinha, A.K., Cane, C., & Kempley, S.T., 2006. Blood flow in the common carotid artery in term and preterm infants: Reproducibility and relation to cardiac output. *Arch. Dis. Child. Fetal Neonatal Ed.* 91: 31–35. doi:10.1136/adc.2004.058172
- Sirc, J., Dempsey, E.M., & Miletin, J., 2013. Cerebral tissue oxygenation index, cardiac output and superior vena cava flow in infants with birth weight less than 1250 grams in the first 48 hours of life. *Early Hum. Dev.* 89: 449–452. doi:10.1016/j.earlhumdev.2013.04.004
- Sloot, S.C., Waal, K.A. de, Lee, J.H. van der, & Kaam, A.H. van, 2010. Central blood flow measurements in stable preterm infants after the transitional period. *Arch. Dis. Child. - Fetal Neonatal Ed.* 95: F369 LP-F372. doi:10.1136/adc.2009.169169
- Soper, D., 2023. A-priori Sample Size Calculator for Structural Equation Models [Software] [WWW Document].
- Takahashi, S., Kakiuchi, S., Nanba, Y., Tsukamoto, K., Nakamura, T., & Ito, Y., 2010. The perfusion index derived from a pulse oximeter for predicting low superior vena cava flow in very low birth weight infants. *J. Perinatol.* 30: 265–269. doi:10.1038/jp.2009.159
- Van de Bor, M., Verloove-Vanhorick, S., Brand, R., Keirse, M., & Ruys, J., 1987. Incidence and prediction of periventricular-intraventricular hemorrhage in very preterm infants. *J. Perinat. Med.* 15: 333–339. doi:<https://doi.org/10.1515/jpme.1987.15.4.333>
- Vogtmann, C., Koch, R., Gmyrek, D., Kaiser, A., & Friedrich, A., 2012. Risikoadjustierte Hirnblutungsraten bei sehr kleinen Frühgeborenen: Beitrag zur interklinischen Qualitätssicherung in der Neonatologie. *Dtsch. Arztebl. Int.* 109: 527–533. doi:10.3238/arztebl.2012.0527
- Wei, J.C., Catalano, R., Profit, J., Gould, J.B., & Lee, H.C., 2016. Impact of antenatal steroids on intraventricular hemorrhage in very-low-birth weight infants. *J. Perinatol.* 36: 352–356. doi:10.1038/jp.2016.38



- Xu, H., Hu, F., Sado, Y., Ninomiya, Y., Borza, D.B., Ungvari, Z., et al., 2008. Maturational changes in laminin, fibronectin, collagen IV, and perlecan in germinal matrix, cortex, and white matter and effect of betamethasone. *J. Neurosci. Res.* 86: 1482–1500. doi:10.1002/jnr.21618
- Yeo, K.T., Thomas, R., Chow, S.S.W., Bolisetty, S., Haslam, R., Tarnow-Mordi, W., et al., 2020. Improving incidence trends of severe intraventricular haemorrhages in preterm infants <32 weeks gestation: A cohort study. *Arch. Dis. Child. Fetal Neonatal Ed.* 105: F145–F150. doi:10.1136/archdischild-2018-316664
- Yu, Y.H., Wang, L., Huang, L., Wang, L.L., Huang, X.Y., Fan, X.F., et al., 2020. Association between admission hypothermia and outcomes in very low birth weight infants in China: A multicentre prospective study. *BMC Pediatr.* 20: 1–9. doi:10.1186/s12887-020-02221-7
- Yulandari, I., Rundjan, L., Kadim, M., Amalia, P., Wulandari, H.F., & Handryastuti, S., 2016. The relationship between thrombocytopenia and intraventricular hemorrhage in neonates with gestational age <35 weeks. *Paediatr Indones* 56: 242. doi:10.14238/pi56.4.2016.242-50