

DAFTAR PUSTAKA

- Angillieri, M. Y. E. (2020). Debris flow susceptibility mapping using frequency ratio and seed cells, in a portion of a mountain international route, Dry Central Andes of Argentina. *Catena*, 189 (March 2019), 104504. <https://doi.org/10.1016/j.catena.2020.104504>.
- Ardizzone, F., Cardinali, M., Galli, M., Guzzetti, F., & Reichenbach, P. (2007). Identification and mapping of recent rainfall-induced landslides using elevation data collected by airborne Lidar. *Natural Hazards and Earth System Science*, 7, 637–650. <https://doi.org/10.1177/216507990405201108>.
- Berg, Avd. (2005). Publication Of Surveying Profession Bill For General Comment. Minister For Agriculture And Land Affairs Republic Of South Africa. Staatskoerant. No. 28216, 18-87.
- Blahut, J., van Westen, C. J., & Sterlacchini, S. (2010). Analysis of landslide inventories for accurate prediction of debris-flow source areas. *Geomorphology*, 119 (1–2), 36–51. <https://doi.org/10.1016/j.geomorph.2010.02.017>.
- Booth, A. M., Roering, J. J., & Perron, J. T. (2009). Automated landslide mapping using spectral analysis and high-resolution topographic data: Puget Sound lowlands, Washington, and Portland Hills, Oregon. *Geomorphology*, 109(3–4), 132–147. <https://doi.org/10.1016/j.geomorph.2009.02.027>.
- Burton A, Bathurst JC (1998) Physically based modelling of shallow landslide sediment yield at a catchment scale. *Environ Geol* 35:89–99.
- Carter, J., Schmid, K., Waters, K., Betzhold, L., Hadley, B., Mataosky, R., & Halleran, J. (2012). Lidar 101: An Introduction to Lidar Technology, Data, and Applications. In *NOAA Coastal Services Center*.
- Chiba, T., Kaneta, S., & Suzuki, Y. (2008). Red relief image map 1: new visualization method for three δ h. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XXXVII(B2), 1071–1076.
- Corominas J, Copons R, Vilaplana JM, Altamir J, Amigo´ J. (2003). Integrated landslide susceptibility analysis and hazard assessment in the principality of Andorra. *Nat Hazards* 30:421–435.
- Cruden, D.M. and Varnes, D.J. (1996). Landslide types and processes. In: A.K. Turner and R.L. Schuster (eds), *Landslides Investigation and Mitigation* (Special Report 247, pp.36-75). Transportation Research Board, US National Research Council, Washington, DC.
- Derron, M. H., & Jaboyedoff, M. (2010). LIDAR and DEM techniques for landslides monitoring and characterization. *Natural Hazards and Earth System Science*, 10(9), 1877–1879. <https://doi.org/10.5194/nhess-10-1877-2010>.
- Dorren, L. K. A., & Seijmonsbergen, A. C. (2003). Comparison of three GIS-based models for predicting rockfall runout zones at a regional scale. *Geomorphology*, 56(1–2), 49–64. [https://doi.org/10.1016/S0169-555X\(03\)00045-X](https://doi.org/10.1016/S0169-555X(03)00045-X).
- Fell, R., Corominas, J., Bonnard, C., Cascini, L., Leroi, E., & Savage, W. Z. (2008). Guidelines for landslide susceptibility, hazard and risk zoning for land use planning. *Engineering Geology*, 102(3–4), 85–98. <https://doi.org/10.1016/j.enggeo.2008.03.022>.
- Gamma, P. (1996). Grobraumige Modellierung von Gebirgsgefahren mit-tels rasterbasiertem Random Walk, in: *Modellierung und Simulation räumlicher Systeme mit Geographischen Informationssystemen*, edited by: Mandl, P., *Proceedings-Reihe der Informatik'96*, Klagenfurt, vol. 9, 93–105.

- Gamma, P. (2000) dfwalk – Ein Murgang-Simulations programm zur Gefahrenzonierung, Geographica Bernensia, University of Bern, Switzerland, vol. G66, 14 pp.
- Goetz, J., Kohrs, R., Parra Hormazábal, E., Bustos Morales, M., Araneda Riquelme, M. B., Henríquez, C., & Brenning, A. (2021a). Optimizing and validating the Gravitational Process Path model for regional debris-flow runout modelling. *Natural Hazards and Earth System Sciences*, 21(8), 2543–2562. <https://doi.org/10.5194/nhess-21-2543-2021>.
- Goetz, J., Kohrs, R., Parra Hormazábal, E., Bustos Morales, M., Araneda Riquelme, M. B., Henríquez, C., & Brenning, A. (2021b). Optimizing and validating the Gravitational Process Path model for regional debris-flow runout modelling. *Natural Hazards and Earth System Sciences*, 21(8), 2543–2562. <https://doi.org/10.5194/nhess-21-2543-2021>.
- Gold, R.D. (2004). A Comparative Study of Aerial Photographs and LIDAR Imagery for Landslide Detection in the Puget Lowland, Washington. Washington Division Of Geology And Earth Resources Open File Report 2004–6.
- Görüm, T. (2019). Landslide recognition and mapping in a mixed forest environment from airborne LiDAR data. *Engineering Geology*, 258(June), 105155. <https://doi.org/10.1016/j.enggeo.2019.105155>.
- Guzzetti, F., Cardinali, M., Reichenbach, P., Carrara, A. (2000). Comparing landslide maps: a case study in the upper Tiber River Basin, Central Italy. *Environmental Management* 25 (3), 247–363.
- Guzzetti, F. (2021). Invited perspectives: Landslide populations - Can they be predicted? *Natural Hazards and Earth System Sciences*, 21(5), 1467–1471. <https://doi.org/10.5194/nhess-21-1467-2021>.
- Guzzetti, F., Mondini, A. C., Cardinali, M., Fiorucci, F., Santangelo, M., & Chang, K. T. (2012). Landslide inventory maps: New tools for an old problem. *Earth-Science Reviews*, 112(1–2), 42–66. <https://doi.org/10.1016/j.earscirev.2012.02.001>.
- Guzzetti, F., Reichenbach, P., Cardinali, M., Galli, M., & Ardizzone, F. (2005). Probabilistic landslide hazard assessment at the basin scale. *Geomorphology*, 72(1–4), 272–299. <https://doi.org/10.1016/j.geomorph.2005.06.002>.
- Hadmoko, D. S., Lavigne, F., Sartohadi, J., Gomez, C., & Daryono, D. (2017). Spatio-Temporal Distribution of Landslides in Java and the Triggering Factors. *Forum Geografi*, 31(1), 1–15. <https://doi.org/10.23917/forgeo.v31i1.3790>.
- Hansen, A. (1984). Strategies for classification of landslides. In: Brunsden, D., Prior, D.B. (Eds.), *Slope Instability*. Wiley, New York, pp. 523–602.
- Haugerud, R. A., Harding, D. J., Johnson, S. Y., Harless, J. L., Weaver, C. S., & Sherrod, B. L. (2003). High-resolution lidar topography of the Puget Lowland, Washington - A bonanza for earth science. *GSA Today*, 13(6), 4–10. [https://doi.org/10.1130/1052-5173\(2003\)13<0004:HLTOTP>2.0.CO;2](https://doi.org/10.1130/1052-5173(2003)13<0004:HLTOTP>2.0.CO;2).
- Horton, P., Jaboyedoff, M., Rudaz, B., & Zimmermann, M. (2013). Flow-R, a model for susceptibility mapping of debris flows and other gravitational hazards at a regional scale. *Natural Hazards and Earth System Sciences*, 13(4), 869–885. <https://doi.org/10.5194/nhess-13-869-2013>.
- Hungr, O. (1997). Some methods of landslide hazard intensity mapping (Invited paper). In: R. Fell and D.M. Cruden (eds), *Proceedings of the Landslide Risk Workshop* (pp. 215–226). A.A. Balkema, Rotterdam.
- Hungr, O. (2005). *Classification and terminology*. Springer Verlag Berlin Heidelberg. <https://doi.org/10.1177/003591576706000844>.
- Hungr, O., Evans, S.G., Bovis, M., and Hutchinson, J.N. (2001). Review of the classification of landslides of the flow type. *Environmental and Engineering*

- Geoscience, VII, 221-238.
- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types, an update. *Landslides*, 11(2), 167–194. <https://doi.org/10.1007/s10346-013-0436-y>.
- Jakob, M., & Hungr, O. (2005). Classification and Terminology. In *Praxis Publishingh* (Vol. 60, Issue 8). Springer Verlag Berlin Heidelberg. <https://doi.org/10.1177/003591576706000844>.
- Kavzoglu, T., Colkesen, I., & Sahin, E. K. (2019). Landslides: Theory, Practice and Modelling (Vol. 50). <https://doi.org/10.1007/978-3-319-77377-3>.
- Kirkby, M. J. and Statham, I. (1975). Surface stone movement and scree formation, J. Geol., 83, 349–362.
- Korner, H. J. (1980). The energy-line method in the mechanics of avalanches, J. Glaciol., 26, 501–505.
- Lan, H., Martin, C. D., Zhou, C., & Lim, C. H. (2010). Rockfall hazard analysis using LiDAR and spatial modeling. *Geomorphology*, 118(1–2), 213–223. <https://doi.org/10.1016/j.geomorph.2010.01.002>.
- Meibl, G. (1998). Modellierung der Reichweite von Felsstürzen, Inns-brucker Geographische Studien, Innsbruck, vol. 28, 249 pp.
- Mergili, M., Fellin, W., Moreiras, S. M., & Stötter, J. (2012). Simulation of debris flows in the Central Andes based on Open Source GIS: Possibilities, limitations, and parameter sensitivity. *Natural Hazards*, 61(3), 1051–1081. <https://doi.org/10.1007/s11069-011-9965-7>.
- Moreiras SM. (2004). Landslide susceptibility zonation in the Rio Mendoza Valley, Argentina. *Geomorphology* 66:345–357.
- Morgenstern, N.R. (1985). Geotechnical aspects of environmental control. Proceedings of the International Conference on Soil Mechanics and Foundation Engineering, San Francisco (Vol. 1, pp. 155-185).
- Ningrum, E. R. (2021). Penilaian Kerawanan Longsor Menggunakan Pemodelan Flow R: Studi Kasus Lereng Waduk Bener, Purworejo Jawa Tengah. In *Fakultas Geografi, Universitas Gadjah Mada*.
- Noviyanto, A., Sartohadi, J., & Purwanto, B. H. (2020). The distribution of soil morphological characteristics for landslide-impacted Sumbing Volcano, Central Java - Indonesia. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00158-8>.
- O'Brien JS. (2003). FLO-2D users' manual version 2003.06, July 2003. FLO-2D Software Inc., Nutrioso.
- O'Callaghan, J. and Mark, D. (1984). The extraction of drainage networks from digital elevation data, *Comput. Vision Graph.*, 28, 323–344.
- Pašek, J. (1975). Landslide inventory. *International Association Engineering Geologist Bulletin* 12, 73–74.
- Perla, R., Cheng, T. T., & McClung, D. M. (1980). A two-parameter model of snow-avalanche motion. *Journal of Glaciology*, 26 (94), 197–207.
- Pike, R.J. (1988). The geometric signature: quantifying landslide-terrain types from digital elevation models. *Mathematical Geology* 20 (5), 491–511.
- Pulungan, N. A., & Sartohadi, J. (2018). New Approach to Soil Formation in the Transitional Landscape Zone: Weathering and Alteration of Parent Rocks. *Journal of Environments*, 5(1), 1–7. <https://doi.org/10.20448/journal.505.2018.51.1.7>.
- Purwoko, H. S. (2022). *Pemodelan Spasial Bahaya Longsor Ruas Jalan Salaman – Bener Kabupaten Magelang Berdasarkan Respon Curah Hujan*. Sekolah Pascasarjana

Univeristas Gadjah Mada.

- Ramlah, R., Hadmoko, D. S., & Setiawan, M. A. (2020). Penilaian Tingkat Aktivitas Longsor Di Sub-DAS Bompon. *Media Komunikasi Geografi*, 21(1), 12. <https://doi.org/10.23887/mkg.v20i2.21360>.
- Razak, K. A., Straatsma, M. W., van Westen, C. J., Malet, J. P., & de Jong, S. M. (2011). Airborne laser scanning of forested landslides characterization: Terrain model quality and visualization. *Geomorphology*, 126(1–2), 186–200. <https://doi.org/10.1016/j.geomorph.2010.11.003>.
- Rickenmann D. (1999). Empirical relationships for debris flows. *Nat Hazards* 19:47–77.
- Rickenmann, D. and Zimmermann, M. (1993). The 1987 debris flows in Switzerland: documentation and analysis, *Geomorphology*, 8, 175–189, doi:10.1016/0169-555X(93)90036-2.
- Roering, J.J., Mackey, B.H., Marshall, J.A., Sweeney, K.E., Deligne, N.I., Booth, A.M., Cerovski-Darriau, C. (2013). Connecting the dots with airborne lidar for geomorphic fieldwork. *Geomorphology* 200, 172–183. <https://doi.org/10.1016/j.geomorph.2013.04.009>.
- Scheidegger, A. E. (1975). *Physical Aspects of Natural Catastrophes*, Elsevier, Amsterdam.
- Sambodo, A. P., Setiawan, M. A., & Rokhmaningtyas, R. P. (2018). The evaluation of modified productivity index method on the transitional volcanic-tropical landscape. *IOP Conference Series: Earth and Environmental Science*, 200(1). <https://doi.org/10.1088/1755-1315/200/1/012011>.
- Samodra, G. (2022). *Simulasi Morfodinamika Longsor Kalisari , Kabupaten Magelang Berdasarkan Data LiDAR dan Model Numerik Morphodynamic Simulation of Kalisari Landslide , Magelang Regency Based on LiDAR and Numerical Model*.
- Samodra, G., Chen, G., Sartohadi, J., Hadmoko, D. S., Kasama, K., & Setiawan, M. A. (2016). Rockfall susceptibility zoning based on back analysis of rockfall deposit inventory in Gunung Kelir, Java. *Landslides*, 13(4), 805–819. <https://doi.org/10.1007/s10346-016-0713-7>.
- Samodra, G., Ramadhan, M. F., Sartohadi, J., Setiawan, M. A., Christanto, N., & Sukmawijaya, A. (2020). Characterization of displacement and internal structure of landslides from multitemporal UAV and ERT imaging. *Landslides*, 17(10), 2455–2468.
- Santangelo, M., Cardinali, M., Rossi, M., Mondini, A. C., & Guzzetti, F. (2010). Remote landslide mapping using a laser rangefinder binocular and GPS. *Natural Hazards and Earth System Science*, 10(12), 2539–2546. <https://doi.org/10.5194/nhess-10-2539-2010>.
- Sartohadi, J., Harlin Jennie Pulungan, N. A., Nurudin, M., & Wahyudi, W. (2018). The ecological perspective of landslides at soils with high clay content in the middle bogowonto watershed, central Java, Indonesia. *Applied and Environmental Soil Science*, 2018. <https://doi.org/10.1155/2018/2648185>.
- Soeters, R., & Van Westen, C. J. (1996). Slope instability recognition, analysis, and zonation. *Special Report - National Research Council, Transportation Research Board*, 247 (December), 129–177.
- Strauch, R., Istanbuluoglu, E., & Riedel, J. (2019). A new approach to mapping landslide hazards: A probabilistic integration of empirical and physically based models in the North Cascades of Washington, USA. *Natural Hazards and Earth System Sciences*, 19(11), 2477–2495. <https://doi.org/10.5194/nhess-19-2477-2019>.
- Surono. (2009). Litostratigrafi Pegunungan Selatan Bagian Timur Daerah Istimewa Yogyakarta dan Jawa Tengah. *Jurnal Sumber Daya Geologi*, 19(3), 31–43.

- Swanston, D.N. (1974). Slope Stability Problems Associated with Timber Harvesting in Mountainous Regions of the Southwestern United States (Forest Service General Technical Report PNW-021). US Department of Agriculture, Washington, DC.
- Takahashi, T. (1981). Estimation of potential debris flows and their hazardous zones: soft countermeasures for a disaster. *J. Natural Disaster Science*, 3 (1), 57-89.
- Takahashi, B. T., Nakagawa, H., Harada, T., & Yamashiki, Y. (1992). *Routing debris flows with particle segregation*. 118(2215), 1490–1507.
- Van Dijke, J. J. and van Westen, C. J. (1990). Rockfall Hazard: a Geomorphologic Application of Neighbourhood Analysis with ILWIS, *ITC Journal* 1990, 1, 40–44.
- Van Westen, C. J., van Asch, T. W. J., & Soeters, R. (2006). Landslide hazard and risk zonation - Why is it still so difficult? *Bulletin of Engineering Geology and the Environment*, 65(2), 167–184. <https://doi.org/10.1007/s10064-005-0023-0>.
- Varnes, D. (1978). Slope Movement Types and Processes. *Special Report*, 176, 11–33.
- Wichmann, V. (2006). Modellierung geomorphologischer Prozesse in einem alpinen Einzugsgebiet – Abgrenzung und Klassifizierung der Wirkungsräume von Sturzprozessen und Muren mit einem GIS, *Eichstätt. Geogr. Arb.*, vol. 15, 231 pp.
- Wichmann, V. (2017). The Gravitational Process Path (GPP) model (v1.0) - A GIS-based simulation framework for gravitational processes. *Geoscientific Model Development*, 10(9), 3309–3327. <https://doi.org/10.5194/gmd-10-3309-2017>.
- Wichmann, V., & Becht, M. (2004). Spatial modelling of debris flows in an alpine drainage basin. *IAHS-AISH Publication*, 288, 370–376.
- Wida, W. A., Maas, A., & Sartohadi, J. (2019). Pedogenesis of Mt. Sumbing Volcanic Ash above The Alteration Clay Layer in The Formation of Landslide Susceptible Soils in Bompon Sub-Watershed. *Ilmu Pertanian (Agricultural Science)*, 4(1), 15. <https://doi.org/10.22146/ipas.41893>.
- Wieczorek, G.F. (1984). Preparing a detailed landslide-inventory map for hazard evaluation and reduction. *Bulletin of the Association of Engineering Geologists* 21 (3), 337–342.
- Wijaya, A. Putri. (2020). Skripsi : Karakterisasi Dan Identifikasi Potensi Longsor Dengan Pemanfaatan Foto Udara Di Sebagian Jalan Magelang-Purworejo. Universitas Gadjah Mada : Yogyakarta.
- WP/WLI. (1993). A Suggested Method for Describing the Activity of a Landslide. *Bulletin of the International Association of Engineering Geology* Paris, 47.
- Yamagishi, H., & Bhandary, N. P. (2017). GIS Landslide. In H. Yamagishi & N. P. Bhandary (Eds.), *GIS Landslide*. Springer Nature. <https://doi.org/10.1007/978-4-431-54391-6>.
- Yokoyama, R., Shirasawa, M., & Pike, R. J. (2002). Visualizing topography by openness: A new application of image processing to digital elevation models. *Photogrammetric Engineering and Remote Sensing*, 68(3), 257–265.
- Zhang, Y., Meng, X. M., Dijkstra, T. A., Jordan, C. J., Chen, G., Zeng, R. Q., & Novellino, A. (2020). Forecasting the magnitude of potential landslides based on InSAR techniques. *Remote Sensing of Environment*, 241(February), 111738. <https://doi.org/10.1016/j.rse.2020.111738>.
- Zimmermann, M. (1990). Debris flows 1987 in Switzerland: geomorphological and meteorological aspects. *Hydrology in Mountainous Regions II*, 1(194), 387–393.
- Zimmermann, M., Mani, P., Gamma, P., Gsteiger, P., Heiniger, O., and Hunziker, G. (1997). Murganggefahr und Klimaänderung – ein GIS-basierter Ansatz, Hochschulverlag an der ETH, Zürich, Switzerland, Schlussbericht NFP 31.