

DAFTAR PUSTAKA

- Abd-Elsalam, H. A. H., Al-Ghobashy, M. A., Zaazaa, H. E., & Ibrahim, M. A. (2014). Stability of catechins in green tea nutraceutical products: Application of solid phase extraction-thin layer chromatography densitometry. *Food Chemistry*, 156, 94–99. <https://doi.org/10.1016/j.foodchem.2014.01.103>
- Ali, A., Chong, C. H., Mah, S. H., Abdullah, L. C., Choong, T. S. Y., & Chua, B. L. (2018). Impact of storage conditions on the stability of predominant phenolic constituents and antioxidant activity of dried piper betle extracts. *Molecules*, 23(2), 1–15. <https://doi.org/10.3390/molecules23020484>
- Alves, N. E. G., Gomes, M. J. C., Vasconcelos, C. M., Lima, A. C., de Lima, S. L. S., Brito, E. S., Bassinello, P. Z., & Martino, H. S. D. (2021). Six months under uncontrolled relative humidity and room temperature changes technological characteristics and maintains the physicochemical and functional properties of carioca beans (*Phaseolus vulgaris* L.). *Food Chemistry*, 342, 1–10. <https://doi.org/10.1016/j.foodchem.2020.128390>
- Amarowicz, R., & Pegg, R. B. (2019). Natural antioxidants of plant origin In Advances in Food and Nutrition Research. Elsevier Inc. 1–81. *Advances in Food and Nutrition Research*, 90, 1–81. <https://doi.org/10.1016/bs.afnr.2019.02.011>
- AOAC. (2005). *Official Methods of Analysis of the Association of Analytical Chemist*. Association of Official Analytical Chemist.
- Arifin, B., & Ibrahim, S. (2018). Struktur, Bioaktivitas Dan Antioksidan Flavonoid. *Jurnal Zarah*, 6(1), 21–29. <https://doi.org/10.31629/zarah.v6i1.313>
- Ariga, T., & Hamano, M. (1990). Radical scavenging action and its mode in procyanidins B-1 and B-3 from azuki beans to peroxyl radicals. *Agricultural and Biological Chemistry*, 54(10), 2499–2504. <https://doi.org/10.1080/00021369.1990.10870369>
- Awuah, R. T., & Frimpong, M. (2002). Cocoa-based media for culturing Phytophthora palmivora (Butl.) Butl., causal agent of black pod disease of cocoa. *Mycopathologia*, 155(3), 143–147. <https://doi.org/10.1023/A:1020415109308>
- Ayala-Zavala, J. F., Wang, S. Y., Wang, C. Y., & González-Aguilar, G. A. (2004). Effect of storage temperatures on antioxidant capacity and aroma compounds in strawberry fruit. *Lwt*, 37(7), 687–695. <https://doi.org/10.1016/j.lwt.2004.03.002>
- Badan Pusat Statistik. (2021). *Statistik Kakao Indonesia 2020*. Badan Pusat Statistik Indonesia.
- Balasooriya, B. L. H. , Dassanayake, K., & Ajlouni, S. (2020). High temperature effects on strawberry fruit quality and antioxidant contents. 1278, 225–234. <https://doi.org/10.17660/ActaHortic.2020.1278.33>
- Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181(4617), 1199–1200. <http://dx.doi.org/10.1038/1811199a0>
- Brasier, C., & Griffin, M. (1979). Taxonomy of Phytophthora palmivora on



- cocoa. *Trans. Br. Mycol. Soc.*, 72, 111–143.
- Campos-Vega, R., Nieto-Figueroa, K. H., & Oomah, B. D. (2018). Cocoa (*Theobroma cacao L.*) pod husk: Renewable source of bioactive compounds. *Trends in Food Science and Technology*, 81, 172–184. <https://doi.org/10.1016/j.tifs.2018.09.022>
- Chun, K. S., Husseinsyah, S., & Yeng, C. M. (2016). Effect of green coupling agent from waste oil fatty acid on the properties of polypropylene/cocoa pod husk composites. *Polymer Bulletin*, 73(12), 3465–3484. <https://doi.org/10.1007/s00289-016-1682-7>
- Cilas, C., & Bastide, P. (2020). Challenges to Cocoa Production in the Face of Climate Change and the Spread of Pests and Diseases. *Agronomy*, 10(9), 1–8. <https://doi.org/10.3390/agronomy10091232>
- Demito, A., Ziegler, V., Goebel, J. T. S., Konopatzki, E. A., Coelho, S. R. M., & Elias, M. C. (2019). Effects of refrigeration on biochemical, digestibility, and technological parameters of carioca beans during storage. *Journal of Food Biochemistry*, 43(7), 1–11. <https://doi.org/10.1111/jfbc.12900>
- Deng, L. Z., Pan, Z., Mujumdar, A. S., Zhao, J. H., Zheng, Z. A., Gao, Z. J., & Xiao, H. W. (2019). High-humidity hot air impingement blanching (HHAIB) enhances drying quality of apricots by inactivating the enzymes, reducing drying time and altering cellular structure. *Food Control*, 96, 104–111. <https://doi.org/10.1016/j.foodcont.2018.09.008>
- Deng, L. Z., Xiong, C. H., Pei, Y. P., Zhu, Z. Q., Zheng, X., Zhang, Y., Yang, X. H., Liu, Z. L., & Xiao, H. W. (2022). Effects of various storage conditions on total phenolic, carotenoids, antioxidant capacity, and color of dried apricots. *Food Control*, 136, 1–10. <https://doi.org/10.1016/j.foodcont.2022.108846>
- Derakhshan, Z., Ferrante, M., Tadi, M., Ansari, F., Heydari, A., Hosseini, M. S., Conti, G. O., & Sadrabad, E. K. (2018). Antioxidant activity and total phenolic content of ethanolic extract of pomegranate peels, juice and seeds. *Food and Chemical Toxicology*, 114, 108–111. <https://doi.org/10.1016/j.fct.2018.02.023>
- Direktorat Jenderal Perkebunan. (2020). *Statistik Perkebunan Unggulan Nasional 2019-2021*. Sekretariat Direktorat Jenderal Perkebunan.
- Dragovic-Uzelac, V., Levaj, B., Mrkic, V., Bursac, D., & Boras, M. (2007). The content of polyphenols and carotenoids in three apricot cultivars depending on stage of maturity and geographical region. *Food Chemistry*, 102(3), 966–975. <https://doi.org/10.1016/j.foodchem.2006.04.001>
- Draths, K. M., & Frost, J. W. (1991). Conversion of D-glucose into catechol: the not-so-common pathway of aromatic biosynthesis. *J. Am. Chem. Soc.*, 113(24), 9361–9363. <https://doi.org/doi:10.1021/ja00024a048>
- Dwipayanti, N. K. Y., Ganda Putra, G. P., & Suhendra, L. (2020). Karakteristik ekstrak kulit buah kakao (*Theobroma cacao L.*) sebagai sumber antioksidan pada perlakuan perbandingan bahan dengan pelarut dan waktu maserasi. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 8(2), 210–222. <https://doi.org/10.24843/jrma.2020.v08.i02.p06>
- Elleuch, M., Bedigian, D., Roiseux, O., Besbes, S., Blecker, C., & Attia, H. (2011). Dietary fibre and fibre-rich by-products of food processing:



- Characterisation, technological functionality and commercial applications: A review. *Food Chemistry*, 124(2), 411–421. <https://doi.org/10.1016/j.foodchem.2010.06.077>
- Esong, R. N., Etchu, K. A., Bayemi, P. H., & Tan, P. V. (2015). Effects of the dietary replacement of maize with sun-dried cocoa pods on the performance of growing rabbits. *Tropical Animal Health and Production*, 47(7), 1411–1416. <https://doi.org/10.1007/s11250-015-0879-3>
- Guest, D. (2007). Black pod: diverse pathogens with a global impact on cocoa yield. *Phytopathology*, 97, 1650–1653. <https://doi.org/https://doi.org/10.1094/PHYTO-97-12-1650>
- Guimaraes, R. M., Costa, L. M., Resende, O., Buranelo Egea, M., & Takeuchi, K. P. (2021). Commercial special bread: Evaluation of texture, color, moisture content, water activity and nutritional labeling. *Revista Brasileira de Agrotecnologia*, 11(2), 158–162. <https://doi.org/10.18378/rebagro.v12i2.8870>
- Guo, Y., Pan, Y., Zhang, Z., & Zhang, W. (2020). Study on the browning mechanism of betel nut (*Betel catechu L.*) kernel. *Food Science and Nutrition*, 8(4), 1818–1827. <https://doi.org/10.1002/fsn3.1456>
- Ho, L. H., Ramli, N. F., Tan, T. C., Muhamad, N., & Haron, M. N. (2018). Effect of extraction solvents and drying conditions on total phenolic content and antioxidant properties of watermelon rind powder. *Sains Malaysiana*, 47(1), 99–107. <https://doi.org/10.17576/jsm-2018-4701-12>
- Hohl, H. R., & Stossel, P. (1976). Host-parasite interfaces in a resistant and a susceptible cultivar of *Solanum tuberosum* inoculated with *Phytophthora infestans*: tuber tissue. *Can. J. Bot*, 54, 900–912.
- Hosseini Bai, S., Trueman, S. J., Nevenimo, T., Hannet, G., Bapiwai, P., Poienou, M., & Wallace, H. M. (2017). Effects of shade-tree species and spacing on soil and leaf nutrient concentrations in cocoa plantations at 8 years after establishment. *Agriculture, Ecosystems and Environment*, 246(December 2016), 134–143. <https://doi.org/10.1016/j.agee.2017.06.003>
- International Cocoa Organization (ICCO). (2017). *Cocoa Daily Prices*. Quarterly Bulletin. <https://www.icco.org/aboutus/icco-news/372-may-2017-quarterly-bulletin-of-cocoa-statistics.html>
- Kamelia, M., & Fathurohman, F. (2017). Pemanfaatan kulit buah kakao fermentasi sebagai alternatif bahan pakan nabati serta pengaruhnya terhadap pertumbuhan ternak entok (*Cairina muschata*). *Biosfer: Jurnal Tadris Biologi*, 8(1), 66–77. <https://doi.org/10.24042/biosf.v8i1.1264>
- Karmawati, P. D. I. E., Munarso, D. I. S. J., Syakir, D. I. M., Mahmud, P. D. I. Z., Ardana, D. I. I. K., & Rubiyo, D. I. (2010). Budidaya & Pascapanen Kakao. In *Problems of Environmental Biotechnology* (Issue 1). <https://doi.org/10.18372/2306-6407.1.16197>
- Katayama, K., Miyoshi, M., Nabeta, K., & Tazaki, H. (2012). The biosynthesis of the antioxidant caffeic acid derivative subulatin by the liverwort *Jungermannia subulata* cultured in vitro. *Phytochemistry Letters*, 5(4), 761–765. <https://doi.org/10.1016/j.phytol.2012.08.008>
- Kayaputri, I. L., Sumanti, D. M., Djali, M., Indarto, R., & Dewi, D. L. (2014).

- Kajian Fitokimia Ekstrak Kulit Biji Kakao (*Theobroma cacao L.*). *Chimica et Natura Acta*, 2(1), 83–90. <https://doi.org/10.24198/cna.v2.n1.9140>
- Kim, A. N., Kim, H. J., Chun, J., Heo, H. J., Kerr, W. L., & Choi, S. G. (2018). Degradation kinetics of phenolic content and antioxidant activity of hardy kiwifruit (*Actinidia arguta*) puree at different storage temperatures. *Lwt*, 89, 535–541. <https://doi.org/10.1016/j.lwt.2017.11.036>
- Kohartono, G., Maya, A., & Sri, P. (2014). The change of bioactive content and antioxidant activities in java varieties organic black rice with polypropylene packaging during six months storage. *Journal of Food Technology and Nutrition*, 13(2), 69–74.
- Labuza, T. P. (1984). *Application of Chemical Kinetics to Deterioration of Foods*. ACS Publications.
- Laconi, E. B., & Jayanegara, A. (2015). Improving nutritional quality of cocoa pod (*Theobroma cacao*) through chemical and biological treatments for ruminant feeding: In vitro and in vivo evaluation. *Asian-Australasian Journal of Animal Sciences*, 28(3), 343–350. <https://doi.org/10.5713/ajas.13.0798>
- Lateef, A., Azeez, M. A., Asafa, T. B., Yekeen, T. A., Akinboro, A., Oladipo, I. C., Azeez, L., Ojo, S. A., Gueguim-Kana, E. B., & Beukes, L. S. (2016). Cocoa pod husk extract-mediated biosynthesis of silver nanoparticles: its antimicrobial, antioxidant and larvicidal activities. *Journal of Nanostructure in Chemistry*, 6(2), 159–169. <https://doi.org/10.1007/s40097-016-0191-4>
- Lee, C. L., Kuo, H. W., Chang, C. C., & Cheng, W. (2020). Injection of an extract of fresh cacao pod husks into *Litopenaeus vannamei* upregulates immune responses via innate immune signaling pathways. *Fish and Shellfish Immunology*, 104(June), 545–556. <https://doi.org/10.1016/j.fsi.2020.05.070>
- Lekjing, S., & Venkatachalam, K. (2019). Influences of storage time and temperature on sensory and measured quality of green gram savory crackers. *Lwt*, 113, 1–8. <https://doi.org/10.1016/j.lwt.2019.108310>
- Ling, J. K. U., Chan, Y. S., & Nandong, J. (2021). Degradation kinetics modeling of antioxidant compounds from the wastes of *Mangifera pajang* fruit in aqueous and choline chloride/ascorbic acid natural deep eutectic solvent. *Journal of Food Engineering*, 294, 1–12. <https://doi.org/10.1016/j.jfoodeng.2020.110401>
- Liu, Q., Guo, X., Du, J., Guo, Y., Guo, X., & Kou, L. (2023). Comparative analysis of husk microstructure, fruit quality and concentrations of bioactive compounds of different pomegranate cultivars during low temperature storage. *Food Bioscience*, 52, 1–11. <https://doi.org/10.1016/j.fbio.2023.102400>
- MacDonald-Wicks, L. K., Wood, L. G., & Garg, M. L. (2006). Methodology for the determination of biological antioxidant capacity in vitro: a review. *Journal of the Science OfFood and Agriculture*, 86, 2046–2056. <https://doi.org/10.1002/jsfa>
- Magalhães, L. M., Segundo, M. A., Reis, S., & Lima, J. L. F. C. (2008). Methodological aspects about in vitro evaluation of antioxidant properties. *Analytica Chimica Acta*, 613(1), 1–19.

- <https://doi.org/10.1016/j.aca.2008.02.047>
- Magdalena, N. V., & Kusnadi, J. (2015). Uji Anti Bakteri Gambir. *Jurnal Pangan Dan Agroindustri*, 3(1), 124–135.
- Mamari, H. H. Al. (2021). Phenolic Compounds: Classification, Chemistry, and Updated Techniques of Analysis and Synthesis. *Organic Chemistry*, 452. <https://doi.org/10.5772/INTECHOPEN.98958>
- Martínez, R., Torres, P., Meneses, M. A., Figueroa, J. G., Pérez-Álvarez, J. A., & Viuda-Martos, M. (2012). Chemical, technological and in vitro antioxidant properties of cocoa (*Theobroma cacao* L.) co-products. *Food Research International*, 49(1), 39–45. <https://doi.org/10.1016/j.foodres.2012.08.005>
- Mayer, A. M. (2006). Polyphenol oxidases in plants and fungi: Going places? A review. *Phytochemistry*, 67(21), 2318–2331. <https://doi.org/10.1016/j.phytochem.2006.08.006>
- Miranda, G., Berna, À., González, R., & Mulet, A. (2014). The storage of dried apricots: The effect of packaging and temperature on the changes of texture and moisture. *Journal of Food Processing and Preservation*, 38(1), 565–572. <https://doi.org/10.1111/jfpp.12004>
- Miranda, P. M., Ganda Putra, G. P., & Suhendra, L. (2020). Karakteristik ekstrak kulit buah kakao (*Theobroma cacao* L.) sebagai sumber antioksidan pada perlakuan ukuran partikel dan waktu maserasi. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 8(1), 28–38. <https://doi.org/10.24843/jrma.2020.v08.i01.p14>
- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*, 26(2), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Murray, R. K., Granner, D. K., & Rodwell, V. W. (2009). *Biokimia Harper Edisi 27*. EGC.
- Naczk, M., & Shahidi, F. (2004). Extraction and analysis of phenolics in food. *Journal of Chromatography A*, 1054(1–2), 95–111. <https://doi.org/10.1016/j.chroma.2004.08.059>
- Nicolás-García, M., Perucini-Avendaño, M., Arrieta-Báez, D., de Jesús Perea-Flores, M., Jiménez-Martínez, C., Beatriz Gómez-Patiño, M., & Dávila-Ortiz, G. (2022). Phenolic compounds profile by UPLC-ESI-MS in black beans and its distribution in the seed coat during storage. *Food Chemistry*, 395. <https://doi.org/10.1016/j.foodchem.2022.133638>
- Niether, W., Jacobi, J., Blaser, W. J., Andres, C., & Armengot, L. (2020). Cocoa agroforestry systems versus monocultures: A multi-dimensional meta-analysis. *Environmental Research Letters*, 15(10). <https://doi.org/10.1088/1748-9326/abb053>
- Nieto-Figueroa, K. H., García, N. V. M., & Campos-Vega, R. (2020). Cocoa by-products. In Camos-Vega, R., Oomah, B.D. and Vergara-Castaneda, ~ H.A (Eds.) food wastes and by-products. *Nutraceutical and Health Potential, John Wiley & Sons Ltd.*, 12(1), 373–411. <https://doi.org/10.1007/s13749-013-0010-1>
- Oddy, E., Gyedu-Akoto, E., & Agyente-Badu, C. K. (2013). Cocoa and Its By-Products: Identification and Utilization. *Chocolate in Health and Nutrition*,

- December 2016, 1–553. <https://doi.org/10.1007/978-1-61779-803-0>
- Okiyama, D. C. G., Soares, I. D., Cuevas, M. S., Crevelin, E. J., Moraes, L. A. B., Melo, M. P., Oliveira, A. L., & Rodrigues, C. E. C. (2018). Pressurized liquid extraction of flavanols and alkaloids from cocoa bean shell using ethanol as solvent. *Food Research International*, 114(May), 20–29. <https://doi.org/10.1016/j.foodres.2018.07.055>
- Pan, Y., Guo, Y., Huang, Q., Zhang, W., & Zhang, Z. (2021). Enzymatic browning in relation to permeation of oxygen into the kernel of postharvest areca nut under different storage temperatures. *Food Science and Nutrition*, 9(7), 3768–3776. <https://doi.org/10.1002/fsn3.2341>
- Pappa, S., Jamaluddin, A. W., & Ris, A. (2019). Kadar Tanin Pada Kulit Buah Kakao (Theobroma cacao L.) Kabupaten Poliwalimandar dan Toraja Utara. *Indonesian E-Journal of Applied Chemistry*, 7(2), 92–101.
- Perez, E., M'endez, A., Leon, M., Hernandez, G., & Sivoli, L. (2015). Proximal composition and the nutritional and functional properties of cocoa by-products (pods and husks) for their use in the food industry, choc. *Cocoa Byprod. Rheol. Styling, Nutr.*, 219–234.
- Piero, A. R. L., Puglisi, I., Rapisarda, P., & Petrone, G. (2005). Anthocyanins Accumulation and Related Gene Expression in Red Orange Fruit Induced by Low Temperature Storage. *J. Agric. Food Chem.*, 53(23), 9083–9088. <https://doi.org/https://doi.org/10.1021/jf051609s>
- Pusat Penelitian Kopi dan Kakao Indonesia. (2010). *Panduan Lengkap Budidaya Kakao*. PT. Agromedia Pustaka.
- Queiroz, C., Mendes Lopes, M. L., Fialho, E., & Valente-Mesquita, V. L. (2008). Polyphenol oxidase: Characteristics and mechanisms of browning control. *Food Reviews International*, 24(4), 361–375. <https://doi.org/10.1080/87559120802089332>
- Rojas, K. E., García, M. C., Cerón, I. X., Ortiz, R. E., & Tarazona, M. P. (2020). Identification of potential maturity indicators for harvesting cacao. *Heliyon*, 6(2), 0–7. <https://doi.org/10.1016/j.heliyon.2020.e03416>
- Rojo-poveda, O., Barbosa-pereira, L., Zeppa, G., & St, C. (2020). Cocoa bean shell — a by-product with nutritional. *Mdpi*, 12, 1–29.
- Sabarre, D. C., & Yagonia-Lobarbio, C. F. (2021). Extraction and characterization of polyphenol oxidase from plant materials: A review. *Journal of Applied Biotechnology Reports*, 8(2), 83–95. <https://doi.org/10.30491/jabr.2021.255549.1308>
- Sakanaka, S., Tachibana, Y., & Okada, Y. (2003). Preparation and antioxidant properties of extracts of japanese persimmon leaf tea (kakinoha-cha). *Food Chemistry*, 89(4), 569–575. <https://doi.org/10.1016/j.foodchem.2004.03.013>
- Song, B. J., Manganais, C., & Ferruzzi, M. G. (2015). Thermal degradation of green tea flavan-3-ols and formation of hetero- and homocatechin dimers in model dairy beverages. *Food Chemistry*, 173, 305–312. <https://doi.org/10.1016/j.foodchem.2014.10.026>
- Souza, P. A. de, Moreira, L. F., Sarmento, D. H. A., & da Costa, F. B. (2018). Cacao—Theobroma cacao, in: S. Rodrigues, E. de Oliveira Silva, & E.S. de Brito (Eds.). *Exotic Fruits*, Academic Press, 69–76.



- <https://doi.org/https://doi.org/10.1016/B978-0-12-803138-4.00010-1>.
- Suárez Salazar, J. C., Melgarejo, L. M., Durán Bautista, E. H., Di Rienzo, J. A., & Casanoves, F. (2018). Non-destructive estimation of the leaf weight and leaf area in cacao (*Theobroma cacao* L.). *Scientia Horticulturae*, 229(October 2017), 19–24. <https://doi.org/10.1016/j.scienta.2017.10.034>
- Sun, Y., Huang, Y., Lu, T., & Chen, X. (2022). Temporal kinetics of changes in color, phytochemicals, γ -aminobutyric acid, enzyme activity and antioxidant activity of coffee leaves during postharvest storage. *Scientia Horticulturae*, 304, 1–11. <https://doi.org/10.1016/j.scienta.2022.111360>
- Susanto. (1994). *Tanaman Kakao Budidaya dan Pengolahan Hasil*. Kanisius.
- Thorvaldsson, M., Mutmainah, N., Briliantama, A., Rahmawati, S., Priyanto, A., Setyaningsih, W., & Information, A. (2022). *Experimental design-assisted optimization of chromatographic method for the simultaneous quantitation of phenolic compounds in dried flowers extract*. 3(2), 83–91. <https://doi.org/10.33555/jffn.v3i2.88>
- Tomás-Barberán, F. A., & Espín, J. C. (2001). Phenolic compounds and related enzymes as determinants of quality in fruits and vegetables. *Journal of the Science of Food and Agriculture*, 81(9), 853–876. <https://doi.org/10.1002/jsfa.885>
- Towaha, J. (2014). Kandungan senyawa polifenol pada biji kakao dan kontribusinya terhadap kesehatan. *Sirinov*, 2(1), 1–16.
- Valadez-Carmona, L., Plazola-Jacinto, C. P., Hernández-Ortega, M., Hernández-Navarro, M. D., Villarreal, F., Necoechea-Mondragón, H., Ortiz-Moreno, A., & Ceballos-Reyes, G. (2017). Effects of microwaves, hot air and freeze-drying on the phenolic compounds, antioxidant capacity, enzyme activity and microstructure of cacao pod husks (*Theobroma cacao* L.). *Innovative Food Science and Emerging Technologies*, 41, 378–386. <https://doi.org/10.1016/j.ifset.2017.04.012>
- Vásquez, Z. S., de Carvalho Neto, D. P., Pereira, G. V. M., Vandenberghe, L. P., de Oliveira, P. Z., Tiburcio, P. B., Rogez, H. L. G., Góes Neto, A., & Soccol, C. R. (2019). Biotechnological approaches for cocoa waste management: A review. *Waste Management*, 90, 72–83. <https://doi.org/10.1016/j.wasman.2019.04.030>
- Vriesmann, L. C., de Mello Castanho Amboni, R. D., & De Oliveira Petkowicz, C. L. (2011). Cacao pod husks (*Theobroma cacao* L.): Composition and hot-water-soluble pectins. *Industrial Crops and Products*, 34(1), 1173–1181. <https://doi.org/10.1016/j.indcrop.2011.04.004>
- Walter, M., & Marchesan, E. (2011). Phenolic compounds and antioxidant activity of rice. *Brazilian Archives of Biology and Technology*, 54(4), 371–377. <https://doi.org/10.1590/S1516-89132011000200020>
- Wang, D. J. C., Cooney, C. L., Deman, A. L., Numphrey, A. E., & Lilly, M. D. (1979). *Fermentation and Enzyme Technology*. John Wiley and Sons, Inc.
- Wong, J. X., Ramli, S., Desa, S., & Chen, S. N. (2021). Use of *Centella asiatica* extract in reducing microbial contamination and browning effect in fresh cut fruits and vegetables during storage: A potential alternative of synthetic preservatives. *Lwt*, 151, 1–10. <https://doi.org/10.1016/j.lwt.2021.112229>

- World Agriculture. (2011). *Systematics, Anatomy and Morphology of Cacao*.
www.agrotechnomarket.com
- Yapo, B. M., Besson, V., Koubala, B. B., & Koffi, K. L. (2013). Adding value to cacao pod husks as a potential antioxidant-dietary fiber source. *American Journal of Food and Nutrition*, 1(3), 38–46. <https://doi.org/10.12691/ajfn-1-3-4>
- Yoruk, R., & Marshall, M. R. (2003). Physicochemical properties and function of plant polyphenol oxidase: A review. *Journal of Food Biochemistry*, 27(5), 361–422. <https://doi.org/10.1111/j.1745-4514.2003.tb00289.x>
- Zhang, Z., Dong, J., Zhang, D., Wang, J., Qin, X., Liu, B., Xu, X., Zhang, W., & Zhang, Y. (2018). Expression and characterization of a pectin methylesterase from Aspergillus niger ZJ5 and its application in fruit processing. *Journal of Bioscience and Bioengineering*, 126(6), 690–696. <https://doi.org/10.1016/j.jbiosc.2018.05.022>
- Zhong, H., Wei, S., Kang, M., Sun, Q., Xia, Q., Wang, Z., Han, Z., Liu, Y., Liu, M., & Liu, S. (2023). Effects of different storage conditions on microbial community and quality changes of greater amberjack (Seriola dumerili) fillets. *Lwt*, 179, 1–9. <https://doi.org/10.1016/j.lwt.2023.114640>
- Zhou, Wei, Tang, Yu, Xie, Huan, Liu, Cha, Yang, Dajian, Chen, & Xinzi. (2009). Kinetics and thermodynamics of absorption of ganciclovir by ion exchange resin. *J. Chin. Pharm.*, 17, 1327–1331.
- Zumbé, A. (1998). Polyphenols in cocoa: Are there health benefits? *Nutrition Bulletin*, 23(1), 94–102. <https://doi.org/10.1111/j.1467-3010.1998.tb01088.x>