



## DAFTAR PUSTAKA

- Abd El-Gawad, I. A. *et al.* (2005) ‘The Hypocholesterolaemic Effect of Milk Yoghurt and Soy-Yoghurt Containing Bifidobacteria in Rats Fed on a Cholesterol-Enriched Diet’, *Int. Dairy J.*, 15, pp. 37–44.
- Ahern, K., Rajagopal, I. and Tan, T. (2023) *Biochemistry Free for All*. Oregon: Libre Text.
- Andriani, R. D., Rahayu, P. P. and Apriliyani, M. W. (2020) ‘The Effect of Probiotic in Milk Fermentation Towards Decreasing Cholesterol Levels: in Vivo Studies’, *Jurnal Ilmu dan Teknologi Hasil Ternak*, 15(1), pp. 13–20. doi: 10.21776/ub.jitek.2020.015.01.2.
- Begley, M., Gahan, C. G. M. and Hill, C. (2005) ‘The interaction between bacteria and bila’, *FEMS Microbiol. Rev.*, 29, pp. 625–651.
- Begley, M., Hill, C. and Gahan, C. G. M. (2006) ‘Bile salt hydrolase activity in probiotics’, *Applied and Environmental Microbiology*, 72(3), pp. 1729–1738.
- Bertho, A. and Grassmann, W. (1938) *Laboratory Methods of Biochemistry*. London: Macmillan and Co., Limited.
- BPOM (2016) *Pengawasan Klaim pada Label dan Iklan Pangan Olahan*. Jakarta.
- Brannigan, J. *et al.* (1995) ‘A protein catalytic framework with an N-terminal nucleophile is capable of selfactivation’, *Nature*, 378, p. 644.
- Center, S. A. (1993) ‘Serum bile acid in companion animal medicine’, in Micheal, S. L. (ed.) *Gastroenterology: The 1990s*. Philadelphia: Saunders, pp. 625–657.
- Chand, D. *et al.* (2017) ‘Molecular features of bile salt hydrolases and relevance in human health’, *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1861, pp. 2981–2991. Available at: <http://dx.doi.org/10.1016/j.bbagen.2016.09.024>.
- Chand, D. *et al.* (2018) ‘Structure and function of a highly active Bile Salt Hydrolase (BSH) from Enterococcus faecalis and post-translational processing of BSH enzymes’, *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1866(4), pp. 507–518. doi: 10.1016/j.bbapap.2018.01.003.
- Chand, D., Ramasamy, S. and Suresh, C. G. (2015) ‘A highly active bile salt hydrolase fromEnterococcus faecalis shows positive cooperative kinetics’, *Process Biochem.*, 51, pp. 263–269.
- Chiang, J. Y. (2002) ‘Bile acid regulation of gene expression: roles of nuclear hormone



receptors', *Endocrinol Rev.*, 23, pp. 443–463. Available at: <https://doi.org/10.1210/%0Aer.2000-0035>.

Lo Conte, L. et al. (2000) 'SCOP: A structural classification of proteins database', *Nucleic Acids Research*, 28(1), pp. 257–259. doi: 10.1093/nar/28.1.257.

Corzo, G. and Gilliland, S. (1999) 'Measurement of bile salt hydrolase activity from *Lactobacillus acidophilus* based on disappearance of conjugated bile salts', *J. Dairy Sci.*, 82, pp. 466–471.

Dana, H. et al. (2020) 'In silico analysis, molecular docking, molecular dynamic, cloning, expression and purification of chimeric protein in colorectal cancer treatment', *Drug Design, Development and Therapy*, 14, pp. 309–329. doi: 10.2147/DDDT.S231958.

Dawson, P. A. and Karpen, S. J. (2015) 'Intestinal transport and metabolism of bile acids', *J. Lipid Res.*, 56, pp. 1085–1099. Available at: <https://doi.org/10.1194/jlr.R054114>.

Déjean, G. et al. (2021) 'Identifying a novel bile salt hydrolase from the keystone gut bacterium *christensenella minuta*', *Microorganisms*, 9(6). doi: 10.3390/microorganisms9061252.

Dong, Z. and Lee, B. H. (2018) 'Bile salt hydrolases: Structure and function, substrate preference, and inhibitor development', *Protein Science*, 27(10), pp. 1742–1754. doi: 10.1002/pro.3484.

Engelking, L. R. (2015) 'Chapter 62 - Bile Acids', in Engelking, L. R. B. T.-T. of V. P. C. (Third E. (ed.). Boston: Academic Press, pp. 397–405. doi: <https://doi.org/10.1016/B978-0-12-391909-0.50062-1>.

Fang, F. et al. (2009) 'Allelic variation of bile salt hydrolase genes in *Lactobacillus salivarius* does not determine bile resistance levels', *J. Bacteriol*, 191, pp. 5743–5757.

FAO/WHO (2006) *Probiotics in food: Health and Nutritional Properties and Guidelines for Evaluation*.

Gil-Rodríguez, A. M. and Beresford, T. (2021) 'Bile salt hydrolase and lipase inhibitory activity in reconstituted skim milk fermented with lactic acid bacteria', *Journal of Functional Foods*, 77. doi: 10.1016/j.jff.2020.104342.

Gilliland, S. E., Nelson, C. R. and Maxwell, C. (1985) 'Assimilation of cholesterol by *Lactobacillus acidophilus*', *Applied and Environmental Microbiology*, 49(2), pp. 377–381. doi: 10.1128/aem.49.2.377-381.1985.

Gortner, G. A. (1949) *Outline of Biochemistry*. Third. New York: John Wiley & Sons, Ltd.



- Gu, J. *et al.* (1992) ‘Solubility of calcium salts of unconjugated and conjugated natural bile acids’, 33, pp. 635–646. doi: 10.1016/S0022-2275(20)41428-2.
- Gunawan, D. *et al.* (2021) ‘Effect of Lactobacillus plantarum DAD-13 and Fructo-oligosaccharides on Short-Chain Fatty Acid Profile and Nutritional Status in Indonesian Stunting Children’, *Open Access Macedonian Journal of Medical Sciences*, 9(B), pp. 1790–1796. doi: 10.3889/oamjms.2021.7903.
- Health Canada (2009) *Accepted Claims about the Nature of Probiotic Microorganisms in Food*. Available at: <https://www.canada.ca/en/health-canada/services/food-nutrition/food-labelling/health-claims/accepted-claims-about-nature-probiotic-microorganisms-food.html> (Accessed: 20 March 2022).
- Hosono, A. (1999) ‘Binding of cholesterol to the cells and peptidoglycan of Lactobacillus gasseri’, *Milchwissenschaft*, 54, pp. 495–498.
- Huff, T., Boyd, B. and Jialal, L. (2021) *Physiology, Cholesterol, StatPearls*. Florida: StatPearls. Available at: [https://www.ncbi.nlm.nih.gov/books/NBK470561/#\\_NBK470561\\_pubdet\\_](https://www.ncbi.nlm.nih.gov/books/NBK470561/#_NBK470561_pubdet_).
- Islam, M. Z. *et al.* (2022) ‘Newly characterized Lactiplantibacillus plantarum strains isolated from raw goat milk as probiotic cultures with potent cholesterol-lowering activity’, *Journal of Agriculture and Food Research*, 10(May), p. 100427. doi: 10.1016/j.jafr.2022.100427.
- Isupov, M. . *et al.* (1996) ‘Substrate binding is required for assembly of the active conformation of the catalytic site in Ntn amidotransferases: evidence from the 1.8 Å crystal structure of the glutaminase domain of glucosamine 6-phosphate synthase, sTRUCTURE 4’, pp. 801–810.
- Korcz, E., Kerenyi, Z. and Varga, L. (2018) ‘Dietary fibers, prebiotics, and exopolysaccharides produced by lactic acid bacteria: Potential health benefits with special regard to cholesterol-lowering effects’, *Food Funct.*, 9, pp. 3057–3068.
- Kriaa, A. *et al.* (2019) ‘Microbial impact on cholesterol and bile acid metabolism: Current status and future prospects’, *J. Lipid Res.*, 60, pp. 323–332.
- Kumar, R., Grover, S. and Batish, V. K. (2012) ‘Bile Salt Hydrolase (Bsh) Activity Screening of Lactobacilli: In Vitro Selection of Indigenous Lactobacillus Strains with Potential Bile Salt Hydrolysing and Cholesterol-Lowering Ability’, *Probiotics and Antimicrobial Proteins*, 4(3), pp. 162–172. doi: 10.1007/s12602-012-9101-3.
- Kumar, R. S. *et al.* (2006) ‘Structural and functional analysis of a conjugated bile salt hydrolase from *Bifidobacterium longum* reveals an evolutionary relationship with penicillin V acylase’, *Journal of Biological Chemistry*, 281(43), pp.



32516–32525. doi: 10.1074/jbc.M604172200.

- Lafy, A. S. and Alash, S. A. (2018) ‘Screening test of Bile Salt Hydrolase activity produced by *Lactobacillus* spp. by qualitative and quantitative methods’, *Current Research in Microbiology and Biotechnology*, 6(2), pp. 1567–1571.
- Lambert, J. M., Bongers, R. S., et al. (2008) ‘Functional analysis of four bile salt hydrolase and penicillin acylase family members in *Lactobacillus plantarum* WCFS1’, *Applied and Environmental Microbiology*, 74(15), pp. 4719–4726. doi: 10.1128/AEM.00137-08.
- Lambert, J. M., Siezen, R. J., et al. (2008) ‘Improved annotation of conjugated bile acid hydrolase superfamily members in Gram-positive bacteria’, *Microbiology*, 154(8), pp. 2492–2500. doi: 10.1099/mic.0.2008/016808-0.
- Lawes, C. M. et al. (2004) ‘High Cholesterol (Chapter 7)’, in *Comparative Quantification of Health Risks: Global and Regional Burden of Disease Attributable to Selected Major Risk Factor Vol.1*. Geneva: World Health Organization Library, p. 391.
- Le, B. and Yang, S. H. (2019) ‘Identification of a Novel Potential Probiotic *Lactobacillus plantarum* FB003 Isolated from Salted-Fermented Shrimp and its Effect on Cholesterol Absorption by Regulation of NPC1L1 and PPAR’, *Probiotics and Antimicrobial Proteins*, 11, pp. 785–793.
- Liang, L. et al. (2018) ‘A Comprehensive Genome Survey Provides Novel Insights into Bile Salt Hydrolase (BSH) in *Lactobacillaceae*’, *Molecules*, 23(1157), pp. 1–12. doi: 10.3390/molecules23051157.
- Lidong, G. et al. (2019) ‘Effect of bile salt hydrolase-active *Lactobacillus plantarum* KLDS 1.0344 on cholesterol metabolism in rats fed a high-cholesterol diet’, *Journal of Functional Foods*, 61.
- Lim, F. T., Lim, S. M. and Ramasamy, K. (2017) ‘*Pediococcus acidilactici* LAB4 and *Lactobacillus plantarum* LAB12 assimilate cholesterol and modulate ABCA1, CD36, NPC1L1 and SCARB1 in vitro’, *Benef. Microbes*, 8, pp. 97–109.
- Liong, M. T. and Shah, N. P. (2005) ‘Bile salt deconjugation ability, bile salt hydrolase activity and cholesterol co-precipitation ability of lactobacilli strains’, *International Dairy Journal*, 15, pp. 391–398.
- Lodola, A. et al. (2012) ‘A catalytic mechanism for cysteine N-terminal nucleophile hydrolases, as revealed by free energy simulations’, *PLoS ONE*, 7(2), pp. 1–9. doi: 10.1371/journal.pone.0032397.
- Long, S. L., Gahan, C. G. M. and Joyce, S. A. (2017) ‘Interactions between gut bacteria and bile in health and disease’, *Mol. Asp. Med.*, 56, pp. 54–65.



- Lye, H. S. *et al.* (2012) ‘Ultrasound treatment enhances cholesterol removal ability of Lactobacilli’, *International Dairy Journal*, 19, pp. 632–641.
- Maghfirotin Marta, B. *et al.* (2019) ‘Effects of Consumption of Probiotic Powder Containing Lactobacillus Plantarum Dad-13 on Fecal Bacterial Population in School-Age Children in Indonesia’, *International Journal of Probiotics and Prebiotics*, 14(1), pp. 1–8. doi: 10.37290/ijpp2641-7197.14:1-8.
- Marco, M. L. *et al.* (2021) ‘The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on fermented foods’, *Nature Reviews Gastroenterology and Hepatology*, 18(3), pp. 196–208. doi: 10.1038/s41575-020-00390-5.
- McVey, C. E. *et al.* (2001) ‘Crystal structures of penicillin acylase enzyme-substrate complexes: structural insights into the catalytic mechanism’, *J. Mol. Biol.*, 313, pp. 139–150.
- Ngatirah *et al.* (2000) ‘Seleksi Bakteri Asam Laktat Sebagai Agensi Probiotik yang Berpotensi Menurunkan Kolesterol’, in Nuraida, L., Dewanti-Hariyadi, R., and Budijanto, S. (eds) *Seminar Nasional Industri Pangan*. Surabaya, pp. 63–70.
- Nguyen, T. D. T., Kang, J. H. and Lee, M. S. (2007) ‘Characterization of Lactobacillus plantarum PH04, a Potential Probiotic Bacterium with Cholesterol-Lowering Effects’, *Int. J. Food Microbiol.*, 113, pp. 358–361.
- Nurliyani, . *et al.* (2015) ‘Potency of Lactobacillus plantarum Dad-13 and Sweet Potato (Ipomoea batatas) Fiber as Immunomodulator in Rats Infected With Salmonella Typhimurium’, *Journal of Food Research*, 4(3), p. 1. doi: 10.5539/jfr.v4n3p1.
- O’Flaherty, S. *et al.* (2018) ‘The Lactobacillus Bile Salt Hydrolase Repertoire Reveals Niche Specific Adaptation’, *Host-Microbe Biology*, 3(3), pp. 333–345.
- O’sullivan, D. J. (2001) ‘Screening of intestinal microflora for effective probiotic bacteria’, *Journal of Agricultural and Food Chemistry*, 49, pp. 1751–1760.
- Oinonen, C. and Rouvinen, J. (2000) ‘Structural comparison of Ntn-hydrolases’, *Protein Science*, 9, pp. 2329–2337.
- Ozturk, M. and Onal, C. (2019) ‘Asparagine 79 is an important amino acid for catalytic activity and substrate specificity of bile salt hydrolase (BSH)’, *Mol. Biol. Rep.*, 46, pp. 4361–4368.
- Parvez, S. *et al.* (2006) ‘Probiotics and their fermented food products are beneficial for health’, *Journal of Applied Microbiology*, 100(6), pp. 1171–1185.
- Patel, A. K. *et al.* (2010) ‘Probiotic bile salt hydrolase: current developments and



- perspectives', *Appl. Biochem. Biotechnol.*, 162, pp. 166–180.
- Pereira, D. I. A. and Gibson, G. R. (2002) 'Cholesterol assimilation by lactic acid bacteria and bifidobacteria isolated from the human gut', *Applied and Environmental Microbiology*, 68(9), pp. 4689–4693. doi: 10.1128/AEM.68.9.4689-4693.2002.
- Pujoyuwono, M. et al. (1997) 'Karakterisasi enzim amilase dari beberapa strain bakteri indegenous indonesia', in *Prosiding Seminar Teknologi Pangan*. Bogor: Balai Penelitian Bioteknologi Tanaman Pangan.
- Quinn, R. et al. (2022) 'Bile salt hydrolase / aminoacyltransferase shapes the microbiome', *Research Square*, pp. 1–18.
- Raghava, G. P. S. and Barton, G. J. (2006) 'Quantification of the variation in percentage identity for protein sequence alignments', *BMC Bioinformatics*, 7, pp. 1–4. doi: 10.1186/1471-2105-7-415.
- Rahayu, E. S. et al. (2016) 'Molecular characteristics of indigenous probiotic strains from Indonesia', *International Journal of Probiotics and Prebiotics*, 11(2), pp. 109–116.
- Rahayu, E. S. et al. (2021) 'Effect of probiotic Lactobacillus plantarum Dad-13 powder consumption on the gut microbiota and intestinal health of overweight adults', *World Journal of Gastroenterology*, 126(1), pp. 107–128. doi: 10.3748/WJG.V27.I1.107.
- Rathinaswamy, P. et al. (2012) 'Purification and characterization of YxeI, a penicillin acylase from *Bacillus subtilis*', *Int. J. Biol. Macromol.*, 50, pp. 25–30.
- Reis, S. A. et al. (2017) 'Mechanisms responsible for the hypocholesterolaemic effect of regular consumption of probiotics', *Nutr. Res. Rev.*, 30, pp. 36–49.
- Rossmann, M. (2008) *Structural Analysis of Proteins of Sphingolipid Metabolism*. Berlin: Freie Universität Berlin.
- Rossocha, M. et al. (2005) 'Conjugated bile acid hydrolase is a tetrameric N-terminal thiol hydrolase with specific recognition of its cholyl but not of its tauryl product', *Biochemistry*, 44(15), pp. 5739–5748. doi: 10.1021/bi0473206.
- Ruiz, L., Margolles, A. and Sánchez, B. (2013) 'Bile resistance mechanisms in *Lactobacillus* and *Bifidobacterium*', *Frontiers in Microbiology*, 4(DEC), pp. 1–8. doi: 10.3389/fmicb.2013.00396.
- Saarela, J. et al. (2004) 'Autoproteolytic activation of human aspartylglucosaminidase', *Biochem. J.*, 378, pp. 363–371.
- Sanchez-Garcia, A., Sahebkar, M. and Simental-Mendia, L. E. (2018) 'Effect of



ursodeoxycholic acid on glycemic markers: a systematic review and meta-analysis of clinical trials', *Pharmacol. Res.*, 135, pp. 144–149.

Shehata, M. G. et al. (2016) 'Screening of isolated potential probiotic lactic acid bacteria for cholesterol lowering property and bile salt hydrolase activity', *Annals of Agricultural Sciences*, 61(1), pp. 65–75. doi: 10.1016/j.aaos.2016.03.001.

Shehata, M. G. et al. (2019) 'In vitro assessment of hypocholesterolemic activity of *Lactococcus lactis* subsp. *lactis*', *Bulletin of the National Research Centre*, 43(60), pp. 1–10.

Singhal, N. et al. (2021) 'Rhizospheric *Lactobacillus plantarum* (*Lactiplantibacillus plantarum*) strains exhibit bile salt hydrolysis, hypocholesterolemic and probiotic capabilities in vitro', *Scientific Reports*, 11(1), pp. 1–9. doi: 10.1038/s41598-021-94776-3.

Song, M. et al. (2015) 'Characterization of Selected *Lactobacillus* Strains for Use as Probiotics', *Korean J. Food Sci. Anim. Resour.*, 35, pp. 551–556.

Songisepp, E. et al. (2022) 'Polyfunctional metabolic properties of the human strain *Lactiplantibacillus plantarum Inducia* (DSM 21379): Experimental and clinical approaches', *Journal of Functional Foods*, 92(October 2021). doi: 10.1016/j.jff.2022.105064.

Tamime, A. Y. and Thomas, L. V. (2017) *Probiotic Dairy Products: 2nd Edition*. Second Edi. Hoboken: Wiley-Blackwell.

Tanaka, H. et al. (2000) 'Bile salt hydrolase of *Bifidobacterium longum*-biochemical and genetic characterization', *Appl. Environ. Microbiol*, 66, pp. 2502–2512.

Tarrah, A. et al. (2020) 'Genomic and phenotypic assessments of safety and probiotic properties of *Streptococcus macedonicus* strains of dairy origin', *Food Research International*, 130(December 2019). doi: 10.1016/j.foodres.2019.108931.

Tian, Y. et al. (2020) 'The microbiome modulating activity of bile acids', *Gut Microbes*, 11, pp. 979–996.

Tjandrawinata, R. R., Kartawijaya, M. and Hartanti, A. W. (2022) 'In vitro evaluation of the anti-hypercholesterolemic effect of *Lactobacillus* isolates from various sources', *Frontiers in Microbiology*, 13, pp. 1–11.

Tok, E. and Aslim, B. (2010) 'Cholesterol removal by some lactic acid bacteria that can be used as probiotic', *Microbiology and immunology*, 54, pp. 257–264.

Torres-Becete, J. et al. (2015) 'Overexpression of penicillin V acylase from *Streptomyces lavendulae* and elucidation of its catalytic residues', *Appl.*



*Environ. Microbiol.*, 81, pp. 1225–1233.

Tran, X. T. *et al.* (2022) ‘Screening bile salt hydrolase activity of Lactobacillus isolated from Vietnamese human origins’, *Vietnam Journal of Biotechnology*, 20(3), pp. 527–536. doi: 10.15625/1811-4989/17056.

Wang, Z. *et al.* (2012) ‘Identification and characterization of a bile salt hydrolase from Lactobacillus salivarius for development of novel alternatives to antibiotic growth promoters’, *Applied and Environmental Microbiology*, 78(24), pp. 8795–8802. doi: 10.1128/AEM.02519-12.

Widodo *et al.* (2020) ‘Short communication: Detection and expression analysis of the bile salt hydrolase gene in pediococcus and lactobacillus’, *Biodiversitas*, 21(12), pp. 5901–5905. doi: 10.13057/biodiv/d211255.

Widodo *et al.* (2021) ‘Cholesterol assimilation of two probiotic strains of Lactobacillus casei used as dairy starter cultures’, *Applied Food Biotechnology*, 8(2), pp. 103–112.

World Health Organization (2021) *Cardiovascular Disease (CDV)*. Available at: [https://www.who.int/en/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/en/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)) (Accessed: 3 March 2022).

Xie, C. *et al.* (2021) ‘Role of bile acids in the regulation of food intake, and their dysregulation in metabolic disease’, *Nutrients*, 13(4), pp. 1–16. doi: 10.3390/nu13041104.

Xu, F. *et al.* (2016) ‘Crystal structure of bile salt hydrolase from Lactobacillus salivarius’, *Acta Crystallographica Section F: Structural Biology Communications*, 72(May), pp. 376–381. doi: 10.1107/S2053230X16005707.

Xu, F. *et al.* (2019) ‘The complex structure of bile salt hydrolase from Lactobacillus salivarius reveals the structural basis of substrate specificity’, *Scientific Reports*, 9(1), p. 2023. doi: 10.1038/s41598-019-48850-6.

Ye, Z. W. *et al.* (2021) ‘Transcriptional analysis for cholesterol-lowering effects of marine Lactobacillus plantarum Lp10 isolated from kelp’, *Lwt*, 139(June 2020), p. 110563. doi: 10.1016/j.lwt.2020.110563.

Zhang, Y. *et al.* (2019) ‘Ursodeoxycholic acid accelerates bile acid enterohepatic circulation’, *Br. J. Pharmacol.*, 176, pp. 2848–2863. Available at: <https://doi.org/10.1111/bph.14705>.