

## DAFTAR PUSTAKA

- Abdou, E.M., Hafez, H.S., Bakir, E., and Abdel-Mottaleb, M.S.A., 2013, Photostability of low cost dye-sensitized solar cells based on natural and synthetic dyes, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 115, 202–207.
- Ahmad, M.S., Pandey, A.K., and Abd, N., 2017, Advancements in the development of TiO<sub>2</sub> photoanodes and its fabrication methods for dye sensitized solar cell (DSSC) applications . A review, *Renew. Sustain. Energy Rev.*, 77, 89–108.
- Ali, A.K., Erten-Ela, S., Hassoon, K.I., and Ela, Ç., 2019, Plasmonic enhancement as selective scattering of gold nanoparticles based dye sensitized solar cells, *Thin Solid Films*, 671, 127–132.
- Archana, T., Vijayakumar, K., Arivanandhan, M., and Jayavel, R., 2019, TiO<sub>2</sub> nanostructures with controlled morphology for improved electrical properties of photoanodes and quantum dot sensitized solar cell characters, *Surf. Interfaces*, 17, 1–11.
- Arif, M.S., Ulfiya, R., Erwin, and Panggabean, A.S., 2021, Synthesis silver nanoparticles using trisodium citrate and development in analysis method, *AIP Conf. Proc.*, 2360, 1–6.
- Arulraj, A., Senguttuvan, G., Veeramani, S., Sivakumar, V., and Subramanian, B., 2019, Photovoltaic performance of natural metal free photo-sensitizer for TiO<sub>2</sub> based dye-sensitized solar cells, *Optik (Stuttg.)*, 181, 619–626.
- Babar, F., Mehmood, U., Asghar, H., Mehdi, M.H., Khan, A.U.H., Khalid, H., Huda, N. ul, and Fatima, Z., 2020, Nanostructured photoanode materials and their deposition methods for efficient and economical third generation dye-sensitized solar cells: A comprehensive review, *Renew. Sustain. Energy Rev.*, 129, 1–22.
- Bashar, H., Bhuiyan, M.M.H., Hossain, M.R., Kabir, F., Rahaman, M.S., Manir, M.S., and Ikegami, T., 2019, Study on combination of natural red and green dyes to improve the power conversion efficiency of dye sensitized solar cells, *Optik (Stuttg.)*, 185, 620–625.
- Bhojanaa, K.B., Ramesh, M., and Pandikumar, A., 2020, Complementary properties of silver nanoparticles on the photovoltaic performance of titania nanospheres based photoanode in dye-sensitized solar cells, *Mater. Res. Bull.*, 122, 1–10.
- Borbón, S., Lugo, S., Pourjafari, D., Pineda Aguilar, N., Oskam, G., and López, I., 2020, Open-Circuit Voltage (VOC) Enhancement in TiO<sub>2</sub>-Based DSSCs: Incorporation of ZnO Nanoflowers and Au Nanoparticles, *ACS Omega*, 5, 10977–10986.
- Chandra Maurya, I., Singh, S., Srivastava, P., Maiti, B., and Bahadur, L., 2019,

- Natural dye extract from *Cassia fistula* and its application in dye-sensitized solar cell: Experimental and density functional theory studies, *Opt. Mater. (Amst.)*, 90, 273–280.
- Chang, M., Song, Y., Chen, J., Cui, L., Sheng, Y., Shi, Z., and Zou, H., 2017,  $\text{SiO}_2/\text{TiO}_2:\text{Eu}^{3+}$  and its derivatives: Design, synthesis, and properties, *Cryst. Growth Des.*, 17, 6486–6497.
- Chen, Z.H., Kim, C., Zeng, X.B., Hwang, S.H., Jang, J., and Ungar, G., 2012, Characterizing size and porosity of hollow nanoparticles: SAXS, SANS, TEM, DLS, and adsorption isotherms compared, *Langmuir*, 28, 15350–15361.
- Chien, C.Y. and Hsu, B.D., 2014, Performance enhancement of dye-sensitized solar cells based on anthocyanin by carbohydrates, *Sol. Energy*, 108, 403–411.
- Choi, H., Chen, W.T., and Kamat, P. V., 2012, Know thy nano neighbor. Plasmonic versus electron charging effects of metal nanoparticles in dye-sensitized solar cells, *ACS Nano*, 6, 4418–4427.
- Choi, M., Kim, C., Ok Jeon, S., Soo Yook, K., Yeob Lee, J., and Jang, J., 2011, Synthesis of titania embedded silica hollow nanospheres via sonication mediated etching and re-deposition, *Chem. Commun.*, 47, 7092–7094.
- Cole, J.M., Pepe, G., Al Bahri, O.K., and Cooper, C.B., 2019, Cosensitization in Dye-Sensitized Solar Cells, *Chem. Rev.*, 119, 7279–7327.
- Dhafina, W.A., Salleh, H., Daud, M.Z., and Ghazali, M.S.M., 2018, Low cost dye-sensitized solar cells based on zinc oxide and natural anthocyanin dye from *Ardisia elliptica* fruits, *Optik (Stuttg.)*, 172, 28–34.
- Dumbravă, A., Enache, I., Oprea, C.I., Georgescu, A., and Gîrțu, M.A., 2012, Toward a more efficient utilization of betalains as pigments for Dye-Sensitized solar cells, *Dig. J. Nanomater. Biostructures*, 7, 339–351.
- Elahi, N., Kamali, M., and Baghersad, M.H., 2018, Recent biomedical applications of gold nanoparticles : A review, *Talanta*, 184, 537–556.
- Elangovan, R. and Venkatachalam, P., 2015, Co-sensitization Promoted Light Harvesting for Dye-Sensitized Solar Cells, *J. Inorg. Organomet. Polym. Mater.*, 25, 823–831.
- Elgrishi, N., Rountree, K.J., McCarthy, B.D., Rountree, E.S., Eisenhart, T.T., and Dempsey, J.L., 2018, A Practical Beginner's Guide to Cyclic Voltammetry, *J. Chem. Educ.*, 95, 197–206.
- Ezike, S.C., Hyelnasinyi, C.N., Salawu, M.A., Wansah, J.F., Ossai, A.N., and Agu, N.N., 2021, Synergistic effect of chlorophyll and anthocyanin Co-sensitizers in  $\text{TiO}_2$ -based dye-sensitized solar cells, *Surf. Interfaces*, 22, 1–12.
- Fu, N., Jiang, X., Chen, D., Duan, Y., Zhang, G., Chang, M., Fang, Y., and Lin, Y., 2019, Au /  $\text{TiO}_2$  nanotube array based multi-hierarchical architecture for highly efficient dye-sensitized solar cells, *J. Power Sources*, 439, 1–8.
- Ganeshan, D., Xie, F., Sun, Q., Li, Y., and Wei, M., 2018, Plasmonic Effects of

- Silver Nanoparticles Embedded in the Counter Electrode on the Enhanced Performance of Dye-Sensitized Solar Cells, *Langmuir*, 34, 5367–5373.
- Gao, Q., Zhang, X., Duan, L., Li, X., and Lü, W., 2019, Au nanoparticle-decorated TiO<sub>2</sub> nanorod array for plasmon-enhanced quantum dot sensitized solar cells, *Superlattices Microstruct.*, 129, 185–192.
- Ge, X., Calzolari, A., and Baroni, S., 2015, Optical properties of anthocyanins in the gas phase, *Chem. Phys. Lett.*, 618, 24–29.
- Gentilini, D., D’Ercole, D., Gagliardi, A., Brunetti, A., Reale, A., Brown, T., and Di Carlo, A., 2010, Analysis and simulation of incident photon to current efficiency in dye sensitized solar cells, *Superlattices Microstruct.*, 47, 192–196.
- Ghann, W., Kang, H., Sheikh, T., Yadav, S., Chavez-Gil, T., Nesbitt, F., and Uddin, J., 2017, Fabrication, Optimization and Characterization of Natural Dye Sensitized Solar Cell, *Sci. Rep.*, 7, 1–12.
- González-Verjan, V.A., Trujillo-Navarrete, B., Félix-Navarro, R.M., de León, J.N.D., Romo-Herrera, J.M., Calva-Yáñez, J.C., Hernández-Lizalde, J.M., and Reynoso-Soto, E.A., 2020, Effect of TiO<sub>2</sub> particle and pore size on DSSC efficiency, *Mater. Renew. Sustain. Energy*, 9, 1–8.
- Güzel, E., Arslan, B.S., Durmaz, V., Cesur, M., Tutar, Ö.F., Sarı, T., İşleyen, M., Nebioğlu, M., and Şişman, İ., 2018, Photovoltaic performance and photostability of anthocyanins, isoquinoline alkaloids and betalains as natural sensitizers for DSSCs, *Sol. Energy*, 173, 34–41.
- Hao, Y., Saygili, Y., Cong, J., Eriksson, A., Yang, W., Zhang, J., Polanski, E., Nonomura, K., Zakeeruddin, S.M., Grätzel, M., Hagfeldt, A., and Boschloo, G., 2016, Novel Blue Organic Dye for Dye-Sensitized Solar Cells Achieving High Efficiency in Cobalt-Based Electrolytes and by Co-Sensitization, *ACS Appl. Mater. Interfaces*, 8, 32797–32804.
- Heydari, S. and Zaryabi, M.H., 2023, Citrate capped silver nanoparticles as naked-eye colorimetric sensor for sensitive and rapid detection of cysteine in biological and environmental samples, *Opt. Mater. (Amst.)*, 135, 1–10.
- Hosseinnezhad, M., Rouhani, S., and Gharanjig, K., 2018, Extraction and application of natural pigments for fabrication of green dye-sensitized solar cells, *Opto-electronics Rev.*, 26, 165–171.
- Huang, C., Bai, H., Liu, S., Huang, Y., and Tseng, Y., 2011, Synthesis of neutral SiO<sub>2</sub>/TiO<sub>2</sub> hydrosol and its photocatalytic degradation of nitric oxide gas, *Micro Nano Lett.*, 6, 646–649.
- Hwang, S.H., Shin, D.H., Yun, J., Kim, C., Choi, M., and Jang, J., 2014, SiO<sub>2</sub>-TiO<sub>2</sub> Hollow Nanoparticles Decorated with Ag Nanoparticles: Enhanced Visible Light Absorption and Improved Light Scattering in Dye-Sensitized Solar Cells, *Chem. A Eur. J.*, 20, 4439 – 4446.
- Igenepo John, K., Abdul Adenle, A., Timothy Adeleye, A., Pearl Onyia, I., Amune-

- Matthews, C., and Omorogie, M.O., 2021, Unravelling the effect of crystal dislocation density and microstrain of titanium dioxide nanoparticles on tetracycline removal performance, *Chem. Phys. Lett.*, 776, .
- International Energy Agency (IEA), 2019, Global Energy and CO<sub>2</sub> Status Report, *Oecd-Iea*, 15.
- Iqbal, M.Z., Ali, S.R., and Khan, S., 2019, Progress in dye sensitized solar cells by incorporating natural photosensitizers, *Sol. Energy*, 181, 490–509.
- Islam, A., Akhtaruzzaman, M., Chowdhury, T.H., Qin, C., Han, L., Bedja, I.M., Stalder, R., Schanze, K.S., and Reynolds, J.R., 2016, Enhanced Photovoltaic Performances of Dye-Sensitized Solar Cells by Co-Sensitization of Benzothiadiazole and Squaraine-Based Dyes, *ACS Appl. Mater. Interfaces*, 8, 4616–4623.
- Jeng, M.J., Wung, Y.L., Chang, L.B., and Chow, L., 2013, Particle size effects of TiO<sub>2</sub> layers on the solar efficiency of dye-sensitized solar cells, *Int. J. Photoenergy*, 2013, 1–9.
- Joshi, P., and Sutrave, D.S., 2018, A Brief Study of Cyclic Voltammetry and Electrochemical Analysis, *Int. J. ChemTech Res.*, 11, 77–88.
- Kabir, F., Bhuiyan, M.M.H., Manir, M.S., Rahaman, M.S., Khan, M.A., and Ikegami, T., 2019, Development of dye-sensitized solar cell based on combination of natural dyes extracted from Malabar spinach and red spinach, *Results Phys.*, 14, 1–7.
- Kabir, F., Manir, S., Bhuiyan, M.M.H., Aftab, S., Ghanbari, H., Hasani, A., Fawzy, M., De Silva, G.L.T., Mohammadzadeh, M.R., Ahmadi, R., Abnavi, A., Askar, A.M., and Adachi, M.M., 2022, Instability of dye-sensitized solar cells using natural dyes and approaches to improving stability – An overview, *Sustain. Energy Technol. Assessments*, 52, 1–23.
- Karim, N.A., Mehmood, U., Zahid, H.F., and Asif, T., 2019, Nanostructured photoanode and counter electrode materials for efficient Dye-Sensitized Solar Cells (DSSCs), *Sol. Energy*, 185, 165–188.
- Katoh, R. and Furube, A., 2014, Electron injection efficiency in dye-sensitized solar cells, *J. Photochem. Photobiol. C*, 20, 1–16.
- Khalafi, L. and Rafiee, M., 2017, Cyclic voltammetry, 1st ed. Wang, Z. (ed) John Wiley & Sons, Kansas.
- Kibasomba, P.M., Dhlamini, S., Maaza, M., Liu, C.P., Rashad, M.M., Rayan, D.A., and Mwakikunga, B.W., 2018, Strain and grain size of TiO<sub>2</sub> nanoparticles from TEM, Raman spectroscopy and XRD: The revisiting of the Williamson-Hall plot method, *Results Phys.*, 9, 628–635.
- Kim, C., Choi, M., and Jang, J., 2010, Nitrogen-doped SiO<sub>2</sub>/TiO<sub>2</sub> core/shell nanoparticles as highly efficient visible light photocatalysts, *Catal. Commun.*, 11, 378–382.

- Kumara, N.T.R.N., Lim, A., Lim, C.M., Petra, M.I., and Ekanayake, P., 2017, Recent progress and utilization of natural pigments in dye sensitized solar cells: A review, *Renew. Sustain. Energy Rev.*, 78, 301–317.
- Kumari, M.G.C.M., Perera, C.S., Dassanayake, B.S., Dissanayake, M.A.K.L., and Senadeera, G.K.R., 2019, Highly efficient plasmonic dye-sensitized solar cells with silver nanowires and TiO<sub>2</sub> nanofibres incorporated multi-layered photoanode, *Electrochim. Acta*, 298, 330–338.
- Kutlu, N., 2020, Investigation of electrical values of low-efficiency dye-sensitized solar cells (DSSCs), *Energy*, 199, 1–8.
- Kwoka, M., Galstyan, V., Comini, E., and Szuber, J., 2017, Pure and highly Nb-doped titanium dioxide nanotubular arrays: Characterization of local surface properties, *Nanomaterials*, 7, 1–13.
- Lee, J., Kong, S., Kim, W., and Kim, J., 2007, Preparation and characterization of SiO<sub>2</sub>/TiO<sub>2</sub> core-shell particles with controlled shell thickness, *Mater. Chem. Phys.*, 106, 39–44.
- Lei, B.X., Zhang, P., Qiao, H.K., Zheng, X.F., Hu, Y.S., Huang, G.L., Sun, W., Sun, Z.F., and Zhang, X.X., 2014, A facile template-free route for synthesis of anatase TiO<sub>2</sub> hollow spheres for dye-sensitized solar cells, *Electrochim. Acta*, 143, 129–134.
- Leyrer, J., Hunter, R., Rubilar, M., Pavez, B., Morales, E., and Torres, S., 2016, Development of dye-sensitized solar cells based on naturally extracted dye from the maqui berry (*Aristotelia chilensis*), *Opt. Mater. (Amst.)*, 60, 411–417.
- Li, J. and Zeng, H.C., 2007, Hollowing Sn-doped TiO<sub>2</sub> nanospheres via Ostwald ripening, *J. Am. Chem. Soc.*, 129, 15839–15847.
- Li, S., Chen, J., Zheng, F., Li, Y., and Huang, F., 2013, Synthesis of the double-shell anatase-rutile TiO<sub>2</sub> hollow spheres with enhanced photocatalytic activity, *Nanoscale*, 5, 12150–12155.
- Li, Y., Zhou, Y., Wang, Y., Zhou, R., Ling, Q., Niu, H., Zhang, W., Wang, C., Qiu, J., Guo, Z., and Xu, J., 2019, Au nanoparticle-decorated urchin-like TiO<sub>2</sub> hierarchical microspheres for high performance dye-sensitized solar cells, *Electrochim. Acta*, 293, 230–239.
- Lim, A., Ekanayake, P., Lim, L.B.L., and Bandara, J.M.R.S., 2016, Co-dominant effect of selected natural dye sensitizers in DSSC performance, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 167, 26–31.
- Lim, S.P., Pandikumar, A., Huang, N.M., and Lim, H.N., 2014, Enhanced photovoltaic performance of silver@titania plasmonic photoanode in dye-sensitized solar cells, *RSC Adv.*, 4, 38111–38118.
- Liu, Q. and Wang, J., 2019, Dye-sensitized solar cells based on surficial TiO<sub>2</sub> modification, *Sol. Energy*, 184, 454–465.
- Lyu, J., Zhou, L., Shao, J., Zhou, Z., Gao, J., Dong, Y., Wang, Z., and Li, J., 2020,

- TiO<sub>2</sub> hollow heterophase junction with enhanced pollutant adsorption, light harvesting, and charge separation for photocatalytic degradation of volatile organic compounds, *Chem. Eng. J.*, 391, 1–8.
- Mahmoud, M.A. and El-Sayed, M.A., 2013, Different plasmon sensing behavior of silver and gold nanorods, *J. Phys. Chem. Lett.*, 4, 1541–1545.
- Maiaugree, W., Lowpa, S., Towannang, M., Rutphonsan, P., Tangtrakarn, A., Pimanpang, S., Maiaugree, P., Ratchapolthavisin, N., Sang-Aroon, W., Jarernboon, W., and Amornkitbamrung, V., 2015, A dye sensitized solar cell using natural counter electrode and natural dye derived from mangosteen peel waste, *Sci. Rep.*, 5, 1–12.
- Mailu, S.N., Waryo, T.T., Ndagili, P.M., Ngece, F.R., Baleg, A.A., Baker, P.G., and Iwuoha, E.I., 2010, Determination of anthracene on Ag-Au alloy nanoparticles/overoxidized-polypyrrole composite modified glassy carbon electrodes, *Sensors (Switzerland)*, 10, 9449–9465.
- Mohaghegh, S., Osouli-Bostanabad, K., Nazemiyeh, H., Javadzadeh, Y., Parvizpur, A., Barzegar-Jalali, M., and Adibkia, K., 2020, A comparative study of eco-friendly silver nanoparticles synthesis using *Prunus domestica* plum extract and sodium citrate as reducing agents, *Adv. Powder Technol.*, 31, 1169–1180.
- Nan, H., Shen, H.P., Wang, G., Xie, S.D., Yang, G.J., and Lin, H., 2017, Studies on the optical and photoelectric properties of anthocyanin and chlorophyll as natural co-sensitizers in dye sensitized solar cell, *Opt. Mater. (Amst.)*, 73, 172–178.
- Nbelayim, P., Kawamura, G., Kian Tan, W., Muto, H., and Matsuda, A., 2017, Systematic characterization of the effect of Ag@TiO<sub>2</sub> nanoparticles on the performance of plasmonic dye-sensitized solar cells, *Sci. Rep.*, 7, 1–12.
- O'Regan, B. and Grätzel, M., 1991, A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO<sub>2</sub> Films, *Nature*, 354, 737–740.
- Oh, W.K., Kim, S., Choi, M., Kim, C., Jeong, Y.S., Cho, B.R., Hahn, J.S., and Jang, J., 2010, Cellular uptake, cytotoxicity, and innate immune response of silica-Titania hollow nanoparticles based on size and surface functionality, *ACS Nano*, 4, 5301–5313.
- Omar, A., Ali, M.S., and Abd Rahim, N., 2020, Electron transport properties analysis of titanium dioxide dye-sensitized solar cells (TiO<sub>2</sub>-DSSCs) based natural dyes using electrochemical impedance spectroscopy concept: A review, *Sol. Energy*, 207, 1088–1121.
- Orona-Navar, A., Aguilar-Hernández, I., López-Luke, T., Zarazúa, I., Romero-Arellano, V., Guerrero, J.P., and Ornelas-Soto, N., 2020, Photoconversion efficiency of Titania solar cells co-sensitized with natural pigments from cochineal, papaya peel and microalga *Scenedesmus obliquus*, *J. Photochem. Photobiol. A Chem.*, 388, .
- Ossai, A.N., Ezike, S.C., Timtere, P., and Ahmed, A.D., 2021, Enhanced



- photovoltaic performance of dye-sensitized solar cells-based Carica papaya leaf and black cherry fruit co-sensitizers, *Chem. Phys. Impact*, 2, 1–8.
- Pavasupree, S., Ngamsinlapasathian, S., Nakajima, M., Suzuki, Y., and Yoshikawa, S., 2006, Synthesis, characterization, photocatalytic activity and dye-sensitized solar cell performance of nanorods/nanoparticles TiO<sub>2</sub> with mesoporous structure, *J. Photochem. Photobiol. A Chem.*, 184, 163–169.
- Qin, Y., Ji, X., Jing, J., Liu, H., Wu, H., and Yang, W., 2010, Size control over spherical silver nanoparticles by ascorbic acid reduction, *Colloids Surfaces A Physicochem. Eng. Asp.*, 372, 172–176.
- Rahul, Singh, P.K., Bhattacharya, B., and Khan, Z.H., 2018, Environment approachable dye sensitized solar cell using abundant natural pigment based dyes with solid polymer electrolyte, *Optik (Stuttg.)*, 165, 186–194.
- Ramakrishna, S., Pelton, M., Gray, S.K., and Seideman, T., 2015, Plasmon-Enhanced Electron Injection in Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 119, 22640–22645.
- Ran, H., Fan, J., Zhang, X., Mao, J., and Shao, G., 2018, Enhanced performances of dye-sensitized solar cells based on Au-TiO<sub>2</sub> and Ag-TiO<sub>2</sub> plasmonic hybrid nanocomposites, *Appl. Surf. Sci.*, 430, 415–423.
- Randviir, E.P., 2018, A cross examination of electron transfer rate constants for carbon screen-printed electrodes using Electrochemical Impedance Spectroscopy and cyclic voltammetry, *Electrochim. Acta*, 286, 179–186.
- Razavi-Khosroshahi, H., Wenhao, S., and Fuji, M., 2020, Synthesis of TiO<sub>2</sub> hollow nanoparticles with different shell thickness and effect of structure on photocatalytic activity, *Solid State Sci.*, 103, 2–7.
- Rehani, B.R., Joshi, P.B., Lad, K.N., and Pratap, A., 2006, Crystallite size estimation of elemental and composite silver nano-powders using XRD principles, *Indian J. Pure Appl. Phys.*, 44, 157–161.
- Rho, W.Y., Song, D.H., Yang, H.Y., Kim, H.S., Son, B.S., Suh, J.S., and Jun, B.H., 2018, Recent advances in plasmonic dye-sensitized solar cells, *J. Solid State Chem.*, 258, 271–282.
- Sacco, A., 2017, Electrochemical impedance spectroscopy: Fundamentals and application in dye-sensitized solar cells, *Renew. Sustain. Energy Rev.*, 79, 814–829.
- Salimi, K., Atilgan, A., Aydin, M.Y., Yildirim, H., Celebi, N., and Yildiz, A., 2019, Plasmonic mesoporous core-shell Ag-Au@TiO<sub>2</sub> photoanodes for efficient light harvesting in dye sensitized solar cells, *Sol. Energy*, 193, 820–827.
- Salimian, J., Osfouri, S., Azin, R., and Jalali, T., 2022, Impacts of paste preparation methods on the porous TiO<sub>2</sub> nanostructure properties and naturally dye-sensitized solar cells performance, *J. Mater. Res. Technol.*, 18, 4816–4833.
- Sanjay, P., Deepa, K., Madhavan, J., and Senthil, S., 2018, Optical, spectral and

- photovoltaic characterization of natural dyes extracted from leaves of *Peltophorum pterocarpum* and *Acalypha amentacea* used as sensitizers for ZnO based dye sensitized solar cells, *Opt. Mater. (Amst.)*, 83, 192–199.
- Saravanan, S., Kato, R., Balamurugan, M., Kaushik, S., and Soga, T., 2017, Efficiency improvement in dye sensitized solar cells by the plasmonic effect of green synthesized silver nanoparticles, *J. Sci. Adv. Mater. Devices*, 2, 418–424.
- Sasri, R., 2014, Ekstrak zat warna alam dari biji kesumba sebagai fotosensitizer pada fotoanoda serat nano TiO<sub>2</sub> untuk sel surya, Tesis. Kimia, FMIPA, UGM, Yogyakarta.
- Sedghi, A. and Nourmohammadi, H., 2013, Influence of TiCl<sub>4</sub> Treatment on Structure and Performance of Dye-Sensitized Solar Cells Influence of TiCl<sub>4</sub> Treatment on Structure and Performance of Dye-Sensitized Solar Cells Arman Sedghi and Hoda Nourmohammadi Miankushki, *Jpn. J. Appl. Phys.*, 52, .
- Shakeel Ahmad, M., Pandey, A.K., and Abd Rahim, N., 2017, Advancements in the development of TiO<sub>2</sub> photoanodes and its fabrication methods for dye sensitized solar cell (DSSC) applications. A review, *Renew. Sustain. Energy Rev.*, 77, 89–108.
- Sharmoukh, W. and Allam, N.K., 2012, TiO<sub>2</sub> nanotube-based dye-sensitized solar cell using new photosensitizer with enhanced open-circuit voltage and fill factor, *ACS Appl. Mater. Interfaces*, 4, 4413–4418.
- Sinopoli, A., Calogero, G., and Bartolotta, A., 2019, Computational aspects of anthocyanidins and anthocyanins : A review, *Food Chem.*, 297, 1–12.
- Sinopoli, A., Citro, I., Calogero, G., and Bartolotta, A., 2017, Combined experimental and DFT-TDDFT investigation on anthocyanidins for application in dye-sensitized solar cells, *Dye. Pigment.*, 143, 291–300.
- Siva Kumar, S., Ranga Rao, V., and Nageswara Rao, G., 2022, Effect of morphology, crystallite size and optical band gap on photocatalytic activity of ZnO nanostructures for decolorization of R6G, *Mater. Today Proc.*, 62, 5494–5502.
- Smestad, G.P. and Grätzel, M., 1998, Demonstrating electron transfer and nanotechnology: A natural dye-sensitized nanocrystalline energy converter, *J. Chem. Educ.*, 75, 752–756.
- Song, D.H., Kim, H.Y., Kim, H.S., Suh, J.S., Jun, B.H., and Rho, W.Y., 2017, Preparation of plasmonic monolayer with Ag and Au nanoparticles for dye-sensitized solar cells, *Chem. Phys. Lett.*, 687, 152–157.
- Song, M.-K., Rai, P., Ko, K.-J., Jeon, S.H., Chon, B.-S., Lee, C.-H., and Yu, Y.T., 2014, Synthesis of TiO<sub>2</sub> hollow spheres by selective etching of Au@TiO<sub>2</sub> core-shell nanoparticles for dye sensitized solar cell applications, *RSC Adv.*, 4, 3529–3535.
- Song, W., Gong, Y., Tian, J., Cao, G., Zhao, H., and Sun, C., 2016, Novel



- Photoanode for Dye-Sensitized Solar Cells with Enhanced Light-Harvesting and Electron-Collection Efficiency, *ACS Appl. Mater. Interfaces*, 8, 13418–13425.
- Spitler, M.T. and Parkinson, B.A., 2009, Dye sensitization of single crystal semiconductor electrodes, *Acc. Chem. Res.*, 42, 2017–2029.
- Sreeja, S. and Pesala, B., 2019, Performance Enhancement of Betanin Solar Cells Co-Sensitized with Indigo and Lawsone: A Comparative Study, *ACS Omega*, 4, 18023–18034.
- Sreeja, S. and Pesala, B., 2020, Plasmonic enhancement of betanin-lawsone co-sensitized solar cells via tailored bimodal size distribution of silver nanoparticles, *Sci. Rep.*, 10, 1–17.
- Suharyati, Pambudi, S.H., Wibowo, J.L., and Pratiwi, N.I., 2019, Issn 2527-3000, 2019th ed. Abdurrahman, S., Pertiwi, M., and Walujanto (eds) Sekretariat Jendral Dewan Energi Nasional, Jakarta.
- Syoufian, A., Inoue, Y., Yada, M., and Nakashima, K., 2007, Preparation of submicrometer-sized titania hollow spheres by templating sulfonated polystyrene latex particles, *Mater. Lett.*, 61, 1572–1575.
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J.P., Rodriguez-Reinoso, F., Rouquerol, J., and Sing, K.S.W., 2015, Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report), *Pure Appl. Chem.*, 87, 1051–1069.
- Vougioukalakis, G.C., Philippopoulos, A.I., Stergiopoulos, T., and Falaras, P., 2011, Contributions to the development of ruthenium-based sensitizers for dye-sensitized solar cells, *Coord. Chem. Rev.*, 255, 2602–2621.
- Wang, D., Tan, Y., Xu, H., Wang, X., Yu, L., Xiao, Z., and Wang, J., 2019, A tough and fluorescent dual nanocomposite hydrogel based on SiO<sub>2</sub>@TiO<sub>2</sub> core-shell nanoparticles, *Appl. Surf. Sci.*, 468, 588–595.
- Wang, R., Cai, X., and Shen, F., 2014, TiO<sub>2</sub> hollow microspheres with mesoporous surface: Superior adsorption performance for dye removal, *Appl. Surf. Sci.*, 305, 352–358.
- Wang, X., Li, Z., Shi, J., and Yu, Y., 2014, One-Dimensional Titanium Dioxide Nanomaterials : Nanowires , *Chem. Rev.*, 114, 9346–9384.
- Wicaksono, W.P., Fadilla, N.I., Zamar, A.A., Fadillah, G., Anugrahwati, M., Anas, A.K., and Kadja, G.T.M., 2022, Formaldehyde electrochemical sensor using graphite paste-modified green synthesized zinc oxide nanoparticles, *Inorg. Chem. Commun.*, 143, 1–9.
- Yao, X., Hu, X., Zhang, W., Gong, X., Wang, X., Pillai, S.C., Dionysiou, D.D., and Wang, D., 2020, Mie resonance in hollow nanoshells of ternary TiO<sub>2</sub>-Au-CdS and enhanced photocatalytic hydrogen evolution, *Appl. Catal. B Environ.*, 276, 1–10.

- Younas, M. and Harrabi, K., 2020, Performance enhancement of dye-sensitized solar cells via co-sensitization of ruthenium (II) based N749 dye and organic sensitizer RK1, *Sol. Energy*, 203, 260–266.
- Yun, J., Hwang, S.H., and Jang, J., 2015, Fabrication of Au@Ag Core/Shell Nanoparticles Decorated TiO<sub>2</sub> Hollow Structure for Efficient Light-Harvesting in Dye-Sensitized Solar Cells, *ACS Appl. Mater. Interfaces*, 7, 2055–2063.
- Zhang, Z., Ma, M., Ma, W., Zhang, R., and Wang, J., 2022, A data-driven photovoltaic string current mismatch fault diagnosis method based on I-V curve, *Microelectron. Reliab.*, 138, 1–6.
- Zhao, L., Li, J., Shi, Y., Wang, S., Hu, J., Dong, B., Lu, H., and Wang, P., 2013, Double light-scattering layer film based on TiO<sub>2</sub> hollow spheres and TiO<sub>2</sub> nanosheets: Improved efficiency in dye-sensitized solar cells, *J. Alloys Compd.*, 575, 168–173.
- Zhao, Y.L., Song, D.M., Qiang, Y.H., Gu, X.Q., Zhu, L., and Song, C.B., 2014, Dye-sensitized solar cells based on TiO<sub>2</sub> hollow spheres/TiO<sub>2</sub> nanotube array composite films, *Appl. Surf. Sci.*, 309, 85–89.
- Zheng, H., Svengren, H., Huang, Z., Yang, Z., Zou, X., and Johnsson, M., 2018, Hollow titania spheres loaded with noble metal nanoparticles for photocatalytic water oxidation, *Microporous Mesoporous Mater.*, 264, 147–150.

