

DAFTAR PUSTAKA

- Achamrah, N. *et al.* (2018) 'Comparison of body composition assessment by DXA and BIA according to the body mass index: A retrospective study on 3655 measures', *PLoS ONE*, 13(7), pp. 1–13. doi: 10.1371/journal.pone.0200465.
- Aisyah, N. *et al.* (2020) 'p-ISSN: 2502-647X; e-ISSN: 2503-1902', 5(July), pp. 407–415.
- Akita, H. *et al.* (2019) 'The utility of nutritional supportive care with an eicosapentaenoic acid (EPA)-enriched nutrition agent during pre-operative chemoradiotherapy for pancreatic cancer: Prospective randomized control study', *Clinical Nutrition ESPEN*, 33, pp. 148–153. doi: 10.1016/j.clnesp.2019.06.003.
- Ali, E. S., Hassan, E. E. and Abdelal, H. (2022) 'Outcome of Adjuvant 6 Cycles Chemotherapy versus 8 Cycles In Breast Cancer', *Minia Journal of Medical Research*, 0(0), pp. 173–180. doi: 10.21608/mjmr.2022.222883.
- American Cancer Society (2019) 'Breast Cancer: Treating Breast Cancer', *American Cancer Society*, pp. 1–120. Available at: <https://www.cancer.org/cancer/breast-cancer/treatment.html>.
- Annisa Rachma Firdausi Darmawan and Merryana Adriani (2019) 'Status Gizi, Asupan Energi dan Zat Gizi Makro Pasien Kanker yang Menjalani Kemoterapi di RUMKITAL Dr. Ramelan Surabaya', *Amerta Nutrition*, 3(3), pp. 149–157. doi: 10.2473/amnt.v3i3.2019.149-157.
- Arends, J. *et al.* (2017) 'ESPEN guidelines on nutrition in cancer patients', *Clinical Nutrition*, 36(1), pp. 11–48. doi: 10.1016/j.clnu.2016.07.015.
- Beirer, A. (2021) 'Malnutrition and cancer, diagnosis and treatment', *Memo - Magazine of European Medical Oncology*, 14(2), pp. 168–173. doi: 10.1007/s12254-020-00672-3.
- Boateng, L. *et al.* (2016) 'Coconut oil and palm oil's role in nutrition, health and national development: A review', *Ghana medical journal*, 50(3), pp. 189–196. doi: 10.4314/gmj.v50i3.11.
- Caccialanza, R. *et al.* (2020) 'Unmet needs in clinical nutrition in oncology: a

- multinational analysis of real-world evidence', *Therapeutic Advances in Medical Oncology*, 12, pp. 1–10. doi: 10.1177/1758835919899852.
- Caccialanza, R., Laviano, A., *et al.* (2022) 'Clinical and economic value of oral nutrition supplements in patients with cancer: a position paper from the Survivorship Care and Nutritional Support Working Group of Alliance Against Cancer', *Supportive Care in Cancer*, 30(11), pp. 9667–9679. doi: 10.1007/s00520-022-07269-y.
- Caccialanza, R., Cotogni, P., *et al.* (2022) 'Nutritional Support in Cancer patients: update of the Italian Intersociety Working Group practical recommendations', *Journal of Cancer*, 13(9), pp. 2705–2716. doi: 10.7150/jca.73130.
- Carbone, J. W. and Pasiakos, S. M. (2019) 'Dietary protein and muscle mass: Translating science to application and health benefit', *Nutrients*, 11(5), pp. 1–13. doi: 10.3390/nu11051136.
- Casal-Mouriño, A. *et al.* (2021) 'Epidemiology of stage III lung cancer: Frequency, diagnostic characteristics, and survival', *Translational Lung Cancer Research*, 10(1), pp. 506–518. doi: 10.21037/tlcr.2020.03.40.
- Cederholm, T. *et al.* (2019) 'GLIM criteria for the diagnosis of malnutrition – A consensus report from the global clinical nutrition community', *Clinical Nutrition*, 38(1), pp. 1–9. doi: 10.1016/j.clnu.2018.08.002.
- Cereda, E. *et al.* (2019) 'Whey protein isolate supplementation improves body composition, muscle strength, and treatment tolerance in malnourished advanced cancer patients undergoing chemotherapy', *Cancer Medicine*, 8(16), pp. 6923–6932. doi: 10.1002/cam4.2517.
- Chen, L. K. *et al.* (2014) 'Sarcopenia in Asia: Consensus report of the Asian working group for sarcopenia', *Journal of the American Medical Directors Association*, 15(2), pp. 95–101. doi: 10.1016/j.jamda.2013.11.025.
- Christensen, J. F. *et al.* (2014) 'Muscle dysfunction in cancer patients', *Annals of Oncology*, 25(5), pp. 947–958. doi: 10.1093/annonc/mdt551.
- Clemente-Suárez, V. J. *et al.* (2022) 'The Burden of Carbohydrates in Health and Disease', *Nutrients*, 14(18), pp. 1–28. doi: 10.3390/nu14183809.

- Cornejo-Pareja, I. *et al.* (2021) 'Effect on an oral nutritional supplement with β -hydroxy- β -methylbutyrate and vitamin d on morphofunctional aspects, body composition, and phase angle in malnourished patients', *Nutrients*, 13(12). doi: 10.3390/nu13124355.
- Damayanthi, E., Aminah Putri, T. and Yuliana, F. (2021) 'Developing Enteral Feeding Formulas for Stroke Patients Using Lactose-Free Milk and Mung Bean as The Non-Dairy Protein Source', *J. Gizi Pangan*, 16(28), pp. 147–156.
- Davis, M. P. and Panikkar, R. (2019) 'Sarcopenia associated with chemotherapy and targeted agents for cancer therapy', *Annals of Palliative Medicine*, 8(1), pp. 86–101. doi: 10.21037/apm.2018.08.02.
- Davoodi, S. H. *et al.* (2016) 'Health-related aspects of milk proteins', *Iranian Journal of Pharmaceutical Research*, 15(3), pp. 573–591.
- Deutz, N. E. P. *et al.* (2019) 'The Underappreciated Role of Low Muscle Mass in the Management of Malnutrition', *Journal of the American Medical Directors Association*, 20(1), pp. 22–27. doi: 10.1016/j.jamda.2018.11.021.
- Eghbal, M. A. *et al.* (2018) 'Exposure to antineoplastic agents induces cytotoxicity in nurse lymphocytes: Role of mitochondrial damage and oxidative stress', *Iranian Journal of Pharmaceutical Research*, 17(Special Issue), pp. 43–52.
- Erbey, S. and Sınmaz, S. (2018) 'Proceeding Book', pp. 618–636.
- de Freitas, J. S. *et al.* (2022) 'The effect of chemotherapy on dietary intake and nutritional status in patients with colorectal neoplasms and the importance of nutritional counseling', *Supportive Care in Cancer*, 30(5), pp. 3885–3891. doi: 10.1007/s00520-022-06794-0.
- Gebremedhin, T. K. *et al.* (2021) 'Prevalence and risk factors of malnutrition among adult cancer patients receiving chemotherapy treatment in cancer center, Ethiopia: cross-sectional study', *Heliyon*, 7(6), p. e07362. doi: 10.1016/j.heliyon.2021.e07362.
- Grupińska, J. *et al.* (2021) 'Beneficial effects of oral nutritional supplements on body composition and biochemical parameters in women with breast cancer undergoing postoperative chemotherapy: A propensity score matching

- analysis', *Nutrients*, 13(10). doi: 10.3390/nu13103549.
- Hadda, V. *et al.* (2018) 'Trends of loss of peripheral muscle thickness on ultrasonography and its relationship with outcomes among patients with sepsis', *Journal of Intensive Care*, 6(1), pp. 1–10. doi: 10.1186/s40560-018-0350-4.
- Hadiyati, F., Supriastuti, R. and Mujiharti, A. (2021) 'The Effect of Dietary Modification and Nutritional Education on Nutrition Care Process (NCP) for Increasing Dietary Intake, Body Weight, and Nutritional Status of Cancer Patients at Risk of Malnutrition and Malnourished in the Inpatient of Dharmais Cancer', *Indonesian Journal of Cancer*, 15(2), p. 69. doi: 10.33371/ijoc.v15i2.768.
- Haidari, R. El *et al.* (2020) 'Factores asociados con la calidad de vida relacionada con la salud en mujeres con cáncer de seno en el Medio Oriente: una revisión sistemática', *Cancers*, 12(3), pp. 1–19.
- Hofman, D. L., van Buul, V. J. and Brouns, F. J. P. H. (2016) 'Nutrition, Health, and Regulatory Aspects of Digestible Maltodextrins', *Critical Reviews in Food Science and Nutrition*, 56(12), pp. 2091–2100. doi: 10.1080/10408398.2014.940415.
- Hu, C. L. *et al.* (2018) 'Determinants and nutritional assessment value of hand grip strength in patients hospitalized with cancer', *Asia Pacific Journal of Clinical Nutrition*, 27(4), pp. 777–784. doi: 10.6133/apjcn.072017.04.
- Hu, F. J. *et al.* (2021) 'Mid-upper arm circumference as an alternative screening instrument to appendicular skeletal muscle mass index for diagnosing sarcopenia', *Clinical Interventions in Aging*, 16, pp. 1095–1104. doi: 10.2147/CIA.S311081.
- Hwang, J. and Park, S. (2022) 'Gender-Specific Risk Factors and Prevalence for Sarcopenia among Community-Dwelling Young-Old Adults', *International Journal of Environmental Research and Public Health*, 19(12). doi: 10.3390/ijerph19127232.
- Jachnis, A. and Słodkowski, M. T. (2021) 'The relationship between nutritional status and body composition with clinical parameters, tumor stage, CA19-9,

- CEA levels in patients with pancreatic and periampullary tumors', *Current Oncology*, 28(6), pp. 4805–4820. doi: 10.3390/curroncol28060406.
- Jager-Wittenaar, H. and Ottery, F. D. (2017) 'Assessing nutritional status in cancer: Role of the Patient-Generated Subjective Global Assessment', *Current Opinion in Clinical Nutrition and Metabolic Care*, 20(5), pp. 322–329. doi: 10.1097/MCO.0000000000000389.
- Jang, M. K. *et al.* (2022) 'Body composition change during neoadjuvant chemotherapy for breast cancer', *Frontiers in Oncology*, 12(August), pp. 1–9. doi: 10.3389/fonc.2022.941496.
- Jesadaporn, P. *et al.* (2023) 'Effects of High-protein, Leucine-enriched Oral Nutritional Supplement and Resistance Exercise on Physical Performance among Malnourished Older Adults with Sarcopenia', *Journal of Food and Nutrition Research*, 11(2), pp. 125–135. doi: 10.12691/jfnr-11-2-3.
- Joung, E. K. *et al.* (2021) 'Maintenance chemotherapy after 6 cycles of platinum-doublet regimen in anthracycline-and taxane-pretreated metastatic breast cancer', *Korean Journal of Internal Medicine*, 36(1), pp. 182–193. doi: 10.3904/kjim.2019.129.
- Katada, C. *et al.* (2021) 'Randomized study of prevention of gastrointestinal toxicities by nutritional support using an amino acid-rich elemental diet during chemotherapy in patients with esophageal cancer (KDOG 1101)', *Esophagus*, 18(2), pp. 296–305. doi: 10.1007/s10388-020-00787-w.
- Keller, K. and Engelhardt, M. (2013) 'Strength and muscle mass loss with aging process. Age and strength loss', *Muscles, Ligaments and Tendons Journal*, 3(4), pp. 346–350. doi: 10.11138/mltj/2013.3.4.346.
- Kim, D. H. (2019) 'Nutritional issues in patients with cancer', *Intestinal Research*, 17(4), pp. 455–462. doi: 10.5217/IR.2019.00076.
- Kim, I. Y., Deutz, N. E. P. and Wolfe, R. R. (2018) 'Update on maximal anabolic response to dietary protein', *Clinical Nutrition*, 37(2), pp. 411–418. doi: 10.1016/j.clnu.2017.05.029.
- Kim, S. H. *et al.* (2019) 'The effect of nutrition intervention with oral nutritional supplements on pancreatic and bile duct cancer patients undergoing

- chemotherapy', *Nutrients*, 11(5), pp. 1–16. doi: 10.3390/nu11051145.
- Kokkinidou, S. *et al.* (2018) 'The important role of carbohydrates in the flavor, function, and formulation of oral nutritional supplements', *Nutrients*, 10(6). doi: 10.3390/nu10060742.
- Koukourikos, K., Tsaloglidou, A. and Kourkouta, L. (2014) 'Muscle atrophy in intensive care unit patients', *Acta Informatica Medica*, 22(6), pp. 406–410. doi: 10.5455/aim.2014.22.406-410.
- Kowshik, V. *et al.* (2021) 'No Title Association of handgrip strength and endurance with body composition in head and neck cancer patients', *J Family Med Prim Care*. doi: 10.4103/jfmpc.jfmpc_1695_20.
- Kyle, U. G. *et al.* (2004) 'Bioelectrical impedance analysis - Part II: Utilization in clinical practice', *Clinical Nutrition*, 23(6), pp. 1430–1453. doi: 10.1016/j.clnu.2004.09.012.
- Law, M. L. (2022) 'Cancer cachexia: Pathophysiology and association with cancer-related pain', *Frontiers in Pain Research*, 3(1). doi: 10.3389/fpain.2022.971295.
- Lee, S. H. and Gong, H. S. (2020) 'Measurement and interpretation of handgrip strength for research on sarcopenia and osteoporosis', *Journal of Bone Metabolism*, 27(2), pp. 85–96. doi: 10.11005/jbm.2020.27.2.85.
- Li, Q. Q. *et al.* (2021) 'Investigating Factors Influencing the Stability of Enteral Nutritional Emulsions Designed for Cancer Patients', 6(3), pp. 140–148. doi: 10.34175/jno202103006.
- Li, Z. *et al.* (2018) 'Nutrition support in hospitalized cancer patients with malnutrition in China', *Asia Pacific Journal of Clinical Nutrition*, 27(6), pp. 1216–1224. doi: 10.6133/apjcn.201811_27(6).0007.
- Limketkai, B. N. *et al.* (2019) 'Classifying Enteral Nutrition: Tailored for Clinical Practice', *Current Gastroenterology Reports*, 21(9), pp. 1–7. doi: 10.1007/s11894-019-0708-3.
- Liu, J. *et al.* (2021) 'Symptom trajectories during chemotherapy in patients with non-small cell lung cancer (NSCLC) and the function of prolonging low dose dexamethasone in promoting enhanced recovery after chemotherapy',

- Thoracic Cancer*, 12(6), pp. 783–795. doi: 10.1111/1759-7714.13830.
- Mardas, M., Madry, R. and Stelmach-Mardas, M. (2017) ‘Link between diet and chemotherapy related gastrointestinal side effects’, *Wspolczesna Onkologia*, 21(2), pp. 162–167. doi: 10.5114/wo2017.66896.
- Marwin, M. *et al.* (2021) ‘Hubungan Karakteristik Terhadap Kualitas Hidup Pasien Kanker Payudara yang Menjalani Kemoterapi di RSUP Dr. Kariadi Semarang’, *Jurnal Sains dan Kesehatan*, 3(3), pp. 505–512. doi: 10.25026/jsk.v3i3.551.
- Melani, R., Darmawan, E. and Raharjo, B. (2019) ‘Gambaran Hubungan Regimen Dosis Danefek Samping Kemoterapi pada Pasien Kanker di RSUD Prof Dr. Margono Soekarjo Purwokerto Periode Bulan Januari-Februari Tahun 2019’, *Majalah Farmaseutik*, 15(2), p. 113. doi: 10.22146/farmaseutik.v15i2.47664.
- Mezzomo, T. R. *et al.* (2021) ‘Nutritional composition and cost of home-prepared enteral tube feeding’, *Clinical Nutrition ESPEN*, 42, pp. 393–399. doi: 10.1016/j.clnesp.2020.12.016.
- Minj, S. and Anand, S. (2020) ‘Whey Proteins and Its Derivatives: Bioactivity, Functionality, and Current Applications’, *Dairy*, 1(3), pp. 233–258. doi: 10.3390/dairy1030016.
- Molfino, A. *et al.* (2013) ‘Beta-hydroxy-beta-methylbutyrate supplementation in health and disease: A systematic review of randomized trials’, *Amino Acids*, 45(6), pp. 1273–1292. doi: 10.1007/s00726-013-1592-z.
- Muscaritoli, Maurizi; Arends, J. M. (2019) ‘From guidelines to clinical practice: a roadmap for oncologists for nutrition therapy for cancer patients’, *Therapeutic Advances in Medical Oncology*, 11, pp. 1–14.
- Muscaritoli, M., Arends, J. and Aapro, M. (2019) ‘From guidelines to clinical practice: a roadmap for oncologists for nutrition therapy for cancer patients’, *Therapeutic Advances in Medical Oncology*, 11, pp. 1–14. doi: 10.1177/1758835919880084.
- Muscaritoli, M., Corsaro, E. and Molfino, A. (2021) ‘Awareness of Cancer-Related Malnutrition and Its Management: Analysis of the Results From a Survey Conducted Among Medical Oncologists’, *Frontiers in Oncology*, 11(May),

pp. 1–10. doi: 10.3389/fonc.2021.682999.

Nguyen, L. T. *et al.* (2021) ‘Nutrition intervention is beneficial to the quality of life of patients with gastrointestinal cancer undergoing chemotherapy in Vietnam’, *Cancer Medicine*, 10(5), pp. 1668–1680. doi: 10.1002/cam4.3766.

Ni nyoman, A. (2018) ‘Frekuensi Kemoterapi Dapat Menurunkan Asupan Zat Gizi Dan Status Gizi Pada Pasien Kanker Payudara Di Ruang Perawatan Kelas Iii Rsup Sanglah Denpasar’, *Jurnal Skala Husada : the Journal of Health*, 14(1), pp. 1–14. doi: 10.33992/jsh:tjoh.v14i1.6.

Park, S. E. *et al.* (2020) ‘Loss of skeletal muscle mass during palliative chemotherapy is a poor prognostic factor in patients with advanced gastric cancer’, *Scientific Reports*, 10(1), pp. 1–7. doi: 10.1038/s41598-020-74765-8.

Pin, F., Couch, M. E. and Bonetto, A. (2018) ‘Preservation of muscle mass as a strategy to reduce the toxic effects of cancer chemotherapy on body composition’, *Current Opinion in Supportive and Palliative Care*, 12(4), pp. 420–426. doi: 10.1097/SPC.0000000000000382.

Pourhassan, M. *et al.* (2020) ‘The impact of malnutrition on acute muscle wasting in frail older hospitalized patients’, *Nutrients*, 12(5), pp. 1–12. doi: 10.3390/nu12051387.

Prado, C M, Purcell, S. A. and Laviano, A. (2020) ‘Nutrition interventions to treat low muscle mass in cancer’, *Journal of Cachexia, Sarcopenia and Muscle*, 11(2), pp. 366–380. doi: 10.1002/jcsm.12525.

Prado, Carla M., Purcell, S. A. and Laviano, A. (2020) ‘Nutrition interventions to treat low muscle mass in cancer’, *Journal of Cachexia, Sarcopenia and Muscle*, 11(2), pp. 366–380. doi: 10.1002/jcsm.12525.

Quiñonez-Olivas, C. G. *et al.* (2016) ‘Muscle mass measured using bioelectrical impedance analysis, calf circumference and grip strength in older adults’, *Medicina Universitaria*, 18(72), pp. 158–162. doi: 10.1016/j.rmu.2016.06.005.

Rakhmiditya, H. A. and Kartini, A. (2014) ‘Pengaruh Pemberian Snack Bar Berbahan Dasar Kombinasi Ubi Jalar Ungu Dan Kedelai (Hitam Dan Kuning)

- Terhadap Kadar Trigliserida Pada Wanita Dewasa Hipertrigliseridemia', *Journal of Nutrition College*, 3(1), pp. 106–116. doi: 10.14710/jnc.v3i1.4538.
- Ravasco, P. (2019) 'Nutrition in cancer patients', *Journal of Clinical Medicine*, 8(8). doi: 10.3390/jcm8081211.
- Ryan, J. L. (2010) 'Treatment of Chemotherapy-induced Nausea in Cancer Patients', *European Oncology & Haematology*, 06(02), p. 14. doi: 10.17925/eoh.2010.06.02.14.
- Safaei, A. *et al.* (2011) 'Family history as a risk for upper gastrointestinal tract cancer: A case control study', *Iranian Journal of Cancer Prevention*, 4(3), pp. 114–119.
- Sahathevan, S. *et al.* (2021) 'Muscle Status Response to Oral Nutritional Supplementation in Hemodialysis Patients With Protein Energy Wasting: A Multi-Center Randomized, Open Label-Controlled Trial', *Frontiers in Nutrition*, 8(December), pp. 1–13. doi: 10.3389/fnut.2021.743324.
- Santos, F. (2014) 'T. da Silva alexandre (2014)', 18(3).
- Silalahi, J. (2020) 'Nutritional Values and Health Protective Properties Of Coconut Oil', *Indonesian Journal of Pharmaceutical and Clinical Research*, 3(2), pp. 1–12. doi: 10.32734/idjpcr.v3i2.4065.
- Silva, F. F. *et al.* (2020) 'Hospitalizations and length of stay of cancer patients: A cohort study in the Brazilian Public Health System', *PLoS ONE*, 15(5), pp. 1–13. doi: 10.1371/journal.pone.0233293.
- Stene, G. B. *et al.* (2015) 'Changes in skeletal muscle mass during palliative chemotherapy in patients with advanced lung cancer', *Acta Oncologica*, 54(3), pp. 340–348. doi: 10.3109/0284186X.2014.953259.
- Stobäus, N. *et al.* (2015) 'Low Recent Protein Intake Predicts Cancer-Related Fatigue and Increased Mortality in Patients with Advanced Tumor Disease Undergoing Chemotherapy', *Nutrition and Cancer*, 67(5), pp. 818–824. doi: 10.1080/01635581.2015.1040520.
- Stratton, R., Smith, T. and Gabe, S. (2018) 'Managing malnutrition to improve lives and save money', *British Association for Parenteral and Enteral Nutrition*, (October), pp. 1–16.

- Sugiyama, K. *et al.* (2018) 'Baseline sarcopenia and skeletal muscle loss during chemotherapy affect survival outcomes in metastatic gastric cancer', *Anticancer Research*, 38(10), pp. 5859–5866. doi: 10.21873/anticancer.12928.
- Tesar, M. *et al.* (2023) 'Preoperative nutritional support for patients undergoing elective colorectal cancer surgery – does it really work?', *Biomedical Papers*, 167(2), pp. 145–151. doi: 10.5507/bp.2022.009.
- Trabal, J. *et al.* (2010) 'Potential usefulness of an EPA-enriched nutritional supplement on chemotherapy tolerability in cancer patients without overt malnutrition', *Nutricion Hospitalaria*, 25(5), pp. 736–740. doi: 10.3305/nh.2010.25.5.4616.
- Verlaan, M. (2018) 'Nutritional Supplementation in Sarcopenia'.
- de Vries, Y. C. *et al.* (2017) 'Differences in dietary intake during chemotherapy in breast cancer patients compared to women without cancer', *Supportive Care in Cancer*, 25(8), pp. 2581–2591. doi: 10.1007/s00520-017-3668-x.
- Wardana, N. and Ernawati, R. (2019) 'Hubungan Usia dan Aktivitas Fisik dengan Jenis Kanker di Ruang Kemoterapi RSUD Abdul Wahab Sjahranie Samarinda', *Borneo Student Research (BSR)*, (2018), pp. 159–165. Available at: <http://journals.umkt.ac.id/index.php/bsr/article/view/950>.
- Wei, Y. *et al.* (2020) 'Soy intake and breast cancer risk: a prospective study of 300,000 Chinese women and a dose–response meta-analysis', *European Journal of Epidemiology*, 35(6), pp. 567–578. doi: 10.1007/s10654-019-00585-4.
- Wingo, B. C. *et al.* (2018) 'Comparison of segmental body composition estimated by bioelectrical impedance analysis and dual-energy X-ray absorptiometry', *Clinical Nutrition ESPEN*, 28, pp. 141–147. doi: 10.1016/j.clnesp.2018.08.013.
- Wu, L. C. *et al.* (2021) 'Preliminary screening for sarcopenia and related risk factors among the elderly', *Medicine (United States)*, 100(19), p. E25946. doi: 10.1097/MD.00000000000025946.
- Yalcin, S. *et al.* (2019) 'Nutritional Aspect of Cancer Care in Medical Oncology

Patients', *Clinical Therapeutics*, 41(11), pp. 2382–2396. doi: 10.1016/j.clinthera.2019.09.006.

Yamamoto, K. *et al.* (2017) 'Effectiveness of a preoperative exercise and nutritional support program for elderly sarcopenic patients with gastric cancer', *Gastric Cancer*, 20(5), pp. 913–918. doi: 10.1007/s10120-016-0683-4.

Yan, B. *et al.* (2016) 'Determinants of quality of life for breast cancer patients in Shanghai, China', *PLoS ONE*, 11(4), pp. 1–14. doi: 10.1371/journal.pone.0153714.

Yeo, W. *et al.* (2021) 'Quality of Life Associated with Nausea and Vomiting from Anthracycline-Based Chemotherapy: A Pooled Data Analysis from Three Prospective Trials', *Oncologist*, 26(12), pp. e2288–e2296. doi: 10.1002/onco.13978.

Yulianti, I. and Henry, S. (2016) 'Faktor Resiko Ca. Mamae', *jurnal Kesehatan Masyarakat*, 4, pp. 401–409.

Zhou, M. *et al.* (2021) 'Handgrip Strength-Related Factors Affecting Health Outcomes in Young Adults: Association with Cardiorespiratory Fitness', *BioMed Research International*, 2021(Cvd). doi: 10.1155/2021/6645252.

