

DAFTAR PUSTAKA

- Adams, G. R., Hather, B. M., Baldwin, K. M., & Dudley, G. A. (1993). Skeletal muscle myosin heavy chain composition and resistance training. *Journal of applied physiology*, 74(2), 911-915.
- Aguilar, E.J., Morgan, P.J., Collins, C.E., Plotnikoff, R.C. and Callister, R. (2014). Efficacy of interventions that include diet, aerobic and resistance training components for type 2 diabetes prevention: *a systematic review with meta-analysis*. International Journal of Behavioral Nutrition and Physical Activity, 11(1), p.2. doi:<https://doi.org/10.1186/1479-5868-11-2>.
- Ahn, H., Choi, H. Y., & Ki, M. (2022). Association between levels of physical activity and low handgrip strength: Korea National Health and Nutrition Examination Survey 2014-2019. *Epidemiology and health*, 44, e2022027.
- American College of Sports Medicine, (2009). American College of Sports Medicine position stand. Progression models in resistance training for healthy adults. *Medicine and science in sports and exercise*, 41(3), pp.687-708.
- American College Health Association. (2009). American college health association-national college health assessment spring 2008 reference group data report (Abridged): the American college health association. *Journal of American college health: J of ACH*, 57(5), 477-488.
- American College Health Association. (2019). American college health association-National College Health Assessment II: reference group executive summary spring 2019. *Silver Spring, MD: American College Health Association*.
- Ashton RE, Tew GA, Aning JJ, *et al.* (2020). Effects of short-term, mediumterm and long-term resistance exercise training on cardiometabolic health outcomes in adults: systematic review with meta-analysis. *Br J Sports Med*, 54:1–9.
- Atherton, P. J., Babraj, J. A., Smith, K., Singh, J., Rennie, M. J., & Wackerhage, H. (2005). Selective activation of AMPK-PGC-1 α or PKB-TSC2-mTOR signaling can explain specific adaptive responses to endurance or resistance training-like electrical muscle stimulation. *The FASEB journal*, 19(7), 1-23.
- Baar, K. (2006). Training for endurance and strength: lessons from cell signaling. *Medicine & Science in Sports & Exercise*, 38(11), 1939-1944.
- Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI Tahun 2018. (2018). *Laporan Nasional Riset Kesehatan Dasar (RISKESDAS) 2018*. Badan Penelitian Dan Pengembangan Kesehatan, Jakarta.
- Baranowski, T. (1988). Validity and reliability of self report measures of physical activity: an information-processing perspective. *Research Quarterly for Exercise and Sport*, 59(4), 314-327.
- Barauna, V. G., Rosa, K. T., Irigoyen, M. C., & de Oliveira, E. M. (2007). Effects of resistance training on ventricular function and hypertrophy in a rat model. *Clinical medicine & research*, 5(2), 114-120.
- Beaton, D. E., Bombardier, C., Guillemin, F., & Ferraz, M. B. (2000). Guidelines for the process of cross-cultural adaptation of self-report measures. *Spine*, 25(24), 3186–3191.

- Beaton, D., Bombardier, C., Guillemin, F., & Ferraz, M. B. (2007). Recommendations for the cross-cultural adaptation of the DASH & QuickDASH outcome measures. *Institute for work & health*, 1(1), 1-45.
- Bennie, J. A., Kolbe-Alexander, T., Seghers, J., Biddle, S. J., & De Cocker, K. (2020). Trends in muscle-strengthening exercise among nationally representative samples of United States adults between 2011 and 2017. *Journal of Physical Activity and Health*, 17(5), 512-518.
- Bennie, J. A., Lee, D-C., Khan, A., Wiesner, G. H., Bauman, A. E., Stamatakis, E., et al. (2018). Muscle-strengthening exercise among 397,423 U.S. Adults: prevalence, correlates, and associations with health conditions. *Am J Prev Med*.
- Bennie, J. A., Pedisic, Z., Suni, J. H., Tokola, K., Husu, P., Biddle, S. J., et al. (2017). Self-reported health-enhancing physical activity recommendation adherence among 64,380 Finnish adults. *Scand J Med Sci Sports*.
- Bennie, J. A., Pedisic, Z., van Uffelen, J. G., Charity, M. J., Harvey, J. T., Banting, L. K., ... & Eime, R. M. (2016). Pumping iron in Australia: prevalence, trends and sociodemographic correlates of muscle strengthening activity participation from a national sample of 195,926 adults. *PLoS One*, 11(4), e0153225.
- Bujang, M. A., Khee, H. Y., Yee, L. K. (2022). A Step-by-Step Guide to Questionnaire Validation Research. Kuala Lumpur, Malaysia: Institute for Clinical Research, NIH MY.
- Bull, F. C., Al-Ansari, S. S., Biddle, S., Borodulin, K., Buman, M. P., Cardon, G., ... & Willumsen, J. F. (2020). World Health Organization 2020 guidelines on physical activity and sedentary behaviour. *British journal of sports medicine*, 54(24), 1451-1462.
- Carter, N., Bryant-Lukosius, D., DiCenso, A., Blythe, J. dan Neville, A.J. (2014). The Use of Triangulation in Qualitative Research. *Oncology Nursing Forum*, 41(5), pp.545–547.
- Coffey, V. G., & Hawley, J. A. (2007). The molecular bases of training adaptation. *Sports medicine*, 37, 737-763.
- Cohen J. Statistical power analysis for the behavioral sciences. 2nd ed. Lawrence Erlbaum Associates, 1988.
- Cornelissen, V. A., & Fagard, R. H. (2005). Effect of resistance training on resting blood pressure: a meta-analysis of randomized controlled trials. *Journal of hypertension*, 23(2), 251-259.
- Crocker, L., & Algina, J. (1986). *Introduction to classical and modern test theory*. Holt, Rinehart and Winston, 6277 Sea Harbor Drive, Orlando, FL 32887.
- Dankel, S. J., Mattocks, K. T., Jessee, M. B., Buckner, S. L., Mouser, J. G., & Loenneke, J. P. (2017). Do metabolites that are produced during resistance exercise enhance muscle hypertrophy?. *European journal of applied physiology*, 117, 2125-2135.
- Deng, X.W., Castelli, D.M., Castro-Piñero, J., & Guan, H. (2011). University Students Meeting the Recommended Standards of Physical Activity and Body Mass Index.

- Department of Health and Social Care. (2019). Physical activity guidelines: UK chief medical officers' report.
- Dishman, R. K. (2004). *Physical activity epidemiology 2nd edition*. Human Kinetics.
- Figueiredo, V.C., de Salles, B.F., & Trajano, G.S. 2018. Volume for muscle hypertrophy and health outcomes: The most effective variable in resistance training. *Sports Medicine*, 48 (3), 499–505.
- Foster, C., & Armstrong, M. E. (2018). What types of physical activities are effective in developing muscle and bone strength and balance?. *Journal of Frailty, Sarcopenia and Falls*, 3(2), 58.
- Foster, C., Anholm, J. D., Bok, D., Boullosa, D., Condello, G., Cortis, C., ... & Rodriguez-Marroyo, J. A. (2020). Generalized approach to translating exercise tests and prescribing exercise. *Journal of functional morphology and kinesiology*, 5(3), 63.
- Fry, A. C., Allemeier, C. A., & Staron, R. S. (1994). Correlation between percentage fiber type area and myosin heavy chain content in human skeletal muscle. *European journal of applied physiology and occupational physiology*, 68, 246-251.
- Garber CE, Blissmer B, Deschenes MR, Franklin BA, Lamonte MJ, Lee IM, *et al*. American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. *Med Sci Sports Exerc*. 2011;43(7):1334–1359.
- Gąsior, J., Pawłowski, M., Jeleń, P., Rameckers, E., Williams, C., Makuch, R. dan Werner, B. (2020). Test–Retest Reliability of Handgrip Strength Measurement in Children and Preadolescents. *International Journal of Environmental Research and Public Health*, 17(21), p.8026. doi:10.3390/ijerph17218026.
- Giovannucci, E.L., Rezende, L.F.M. and Lee, D.H. (2021), Muscle-strengthening activities and risk of cardiovascular disease, type 2 diabetes, cancer and mortality: A review of prospective cohort studies. *J Intern Med*, 290: 789-805.
- Glass, D. J. (2005). Skeletal muscle hypertrophy and atrophy signaling pathways. *The international journal of biochemistry & cell biology*, 37(10), 1974-1984.
- Gordon BR, McDowell CP, Hallgren M, *et al*. Association of efficacy of resistance exercise training with depressive symptoms: metaanalysis and meta-regression analysis of randomized clinical trials. *JAMA Psychiatry* 2018;75:566–76
- Grgic J, Schoenfeld BJ, Davies TB, *et al*. Effect of resistance training frequency on gains in muscular strength: a systematic review and meta-analysis. *Sports Med* 2018;48:1207–20.
- Guillemin, F., Bombardier, C., & Beaton, D. (1993). Cross-cultural adaptation of health-related quality of life measures: literature review and proposed guidelines. *Journal of clinical epidemiology*, 46(12), 1417-1432.
- Haff GG, Triplett NT. Essentials of strength training and conditioning 4th edition: human kinetics. 2015.

- Hart, P. (2019). Development and Item Analysis of A Multidimensional Scale to Measure Muscle Strengthening Activity Behavior: The Muscle Strengthening Activity Scale (MSAS). *EAS Journal of Psychology and Behavioural Sciences*.
- Hendricson, W. D., Jon Russell, I., Prihoda, T. J., Jacobson, J. M., Rogan, A., Bishop, G. D., & Castillo, R. (1989). Development and initial validation of a dual-language English–Spanish format for the arthritis impact measurement scales. *Arthritis & Rheumatism: Official Journal of the American College of Rheumatology*, 32(9), 1153-1159.
- Joyner, M. J., & Coyle, E. F. (2008). Endurance exercise performance: the physiology of champions. *The Journal of physiology*, 586(1), 35-44.
- Kelley, G. A., & Kelley, K. S. (2009). Impact of progressive resistance training on lipids and lipoproteins in adults: a meta-analysis of randomized controlled trials. *Preventive medicine*, 48(1), 9-19.
- Kelly, P., Fitzsimons, C. dan Baker, G. (2016). Should we reframe how we think about physical activity and sedentary behaviour measurement? Validity and reliability reconsidered. *International Journal of Behavioral Nutrition and Physical Activity*, [online] 13(1). doi:10.1186/s12966-016-0351-4.
- Khalafi M, Malandish A, Rosenkranz SK, *et al*. Effect of resistance training with and without caloric restriction on visceral fat: a systemic review and meta-analysis. *Obes Rev* 2021;22:e13275.
- Knuttgen, H. G., & Kraemer, W. J. (1987). Terminology and measurement. *Journal of applied sport science research*, 1(1), 1-10.
- Koo, T. K., & Li, M. Y. (2016). A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research. *Journal of chiropractic medicine*, 15(2), 155–163.
- Kwan, M. Y., Faulkner, G. E., Arbour-Nicitopoulos, K. P., & Cairney, J. (2013). Prevalence of health-risk behaviours among Canadian post-secondary students: descriptive results from the National College Health Assessment. *BMC public health*, 13(1), 1-6.
- Labott, B. K., Bucht, H., Morat, M., Morat, T., & Donath, L. (2019). Effects of exercise training on handgrip strength in older adults: a meta-analytical review. *Gerontology*, 65(6), 686-698.
- Lea, J.W.D., O'Driscoll, J.M., Hulbert, S. *et al*. (2022). Convergent Validity of Ratings of Perceived Exertion During Resistance Exercise in Healthy Participants: A Systematic Review and Meta-Analysis. *Sports Med - Open* 8, 2.
- Leslie, E., Owen, N., Salmon, J., Bauman, A., Sallis, J. F., & Lo, S. K. (1999). Insufficiently active Australian college students: perceived personal, social, and environmental influences. *Preventive medicine*, 28(1), 20-27.
- Loustalot, F., Carlson, S.A., Kruger, J., Buchner, D.M. and Fulton, J.E., (2013). Muscle-strengthening activities and participation among adults in the United States. *Research quarterly for exercise and sport*, 84(1), pp.30-38.
- MacCallum, R. C., Widaman, K. F., Zhang, S., & Hong, S. (1999). Sample size in factor analysis. *Psychological methods*, 4(1), 84.

- Maguire, M. dan Delahunt, B. (2017). Doing a thematic analysis: A practical, step-by-step guide for learning and teaching scholars. *AISHE-J: The All Ireland Journal of Teaching and Learning in Higher Education*, 9(3), pp.33501–33514.
- Malterud, K., Siersma, V. D., & Guassora, A. D. (2016). Sample size in qualitative interview studies: guided by information power. *Qualitative health research*, 26(13), 1753-1760.
- Mekary, R. A., Grøntved, A., Despres, J. P., De Moura, L. P., Asgarzadeh, M., Willett, W. C., ... & Hu, F. B. (2015). Weight training, aerobic physical activities, and long-term waist circumference change in men. *Obesity*, 23(2), 461-467.
- Milton, K., Varela, A. R., Strain, T., Cavill, N., Foster, C., & Mutrie, N. (2018). A review of global surveillance on the muscle strengthening and balance elements of physical activity recommendations. *Journal of frailty, sarcopenia and falls*, 3(2), 114–124.
- Miyachi, M. (2013). Effects of resistance training on arterial stiffness: a meta-analysis. *British journal of sports medicine*, 47(6), 393-396.
- Mokkink LB, Prinsen CAC, Patrick DL, *et al.* COSMIN study design checklist for patient-reported outcome measurement instruments. COSMIN. https://www.cosmin.nl/wp-content/uploads/COSMIN-study-designing-checklist_final.pdf. Accessed July 8, 2022
- Mokkink, L.B., Terwee, C.B., Patrick, D.L., Alonso, J., Stratford, P.W., Knol, D.L., Bouter, L.M. dan de Vet, H.C. (2012). COSMIN Checklist Manual. Amsterdam: EMGO Institute for Health and Care Research.
- Momma, H., Kawakami, R., Honda, T. and Sawada, S.S. (2022). Muscle-strengthening activities are associated with lower risk and mortality in major non-communicable diseases: a systematic review and meta-analysis of cohort studies. *British Journal of Sports Medicine*, 56(13). doi:<https://doi.org/10.1136/bjsports-2021-105061>.
- Nelson, M. C., Taylor, K., & Vella, C. A. (2019). Comparison of self-reported and objectively measured sedentary behavior and physical activity in undergraduate students. *Measurement in Physical Education and Exercise Science*, 23(3), 237-248.
- Noble, H. dan Heale, R. (2019). Triangulation in research, with Examples. *Evidence Based Nursing*, [online] 22(3), pp.67–68. doi:10.1136/ebnurs-2019-103145.
- Pereira, P. E. A., Motoyama, Y. L., Esteves, G. J., Quinelato, W. C., Botter, L., Tanaka, K. H., & Azevedo, P. (2016). Resistance training with slow speed of movement is better for hypertrophy and muscle strength gains than fast speed of movement. *International journal of applied exercise physiology*, 5(2).
- Perneger, T. V., Courvoisier, D. S., Hudelson, P. M., & Gayet-Ageron, A. (2015). Sample size for pre-tests of questionnaires. *Quality of life Research*, 24, 147-151.
- Pette, D., & Staron, R. S. (2000). Myosin isoforms, muscle fiber types, and transitions. *Microscopy research and technique*, 50(6), 500-509.

- Piedmont, R.L. (2014). Criterion Validity. *Encyclopedia of Quality of Life and Well-Being Research*, [online] pp.1348–1348. doi:10.1007/978-94-007-0753-5_618.
- Piercy, K. L., Troiano, R. P., Ballard, R. M., Carlson, S. A., Fulton, J. E., Galuska, D. A., ... & Olson, R. D. (2018). The physical activity guidelines for Americans. *Jama*, 320(19), 2020-2028.
- Pollock, M. L., Gaesser, G. A., Butcher, J. D., Després, J. P., Dishman, R. K., Franklin, B. A., & Garber, C. E. (1998). ACSM position stand: the recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and muscular fitness, and flexibility in healthy adults. *Journals AZ> Medicine & Science*, 30(6).
- Reiser, P. J., Moss, R., Giulian, G. G., & Greaser, M. L. (1985). Shortening velocity in single fibers from adult rabbit soleus muscles is correlated with myosin heavy chain composition. *Journal of Biological Chemistry*, 260(16), 9077-9080.
- Robertson, R. J., Goss, F. L., Rutkowski, J., Lenz, B., Dixon, C., Timmer, J., ... & Andreacci, J. (2003). Concurrent validation of the OMNI perceived exertion scale for resistance exercise. *Medicine & Science in Sports & Exercise*, 35(2), 333-341.
- Sale, D. G. (1988). Neural adaptation to resistance training. *Medicine and science in sports and exercise*, 20(5 Suppl), S135-45.
- Schoenfeld, B. J. (2010). The mechanisms of muscle hypertrophy and their application to resistance training. *The Journal of Strength & Conditioning Research*, 24(10), 2857-2872.
- Schultz, K. S., & Whitney, D. J. (2005). *Measurement theory in action. Thousand Oaks.*
- Shakespeare-Druery, J., Cocker, K.D., Biddle, S.J.H., Gavilán-Carrera, B., Segura-Jiménez, V., Bennie, J. (2021). Assesment of muscle-strengthening exercise in public health surveillance for adults: A systematic review. *Preventive Medicine*, 148.
- Shakespeare-Druery, J., De Cocker, K., Biddle, S. J. H., & Bennie, J. (2022). Muscle-Strengthening Exercise Questionnaire (MSEQ): an assessment of concurrent validity and test-retest reliability. *BMJ open sport & exercise medicine*, 8(1), e001225.
- Shorten A, Smith J (2017). Mixed methods research: expanding the evidence base. *Evidence-Based Nursing*, 20:74-75.
- Shrout PE. Measurement reliability and agreement in psychiatry. *Stat Methods Med Res* 1998;7:301–17.
- Strasser, B., Arvandi, M., & Siebert, U. (2012). Resistance training, visceral obesity and inflammatory response: a review of the evidence. *Obesity reviews*, 13(7), 578-591.
- Subbiah, K., Rees-Punia, E., & Patel, A. V. (2021). Reliability and Validity of Self-reported Muscle-strengthening Exercise in the Cancer Prevention Study-3. *Medicine and science in sports and exercise*, 53(5), 888–893.

- Troiano RP, Stamatakis E, Bull FC. How can global physical activity surveillance adapt to evolving physical activity guidelines? Needs, challenges and future directions. *British Journal of Sports Medicine* 2020;54:1468-1473.
- Tsang, S., Royse, C. F., & Terkawi, A. S. (2017). Guidelines for developing, translating, and validating a questionnaire in perioperative and pain medicine. *Saudi journal of anaesthesia*, 11(Suppl 1), S80–S89. https://doi.org/10.4103/sja.SJA_203_17
- US Department of Health and Human Services. (2018). 2018 Physical activity guidelines advisory committee. 2018 *Physical activity guidelines advisory committee scientific report*.
- Wernbom, M., Augustsson, J., & Thomeé, R. (2007). The influence of frequency, intensity, volume and mode of strength training on whole muscle cross-sectional area in humans. *Sports medicine*, 37, 225-264.
- Wilkinson, S. B., Phillips, S. M., Atherton, P. J., Patel, R., Yarasheski, K. E., Tarnopolsky, M. A., & Rennie, M. J. (2008). Differential effects of resistance and endurance exercise in the fed state on signalling molecule phosphorylation and protein synthesis in human muscle. *The journal of physiology*, 586(15), 3701-3717.
- Winpenny, E. M., Smith, M., Penney, T., Foubister, C., Guagliano, J. M., Love, R., ... & Corder, K. (2020). Changes in physical activity, diet, and body weight across the education and employment transitions of early adulthood: A systematic review and meta-analysis. *Obesity Reviews*, 21(4), e12962
- World Health Organization. Global status report on noncommunicable diseases 2014. Geneva, Switzerland. 2014
- Yore, M. M., Ham, S. A., Ainsworth, B. E., Kruger, J., Reis, J. P., Kohl 3rd, H. W., & Macera, C. A. (2007). Reliability and validity of the instrument used in BRFSS to assess physical activity. *Medicine and science in sports and exercise*, 39(8), 1267-1274.
- Zhao, R., Zhao, M., & Xu, Z. (2015). The effects of differing resistance training modes on the preservation of bone mineral density in postmenopausal women: a meta-analysis. *Osteoporosis international*, 26, 1605-16.