

## DAFTAR PUSTAKA

- Alavi, M., Visentin, D. C., Thapa, D. K., Hunt, G. E., Watson, R., & Cleary, M. (2020). Exploratory factor analysis and principal component analysis in clinical studies: Which one should you use? *Journal of Advanced Nursing*, jan.14377. <https://doi.org/10.1111/jan.14377>
- Albusoul, R. M., Berger, A. M., Gay, C. L., Janson, S. L., & Lee, K. A. (2017). Symptom Clusters Change Over Time in Women Receiving Adjuvant Chemotherapy for Breast Cancer. *Journal of Pain and Symptom Management*, 53(5), 880–886. <https://doi.org/10.1016/j.jpainsymman.2016.12.332>
- Ameri, A., Rahnama, N., Talebi, F., Sourati, A., & Taghizadeh-Hesary, F. (2023). An evaluation of cancer aging research group (CARG) score to predict chemotherapy toxicity in older Iranian patients with cancer. *Oncologie*, 25(3), 223–232. <https://doi.org/10.1515/oncologie-2023-0096>
- Arbuckle, R. B., Huber, S. L., & Zacker, C. (2000). The Consequences of Diarrhea Occurring During Chemotherapy for Colorectal Cancer: A Retrospective Study. *The Oncologist*, 5(3), 250–259. <https://doi.org/10.1634/theoncologist.5-3-250>
- Arifin W. N. (2017, October 1). *Exploratory factor analysis and Cronbach's alpha*.
- Atkinson, T. M., Li, Y., Coffey, C. W., Sit, L., Shaw, M., Lavene, D., Bennett, A. V., Fruscione, M., Rogak, L., Hay, J., Gönen, M., Schrag, D., & Basch, E. (2012). Reliability of adverse symptom event reporting by clinicians. *Quality of Life Research*, 21(7), 1159–1164. <https://doi.org/10.1007/s11136-011-0031-4>
- Azim, H. A., de Azambuja, E., Colozza, M., Bines, J., & Piccart, M. J. (2011). Long-term toxic effects of adjuvant chemotherapy in breast cancer. *Annals of Oncology*, 22(9), 1939–1947. <https://doi.org/10.1093/annonc/mdq683>
- Bandalos, D. L., & Boehm-Kaufman, M. R. (2009). Four common misconceptions in exploratory factor analysis. In C. E. Lance & R. J. Vandenberg (Eds.),

*Statistical and methodological myths and urban legends: Doctrine, verity and fable in the organizational and social sciences* (pp. 61–87). Routledge/Taylor & Francis Group.

- Barlow, L. A. (2022). The sense of taste: Development, regeneration, and dysfunction. *WIREs Mechanisms of Disease*, 14(3). <https://doi.org/10.1002/wsbm.1547>
- Basch, E., Deal, A. M., Dueck, A. C., Scher, H. I., Kris, M. G., Hudis, C., & Schrag, D. (2017). Overall Survival Results of a Trial Assessing Patient-Reported Outcomes for Symptom Monitoring During Routine Cancer Treatment. *JAMA*, 318(2), 197. <https://doi.org/10.1001/jama.2017.7156>
- Basch, E., Deal, A. M., Kris, M. G., Scher, H. I., Hudis, C. A., Sabbatini, P., Rogak, L., Bennett, A. V., Dueck, A. C., Atkinson, T. M., Chou, J. F., Dulko, D., Sit, L., Barz, A., Novotny, P., Fruscione, M., Sloan, J. A., & Schrag, D. (2016). Symptom Monitoring With Patient-Reported Outcomes During Routine Cancer Treatment: A Randomized Controlled Trial. *Journal of Clinical Oncology*, 34(6), 557–565. <https://doi.org/10.1200/JCO.2015.63.0830>
- Basch, E., Reeve, B. B., Mitchell, S. A., Clauser, S. B., Minasian, L. M., Dueck, A. C., Mendoza, T. R., Hay, J., Atkinson, T. M., Abernethy, A. P., Bruner, D. W., Cleeland, C. S., Sloan, J. A., Chilukuri, R., Baumgartner, P., Denicoff, A., St. Germain, D., O'Mara, A. M., Chen, A., ... Schrag, D. (2014). Development of the National Cancer Institute's Patient-Reported Outcomes Version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). *JNCI Journal of the National Cancer Institute*, 106(9), dju244–dju244. <https://doi.org/10.1093/jnci/dju244>
- Behranvand, N., Nasri, F., Zolfaghari Enameh, R., Khani, P., Hosseini, A., Garssen, J., & Falak, R. (2022). Chemotherapy: a double-edged sword in cancer treatment. *Cancer Immunology, Immunotherapy*, 71(3), 507–526. <https://doi.org/10.1007/s00262-021-03013-3>

- Bent, S., Padula, A., & Avins, A. L. (2006). Brief communication: Better ways to question patients about adverse medical events: a randomized, controlled trial. *Annals of Internal Medicine*, *144*(4), 257–261. <https://doi.org/10.7326/0003-4819-144-4-200602210-00007>
- Berry, D. A., Cirrincione, C., Henderson, I. C., Citron, M. L., Budman, D. R., Goldstein, L. J., Martino, S., Perez, E. A., Muss, H. B., Norton, L., Hudis, C., & Winer, E. P. (2006). Estrogen-Receptor Status and Outcomes of Modern Chemotherapy for Patients With Node-Positive Breast Cancer. *JAMA*, *295*(14), 1658. <https://doi.org/10.1001/jama.295.14.1658>
- Bhatnagar, B., Gilmore, S., Goloubeva, O., Pelsler, C., Medeiros, M., Chumsri, S., Tkaczuk, K., Edelman, M., & Bao, T. (2014). Chemotherapy dose reduction due to chemotherapy induced peripheral neuropathy in breast cancer patients receiving chemotherapy in the neoadjuvant or adjuvant settings: a single-center experience. *SpringerPlus*, *3*(1), 366. <https://doi.org/10.1186/2193-1801-3-366>
- Bianchi, M. E. (2007). DAMPs, PAMPs and alarmins: all we need to know about danger. *Journal of Leukocyte Biology*, *81*(1), 1–5. <https://doi.org/10.1189/jlb.0306164>
- Bower, J. E. (2014). Cancer-related fatigue—mechanisms, risk factors, and treatments. *Nature Reviews Clinical Oncology*, *11*(10), 597–609. <https://doi.org/10.1038/nrclinonc.2014.127>
- Bower, J. E., Bak, K., Berger, A., Breitbart, W., Escalante, C. P., Ganz, P. A., Schnipper, H. H., Lacchetti, C., Ligibel, J. A., Lyman, G. H., Ogaily, M. S., Pirl, W. F., & Jacobsen, P. B. (2014). Screening, Assessment, and Management of Fatigue in Adult Survivors of Cancer: An American Society of Clinical Oncology Clinical Practice Guideline Adaptation. *Journal of Clinical Oncology*, *32*(17), 1840–1850. <https://doi.org/10.1200/JCO.2013.53.4495>

- Brown T. A. (2015). *Confirmatory factor analysis for applied research*. Guilford publications.
- Cardoso, F., Kyriakides, S., Ohno, S., Penault-Llorca, F., Poortmans, P., Rubio, I. T., Zackrisson, S., & Senkus, E. (2019). Early breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Annals of Oncology*, *30*(8), 1194–1220. <https://doi.org/10.1093/annonc/mdz173>
- Chang VT, Hwang SS, Feuerman M, & Kasimis BS. (2000). Symptom and quality of life survey of medical oncology patients at a veterans affairs medical center: a role for symptom assessment. *Cancer*, *5*(88), 1175–1183.
- Charalambous, A., Giannakopoulou, M., Bozas, E., Marcou, Y., Kitsios, P., & Paikousis, L. (2016). Guided imagery and progressive muscle relaxation as a cluster of symptoms management intervention in patients receiving chemotherapy: A randomized control trial. *PLoS ONE*, *11*(6). <https://doi.org/10.1371/journal.pone.0156911>
- Chen, S. C., Yeh, M. L., Chang, H. J., & Lin, M. F. (2020). Music, heart rate variability, and symptom clusters: a comparative study. *Supportive Care in Cancer*, *28*(1), 351–360. <https://doi.org/10.1007/s00520-019-04817-x>
- Chon, S. Y., Champion, R. W., Geddes, E. R., & Rashid, R. M. (2012). Chemotherapy-induced alopecia. *Journal of the American Academy of Dermatology*, *67*(1), e37-47. <https://doi.org/10.1016/j.jaad.2011.02.026>
- Cogan, J. C., Raghunathan, R. R., Beauchemin, M. P., Accordino, M. K., Huang, Y., Elkin, E. B., Melamed, A., Wright, J. D., & Hershman, D. L. (2022). New and Persistent Sedative-Hypnotic Use After Adjuvant Chemotherapy for Breast Cancer. *JNCI: Journal of the National Cancer Institute*, *114*(12), 1698–1705. <https://doi.org/10.1093/jnci/djac170>
- Cohen J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). New York: Academic.

- Costa, R., Passos, G. F., Quintão, N. L. M., Fernandes, E. S., Maia, J. R. L. C. B., Campos, M. M., & Calixto, J. B. (2020). Taxane-induced neurotoxicity: Pathophysiology and therapeutic perspectives. *British Journal of Pharmacology*, *177*(14), 3127–3146. <https://doi.org/10.1111/bph.15086>
- De Cicco, P., Catani, M. V., Gasperi, V., Sibilano, M., Quaglietta, M., & Savini, I. (2019). Nutrition and Breast Cancer: A Literature Review on Prevention, Treatment and Recurrence. *Nutrients*, *11*(7). <https://doi.org/10.3390/nu11071514>
- De Vet, H., Terwee, C., Mokkink, L., & Knol DL. (2011). *Measurement in medicine: a practical guide*. Cambridge university press.
- Dekkers, O. M., Elm, E. v., Algra, A., Romijn, J. A., & Vandenbroucke, J. P. (2010). How to assess the external validity of therapeutic trials: a conceptual approach. *International Journal of Epidemiology*, *39*(1), 89–94. <https://doi.org/10.1093/ije/dyp174>
- Denda, Y., Niikura, N., Satoh-Kuriwada, S., Yokoyama, K., Terao, M., Morioka, T., Tsuda, B., Okamura, T., Ota, Y., Tokuda, Y., Sasano, T., & Shoji, N. (2020). Taste alterations in patients with breast cancer following chemotherapy: a cohort study. *Breast Cancer (Tokyo, Japan)*, *27*(5), 954–962. <https://doi.org/10.1007/s12282-020-01089-w>
- Denduluri, N., Patt, D. A., Wang, Y., Bhor, M., Li, X., Favret, A. M., Morrow, P. K., Barron, R. L., Asmar, L., Saravanan, S., Li, Y., Garcia, J., & Lyman, G. H. (2015). Dose Delays, Dose Reductions, and Relative Dose Intensity in Patients With Cancer Who Received Adjuvant or Neoadjuvant Chemotherapy in Community Oncology Practices. *Journal of the National Comprehensive Cancer Network : JNCCN*, *13*(11), 1383–1393. <https://doi.org/10.6004/jnccn.2015.0166>
- Denis, F., Basch, E., Septans, A.-L., Bennouna, J., Urban, T., Dueck, A. C., & Letellier, C. (2019). Two-Year Survival Comparing Web-Based Symptom

Monitoring vs Routine Surveillance Following Treatment for Lung Cancer.  
*JAMA*, 321(3), 306. <https://doi.org/10.1001/jama.2018.18085>

DeVellis, R. F., & Thorpe, C. T. (2021). *Scale development: Theory and applications*. Sage publications.

Devlin, E. J., Denson, L. A., & Whitford, H. S. (2017). Cancer Treatment Side Effects: A Meta-analysis of the Relationship Between Response Expectancies and Experience. *Journal of Pain and Symptom Management*, 54(2), 245-258.e2. <https://doi.org/10.1016/j.jpainsymman.2017.03.017>

Di Maio, M., Basch, E., Bryce, J., & Perrone, F. (2016). Patient-reported outcomes in the evaluation of toxicity of anticancer treatments. *Nature Reviews Clinical Oncology*, 13(5), 319–325. <https://doi.org/10.1038/nrclinonc.2015.222>

Duman, R. S., & Monteggia, L. M. (2006). A Neurotrophic Model for Stress-Related Mood Disorders. *Biological Psychiatry*, 59(12), 1116–1127. <https://doi.org/10.1016/j.biopsych.2006.02.013>

Early Breast Cancer Trialists' Collaborative Group. (2019). Increasing the dose intensity of chemotherapy by more frequent administration or sequential scheduling: a patient-level meta-analysis of 37 298 women with early breast cancer in 26 randomised trials. *Lancet (London, England)*, 393(10179), 1440–1452. [https://doi.org/10.1016/S0140-6736\(18\)33137-4](https://doi.org/10.1016/S0140-6736(18)33137-4)

Eckhoff, L., Feddersen, S., Knoop, A. S., Ewertz, M., & Bergmann, T. K. (2015). Docetaxel-induced neuropathy: a pharmacogenetic case-control study of 150 women with early-stage breast cancer. *Acta Oncologica (Stockholm, Sweden)*, 54(4), 530–537. <https://doi.org/10.3109/0284186X.2014.969846>

Efficace, F., Jacobs, M., Pusic, A., Greimel, E., Piciocchi, A., Kieffer, J. M., Gilbert, A., Fayers, P., & Blazeby, J. (2014). Patient-reported outcomes in randomised controlled trials of gynaecological cancers: Investigating methodological quality and impact on clinical decision-making. *European*

*Journal of Cancer*, 50(11), 1925–1941.  
<https://doi.org/10.1016/j.ejca.2014.04.005>

European Medicines Agency (EMA). (2012). *Guideline on the evaluation of anticancer medicinal products in man*.  
[http://www.ema.europa.eu/docs/en\\_GB/document\\_library/Scientific\\_guideline/2013/01/WC500137128.pdf](http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2013/01/WC500137128.pdf)

Ezeoke, C. C., & Morley, J. E. (2015). Pathophysiology of anorexia in the cancer cachexia syndrome. *Journal of Cachexia, Sarcopenia and Muscle*, 6(4), 287–302. <https://doi.org/10.1002/jcsm.12059>

Fabrigar, L. R., Wegener, D. T., MacCallum, R. C., & Strahan, E. J. (1999). Evaluating the use of exploratory factor analysis in psychological research. *Psychological Methods*, 4(3), 272–299. <https://doi.org/10.1037/1082-989X.4.3.272>

Fabrigar LR, & Wegener DT. (2011). *Exploratory factor analysis*. Oxford University Press.

Falleti, M. G., Sanfilippo, A., Maruff, P., Weih, L., & Phillips, K.-A. (2005). The nature and severity of cognitive impairment associated with adjuvant chemotherapy in women with breast cancer: a meta-analysis of the current literature. *Brain and Cognition*, 59(1), 60–70. <https://doi.org/10.1016/j.bandc.2005.05.001>

Feliu, J., Jiménez-Munárriz, B., Basterretxea, L., Paredero, I., Llabrés, E., Antonio-Rebollo, M., Losada, B., Espinosa, E., Gironés, R., Custodio, A. B., Del Mar Muñoz, M., Díaz-Almirón, M., Gómez-Mediavilla, J., Pinto, A., Torregrosa, M.-D., Soler, G., Cruz, P., Higuera, O., & Molina-Garrido, M. J. (2020). Predicting Chemotherapy Toxicity in Older Patients with Cancer: A Multicenter Prospective Study. *The Oncologist*, 25(10), e1516–e1524. <https://doi.org/10.1634/theoncologist.2019-0701>

- Ferlay J, Ervik M, Lam F, Colombet M, Mery L, Piñeros M, Znaor A, Soerjomataram I, & Bray F. (2020). *Global Cancer Observatory: Cancer Today*. Lyon, France: International Agency for Research on Cancer.
- Fortner, B. V., Schwartzberg, L., Tauer, K., Houts, A. C., Hackett, J., & Stolshek, B. S. (2005). Impact of chemotherapy-induced neutropenia on quality of life: A prospective pilot investigation. *Supportive Care in Cancer*, *13*(7), 522–528. <https://doi.org/10.1007/s00520-004-0757-4>
- Fu, O. S., Crew, K. D., Jacobson, J. S., Greenlee, H., Yu, G., Campbell, J., Ortiz, Y., & Hershman, D. L. (2009). Ethnicity and persistent symptom burden in breast cancer survivors. *Journal of Cancer Survivorship*, *3*(4), 241–250. <https://doi.org/10.1007/s11764-009-0100-7>
- Gajra, A., Klepin, H. D., Feng, T., Tew, W. P., Mohile, S. G., Owusu, C., Gross, C. P., Lichtman, S. M., Wildes, T. M., Chapman, A. E., Dotan, E., Katheria, V., Zavala, L., Akiba, C., Hurria, A., & Cancer and Aging Research Group (CARG). (2015). Predictors of chemotherapy dose reduction at first cycle in patients age 65 years and older with solid tumors. *Journal of Geriatric Oncology*, *6*(2), 133–140. <https://doi.org/10.1016/j.jgo.2014.12.002>
- Gamper, E.-M., Zabernigg, A., Wintner, L. M., Giesinger, J. M., Oberguggenberger, A., Kemmler, G., Sperner-Unterweger, B., & Holzner, B. (2012). Coming to Your Senses: Detecting Taste and Smell Alterations in Chemotherapy Patients. A Systematic Review. *Journal of Pain and Symptom Management*, *44*(6), 880–895. <https://doi.org/10.1016/j.jpainsymman.2011.11.011>
- Giuliano, A. E., Connolly, J. L., Edge, S. B., Mittendorf, E. A., Rugo, H. S., Solin, L. J., Weaver, D. L., Winchester, D. J., & Hortobagyi, G. N. (2017). Breast Cancer-Major changes in the American Joint Committee on Cancer eighth edition cancer staging manual. *CA: A Cancer Journal for Clinicians*, *67*(4), 290–303. <https://doi.org/10.3322/caac.21393>

- Given, B. A., Given, C. W., Jeon, S., & Sikorskii, A. (2005). Effect of neutropenia on the impact of a cognitive-behavioral intervention for symptom management. *Cancer*, *104*(4), 869–878. <https://doi.org/10.1002/cncr.21240>
- Greenhalgh, J. (2009). The applications of PROs in clinical practice: what are they, do they work, and why? *Quality of Life Research*, *18*(1), 115–123. <https://doi.org/10.1007/s11136-008-9430-6>
- Gutstein, H. B. (2001). The biologic basis of fatigue. *Cancer*, *92*(6 Suppl), 1678–1683. [https://doi.org/10.1002/1097-0142\(20010915\)92:6+<1678::aid-cncr1496>3.0.co;2-r](https://doi.org/10.1002/1097-0142(20010915)92:6+<1678::aid-cncr1496>3.0.co;2-r)
- Hackett C, Kramer S, Marshall J, Shi AF, & Fahmi D. (2018). *The Age Gap in Religion Around The World* (Vol. 13). [www.pewresearch.org](http://www.pewresearch.org).
- Hair, J. F. , Jr., Black, W. C., Babin, B. J., & Anderson, R. E. (2009). *Multivariate data analysis* (7th ed.). Upper Saddle River, NJ: Pearson Prentice Hall.
- Harris, C. S., Kober, K. M., Cooper, B., Conley, Y. P., Dhruva, A. A., Hammer, M. J., Paul, S., Levine, J. D., & Miaskowski, C. A. (2022). Symptom clusters in outpatients with cancer using different dimensions of the symptom experience. *Supportive Care in Cancer : Official Journal of the Multinational Association of Supportive Care in Cancer*, *30*(8), 6889–6899. <https://doi.org/10.1007/s00520-022-07125-z>
- He, X., Ng, M. S. N., Choi, K. C., & So, W. K. W. (2022). Effects of a 16-week dance intervention on the symptom cluster of fatigue-sleep disturbance-depression and quality of life among patients with breast cancer undergoing adjuvant chemotherapy: A randomized controlled trial. *International Journal of Nursing Studies*, *133*. <https://doi.org/10.1016/j.ijnurstu.2022.104317>
- Hesketh, P. J. (2008). Chemotherapy-Induced Nausea and Vomiting. *New England Journal of Medicine*, *358*(23), 2482–2494. <https://doi.org/10.1056/NEJMra0706547>

- Hofman, M., Morrow, G. R., Roscoe, J. A., Hickok, J. T., Mustian, K. M., Moore, D. F., Wade, J. L., & Fitch, T. R. (2004). Cancer patients' expectations of experiencing treatment-related side effects. *Cancer*, *101*(4), 851–857. <https://doi.org/10.1002/cncr.20423>
- Holsboer, F., & Ising, M. (2008). Central CRH system in depression and anxiety — Evidence from clinical studies with CRH1 receptor antagonists. *European Journal of Pharmacology*, *583*(2–3), 350–357. <https://doi.org/10.1016/j.ejphar.2007.12.032>
- Howard, M. C. (2016). A Review of Exploratory Factor Analysis Decisions and Overview of Current Practices: What We Are Doing and How Can We Improve? *International Journal of Human-Computer Interaction*, *32*(1), 51–62. <https://doi.org/10.1080/10447318.2015.1087664>
- Hsu, T., Chen, R., Lin, S. C. X., Djalalov, S., Horgan, A., Le, L. W., & Leighl, N. (2015). Pilot of three objective markers of physical health and chemotherapy toxicity in older adults. *Current Oncology (Toronto, Ont.)*, *22*(6), 385–391. <https://doi.org/10.3747/co.22.2623>
- Hurria, A., Wong, F. L., Villaluna, D., Bhatia, S., Chung, C. T., Mortimer, J., Hurvitz, S., & Naeim, A. (2008). Role of age and health in treatment recommendations for older adults with breast cancer: the perspective of oncologists and primary care providers. *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*, *26*(33), 5386–5392. <https://doi.org/10.1200/JCO.2008.17.6891>
- Hwang, S. Y., Chang, S. J., & Park, B.-W. (2013). Does chemotherapy really affect the quality of life of women with breast cancer? *Journal of Breast Cancer*, *16*(2), 229–235. <https://doi.org/10.4048/jbc.2013.16.2.229>
- Joe BN, Burstein HJ, & Vora SR. (2019). *Clinical features, diagnosis, and staging of newly diagnosed breast cancer*. Waltham, MA: UpToDate.

- Kanti, V., Nuwayhid, R., Lindner, J., Hillmann, K., Stroux, A., Bangemann, N., Kleine-Tebbe, A., Blume-Peytavi, U., & Garcia Bartels, N. (2014). Analysis of quantitative changes in hair growth during treatment with chemotherapy or tamoxifen in patients with breast cancer: a cohort study. *The British Journal of Dermatology*, *170*(3), 643–650. <https://doi.org/10.1111/bjd.12716>
- Karim, M. O., Khan, K. A., Khan, A. J., Javed, A., Fazid, S., & Aslam, M. I. (2020). Triple Assessment of Breast Lump: Should We Perform Core Biopsy for Every Patient? *Cureus*, *12*(3), e7479. <https://doi.org/10.7759/cureus.7479>
- Kim, H.-J., & Abraham, I. L. (2008). Statistical Approaches to Modeling Symptom Clusters in Cancer Patients. *Cancer Nursing*, *31*(5), E1–E10. <https://doi.org/10.1097/01.NCC.0000305757.58615.c8>
- Kim, H.-J., McGuire, D. B., Tulman, L., & Barsevick, A. M. (2005). Symptom clusters: concept analysis and clinical implications for cancer nursing. *Cancer Nursing*, *28*(4), 270–282; quiz 283–284. <https://doi.org/10.1097/00002820-200507000-00005>
- Kinjo, T., Kanda, K., & Fujimoto, K. (2021). Effects of a self-monitoring intervention in breast cancer patients suffering from taste alterations induced by chemotherapy: A randomized, parallel-group controlled trial. *European Journal of Oncology Nursing: The Official Journal of European Oncology Nursing Society*, *52*, 101956. <https://doi.org/10.1016/j.ejon.2021.101956>
- Kirsch, I. (1985). Response expectancy as a determinant of experience and behavior. *American Psychologist*, *40*(11), 1189–1202. <https://doi.org/10.1037/0003-066X.40.11.1189>
- Kirsch, I., & Lynn, S. J. (1999). Automaticity in clinical psychology. *American Psychologist*, *54*(7), 504–515. <https://doi.org/10.1037/0003-066X.54.7.504>
- Kirsch, I., & Weixel, L. J. (1988). Double-blind versus deceptive administration of a placebo. *Behavioral Neuroscience*, *102*(2), 319–323. <https://doi.org/10.1037/0735-7044.102.2.319>

- Kornblith, A. B., Kemeny, M., Peterson, B. L., Wheeler, J., Crawford, J., Bartlett, N., Fleming, G., Graziano, S., Muss, H., Cohen, H. J., & Cancer and Leukemia Group B. (2002). Survey of oncologists' perceptions of barriers to accrual of older patients with breast carcinoma to clinical trials. *Cancer*, *95*(5), 989–996. <https://doi.org/10.1002/cncr.10792>
- Kwekkeboom, K. L., Abbott-Anderson, K., Cherwin, C., Roiland, R., Serlin, R. C., & Ward, S. E. (2012). Pilot Randomized Controlled Trial of a Patient-Controlled Cognitive-Behavioral Intervention for the Pain, Fatigue, and Sleep Disturbance Symptom Cluster in Cancer. *Journal of Pain and Symptom Management*, *44*(6), 810–822. <https://doi.org/10.1016/j.jpainsymman.2011.12.281>
- Kwekkeboom, Zhang, Y., Campbell, T., Coe, C. L., Costanzo, E., Serlin, R. C., & Ward, S. (2018). Randomized controlled trial of a brief cognitive-behavioral strategies intervention for the pain, fatigue, and sleep disturbance symptom cluster in advanced cancer. *Psycho-Oncology*, *27*(12), 2761–2769.
- Lakhani SR, Ellis IO, Schnitt SJ, Tan PH, & van de Vijver MJ. (2012). *WHO Classification of Tumours of the Breast* (4th ed.). IARC Press.
- Lee, L., Cheung, W. Y., Atkinson, E., & Krzyzanowska, M. K. (2011). Impact of comorbidity on chemotherapy use and outcomes in solid tumors: a systematic review. *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*, *29*(1), 106–117. <https://doi.org/10.1200/JCO.2010.31.3049>
- Lichtman, S. M., & Skirvin, J. A. (2000). Pharmacology of antineoplastic agents in older cancer patients. *Oncology (Williston Park, N.Y.)*, *14*(12), 1743–1755; discussion 1755, passim.
- Liu, X. (2012). Classification accuracy and cut point selection. *Statistics in Medicine*, *31*(23), 2676–2686. <https://doi.org/10.1002/sim.4509>

- Lohrisch, C., Paltiel, C., Gelmon, K., Speers, C., Taylor, S., Barnett, J., & Olivotto, I. A. (2006). Impact on Survival of Time From Definitive Surgery to Initiation of Adjuvant Chemotherapy for Early-Stage Breast Cancer. *Journal of Clinical Oncology*, 24(30), 4888–4894. <https://doi.org/10.1200/JCO.2005.01.6089>
- Loprinzi, C. L., Reeves, B. N., Dakhil, S. R., Sloan, J. A., Wolf, S. L., Burger, K. N., Kamal, A., Le-Lindqwister, N. A., Soori, G. S., Jaslowski, A. J., Novotny, P. J., & Lachance, D. H. (2011). Natural History of Paclitaxel-Associated Acute Pain Syndrome: Prospective Cohort Study NCCTG N08C1. *Journal of Clinical Oncology*, 29(11), 1472–1478. <https://doi.org/10.1200/JCO.2010.33.0308>
- Łukasiewicz, S., Czezelewski, M., Forma, A., Baj, J., Sitarz, R., & Stanisławek, A. (2021). Breast Cancer—Epidemiology, Risk Factors, Classification, Prognostic Markers, and Current Treatment Strategies—An Updated Review. *Cancers*, 13(17), 4287. <https://doi.org/10.3390/cancers13174287>
- Lwanga SK, & Lemeshow S. (1991). *Sample size determination in health studies: a practical manual*. World Health Organization.
- Ma-Kellams, C. (2014). Cross-cultural differences in somatic awareness and interoceptive accuracy: A review of the literature and directions for future research. In *Frontiers in Psychology* (Vol. 5, Issue DEC). Frontiers Media S.A. <https://doi.org/10.3389/fpsyg.2014.01379>
- Mavroudis, D., Matikas, A., Malamos, N., Papakotoulas, P., Kakolyris, S., Boukovinas, I., Athanasiadis, A., Kentepozidis, N., Ziras, N., Katsaounis, P., Saloustros, E., Georgoulas, V., & Breast Cancer Investigators of the Hellenic Oncology Research Group (HORG), A. G. (2016). Dose-dense FEC followed by docetaxel versus docetaxel plus cyclophosphamide as adjuvant chemotherapy in women with HER2-negative, axillary lymph node-positive early breast cancer: a multicenter randomized study by the Hellenic Oncology Research Group (HORG). *Annals of Oncology: Official Journal of the*

*European Society for Medical Oncology*, 27(10), 1873–1878.  
<https://doi.org/10.1093/annonc/mdw274>

McQuade, R. M., Stojanovska, V., Abalo, R., Bornstein, J. C., & Nurgali, K. (2016). Chemotherapy-Induced Constipation and Diarrhea: Pathophysiology, Current and Emerging Treatments. *Frontiers in Pharmacology*, 7, 414.  
<https://doi.org/10.3389/fphar.2016.00414>

Miller, M., Kwekkeboom, K., & Cherwin, C. (2022). The role of spirituality in symptom experiences among adults with cancer. *Supportive Care in Cancer*, 30(1), 49–57. <https://doi.org/10.1007/s00520-021-06399-z>

Modesitt, S. C., Tian, C., Kryscio, R., Thigpen, J. T., Randall, M. E., Gallion, H. H., Fleming, G. F., & Gynecologic Oncology Group. (2007). Impact of body mass index on treatment outcomes in endometrial cancer patients receiving doxorubicin and cisplatin: a Gynecologic Oncology Group study. *Gynecologic Oncology*, 105(1), 59–65. <https://doi.org/10.1016/j.ygyno.2006.10.045>

Muthen, B. O. (1989). Dichotomous Factor Analysis of Symptom Data. *Sociological Methods & Research*, 18, 19–65.

Naito, Y., Kai, Y., Ishikawa, T., Fujita, T., Uehara, K., Doihara, H., Tokunaga, S., Shimokawa, M., Ito, Y., & Saeki, T. (2020). Chemotherapy-induced nausea and vomiting in patients with breast cancer: a prospective cohort study. *Breast Cancer (Tokyo, Japan)*, 27(1), 122–128. <https://doi.org/10.1007/s12282-019-01001-1>

National Cancer Institute. (2010, May 28). *Common Terminology Criteria for Adverse Events (CTCAE) Version 4.0*. U.S. Department of Health and Human Services, National Institutes of Health.

National Cancer Institute. (2017). *Patient-reported outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE)*. [healthcaredelivery.cancer.gov/pro-ctcae](http://healthcaredelivery.cancer.gov/pro-ctcae)

- Neganova, M., Semakov, A., Aleksandrova, Y., Yandulova, E., Pukhov, S., Anikina, L., & Klochkov, S. (2021). N-Alkylation of Anthracycline Antibiotics by Natural Sesquiterpene Lactones as a Way to Obtain Antitumor Agents with Reduced Side Effects. *Biomedicines*, 9(5), 547. <https://doi.org/10.3390/biomedicines9050547>
- Nielson, C. M., Bylsma, L. C., Fryzek, J. P., Saad, H. A., & Crawford, J. (2021a). Relative Dose Intensity of Chemotherapy and Survival in Patients with Advanced Stage Solid Tumor Cancer: A Systematic Review and Meta-Analysis. *The Oncologist*, 26(9), e1609–e1618. <https://doi.org/10.1002/onco.13822>
- Nielson, C. M., Bylsma, L. C., Fryzek, J. P., Saad, H. A., & Crawford, J. (2021b). Relative Dose Intensity of Chemotherapy and Survival in Patients with Advanced Stage Solid Tumor Cancer: A Systematic Review and Meta-Analysis. *The Oncologist*, 26(9), 1609–1618. <https://doi.org/10.1002/onco.13822>
- Nurgali, K., Jagoe, R. T., & Abalo, R. (2018). Editorial: Adverse Effects of Cancer Chemotherapy: Anything New to Improve Tolerance and Reduce Sequelae? *Frontiers in Pharmacology*, 9. <https://doi.org/10.3389/fphar.2018.00245>
- Nyrop, K. A., Deal, A. M., Reeve, B. B., Basch, E., Chen, Y. T., Park, J. H., Shachar, S. S., Carey, L. A., Reeder-Hayes, K. E., Dees, E. C., Jolly, T. A., Kimmick, G. G., Karuturi, M. S., Reinbolt, R. E., Specia, J. C., Lee, J. T., Wood, W. A., & Muss, H. B. (2020). Congruence of patient- and clinician-reported toxicity in women receiving chemotherapy for early breast cancer. *Cancer*, 126(13), 3084–3093. <https://doi.org/10.1002/cncr.32898>
- Nyrop, K. A., Deal, A. M., Shachar, S. S., Basch, E., Reeve, B. B., Choi, S. K., Lee, J. T., Wood, W. A., Anders, C. K., Carey, L. A., Dees, E. C., Jolly, T. A., Reeder-Hayes, K. E., Kimmick, G. G., Karuturi, M. S., Reinbolt, R. E., Specia, J. C., & Muss, H. B. (2019). Patient-Reported Toxicities During Chemotherapy Regimens in Current Clinical Practice for Early Breast Cancer.

*The Oncologist*, 24(6), 762–771. <https://doi.org/10.1634/theoncologist.2018-0590>

O'Donnell, P. H., & Dolan, M. E. (2009). Cancer Pharmacoethnicity: Ethnic Differences in Susceptibility to the Effects of Chemotherapy. *Clinical Cancer Research*, 15(15), 4806–4814. <https://doi.org/10.1158/1078-0432.CCR-09-0344>

Pearce, A., Haas, M., Viney, R., Pearson, S.-A., Haywood, P., Brown, C., & Ward, R. (2017). Incidence and severity of self-reported chemotherapy side effects in routine care: A prospective cohort study. *PLOS ONE*, 12(10), e0184360. <https://doi.org/10.1371/journal.pone.0184360>

Peterson, R. A. (2000). A Meta-Analysis of Variance Accounted for and Factor Loadings in Exploratory Factor Analysis. *Marketing Letters*, 11(3), 261–275. <https://doi.org/10.1023/A:1008191211004>

Pettersson, E., & Turkheimer, E. (2010). Item selection, evaluation, and simple structure in personality data. *Journal of Research in Personality*, 44(4), 407–420. <https://doi.org/10.1016/j.jrp.2010.03.002>

Phligbua W, Pongthavornkamol K, Knobf T, Junda T, Viwatwongkasem C, & Srimuninnimit V. (2013). Symptom clusters and quality of life in women with breast cancer receiving adjuvant chemotherapy. *Pacific Rim International Journal of Nursing Research*, 17(3), 249–267.

Pitrou I, Boutron I, Ahmad N, & Ravaud P. (2009). Reporting of Safety Results in Published Reports of Randomized Controlled Trials. *Archives of Internal Medicine*, 169(19), 1756. <https://doi.org/10.1001/archinternmed.2009.306>

Prabandari, Y. S., Hartanti, W., Syafriani, Widiastuti, M., Witaningrum, R., Hutajulu, S. H., & Allsop, M. J. (2022). “Alas ... my sickness becomes my family’s burden”: A nested qualitative study on the experience of advanced breast cancer patients across the disease trajectory in Indonesia. *The Breast*, 63, 168–176. <https://doi.org/10.1016/j.breast.2022.04.001>

- Raison, C. L., Capuron, L., & Miller, A. H. (2006). Cytokines sing the blues: inflammation and the pathogenesis of depression. *Trends in Immunology*, 27(1), 24–31. <https://doi.org/10.1016/j.it.2005.11.006>
- Rashid, O. M., & Takabe, K. (2014). Does Removal of the Primary Tumor in Metastatic Breast Cancer Improve Survival? *Journal of Women's Health*, 23(2), 184–188. <https://doi.org/10.1089/jwh.2013.4517>
- Romadhon, Y. (2020). Analisis Fenomenologik Narasi Stres Pada Wanita Jawa Muslim. *In Prosiding: University Research Colloquium*, 382–390.
- Roscoe, J. A., Bushunow, P., Morrow, G. R., Hickok, J. T., Kuebler, P. J., Jacobs, A., & Banerjee, T. K. (2004). Patient expectation is a strong predictor of severe nausea after chemotherapy. *Cancer*, 101(11), 2701–2708. <https://doi.org/10.1002/cncr.20718>
- Ruopp, M. D., Perkins, N. J., Whitcomb, B. W., & Schisterman, E. F. (2008). Youden Index and optimal cut-point estimated from observations affected by a lower limit of detection. *Biometrical Journal. Biometrische Zeitschrift*, 50(3), 419–430. <https://doi.org/10.1002/bimj.200710415>
- Saeedi-Saedi, H., Shahidsales, S., Koochak-Pour, M., Sabahi, E., & Moridi, I. (2015). Evaluation of emotional distress in breast cancer patients. *Iranian Journal of Cancer Prevention*, 8(1), 36–41.
- Sapolsky, R. M. (2000). The possibility of neurotoxicity in the hippocampus in major depression: a primer on neuron death. *Biological Psychiatry*, 48(8), 755–765. [https://doi.org/10.1016/S0006-3223\(00\)00971-9](https://doi.org/10.1016/S0006-3223(00)00971-9)
- Sarkar, A. A., Allyn, D. M., Delay, R. J., & Delay, E. R. (2021). Cyclophosphamide-Induced Inflammation of Taste Buds and Cytoprotection by Amifostine. *Chemical Senses*, 46. <https://doi.org/10.1093/chemse/bjab031>
- Sateren, W. B., Trimble, E. L., Abrams, J., Brawley, O., Breen, N., Ford, L., McCabe, M., Kaplan, R., Smith, M., Ungerleider, R., & Christian, M. C. (2002). How sociodemographics, presence of oncology specialists, and

hospital cancer programs affect accrual to cancer treatment trials. *Journal of Clinical Oncology : Official Journal of the American Society of Clinical Oncology*, 20(8), 2109–2117. <https://doi.org/10.1200/JCO.2002.08.056>

Shapiro CL. (2013). *Acute side effects of adjuvant chemotherapy for early stage breast cancer*. Waltham, MA: UpToDate.

Sharma, R. (2019). Breast cancer incidence, mortality and mortality-to-incidence ratio (MIR) are associated with human development, 1990–2016: evidence from Global Burden of Disease Study 2016. *Breast Cancer*, 26(4), 428–445. <https://doi.org/10.1007/s12282-018-00941-4>

Shimizu, T., Hirano, A., Kamimura, M., Ogura, K., Kim, N., Watanabe, O., Kinoshita, J., Kimura, K., Ogawa, K., & Fujibayashi, M. (2010). A phase II study of epirubicin and cyclophosphamide followed by weekly paclitaxel with or without trastuzumab as primary systemic therapy in locally advanced breast cancer. *Anticancer Research*, 30(11), 4665–4671.

Sikorskii, A., Given, C., Given, B., Jeon, S., & McCorkle, R. (2006). Testing the Effects of Treatment Complications on a Cognitive-Behavioral Intervention for Reducing Symptom Severity. *Journal of Pain and Symptom Management*, 32(2), 129–139. <https://doi.org/10.1016/j.jpainsymman.2006.02.013>

Sinaga, E. S., Ahmad, R. A., Shivalli, S., & Hutajulu, S. H. (2018). Age at diagnosis predicted survival outcome of female patients with breast cancer at a tertiary hospital in Yogyakarta, Indonesia. *Pan African Medical Journal*, 31. <https://doi.org/10.11604/pamj.2018.31.163.17284>

Sinha D. (2020). A review on taxanes: an important group of anticancer compound obtained from *Taxus* sp. *International Journal of Pharmaceutical Sciences and Research*, 11(5), 1969–1985.

So, W. K. W., Law, B. M. H., Ng, M. S. N., He, X., Chan, D. N. S., Chan, C. W. H., & McCarthy, A. L. (2021). Symptom clusters experienced by breast cancer

patients at various treatment stages: A systematic review. *Cancer Medicine*, 10(8), 2531–2565. <https://doi.org/10.1002/cam4.3794>

Sparreboom, A., Wolff, A. C., Mathijssen, R. H. J., Chatelut, E., Rowinsky, E. K., Verweij, J., & Baker, S. D. (2007). Evaluation of alternate size descriptors for dose calculation of anticancer drugs in the obese. *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*, 25(30), 4707–4713. <https://doi.org/10.1200/JCO.2007.11.2938>

Speck, R. M., Sammel, M. D., Farrar, J. T., Hennessy, S., Mao, J. J., Stineman, M. G., & DeMichele, A. (2013). Impact of Chemotherapy-Induced Peripheral Neuropathy on Treatment Delivery in Nonmetastatic Breast Cancer. *Journal of Oncology Practice*, 9(5), e234–e240. <https://doi.org/10.1200/JOP.2012.000863>

Sullivan, C. W., Leutwyler, H., Dunn, L. B., Cooper, B. A., Paul, S. M., Conley, Y. P., Levine, J. D., & Miaskowski, C. A. (2017). Differences in symptom clusters identified using symptom occurrence rates versus severity ratings in patients with breast cancer undergoing chemotherapy. *European Journal of Oncology Nursing: The Official Journal of European Oncology Nursing Society*, 28, 122–132. <https://doi.org/10.1016/j.ejon.2017.04.001>

Sullivan, C. W., Leutwyler, H., Dunn, L. B., Cooper, B. A., Paul, S. M., Levine, J. D., Hammer, M., Conley, Y. P., & Miaskowski, C. A. (2018). Stability of Symptom Clusters in Patients With Breast Cancer Receiving Chemotherapy. *Journal of Pain and Symptom Management*, 55(1), 39–55. <https://doi.org/10.1016/j.jpainsymman.2017.08.008>

Sunarno, I. (2012). Konsep sehat menurut perspektif budaya Jawa (Studi perilaku masyarakat Jawa dalam menjaga dan meningkatkan kesehatan di Blitar Jawa Timur). *Diss. Universitas Airlangga*.

Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA: A*

*Cancer Journal for Clinicians*, 71(3), 209–249.  
<https://doi.org/10.3322/caac.21660>

- Susilo, A. (2011). Faktor-faktor Yang Mempengaruhi Pedagang Kaki Lima Menempati Bahu Jalan Di Kota Bogor (Studi Kasus Pedagang Sembako Di Jalan Dewi Sartika Utara). *PPS UI*.
- Tan, J. Y., Wang, T., Zhao, I., Polotan, M. J., & Eliseeva, S. (2022). An Evidence-Based Somatic Acupressure Intervention Protocol for Managing the Breast Cancer Fatigue-Sleep Disturbance-Depression Symptom Cluster: Development and Validation following the Medical Research Council Framework. *International Journal of Environmental Research and Public Health*, 19(19). <https://doi.org/10.3390/ijerph191911934>
- Tanabe, Y., Hashimoto, K., Shimizu, C., Hirakawa, A., Harano, K., Yunokawa, M., Yonemori, K., Katsumata, N., Tamura, K., Ando, M., Kinoshita, T., & Fujiwara, Y. (2013). Paclitaxel-induced peripheral neuropathy in patients receiving adjuvant chemotherapy for breast cancer. *International Journal of Clinical Oncology*, 18(1), 132–138. <https://doi.org/10.1007/s10147-011-0352-x>
- Üstündağ, S., & Zencirci, A. D. (2015). Factors affecting the quality of life of cancer patients undergoing chemotherapy: A questionnaire study. *Asia-Pacific Journal of Oncology Nursing*, 2(1), 17–25. <https://doi.org/10.4103/2347-5625.152402>
- Vahid, B., & Marik, P. E. (2008). Pulmonary Complications of Novel Antineoplastic Agents for Solid Tumors. *Chest*, 133(2), 528–538. <https://doi.org/10.1378/chest.07-0851>
- Velasco, R., & Bruna, J. (2015). Taxane-Induced Peripheral Neurotoxicity. *Toxics*, 3(2), 152–169. <https://doi.org/10.3390/toxics3020152>
- von Grundherr, J., Koch, B., Grimm, D., Salchow, J., Valentini, L., Hummel, T., Bokemeyer, C., Stein, A., & Mann, J. (2019). Impact of taste and smell training

on taste disorders during chemotherapy - TASTE trial. *Cancer Management and Research*, 11, 4493–4504. <https://doi.org/10.2147/CMAR.S188903>

Wahyuni AS. (2002). *Analisis ketahanan hidup 5 tahun pada penderita kanker payudara di rumah sakit kanker Dharmais. Universitas Indonesia.* <http://lib.ui.ac.id/file?file=pdf/abstrak-72983.pdf>

Wang, X. S. (2008). Pathophysiology of cancer-related fatigue. *Clinical Journal of Oncology Nursing*, 12(5 Suppl), 11–20. <https://doi.org/10.1188/08.CJON.S2.11-20>

Wang, X. S., Cleeland, C. S., Mendoza, T. R., Yun, Y. H., Wang, Y., Okuyama, T., & Johnson, V. E. (2010). Impact of cultural and linguistic factors on symptom reporting by patients with cancer. *Journal of the National Cancer Institute*, 102(10), 732–738. <https://doi.org/10.1093/jnci/djq097>

Widaman, K. F. (2007). Common Factors Versus Components: Principals and Principles, Errors and Misconceptions. In Robert Cudeck & Robert C. MacCallum (Eds.), *Factor Analysis at 100: Historical Developments and Future Directions* (p. 28). Routledge.

Wiggenraad, F., Bolam, K. A., Mijwel, S., van der Wall, E., Wengström, Y., & Altena, R. (2020). Long-Term Favorable Effects of Physical Exercise on Burdensome Symptoms in the OptiTrain Breast Cancer Randomized Controlled Trial. *Integrative Cancer Therapies*, 19, 153473542090500. <https://doi.org/10.1177/1534735420905003>

Williams, K., Sansoni, J., Morris, D., Grootemaat, P., & Thompson, C. (2016). *Patient-reported outcome measures Literature review.* [www.safetyandquality.gov.au](http://www.safetyandquality.gov.au)

Wong, H. H., Barton, C., Acton, G., McLeod, R., & Halford, S. (2016). Trends in the characteristics, dose-limiting toxicities and efficacy of phase I oncology trials: The Cancer Research UK experience. *European Journal of Cancer*, 66, 9–16. <https://doi.org/10.1016/j.ejca.2016.07.004>

- Xie, L., Ng, D. Q., Heshmatipour, M., Acharya, M., Coluzzi, P., Guerrero, N., Lee, S., Malik, S., Parajuli, R., Stark, C., Tain, R., Zabokrtsky, K., Torno, L., & Chan, A. (2023). Electroacupuncture for the management of symptom clusters in cancer patients and survivors (EAST). *BMC Complementary Medicine and Therapies*, 23(1), 92. <https://doi.org/10.1186/s12906-023-03926-9>
- Yano, R., Konno, A., Watanabe, K., Tsukamoto, H., Kayano, Y., Ohnaka, H., Goto, N., Nakamura, T., & Masada, M. (2013). Pharmacoethnicity of docetaxel-induced severe neutropenia: integrated analysis of published phase II and III trials. *International Journal of Clinical Oncology*, 18(1), 96–104. <https://doi.org/10.1007/s10147-011-0349-5>
- Yao, L.-Q., Kwok, S. W. H., Tan, J.-Y. (Benjamin), Wang, T., Liu, X.-L., Bressington, D., Chen, S.-L., & Huang, H.-Q. (2022). The effect of an evidence-based Tai chi intervention on the fatigue-sleep disturbance-depression symptom cluster in breast cancer patients: A preliminary randomised controlled trial. *European Journal of Oncology Nursing*, 61, 102202. <https://doi.org/10.1016/j.ejon.2022.102202>
- Yeh, C. H., Chien, L. C., Lin, W. C., Bovbjerg, D. H., & Van Londen, G. J. (2016). Pilot randomized controlled trial of auricular point acupressure to manage symptom clusters of pain, fatigue, and disturbed sleep in breast cancer patients. *Cancer Nursing*, 39(5), 402–410. <https://doi.org/10.1097/NCC.0000000000000303>
- Yorke, J., Lloyd-Williams, M., Smith, J., Blackhall, F., Harle, A., Warden, J., Ellis, J., Pilling, M., Haines, J., Luker, K., & Molassiotis, A. (2015). Management of the respiratory distress symptom cluster in lung cancer: a randomised controlled feasibility trial. *Supportive Care in Cancer : Official Journal of the Multinational Association of Supportive Care in Cancer*, 23(11), 3373–3384. <https://doi.org/10.1007/s00520-015-2810-x>
- Zecha, J. A. E. M., Raber-Durlacher, J. E., Laheij, A. M. G. A., Westermann, A. M., de Lange, J., & Smeele, L. E. (2022). The Potential Contribution of Dental

Foci and Oral Mucositis to Febrile Neutropenia in Patients Treated With Myelosuppressive Chemotherapy for Solid Tumors and Lymphoma. *Frontiers in Oral Health*, 3. <https://doi.org/10.3389/froh.2022.940044>

Zijlmans, E. A. O., Tijmstra, J., van der Ark, L. A., & Sijtsma, K. (2018). Item-Score Reliability in Empirical-Data Sets and Its Relationship With Other Item Indices. *Educational and Psychological Measurement*, 78(6), 998–1020. <https://doi.org/10.1177/0013164417728358>