



- Al-Bustan, S. A., Al-Serri, A. E., Annice, B. G., Alnaqeeb, M. A., & Ebrahim, G. A., 2013. Re-sequencing of the APOA1 promoter region and the genetic association of the -75G > A polymorphism with increased cholesterol and low density lipoprotein levels among a sample of the Kuwaiti population. *BMC medical genetics.* 14(90). Available at: <https://doi.org/10.1186/1471-2350-14-90>
- Bhale, A. S. and Venkataraman, K., 2022. Leveraging knowledge of HDLs major protein ApoA1: Structure, function, mutations, and potential therapeutics. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie.* 154:113634. Available at: <https://doi.org/10.1016/j.biopha.2022.113634>
- Bharti, S. K., Krishnan, S., Kumar, A., Gupta, A. K., Ghosh, A. K., & Kumar, A., 2015. Mechanism-based antidiabetic activity of Fructo- and isomaltooligosaccharides: Validation by in vivo, in silico and in vitro interaction potential. *Process Biochemistry.* 50(2):317–327. Available at: <https://doi.org/10.1016/j.procbio.2014.10.014>
- Bhoite, R., Chandrasekaran, A., Pratti, V. L., Satyavrat, V., Aacharya, S., Mane, A., Mehta, S., Kale, R. M., Nagamuthu, G., Selvaraj, S., Rajagopal, G., Vasudevan, S., Shanmugam, S., Mohan, A. R., Unnikrishnan, R., Krishnaswamy, K., & Mohan, V., 2021. Effect of a High-Protein High-Fibre Nutritional Supplement on Lipid Profile in Overweight/Obese Adults with Type 2 Diabetes Mellitus: A 24-Week Randomized Controlled Trial', *Journal of nutrition and metabolism,* 2021(6634225). Available at: <https://doi.org/10.1155/2021/6634225>
- Brown, L., Rosner, B., Willett, W. W., & Sacks, F. M, 1999. Cholesterol-lowering effects of dietary fiber: a meta-analysis. *The American journal of clinical nutrition.* 69(1), pp. 30–42. Available at: <https://doi.org/10.1093/ajcn/69.1.30>
- Byrne, C. S., Chambers, E. S., Morrison, D. J., & Frost, G., 2015. The role of short chain fatty acids in appetite regulation and energy homeostasis. *International journal of obesity.* 39(9), 1331–1338. Available at: <https://doi.org/10.1038/ijo.2015.84>
- Chockchaisawasdee, S. and Poosaran, N., 2013. Production of isomaltooligosaccharides from banana flour. *Journal of the science of food and agriculture.* 93(1), pp. 180–186. Available at: <https://doi.org/10.1002/jsfa.5747>
- Coban, N., Onat, A., Guclu-Geyik, F., Komurcu-Bayrak, E., Can, G., & Erginel-Unaltuna, N., 2014. Gender-specific associations of the APOA1 -75G>A polymorphism with several metabolic syndrome components in Turkish adults. *Clinica chimica acta; international journal of clinical chemistry.* 431, 244–249. Available at: <https://doi.org/10.1016/j.cca.2014.01.017>
- den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D. J., & Bakker, B. M., 2013. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of lipid research.* 54(9), 2325–2340. Available at: <https://doi.org/10.1194/jlr.R036012>
- de França, E., Alves, J. G., & Hutz, M. H., 2005. APOA1/C3/A4 gene cluster variability and lipid levels in Brazilian children. *Brazilian journal of medical and biological research = Revista brasileira de pesquisas medicas e biologicas.* 38(4), pp. 535–541. Available at: <https://doi.org/10.1590/s0100-879x2005000400006>

- de Luis Roman, D., Primo, D., Izaola, O., & Aller, R. (2022). Association of the APOA-5 Genetic Variant rs662799 with Metabolic Changes after an Intervention for 9 Months with a Low-Calorie Diet with a Mediterranean Profile. *Nutrients.* 14(12), 2427. Available at: <https://doi.org/10.3390/nu14122427>
- Dobiásová, M., 2006. AIP-aterogenní index plazmy jako významný prediktor kardiovaskulárного rizika: od výzkumu do praxe [AIP--atherogenic index of plasma as a significant predictor of cardiovascular risk: from research to practice]. *Vnitřní lekarství.* 52(1), pp. 64–71. <https://pubmed.ncbi.nlm.nih.gov/16526201/> (Accessed: 11 May 2023)
- Dron, J. S. and Hegele, R. A., 2020. Genetics of Hypertriglyceridemia. *Front. Endocrinol.* 11(455). Available at: <https://doi.org/10.3389/fendo.2020.00455>
- Fahrioglu, U. and Ergoren, M. Ç., 2018. The Association Between APOA5 Gene Polymorphisms and Plasma Lipids in the Turkish Cypriot Population: A Possible Biomarker for Preventing Cardiovascular Diseases. *Biochemical genetics.* 56(3), pp. 176–187. Available at: <https://doi.org/10.1007/s10528-017-9836-3>
- Fechner, A., Kiehntopf, M., & Jahreis, G., 2014. The formation of short-chain fatty acids is positively associated with the blood lipid-lowering effect of lupin kernel fiber in moderately hypercholesterolemic adults. *The Journal of nutrition.* 144(5), 599–607. Available at: <https://doi.org/10.3945/jn.113.186858>
- Garelnabi, M., Lor, K., Jin, J., Chai, F., & Santanam, N., 2013. The paradox of ApoA5 modulation of triglycerides: evidence from clinical and basic research. *Clinical biochemistry.* 46(1-2), pp. 12–19. Available at: <https://doi.org/10.1016/j.clinbiochem.2012.09.007>
- Ginsberg, H. N., Packard, C. J., Chapman, M. J., Borén, J., Aguilar-Salinas, C. A., Averna, M., Ference, B. A., et al., 2021. Triglyceride-rich Lipoproteins and Their Remnants: Metabolic Insights, Role in Atherosclerotic Cardiovascular Disease, and Emerging Therapeutic Strategies-A Consensus Statement from the European Atherosclerosis Society. *Eur. Heart J.* 42(47), pp. 4791–4806. Available at: <https://doi.org/10.1093/eurheartj/ehab551>
- Guardiola, M., Alvaro, A., Vallvé, J. C., Rosales, R., Solà, R., Girona, J., Serra, N., Duran, P., Esteve, E., Masana, L., & Ribalta, J., 2012. APOA5 gene expression in the human intestinal tissue and its response to in vitro exposure to fatty acid and fibrate. *Nutrition, metabolism, and cardiovascular diseases: NMCD.* 22(9), pp. 756–762. Available at: <https://doi.org/10.1016/j.numecd.2010.12.003>
- Guerrero, A. E., 2016. 2015 Clinical Practice Guidelines for the Management of Dyslipidemia in the Philippines - Executive Summary: Dyslipidemia Guidelines 2015. *ASEAN heart journal: Official journal of the ASEAN Federation of Cardiology.* 24(7). Available at: <https://doi.org/10.7603/s40602-016-0007-2>
- Gourineni, V., Stewart, M. L., Icoz, D., & Zimmer, J. P., 2018. Gastrointestinal Tolerance and Glycemic Response of Isomaltooligosaccharides in Healthy Adults. *Nutrients.* 10(3). Available at: <https://doi.org/10.3390/nu10030301>
- Haase, C. L., Frikke-Schmidt, R., Nordestgaard, B. G., Kateifides, A. K., Kardassis, D., Nielsen, L. B., Andersen, C. B., Køber, L., Johnsen, A. H., Grande, P.,

- cholesterol levels. *Journal of internal medicine*. 270(2), pp. 136–146. Available at: <https://doi.org/10.1111/j.1365-2796.2011.02381.x>
- Halalkhor, S., Jalali, F., Tilaki, K. H., & Shojaei, S., 2014. Association of two common polymorphisms of apolipoprotein A5 gene with metabolic syndrome indicators in a North Iranian population, a cross-sectional study. *Journal of diabetes and metabolic disorders*. 13(48). Available at: <https://doi.org/10.1186/2251-6581-13-48>
- Hatma, R. D., 2011. Lipid profiles among diverse ethnic groups in Indonesia. *Acta medica Indonesiana*. 43(1), pp. 4–11. Available at: <https://pubmed.ncbi.nlm.nih.gov/21339539/> (Accessed: 11 May 2023)
- Hubacek J. A., 2016. Apolipoprotein A5 fifteen years anniversary: Lessons from genetic epidemiology. *Gene*. 592(1), pp. 193–199. Available at: <https://doi.org/10.1016/j.gene.2016.07.070>
- Holmes, D. T., Frohlich, J., and Buhr, K. A., 2008. The concept of precision extended to the atherogenic index of plasma. *Clinical biochemistry*. 41(7-8), pp. 631–635. Available at: <https://doi.org/10.1016/j.clinbiochem.2008.01.023>
- Hoogeveen, R. C., Gaubatz, J. W., Sun, W., Dodge, R. C., Crosby, J. R., Jiang, J., Couper, D., Virani, S. S., Kathiresan, S., Boerwinkle, E., & Ballantyne, C. M., 2014. Small dense low-density lipoprotein-cholesterol concentrations predict risk for coronary heart disease: the Atherosclerosis Risk in Communities (ARIC) study. *Arteriosclerosis, thrombosis, and vascular biology*. 34(5), pp. 1069–1077. Available at: <https://doi.org/10.1161/ATVBAHA.114.303284>
- Izaola, O., Primo, D., Gomez Hoyos, E., Lopez Gomez, J. J., Ortola, A., & de Luis, D., 2020. Association of rs670 variant of APOA1 gene with lipid profile and insulin resistance after 9 months of a high protein/low carbohydrate vs a standard hypocaloric diet. *Clinical nutrition (Edinburgh, Scotland)*. 39(4), 988–993. Available at: <https://doi.org/10.1016/j.clnu.2019.04.030>
- Jang, Y., Paik, J.K., Hyun, Y.J., Chae, J.S., Kim, J.Y., Choi, J.R., et al., 2009. The apolipoprotein A5 -1131T>C promoter polymorphism in Koreans: association with plasma APOA5 and serum triglyceride concentrations, LDL particle size and coronary artery disease. *Clin Chim Acta*. (402), pp. 83–87. Available at: <https://doi.org/10.1016/j.cca.2008.12.024>
- Jiang, C. Q., Liu, B., Cheung, B. M., Lam, T. H., Lin, J. M., Li Jin, Y., Yue, X. J., Ong, K. L., Tam, S., Wong, K. S., Tomlinson, B., Lam, K. S., & Thomas, G. N., 2010. A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. *European journal of human genetics: EJHG*. 18(11), pp. 1255–1260. Available at: <https://doi.org/10.1038/ejhg.2010.93>
- Kaptein, A., Roodenburg, L., and Princen, H. M., 1991. Butyrate stimulates the secretion of apolipoprotein (apo) A-I and apo B100 by the human hepatoma cell line Hep G2. Induction of apo A-I mRNA with no change of apo B100 mRNA. *The Biochemical journal*. 278 (Pt 2), pp. 557–564. Available at: <https://doi.org/10.1042/bj2780557>
- Kammar-García, A., López-Moreno, P., Hernández-Hernández, M. E., Ortíz-Bueno, A. M., & Martínez-Montaña, M. L. C., 2020. Atherogenic index of plasma as a marker of cardiovascular risk factors in Mexicans aged 18 to 22 years. *Proceedings (Baylor University. Medical Center)*. 34(1), pp. 22–27. Available at: <https://doi.org/10.1080/08998280.2020.1799479>



- Kim, J. Y., Kim, O. Y., Paik, J. K., Lee, S. H., & Lee, J. H., 2013. Association of apolipoprotein A-V concentration with apolipoprotein A5 gene -1131T>C polymorphism and fasting triglyceride levels. *J Clin Lipidol.* (7), pp. 94–101. Available at: <https://doi.org/10.1016/j.jacl.2012.06.002>
- Kim, M., Chae, J. S., Kim, M., Lee, S. H., & Lee, J. H., 2014. Effects of a 3-year dietary intervention on age-related changes in triglyceride and apolipoprotein A-V levels in patients with impaired fasting glucose or new-onset type 2 diabetes as a function of the APOA5 -1131 T > C polymorphism. *Nutrition journal.* 13, 40. Available at: <https://doi.org/10.1186/1475-2891-13-40>
- Larson, I. A., Ordovas, J. M., Barnard, J. R., Hoffmann, M. M., Feussner, G., Lamon-Fava, S., & Schaefer, E. J., 2002. Effects of apolipoprotein A-I genetic variations on plasma apolipoprotein, serum lipoprotein and glucose levels. *Clinical genetics.* 61(3), pp. 176–184. Available at: <https://doi.org/10.1034/j.1399-0004.2002.610302.x>
- Lemeshow, S., Hosmer Jr, D. W., Klar, J., & Lwanga, S. K. 1990. Adequacy Of Sample Size In Health Studies. New York: World Health Organization.
- Lin, Y. C., Nunez, V., Johns, R., & Shiao, S. P., 2017. APOA5 Gene Polymorphisms and Cardiovascular Diseases: Metaprediction in Global Populations. *Nursing research.* 66(2), pp. 164–174. Available at: <https://doi.org/10.1097/NNR.0000000000000207>
- Liu, H., Liu, K., Pei, L., Li, S., Zhao, J., Zhang, K., Zong, C., Zhao, L., Fang, H., Wu, J., Sun, S., Song, B., Xu, Y., & Gao, Y., 2021. Atherogenic Index of Plasma Predicts Outcomes in Acute Ischemic Stroke. *Frontiers in neurology.* 12(741754). Available at: <https://doi.org/10.3389/fneur.2021.741754>
- Mahrooz, A., Zargari, M., Ansari, V., Makhloogh, A., & Hashemi-Sooteh, M. B., 2016. *Association of Apo A5 Gene Promoter Region -1131T C Polymorphism (rs662799) to Plasma Triglyceride Level in Patients with Type 2 Diabetic Nephropathy.* *J Clin of Diagn Res.* 10(5), pp BC09-BC13. Available at: <https://doi.org/10.7860/JCDR/2016/19212.7895>
- Marsono, Y., Putri, R and Arianti, E., 2020. The Effects of Replacement of Dietary Fiber with FiberCreme™ on Lowering Serum Glucose and Improvement of Lipid Profile in Hypercholesterolemia-Diabetic Rats and Its Mechanism. *Pakistan Journal of Nutrition.* 19(4), pp. 204-211. Available at: <https://doi.org/10.3923/pjn.2020.204.211>
- Martin, S., Nicaud, V., Humphries, S. E., Talmud, P. J., & EARS group., 2003. Contribution of APOA5 gene variants to plasma triglyceride determination and to the response to both fat and glucose tolerance challenges. *Biochimica et biophysica acta.* 1637(3), 217–225. Available at: [https://doi.org/10.1016/s0925-4439\(03\)00033-4](https://doi.org/10.1016/s0925-4439(03)00033-4)
- Maryanto, S and Marsono, Y., 2019. The Atherogenic Index of Plasma Treated with Red Guava (*Psidium guajava L.*). *IOP Conference Series: Earth and Environmental Science.* 276. Available at: <https://doi.org/10.1088/1755-1315/276/1/012052>
- Nawsherwan, Bin, W., Le, Z., Mubarik, S., Fu, G., & Wang, Y., 2022. Prediction of cardiovascular diseases mortality- and disability-adjusted life-years attributed to modifiable dietary risk factors from 1990 to 2030 among East Asian countries and the world. *Frontiers in nutrition.* 9, 898978. Available at: <https://doi.org/10.3389/fnut.2022.898978>



- Nie, Y. and Luo, F., 2021. Dietary Fiber: An Opportunity for a Global Control of Hyperlipidemia. *Oxidative medicine and cellular longevity*. 2021(12), pp. 1–20. Available at: <https://doi.org/10.1155/2021/5542342>

Niroumand, S., Khajedaluee, M., Khadem-Rezaiyan, M., Abrishami, M., Juya, M., Khodaee, G., & Dadgarmoghaddam, M., 2015. Atherogenic Index of Plasma (AIP): A marker of cardiovascular disease. *Medical journal of the Islamic Republic of Iran*. 29(1), pp. 240. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4715400/> (Accessed: 11 May 2023).

Nishikura, T., Koba, S., Yokota, Y., Hirano, T., Tsunoda, F., Shoji, M., Hamazaki, Y., Suzuki, H., Itoh, Y., Katagiri, T., & Kobayashi, Y., 2014. Elevated small dense low-density lipoprotein cholesterol as a predictor for future cardiovascular events in patients with stable coronary artery disease. *Journal of atherosclerosis and thrombosis*. 21(8), pp. 755–767. Available at: <https://doi.org/10.5551/jat.23465>

Ordovas, J. M., Corella, D., Cupples, L. A., Demissie, S., Kelleher, A., Coltell, O., Wilson, P. W., Schaefer, E. J., & Tucker, K., 2002. Polyunsaturated fatty acids modulate the effects of the APOA1 G-A polymorphism on HDL-cholesterol concentrations in a sex-specific manner: the Framingham Study. *The American journal of clinical nutrition*. 75(1), 38–46. Available at: <https://doi.org/10.1093/ajcn/75.1.38>

Ordovas J. M., 2006. Genetic interactions with diet influence the risk of cardiovascular disease. *The American journal of clinical nutrition*. 83(2), 443S–446S. Available at: <https://doi.org/10.1093/ajcn/83.2.443S>

Pennacchio, L. A., Olivier, M., Hubacek, J. A., Krauss, R. M., Rubin, E. M., & Cohen, J. C., 2002. Two independent apolipoprotein A5 haplotypes influence human plasma triglyceride levels. *Human molecular genetics*. 11(24), pp. 3031–3038. Available at: <https://doi.org/10.1093/hmg/11.24.3031>

Popeijus, H. E., Zwaan, W., Tayyeb, J. Z., & Plat, J., 2021. Potential Contribution of Short Chain Fatty Acids to Hepatic Apolipoprotein A-I Production. *International journal of molecular sciences*. 22(11). Available at: <https://doi.org/10.3390/ijms22115986>

Prieur, X., Coste, H., & Rodriguez, J. C., 2003. The human apolipoprotein AV gene is regulated by peroxisome proliferator-activated receptor-alpha and contains a novel farnesoid X-activated receptor response element. *The Journal of biological chemistry*. 278(28), 25468–25480. Available at: <https://doi.org/10.1074/jbc.M301302200>

Ramezani-Jolfaie, N., Aghaei, S., Yazd, E. F., Moradi, A., Mozaffari-Khosravi, H., Zimorovat, A., Raeisi-Dehkordi, H., Moghtaderi, F., Amiri, M., Yasini Ardakani, S. A., & Salehi-Abargouei, A., 2020. Association of rs670 variant of APOA-1 gene with cardiometabolic markers after consuming sesame, canola and sesame-canola oils in adults with and without type 2 diabetes mellitus. *Clinical nutrition ESPEN*. 38, 129–137. Available at: <https://doi.org/10.1016/j.clnesp.2020.05.016>

Remaley, A. T., Stonik, J. A., Demosky, S. J., Neufeld, E. B., Bocharov, A. V., Vishnyakova, T. G., Eggerman, T. L., Patterson, A. P., Duverger, N. J., Santamarina-Fojo, S., & Brewer, H. B., Jr., 2001. Apolipoprotein specificity for lipid efflux by the human ABCA1 transporter. *Biochemical and*



- Rigotti, A., Trigatti, B., Babitt, J., Penman, M., Xu, S., & Krieger, M., 1997. Scavenger receptor BI—a cell surface receptor for high density lipoprotein. *Current opinion in lipidology*. 8(3), pp. 181–188. Available at: <https://doi.org/10.1097/00041433-199706000-00009>
- Ściskalska, M. and Milnerowicz, H., 2022. Importance of Polymorphisms in the Gene of Paraoxonase-1 (SNP rs662) and Apolipoprotein A-I (SNP rs670 and rs5069) in Non-Smoking and Smoking Healthy Subjects and Patients with Acute Pancreatitis. *Genes*, 13(11). Available at: <https://doi.org/10.3390/genes13111968>
- Song, P., Man, Q., Li, Y., Jia, S., Yu, D., Zhang, J., & Ding, G., 2021. Association between Dietary Patterns and Low HDL-C among Community-Dwelling Elders in North China. *Nutrients*. 13(10). Available at: <https://doi.org/10.3390/nu13103308>
- Sunarti, Mumpuni, H., Yasmine, N., Marsono, Y., Fibri, D. L. N., & Murdiati, A., 2022. FiberCreme as a Functional Food Ingredient Reduces Hyperlipidemia and Risk of Cardiovascular Diseases in Subjects with Hyperlipidemia. *Preventive nutrition and food science*. 27(2), pp. 165–171. Available at: <https://doi.org/10.3746/pnf.2022.27.2.165>
- Sunarti, S., Rubi, D.S., Pramana, A.A.C., Huriyati, E., & Santoso, U., 2022b. The Benefits of High-Resistant Starch and Beta-Carotene Snack in Ameliorating Atherogenic Index and Inflammation in Obesity. *Open-Access Maced J Med Sci.* 10(B):1767-1773. Available at: <https://doi.org/10.3889/oamjms.2022.9302>
- Superko R. H., 2001. Lipoprotein subclasses and atherosclerosis. *Frontiers in bioscience: a journal and virtual library*. 6, D355–D365. Available at: <https://doi.org/10.2741/superko>
- Tayyeb, J. Z., Popeijus, H. E., Mensink, R. P., Konings, M. C. J. M., Mulders, K. H. R., & Plat, J., 2019. The effects of short-chain fatty acids on the transcription and secretion of apolipoprotein A-I in human hepatocytes in vitro. *Journal of cellular biochemistry*. 120(10), 17219–17227. Available at: <https://doi.org/10.1002/jcb.28982>
- Valado, A., Pereira, M., Caseiro, A., Figueiredo, J. P., Loureiro, H., Almeida, C., Cotas, J., & Pereira, L., 2019. Effect of Carrageenans on Vegetable Jelly in Humans with Hypercholesterolemia. *Marine drugs*. 18(1), 19. Available at: <https://doi.org/10.3390/md18010019>
- Vaessen, S. F., Schaap, F. G., Kuivenhoven, J. A., Groen, A. K., Hutten, B. A., Boekholdt, S. M., Hattori, H., Sandhu, M. S., Bingham, S. A., Luben, R., Palmen, J. A., Wareham, N. J., Humphries, S. E., Kastelein, J. J., Talmud, P. J., & Khaw, K. T., 2006. Apolipoprotein A-V, triglycerides and risk of coronary artery disease: the prospective Epic-Norfolk Population Study. *Journal of lipid research*. 47(9), 2064–2070. Available at: <https://doi.org/10.1194/jlr.M600233-JLR200>
- Villéger, R., Pinault, E., Devillers, K.V., Grenier, K., Landolt, C., Ropartz, D., et al., 2022. Prebiotic Isomaltooligosaccharide Provides an Advantageous Fitness to the Probiotic *Bacillus subtilis* CU1. *Applied Sciences*. 12(13). Available at: <https://doi.org/10.3390/app12136404>
- Wang, X. L., Badenhop, R. B., Sim, A. S., & Wilcken, D. E., 1998. The effect on transcription efficiency of the apolipoprotein AI gene of DNA variants at the 5' untranslated region. *International journal of clinical & laboratory*



- Wang, H. F., Lim, P. S., Kao, M. D., Chan, E. C., Lin, L. C., & Wang, N. P., 2001. Use of isomalto-oligosaccharide in the treatment of lipid profiles and constipation in hemodialysis patients. *J Ren Nutr.* 11(2), pp. 73-79. Available at: [https://doi.org/10.1016/s1051-2276\(01\)92591-9](https://doi.org/10.1016/s1051-2276(01)92591-9)
- Wang, Y., Lu, Z., Zhang, J., Yang, Y., Shen, J., Zhang, X., & Song, Y., 2016. The APOA5 rs662799 polymorphism is associated with dyslipidemia and the severity of coronary heart disease in Chinese women. *Lipids in health and disease.* 15(1), pp. 1-9. Available at: <https://doi.org/10.1186/s12944-016-0343-z>
- Wu, T. T., Gao, Y., Zheng, Y. Y., Ma, Y. T., & Xie, X., 2018. Atherogenic index of plasma (AIP): a novel predictive indicator for the coronary artery disease in postmenopausal women. *Lipids in health and disease.* 17(1). Available at: <https://doi.org/10.1186/s12944-018-0828-z>
- Xu, C. F., Angelico, F., Del Ben, M., & Humphries, S., 1993. Role of genetic variation at the apo AI-CIII-AIV gene cluster in determining plasma apo AI levels in boys and girls. *Genetic epidemiology.* 10(2), pp. 113–122. Available at: <https://doi.org/10.1002/gepi.1370100204>
- Xu, C., Bai, R., Zhang, D., Li, Z., Zhu, H., Lai, M., & Zhu, Y., 2013. Effects of APOA5 21131T.C (rs662799) on Fasting Plasma Lipids and Risk of Metabolic Syndrome: Evidence from a Case-Control Study in China and a Meta-Analysis. *PLoS ONE.* 8(2). Available at: <https://doi.org/10.1371/journal.pone.0056216>
- Yin, R.X., Li, Y.Y. and Lai, C. Q., 2011. Apolipoprotein A1/C3/A5 haplotypes and serum lipid levels. *Lipid Health Dis.* 10(140). Available at: <https://doi.org/10.1186/1476-511X-10-140>
- Zhang, B. H., Yin, F., Qiao, Y. N., & Guo, S. D., 2022. Triglyceride and Triglyceride-Rich Lipoproteins in Atherosclerosis. *Frontiers in molecular biosciences.* 9. Available at: <https://doi.org/10.3389/fmolb.2022.909151>