

- Andiko, J. A., . D., & Darmawan, A. (2019). Efisiensi Penggunaan Citra Multisensor untuk Pemetaan Tutupan Lahan. *Jurnal Sylva Lestari*, 7(3), 342. <https://doi.org/10.23960/jsl37342-349>
- Astola, H., Häme, T., Sirro, L., Molinier, M., & Kilpi, J. (2019). Comparison of Sentinel-2 and Landsat 8 imagery for forest variable prediction in boreal region. *Remote Sensing of Environment*, 223, 257–273. <https://doi.org/10.1016/j.rse.2019.01.019>
- Biondino, D., Borrelli, L., Critelli, S., Muto, F., Apollaro, C., Coniglio, S., Tripodi, V., & Perri, F. (2020). A multidisciplinary approach to investigate weathering processes affecting gneissic rocks (Calabria, southern Italy). *CATENA*, 187, 104372. <https://doi.org/10.1016/j.catena.2019.104372>
- BNPB. (2016). *Risiko Bencana Indonesia*. BNPB. https://inarisk.bnpb.go.id/pdf/Buku%20RBI_Final_low.pdf
- Broms, B. B., & Wong, K. S. (1991). Landslides. Dalam H.-Y. Fang (Ed.), *Foundation Engineering Handbook* (hlm. 410–446). Springer US. https://doi.org/10.1007/978-1-4615-3928-5_11
- [BSN], (2008). *SNI 3423:2008. Cara Uji Analisis Ukuran Butir Tanah*. Jakarta: Badan Standarisasi Nasional [BSN]. https://spada.uns.ac.id/pluginfile.php/211721/mod_resource/content/1/sni-3423--2008.pdf
- [BSN], (2016). *SNI 8291:2016. Penyusunan dan penentuan zona kerentanan gerakan tanah*. Jakarta: Badan Standarisasi Nasional [BSN].

- Caniani, D., Pascale, S., Sdao, F., & Sole, A. (2008). Neural networks and landslide susceptibility: A case study of the urban area of Potenza. *Nat Hazards*, 45, 55–72. <https://doi.org/10.1007/s11069-007-9169-3>
- Cascini, L. (2008). Applicability of landslide susceptibility and hazard zoning at different scales. *Engineering Geology*, 102(3–4), 164–177. <https://doi.org/10.1016/j.enggeo.2008.03.016>
- Congedo, L. (2022). *Semi-Automatic Classification Plugin Documentation Release 7.9.7.1. Semi-Automatic Classification Plugin*.
- Copernicus. (2023). Sentinel-2 MSI User Guide. *Sentinel Online*. <https://sentinels.copernicus.eu/web/sentinel/user-guides/sentinel-2-msi>
- Crawford, J. T., Hinckley, E.-L. S., Litaor, M. I., Brahney, J., & Neff, J. C. (2019). Evidence for accelerated weathering and sulfate export in high alpine environments. *Environmental Research Letters*, 14(12), 124092. <https://doi.org/10.1088/1748-9326/ab5d9c>
- Dai, Z., Wang, F., Yang, H., & Qin, S. (2020). *Numerical investigation on the kinetic characteristics of the Yigonglandslide in Tibet, China* [Preprint]. Landslides and Debris Flows Hazards. <https://doi.org/10.5194/nhess-2020-289>
- El Jazouli, A., Barakat, A., & Khellouk, R. (2019). GIS-multicriteria evaluation using AHP for landslide susceptibility mapping in Oum Er Rbia high basin (Morocco). *Geoenvironmental Disasters*, 6(1), 3. <https://doi.org/10.1186/s40677-019-0119-7>
- El-Garhy, B., Fahmy Fahem Asal, & Tarek Mohamed Ragab. (2013). *Developing Computer Aided Learning Package For Teaching Geotechnical Engineering I Course*. <https://doi.org/10.13140/RG.2.2.18719.76962>
- ESRI. (2023). Comparing interpolation methods. *ArcGIS Pro*. <https://pro.arcgis.com/en/pro-app/latest/tool-reference/3d-analyst/comparing-interpolation-methods.htm>

- Febriarta, E., Susanto, D., Wicaksono, A. P., & Larasati, A. (2022). Kajian metode deterministik untuk zonasi kerentanan gerakan tanah di Labuan Bajo Nusa Tenggara Timur. *Majalah Geografi Indonesia*, 36(1). <https://doi.org/10.22146/mgi.71839>
- Fischer, L., Rubensdotter, L., Sletten, K., Stalsberg, K., Melchiorre, C., Horton, P., & Jaboyedoff, M. (2012). Debris flow modeling for susceptibility mapping at regional to national scale in Norway. Dalam *Landslides and engineered slopes: Protecting society through improved understanding proceedings of the 11th international and 2nd North american symposium on landslides and engineered slopes, Banff, Canada, 3-8 June 2012*. CRC press.
- Guzzetti, F., Mondini, A. C., Cardinali, M., Fiorucci, F., Santangelo, M., & Chang, K.-T. (2012). Landslide inventory maps: New tools for an old problem. *Earth-Science Reviews*, 112(1–2), 42–66. <https://doi.org/10.1016/j.earscirev.2012.02.001>
- Hardiyatmo, H. C. (2012). *Tanah Longsor & Erosi Kejadian dan Penanganan*. Gadjah Mada University Press.
- Hidayah, A., -, P., & Massinai, Muh. A. (2017). Analisis Rawan Bencana Lonsor Menggunakan Metode AHP (*Analytical Hierarchy Process*) di Kabupaten Toraja Utara. *Jurnal Gecelebes*, 1(1), 1. <https://doi.org/10.20956/gecelebes.v1i1.1772>
- Hoa, P. V., Tuan, N. Q., Hong, P. V., Thao, G. T. P., & Binh, N. A. (2023). GIS-based modeling of landslide susceptibility zonation by integrating the frequency ratio and objective–subjective weighting approach: A case study in a tropical monsoon climate region. *Frontiers in Environmental Science*, 11, 1175567. <https://doi.org/10.3389/fenvs.2023.1175567>
- Horton, P., Jaboyedoff, M., Rudaz, B., & Zimmermann, M. (2013). Flow-R, a model for susceptibility mapping of debris flows and other gravitational hazards at a regional

<https://doi.org/10.5194/nhess-13-869-2013>

- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types, an update. *Landslides*, 11(2), 167–194. <https://doi.org/10.1007/s10346-013-0436-y>
- Isneni, A. N., Putranto, T. T., & Trisnawati, D. (2020). Analisis Sebaran Daerah Rawan Longsor Menggunakan Remote Sensing dan Analytical Hierarchy Process (AHP) di Kabupaten Magelang Provinsi Jawa Tengah. *Jurnal Geosains dan Teknologi*, 3(3), 149–160. <https://doi.org/10.14710/jgt.3.3.2020.149-160>
- Jamal, H. (2019). Unified Soil Classification System and Its Engineering Applications. *About Civil*. <https://www.aboutcivil.org/unified-soil-classification-system>
- Jamulya, & Haryono, E. (2000). Kajian Tingkat Pelapukan Batuan Menurut Toposekuen Di Daerah Aliran Sungai Tangsi Kabupaten Magelang. *Majalah Geografi Indonesia*, 14(1). <http://dx.doi.org/10.22146/mgi.6752>
- Jianti, M. (2021). *Pemetaan Tingkat Kerentanan Bencana Tanah Longsor Pada Kawasan Lahan Terbangun Menggunakan Metode Berjenjang Tertimbang di Sebagian Kabupaten Kulon Progo (Studi Kasus Kecamatan Samigaluh, Girimulyo, Dan Kokap)* [Tugas Akhir]. Universitas Gadjah Mada.
- Kayastha, P., Dhital, M. R., & De Smedt, F. (2013). Application of the analytical hierarchy process (AHP) for landslide susceptibility mapping: A case study from the Tinau watershed, west Nepal. *Computers & Geosciences*, 52, 398–408. <https://doi.org/10.1016/j.cageo.2012.11.003>
- Kumar, R., & Anbalagan, R. (2016). Landslide susceptibility mapping using analytical hierarchy process (AHP) in Tehri reservoir rim region, Uttarakhand. *Journal of the Geological Society of India*, 87(3), 271–286. <https://doi.org/10.1007/s12594-016-0395-8>

- Kusuma, D., Murdimanto, A., Sukresno, B., & Jatisworo, D. (2018). Comparison of interpolation methods for sea surface temperature data D. *JFMR-Journal of Fisheries and Marine Research*, 2(2), 103–115. <https://doi.org/10.21776/ub.jfmr.2018.002.02.7>
- Malczewski, J. (2000). On the Use of Weighted Linear Combination Method in GIS: Common and Best Practice Approaches. *Transactions in GIS*, 4(1), 5–22. <https://doi.org/10.1111/1467-9671.00035>
- McColl, S. T. (2022). Landslide causes and triggers. Dalam *Landslide Hazards, Risks, and Disasters* (hlm. 13–41). Elsevier. <https://doi.org/10.1016/B978-0-12-818464-6.00011-1>
- Miura, H. (2019). Fusion Analysis of Optical Satellite Images and Digital Elevation Model for Quantifying Volume in Debris Flow Disaster. *Remote Sensing*, 11(9), 1096. <https://doi.org/10.3390/rs11091096>
- Muzani. (2021). *Buku Referensi Bencana Tanah Longsor Penyebab Dan Potensi Longsor*. Deepublish Publisher.
- Ningrum, E. R. (2021). *Penilaian Kerentanan Longsor Menggunakan Pemodelan Flow R: Studi Kasus Lereng Waduk Bener, Purworejo Jawa Tengah* [Skripsi]. Universitas Gadjah Madyogyakarta.
- Nurfiyanto, D. (2018). Studi Fasies Formasi Jonggrangan di Lintasan Jatimulyo, Girimulyo, Kulonprogo. *Prosiding Seminar Nasional ReTII ke-12 2017*.
- Peraturan Menteri PUPR. (2007). *Nomor 22/PRT/M/2007. Pedoman Penataan Ruang Kawasan Rawan Bencana Longsor*.
- Peraturan Menteri PUPR. (2015). *Nomor 04/PRT/M/2015. Kriteria dan Penetapan Wilayah Sungai*.

- Polat, A., & Erik, D. (2020). Debris flow susceptibility and propagation assessment in West Koyulhisar, Turkey. *Journal of Mountain Science*, 17(11), 2611–2623. <https://doi.org/10.1007/s11629-020-6261-6>
- Pranita, H. (2020). *Lahan Konservasi Lahan Pertanian Kecamatan Girimulyo Kabupaten Kulon Progo* [Skripsi, Fakultas Ilmu Sosial Universitas Negeri Yogyakarta]. <http://library.fis.uny.ac.id/digital/skripsi/66f041e16a60928b05a7e228a89c3799/files/basic-html/page1.html>
- Putra, M. H. Z., Dinata, I. A., Sadisun, I. A., & Sarah, D. (2022). Modeling of individual debris flows based on DEMNAS using Flow-R: A case study in Sigi, Central Sulawesi. *Riset Geologi dan Pertambangan*. <https://doi.org/e-ISSN 2354-6638 p-ISSN 0125-9849>
- Rifai, A., Andika Yuniawan, R., Faris, F., Subiyantoro, A., Sidik, V., & Prayoga, H. (2022). Performance of rainfall satellite threshold to predict landslide events in Girimulyo District. *2022 IEEE International Conference on Aerospace Electronics and Remote Sensing Technology (ICARES)*, 1–6. <https://doi.org/10.1109/ICARES56907.2022.9993592>
- Saaty, T. L. (1977). A scaling method for priorities in hierarchical structures. *Journal of Mathematical Psychology*, 15(3), 234–281. [https://doi.org/10.1016/0022-2496\(77\)90033-5](https://doi.org/10.1016/0022-2496(77)90033-5)
- Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2018). Generating landslide inventory by participatory mapping: An example in Purwosari Area, Yogyakarta, Java. *Geomorphology*, 306, 306–313. <https://doi.org/10.1016/j.geomorph.2015.07.035>
- Satelite Imaging Corporation. (2022). Sentinel-2A Satellite Sensor (10m). *Satelite Imaging Corporation*. <https://www.satimagingcorp.com/satellite-sensors/other-satellite-sensors/sentinel-2a/>

- Setianto, A., & Triandini, T. (2015). Comparison Of Kriging And Inverse Distance Weighted (DW) Interpolation Methods In Lineament Extraction And Analysis. *Journal of Applied Geology*, 5(1). <https://doi.org/10.22146/jag.7204>
- Setiawan, B. (2017). *Pemetaan Daerah Rawan Longsor di Kecamatan Pujon Menggunakan Metode Analytic Hierarchy Process (AHP)* [Skripsi, Universitas Brawijaya]. http://repository.ub.ac.id/id/eprint/132089/2/SKRIPSI_FULL.pdf
- Setiawan, H., Wilopo, W., Wiyoso, T., Fathani, T. F., & Karnawati, D. (2019). Investigation and numerical simulation of the 22 February 2018 landslide-triggered long-traveling debris flow at Pasir Panjang Village, Brebes Regency of Central Java, Indonesia. *Landslides*, 16(11), 2219–2232. <https://doi.org/10.1007/s10346-019-01245-0>
- Sitorus, S. R. P. (2006). Pengembangan Lahan Berpenutupan Tetap sebagai Kontrol terhadap Faktor Resiko Erosi dan Bencana Longsor. *Lokakarya Penataan Ruang sebagai Wahana untuk Meminimalkan Potensi Kejadian Bencana Longsor*. Direktorat Jenderal Penataan Ruang, Departemen Pekerjaan Umum.
- Susanti, P. D., & Miardini, A. (2019). Identifikasi Karakteristik dan Faktor Pengaruh pada Berbagai Tipe Longsor. *agriTECH*, 39(2), 97. <https://doi.org/10.22146/agritech.40562>
- Sustriani, Y. (2013). Pengaruh Struktur Kekar Terhadap Kestabilan Lereng Dinding Bagian Barat Daya dan Timur Laut Pada Desain Fase 6 Tambang Terbuka Batu Hijau Pt Newmont Nusa Tenggara. *Geological Engineering E-Journal*, 5(1), 1.
- Temme, A. J. A. M. (2021). Relations Between Soil Development and Landslides. Dalam A. Hunt, M. Egli, & B. Faybishenko (Ed.), *Geophysical Monograph Series* (1 ed., hlm. 177–185). Wiley. <https://doi.org/10.1002/9781119563952.ch9>
- Terlien, M. T. J., Van Westen, C. J., & van Asch, T. W. J. (1995). Deterministic Modelling in Gis-Based Landslide Hazard Assessment. Dalam A. Carrara & F. Guzzetti (Ed.),

77). Springer Netherlands. https://doi.org/10.1007/978-94-015-8404-3_4

Wang, Z.-Y., Lee, J. H. W., & Melching, C. S. (2015). Debris Flows and Landslides. Dalam Z.-Y. Wang, J. H. W. Lee, & C. S. Melching, *River Dynamics and Integrated River Management* (hlm. 193–264). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-25652-3_5

Wumu, R. (2016). *Analisa Tingkat Kerentanan Longsor Menggunakan Metode Weighted Linear Combination (WLC) – The Analytic Hierarchy Process (AHP) (Studi Kasus Kecamatan Bone Pantai)* [Tesis, Institut Teknologi Sepuluh Nopember]. https://repository.its.ac.id/74911/1/3514201013-Master_Thesis.pdf

Xu, H., Su, P., Chen, Q., Liu, F., Zhou, Q., & Liu, L. (2022). Susceptibility areas identification and risk assessment of debris flow using the Flow-R model: A case study of Basu County of Tibet. *Geoenvironmental Disasters*, 9(1), 13. <https://doi.org/10.1186/s40677-022-00216-3>