

DAFTAR PUSTAKA

- Abou-donia, M.B. 2003. Organophosphorus ester-induced neurotoxicity. *Arch Environ Health*, 58(8):484-97.
- Adytya, G., Setyaningsih, I., & Tama, W.N. 2019. Uji reliabilitas *amer dizziness diagnostic scale* versi bahasa Indonesia untuk menilai gangguan vestibular. *Prosiding Poster Neurology Update Jogja Clan*.
- Aliunputri, A.R., Ashar, T. & Lubis, R. 2020. The Relationship between Personal Hygiene and Household Insecticide Use with Parkinsonism on Farmers at Juhar Ginting Sadanioga. *Britain International of Exact Sciences (BioEx) Journal*, 2(1), pp.102–107.
- Amaral, A.F.S. 2014. Pesticides and asthma: challenges for epidemiology. *Frontiers in Public Health*, 2 (6), pp.1–3.
- Andarini, Y.D. & Rosanti, E. 2018. Kajian Toksisitas Pestisida berdasarkan Masa Kerja dan Personal Hygiene pada Petani Hortikultura di Desa Demangan. *Jurnal Kesehatan Masyarakat*, 5(2), pp.82–89.
- Bajgar, J. 2005. Complex view on poisoning with nerve agents and organophosphates. *Acta Medica-Hradec Kralove-*, 48(1), 3.
- Bisdorff, A., Von Brevern, M., Lempert, T., & Newman-Toker, D.E. 2009. Classification of vestibular symptoms: Towards an international classification of vestibular disorders. *Journal of Vestibular Research: Equilibrium and Orientation*, 19 (1–2), pp.1–13.
- Bisdorff, A.R., Staab, J.P. & Newman-Toker, D.E. 2015. Overview of the International Classification of Vestibular Disorders. *Neurologic Clinics*, 33 (3), pp.541–550.
- BPS Kabupaten Magelang. 2021. *Kabupaten Magelang Dalam Angka*. Pemerintah Kabupaten Magelang.
- Cahyadi, R., Rofi’I, A., Suhartono, E., Husaini & Noor, M.S. 2020. The influence of age, time off and pesticides exposure on haemoglobin levels on vegetable farmers in Landasan Ulin Utara Subdistrict Banjarbaru City. *Indian Journal of Forensic Medicine & Toxicology*, 14 (2), pp.1288-1291.
- Chang, T.P., Zee, D.S. & Kheradmand, A. 2019. Technological Advances in Testing the Dizzy Patient: The Bedside Examination Is Still the Key to Successful Diagnosis. *Dizziness and Vertigo Across the Lifespan*, pp.9–30.
- Chen, Y. 2012. Organophosphate-induced brain damage: Mechanisms, neuropsychiatric and neurological consequences, and potential therapeutic strategies. *NeuroToxicology*, 33 (3), pp.391–400.
- Cheung, J., Rudolph, M.J., Burshteyn, F., Cassidy, M.S., Gary, E.N., Love, J., *et al.*, 2012. Structures of human acetylcholinesterase in complex with pharmacologically important ligands. *Journal of Medicinal Chemistry*, 55 (22), pp.10282–10286.
- Cogo, L.A., Filha, V.A.V.S, Murashima, A.A.B., Hyppolito, M. A., & Silveira, A. F. D. 2016. Morphological analysis of the vestibular system of guinea pigs poisoned by organophosphate. *Brazilian Journal of Otorhinolaryngology*, 82 (1), pp.11–16.

- Corral, S.A., de Angel, V., Salas, N., Zúñiga-Venegas, L., Gaspar, P. A., & Pancetti, F. 2017. Cognitive impairment in agricultural workers and nearby residents exposed to pesticides in the Coquimbo Region of Chile. *Neurotoxicology and Teratology*, 62 (June), pp.13–19.
- Delgado, I.F. & Paumgartten, F.J.R. 2004. Pesticide use and poisoning among farmers from the county of Paty do Alferes, Rio de Janeiro, Brazil. *Cad Saude Publica*, 20 (1), pp.180–186.
- Depkes RI. 1992. Pengenalan dan Penatalaksanaan Keracunan Pestisida. Jakarta: Departemen Kesehatan RI.
- Dhaningtyas, S., Setiani, O., & Nurjazuli. 2019. Balance disorders due to pesticide exposure in farmers women in Bandungan Sub-district, Semarang District. *International Journal of Advanced Research*, 7 (2), pp.63-67.
- Fajriani, G.N., Fadhillah, F.R. & Hutagaol, R.R. 2019. Hubungan Intensitas Penyemprotan Pestisida dengan Kadar Kolinesterase dalam Darah Petani di Desa Pasirhalang Kabupaten Bandung Barat. *Meditory*, 7 (2), pp.66–76.
- Figueiredo, T.H., Apland, J.P., Braga, M.F.M., & Marini, A.M. 2018. Acute and long-term consequences of exposure to organophosphate nerve agents in humans. *Epilepsia*, 59 (February), pp.92–99.
- Gilden, R.C., Huffling, K. & Sattler, B. 2010. Pesticides and health risks. *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 39 (1), pp.103–110.
- Hall, J.E. & Hall, M.E. 2021. *Guyton and Hall Textbook of Medical Physiology*. 14th ed. Elsevier, Philadelphia.
- Hasanah, N., Entianopa & Listiawaty, R. 2022. Faktor yang Berhubungan dengan Perilaku Penggunaan Alat Pelindung Diri (APD) pada Petani Penyemprot Pestisida di Puskesmas Paal Merah Ii. *Jurnal Inovasi Penelitian*, 2(9), pp.3039–3045.
- Herdianti, 2018. Hubungan Lama, Tindakan Penyemprotan, dan Personal Hygiene dengan Gejala Keracunan Pestisida. *Jurnal Kesehatan Masyarakat*, 8(1), pp.72–77.
- Hermawan, I., Widjasena, B. & Kurniawan, B. 2018. Faktor-Faktor yang Berhubungan Dengan Aktivitas Kolinesterase Darah pada Petani Jambu di Desa Pesaren Kecamatan Sukorejo Kabupaten Kendal. *Jurnal Kesehatan Masyarakat*, 6 (4), pp.309–320.
- Hoshino, A.C.H., Ferreira, H.P., Taguchi, C.K., Tomita, S., & de Fátima Miranda, M. 2008. Ototoxicity study in workers exposed to organophosphate. *Brazilian Journal of Otorhinolaryngology*, 74 (6), pp.912–918.
- Indasah & Fitrianingtias, Y.A. 2017. Poisoning due to pesticide spraying viewed from personal hygiene and long exposure to onion farmers in Sumberjo Nganjuk. *International Nursing Conference*, pp.339-345.
- Ipmawati, P.A., Setiani, O. & Darundiati, Y.H. 2016. Analisis Faktor-Faktor Risiko Yang Mempengaruhi Tingkat Keracunan Pestisida Pada Petani Di Desa Jati , Kecamatan Sawangan, Kabupaten Magelang, Jawa Tengah. *Jurnal Kesehatan Masyarakat (e-Journal)*, 4 (1), pp.427–435.
- Kim, K.H., Kabir, E. & Jahan, S.A. 2017. Exposure to pesticides and the associated human health effects. *Science of the Total Environment*, 575, pp.525–535.

- Klaassen, C. & Watkins, J. 2021. Casarett and doull's essentials of toxicology. 4th ed. McGraw-Hill.
- Körbes, D., Silveira, A.F., Hyppolito, M.Â., & Munaro, G. 2010. Organophosphate-related ototoxicity: description of the vestibulocochlear system ultrastructural aspects of guinea pigs. *Brazilian Journal of Otorhinolaryngology*, 76 (2), pp.238–244.
- Krenz, J.E., Hofmann, J.N., Smith, T.R., Cunningham, R. N., Fenske, R. A., Simpson, C. D., *et al.*, 2015. Determinants of butyrylcholinesterase inhibition among agricultural pesticide handlers in Washington State: an update. *Annals of Occupational Hygiene*, 59 (1), pp.25–40.
- Leonard, J. H., Ali, J. E., Vikram, M., Saraswathy, V., Hanif, F. M. R., Nihayah, M., *et al.*, 2013. Risk of mental health disorders among farmers involved in palm plantation occupation. *Clinica Terapeutica*, 164(5), pp.403–406.
- Lestari, S.A., Perwitasari, M. & Nurfajriah, S. 2019. Gambaran Kadar Cholinesterase Darah Petani Penyemprot Pestisida di Desa Bolang Kabupaten Karawang Jawa Barat. *Jurnal Mitra Kesehatan*, 02(01), pp.35–40.
- Macfarlane, E., Carey, R., Keegel, T., El-Zaemay, S., & Fritschi, L. 2013. Dermal exposure associated with occupational end use of pesticides and the role of protective measures. *Safety and Health at Work*, 4 (3), pp.136–141.
- Mahmudah, M., Wahyuningsih, N.E. & Setyani, O. 2012. Kejadian Keracunan Pestisida pada Istri Petani Bawang Merah di Desa Kedunguter Kecamatan Brebes Kabupaten Brebes. *Media Kesehatan Masyarakat Indonesia*, 11(1), pp.65–70.
- Mattiuzzi, Â.L., Caye, J.L., Frank, J.G., & Battisti, I. D. E. 2019. Hearing screening and cholinesterase activity among rural workers exposed to pesticides. *Revista Brasileira de Medicina do Trabalho*, 17 (2), pp.239–246.
- Minaka, I.A.D.A., Sawitri, A.A.S. & Wirawan, D.N. 2016. Hubungan Penggunaan Pestisida dan Alat Pelindung Diri dengan Keluhan Kesehatan pada Petani Hortikultura di Buleleng, Bali. *Public Health and Preventive Medicine Archive*, 4(1), pp.74–81.
- Murasawa, S., Matsubara, H., Mori, Y., Masaki, H., Tsutsumi, Y., Shibasaki, Y., *et al.*, 2000. Angiotensin II Initiates Tyrosine Kinase Pyk2-dependent Signalings Leading to Activation of Rac1-mediated c-Jun NH2-terminal Kinase. *Journal of Biological Chemistry*, 275 (35), pp.26856–26863.
- Notoatmodjo, S. 2019. Promosi kesehatan teori dan aplikasi. Rineka Cipta. Jakarta.
- Perwitasari, D.A., Prasasti, D., Supadmi, W., Jaikishin, S. A. D., & Wiraagni, I. A. 2017. Impact of organophosphate exposure on farmers' health in Kulon Progo, Yogyakarta: Perspectives of physical, emotional and social health. *SAGE Open Medicine*, 5, p.205031211771909.
- Phillips, S., Suarez-Torres, J., Checkoway, H., Lopez-Paredes, D., Gahagan, S., & Suarez-Lopez, J. R. 2021. Acetylcholinesterase activity and thyroid hormone levels in Ecuadorian adolescents living in agricultural settings where organophosphate pesticides are used. *International Journal of Hygiene and Environmental Health*, 233, p.113691.
- Pohanka, M. 2012. Cholinesterase inhibitors. *Expert Opin. Ther. Patents*, 53 (8),

pp.404–408.

- Prijanto, T.B., Nurjazuli & Sulistiyani. 2013. Analisis Faktor Risiko Keracunan Pestisida Organofosfat Pada Keluarga Petani Hortikultura di Kecamatan Ngablak Kabupaten Magelang. *Jurnal Kesehatan Lingkungan Indonesia*, 8 (2), pp.73–78.
- Priwibowo, G.S., Sunarti, Dewi, F.S.T. 2014. Hygiene Perorangan, Pengelolaan dan Penggunaan Pestisida pada Petani terhadap Tingkat Keracunan Pestisida di Desa Candibinangun, Kecamatan Pakem, Kabupaten Sleman. UGM Press. Yogyakarta.
- Qomariah, A., Setiani, O. & Dangiran, H.L. 2017. Hubungan Paparan Pestisida Organofosfat terhadap Jumlah Leukosit dalam Darah Petani Penyemprot di Desa Sumberejo Kecamatan Ngablak. *Jurnal Kesehatan Masyarakat*, 5(3), pp.339–347.
- Rahman, A., Sutarni, S., & Setyaningrum, C.T.S. 2018. Korelasi kadar kholinesterase darah dengan fungsi kognitif anak usia sekolah dengan riwayat paparan pestisida di Kecamatan Ngablak, Kabupaten Magelang. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Rahmi, E., Setyaningsih, I. & Gofir, A. 2020. Kadar kholinesterase sebagai faktor risiko neuropati perifer pada petani terpajan pestisida di Ngablak Magelang. Departemen Neurologi FKMK Universitas Gadjah Mada.
- Rajakakse, B.N., Thiermann, H., Eyer, P., Worek, F., Bowe, S.J., Dawson, A.H., *et al.*, 2011. Evaluation of the Test-mate ChE (Cholinesterase) Field Kit in Acute Organophosphorus Poisoning. *Annals of Emergency Medicine*, 58 (6), pp.559-564.
- Reina, J.M., Duarte, J.A., Cerrillos, L., Bautista Palomas, J. D., & Moreno Navarro, I. M. 2017. Insecticide Reproductive Toxicity Profile: Organophosphate, Carbamate and Pyrethroids. *Journal of Toxins*, 4 (1), pp.1–7.
- Rusdita, A.Q.W., Kasjono, H.S. & Astuti, D. 2016. Hubungan hygiene perorangan dan cara penyemprotan pestisida dengan tingkat keracunan pestisida pada petani di Desa Kembang Kuning Kecamatan Cepogo. Tesis. Universitas Muhammadiyah Surakarta. Surakarta.
- Saif, A. Al & Al Senany, S. 2015. Sensitivity and specificity of the amer dizziness diagnostic scale (adds) for patients with vestibular disorders. *The Journal of Physical Therapy Science*, 27 (1), pp.91–96.
- Saif, A. Al & Al Senany, S. 2015. The clinical and demographic features of dizziness related to general health among the Saudi population. *Journal of Physical Therapy Science*, 27 (10), pp.3195–3198.
- Samimi, A., Rahmani, A.L.I.H., Ababaf, R., & Zeidooni, L. 2016. An Investigation of Clinical Symptoms and Treatment of Organophosphate Poisoning among Patients Referred to Razi Hospital during 2006 – 2012, pp.107–110.
- Samosir, K., Setiani, O. & Nurjazuli. 2017. Hubungan Paparan Pestisida dengan Gangguan Keseimbangan Tubuh Petani Hortikultura di Kecamatan Ngablak Kabupaten Magelang. *Jurnal Kesehatan Lingkungan Indonesia*, 16 (2), pp.63– 69.
- Saputro, A.N.A., Subagya & Sutarni, S. 2020. Korelasi kadar kholinesterase darah dengan tingkat keparahan vertigo pada petani terpajan pestisida di Kecamatan

- Ngablak Kabupaten Magelang Jawa Tengah. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Sartono. 2002. Racun dan keracunan. Widya Medika. Jakarta.
- Setyaningrum, C., & Dewati, E. 2017. *Pedoman Tata Laksana Vertigo Kelompok Studi Neurootologi dan Neurooftalmologi Perdossi*. Pustaka Cendekia. Yogyakarta.
- Setyopranoto, I., Argo, I.W., Ramadhani, A.F., Dwianingsih, E.K., Tama, W.N., Gofir, A., *et al.*, 2020. The association between pesticide exposure and neurological signs and symptoms in farmers in Magelang district, Central Java, Indonesia. *Open Access Macedonian Journal of Medical Sciences*, 8 (E), pp.538–543.
- Simbolon, B.H. 2004. Faktor-faktor yang berhubungan dengan penurunan kadar kolinesterase darah akibat penggunaan pestisida pada petani penyemprot hama tanaman di Kota Metro Propinsi Lampung. Tesis. Universitas Indonesia. Depok, Indonesia.
- Singh, G. & Khurana, D. 2009. Neurology of acute organophosphate poisoning. *Neurology India*, 57 (2), pp.119–125.
- Siregar, D.M.S. & Nurfadilah, 2022. Faktor yang Berhubungan dengan Gejala Neurotoksik Akibat Paparan Pestisida pada Petani Sayuran, Desa Sugiharjo, Kecamatan Batang Kuis, Kabupaten Deli Serdang. *Media Kesehatan*, 15(1), pp.76–87.
- Suhartono. 2014. Dampak Pestisida terhadap Kesehatan. *Prosiding Seminar Nasional Pertanian Organik*, pp.15–23.
- Suhenda, D. 2006. Karakteristik individu, waktu penyemprotan terakhir, pengetahuan perilaku, dan kadar kolinesterase darah petani di Kabupaten Subang. Skripsi. Universitas Indonesia. Depok, Indonesia.
- Sunwook, K., Nussbaum, M.A., Quandt, S.A., Laurienti, P. J., & Arcury, T. A. 2017. Effects of lifetime occupational pesticide exposure on postural control among farmworkers and non-farmworkers. *Journal of Occupational and Environmental Medicine*, 58 (2), pp.133–139.
- Supriyanto, S., Apriliani, R. & Herawati, T. 2018. Perilaku Penggunaan Alat Pelindung Diri (APD) pada Petani Pengguna Pestisida di Desa Cikole Kecamatan Lembang, Kabupaten Bandung Barat. *Jurnal Kesehatan Aeromedika*, 4(2), pp.77–82.
- Suratman, S., Edwards, J.W. & Babina, K. 2015. Organophosphate pesticides exposure among farmworkers: Pathways and risk of adverse health effects. *Reviews on Environmental Health*, 30 (1), pp.65–79.
- Suryamah, Y. 2006. Analisis pemajanan pestisida dengan tingkat keracunan pestisida pada petani perkebunan di Kabupaten Bandung. Skripsi. Universitas Indonesia. Depok, Indonesia.
- Sutarni, S. 2005. Pengaruh pajanan organofosfat fenitrothion terhadap sistema muskularum penyemprot malaria di Kecamatan Kokap dan Girimulyo, Kabupaten Kulon Progo serta di Kecamatan Kemiri dan Pituruh, Kabupaten Purworejo, Jawa Tengah. *Berkala Neurosains*, 6 (1), pp.37-46.
- Sutarni, S., Gofir, A., Malueka, R. 2007. *Sari Neurotoksikologi*. Pustaka Cendekia Press. Yogyakarta

- Taguchi, C.K., Uehara, I., Ganança, M.M., Caovilla, H. H., & Ito, Y. I. 1990. Vestibular evaluation in 42 patients with ototoxicosis. *Pró-fono*, 2 (2), pp.15–19.
- Tutu, C.G., Manampiring, A.E. & Umboh, A. 2020. Faktor-Faktor yang Berhubungan dengan Aktivitas Enzim Cholinesterase Darah pada Petani Penyemprot Pestisida. *Indonesian Journal of Public Health and Community Medicine*, 1 (4), pp.1–13.
- Umakanth, M. 2018. Clinical profile of intermediate syndrome following organophosphate poisoning. *Asia Pacific Journal of Medical Toxicology*, 7 (2), pp.42–45.
- U.S. Environmental Protection Agency (USEPA). 2007. Pesticides: Health and Safety. National Assessment of the Worker Protection Workshop #3. Available at: <http://www2.epa.gov/pesticide-worker-safety>.
- Vale, A. & Lotti, M. 2015. *Organophosphorus and carbamate insecticide poisoning* 1st ed., Elsevier B.V.
- Worek, F., Koller, M., Thiermann, H., & Szinicz, L. 2005. Diagnostic aspects of organophosphate poisoning. *Toxicology*, 214 (3), pp.182–189.
- Wrisley, D.M., Sparto, P.J., Whitney, S.L., & Furman, J.M. 2000. Cervicogenic dizziness: A review of diagnosis and treatment. *Journal of Orthopaedic and Sports Physical Therapy*, 30 (12), pp.755–766.
- Yogisutanti, G., Muliati, I.A., Nurmalinga, I., Hotmaida, L., & Suhat, S. 2020. Penggunaan Alat Pelindung Diri dan Keracunan Pestisida pada Pekerja di Perusahaan Penyemprot Hama. *Media Kesehatan Masyarakat Indonesia*, 16(2), pp.183–191.
- Zeigelboim, B.S., Malisky, J.S., Da Rosa, M.R., Lacerda, A. B. M. D., Alcaraz, P. D. S., & Fonseca, V. R. 2019. The importance of otoneurological evaluation in Brazilian workers exposed to pesticides: A preliminary study. *International Archives of Otorhinolaryngology*, 23 (4), pp.389–395.
- Zocoli, R., Reichow, S.L. & Zocoli, A.M.F. 2003. Otoacoustic emissions x Cisplatin: precocious detection of ototoxicity in oncologic patients. *Revista Brasileira de Otorrinolaringologia*, 69 (2), pp.222–225.