

DAFTAR PUSTAKA

- Aba, L., Yusuf, Y., Mitrayana, Siswanta, D., Junaidi, and Triyana, K., 2014, Sensitivity improvement of ammonia gas sensor based on poly(3,4- ethylenedioxythiophene):Poly(styrenesulfonate) by employing doping of bromocresol green, *J. Nanotechnol.*, 2014, .
- Ahmed, M.A., Abdelbar, N.M., and Mohamed, A.A., 2018, Molecular imprinted chitosan-TiO₂ nanocomposite for the selective removal of Rose Bengal from wastewater, *Int. J. Biol. Macromol.*, 107, 1046–1053.
- Aisyah, N., Nurijal, I., Ainus, S., Chaerunnisa, A., Roto, R., Kusumaatmadja, A., Hadi, E., and Triyana, K., 2023, Biosensors and Bioelectronics : X Molecularly imprinted polyvinyl acetate doped with boric acid for sensitivity and selectivity of ammonia sensing by QCM, *Biosens. Bioelectron. X*, 13, 100320.
- Anju, V.P., Jithesh, P.R., and Narayanankutty, S.K., 2019, A novel humidity and ammonia sensor based on nanofibers/polyaniline/polyvinyl alcohol, *Sensors Actuators, A Phys.*, 285, 35–44.
- Armbruster, D.A., Tillman, M.D., and Hubbs, L.M., 1994, Limit of detection (LOD)/limit of quantitation (LOQ): Comparison of the empirical and the statistical methods exemplified with GC-MS assays of abused drugs, *Clin. Chem.*, 40, 1233–1238.
- Atkinson, R., and Arey, J., 2003, Gas-phase tropospheric chemistry of biogenic volatile organic compounds : a review, *Atmos. Environ. 37 Suppl.*, 2, .
- Avalos, M., van Wezel, G.P., Raaijmakers, J.M., and Garbeva, P., 2018, Healthy scents: microbial volatiles as new frontier in antibiotic research?, *Curr. Opin. Microbiol.*, 45, 84–91.
- Ayad, M.M., Salahuddin, N., and Minisy, I.M., 2014, Detection of some volatile organic compounds with chitosan-coated quartz crystal microbalance, *Des. Monomers Polym.*, 17, 795–802.
- Bender, S., Dickert, F.L., Mokwa, W., and Pachatz, P., 2003, Investigations on temperature controlled monolithic integrated surface acoustic wave (SAW) gas sensors, 93, 164–168.
- Bhardwaj, N., and Kundu, S.C., 2010, Electrospinning: A fascinating fiber fabrication technique, *Biotechnol. Adv.*, 28, 325–347.
- Cao, H., Hu, X., Hu, C., Zhang, Y., and Jia, N., 2013, Biosensors and Bioelectronics Short communication A novel solid-state electrochemiluminescence sensor for melamine 3 / mesoporous silica nanospheres / Nafion composite modified electrode, *Biosens. Bioelectron.*,

- De Carvalho, C.C.C.R., and Da Fonseca, M.M.R., 2006, Biotransformation of terpenes, *Biotechnol. Adv.*, 24, 134–142.
- Chen, B., Liu, C., and Hayashi, K., 2014, Selective terpene vapor detection using molecularly imprinted polymer coated au nanoparticle LSPR sensor, *IEEE Sens. J.*, 14, 3458–3464.
- Chen, J., Huang, X., Wang, L., Ma, C., Wu, S., and Wang, H., 2020, The synthesis of a dual-template surface molecularly imprinted polymer based on silica gel and its application in the removal of pesticides from tea polyphenols, *Anal. Methods*, 12, 996–1004.
- Chen, J.Y., Penn, L.S., and Xi, J., 2018, Quartz crystal microbalance: Sensing cell-substrate adhesion and beyond, *Biosens. Bioelectron.*, 99, 593–602.
- Cheng, C.I., Chang, Y.P., and Chu, Y.H., 2012, Biomolecular interactions and tools for their recognition: Focus on the quartz crystal microbalance and its diverse surface chemistries and applications, *Chem. Soc. Rev.*, 41, 1947–1971.
- Chuang, M., Chen, C., Zan, H., Meng, H., and Lu, C., 2017, Organic Gas Sensor with an Improved Lifetime for Detecting Breath Ammonia in Hemodialysis Patients,.
- Chuka-ogwude, D., Ogbonna, J., Borowitzka, M.A., and Moheimani, N.R., 2020, Screening, acclimation and ammonia tolerance of microalgae grown in food waste digestate, *J. Appl. Phycol.*, 32, 3775–3785.
- Cuccia, L., Sanz, B., Ballesta Castro, D., Li, J., van der Veen, A.M.H., Amico di Meane, E., Moreno, S., Culleton, L.P., Vorin, D., Senné, C., Bougueroua, F., Pyrée, L., Courtois, Y., and Tastard, C., 2019, Development of standardized methods for the analysis of amines, terpenes and ammonia in biomethane, 06001, 06001.
- Daruházi, Á.E., Szarka, S., Héthelyi, É., Simándi, B., Gyurján, I., László, M., Szoke, É., and Lemberkovics, É., 2008, GC-MS identification and GC-FID quantitation of terpenoids in *Ononidis spinosae Radix*, *Chromatographia*, 68, 71–76.
- Dennis, 2011, *Basic Electronics for Scientists and Engineers*, UNited Kingdom at teh University Press Cambirdge, New York.
- Dilek Battala., et al, 2018, Molecularly imprinted polymer based quartz crystal microbalance sensor system for sensitive and label-free detection of synthetic cannabinoids in urine,

- Diltemiz, S.E., Hür, D., Ersöz, A., Denizli, A., and Say, R., 2009, Designing of MIP based QCM sensor having thymine recognition sites based on biomimicking DNA approach, *Biosens. Bioelectron.*, 25, 599–603.
- Diltemiz, S.E., Keçili, R., Ersöz, A., and Say, R., 2017, Molecular imprinting technology in Quartz Crystal Microbalance (QCM) sensors, *Sensors (Switzerland)*, 17, .
- Dineva, P., 2014, *Dynamic Fracture of Piezoelectric Materials - Chapter 2: Piezoelectric Materials.*,
- Ding, B., Wang, M., Wang, X., Yu, J., and Sun, G., 2010, Electrospun nanomaterials for ultrasensitive sensors, *Mater. Today*, 13, 16–27.
- Emslie, A.G., Bonner, F.T., and Peck, L.G., 1958, Flow of a viscous liquid on a rotating disk, *J. Appl. Phys.*, 29, 858–862.
- Fraden, J., and King, J.G., 2004, *Handbook of Modern Sensors: Physics, Designs, and Applications*, 2nd ed., Third., San Diego. California.
- Fujihara K, T.W.& M.Z.R.S., 2005, *An Introduction to Electrospinning and nanofibers.*
- Geng, S., Shah, F.U., Liu, P., Antzutkin, O.N., and Oksman, K., 2017, Plasticizing and crosslinking effects of borate additives on the structure and properties of poly(vinyl acetate), *RSC Adv.*, 7, 7483–7491.
- Hawari, H.F., Samsudin, N.M., Shakaff, A.Y.M., Wahab, Y., Hashim, U., Zakaria, A., Ghani, S.A., and Ahmad, M.N., 2013, Highly selective molecularly imprinted polymer (MIP) based sensor array using interdigitated electrode (IDE) platform for detection of mango ripeness, *Sensors Actuators, B Chem.*, 187, 434–444.
- He, S., Zhang, L., Bai, S., Yang, H., Cui, Z., Zhang, X., and Li, Y., 2021, Advances of molecularly imprinted polymers (MIP) and the application in drug delivery, *Eur. Polym. J.*, 143, 110179.
- Honeychurch, K., 2016, Review : The Application of Liquid Chromatography Electrochemical Detection for the Determination of Drugs of Abuse, *Separations.*,
- Huang, R., Yi, P., and Tang, Y., 2017, Probing the interactions of organic molecules, nanomaterials, and microbes with solid surfaces using quartz crystal microbalances methodology, advantages, and limitations, *Environ. Sci. Process. Impacts*, 19, 793–811.
- Huang, W., Wang, Xueqin, Jia, Y., Li, X., Zhu, Z., Li, Y., Si, Y., Ding, B., Wang, Xueli, and Yu, J., 2013,

Highly sensitive formaldehyde sensors based on polyvinylamine modified polyacrylonitrile nanofibers, *RSC Adv.*, 3, 22994–23000.

Huang, Z.M., Zhang, Y.Z., Kotaki, M., and Ramakrishna, S., 2003, A review on polymer nanofibers by electrospinning and their applications in nanocomposites, *Compos. Sci. Technol.*, 63, 2223–2253.

Humairah, N.A., Fadlunisa, F., Histingingtyas, K.A., Fatyadi, I.A., Roto, R., Kusumaatmaja, A., and Triyana, K., 2020, Molecular imprinting polymer-based QCM sensor for detection of α -pinene,. In, *Key Engineering Materials*. Trans Tech Publications Ltd, pp. 418–423.

Iqbal, N., Mustafa, G., Rehman, A., Biedermann, A., Najafi, B., Lieberzeit, P.A., and Dickert, F.L., 2010, QCM-Arrays for sensing terpenes in fresh and dried herbs via bio-mimetic MIP layers, *Sensors*, 10, 6361–6376.

Jeong, H.G., Kim, Y.E., and Kim, Y.J., 2013, Fabrication of poly(vinyl acetate)/polysaccharide biocomposite nanofibrous membranes for tissue engineering, *Macromol. Res.*, 21, 1233–1240.

Jia, Yu Y, H., Zhang, Y., Dong, F., and Li, Z., 2016, Cellulose acetate nanofibers coated layer-by-layer with polyethylenimine and graphene oxide on a quartz crystal microbalance for use as a highly sensitive ammonia sensor, *Colloids Surfaces B Biointerfaces*, 148, 263–269.

Jia Y, Gu, X.H., Kim, H.Y., Dong, J.T., and Gong, 2007, Fabrication and characterization of poly (vinyl alcohol)/chitosan blend nanofibers produced by electrospinning method, *Carbohydr. Polym.*, 67, 403–409.

Jia, Y., Yan, C., Yu, H., Chen, L., and Dong, F., 2014, One-step fabrication of ammonia sensor by electrospinning PS-b-PMA nanofibers on quartz crystal microbalance, *Sensors Actuators, B Chem.*, 203, 459–464.

Kalantar, Z., and Kourosh, 2013, *Sensors An Introductory Course.*,

Kang, Z., Zhang, D., Li, T., Liu, X., and Song, X., 2021, Polydopamine-modified SnO₂ nanofiber composite coated QCM gas sensor for high-performance formaldehyde sensing, *Sensors Actuators, B Chem.*, 345, 130299.

Karadurmus, L., Bilge, S., Sinağ, A., and Ozkan, S.A., 2022, Molecularly imprinted polymer (MIP)-Based sensing for detection of explosives: Current perspectives and future applications, *TrAC*

- Koriyanti, E., Saleh, K., Monado, F., Syawali, F., and Royani, I., 2020, On the effect of ethanol solution on melamine template removal process, *J. Chem. Technol. Metall.*, 55, 34–39.
- Kotsuki, K., Tanaka, H., Obata, S., Stauss, S., Terashima, K., and Saiki, K., 2014, The importance of spinning speed in fabrication of spin-coated organic thin film transistors: Film morphology and field effect mobility, *Appl. Phys. Lett.*, 104, .
- Lee, S.K., Chang, D., and Kim, S.W., 2014, Gas sensors based on carbon nanoflake/tin oxide composites for ammonia detection, *J. Hazard. Mater.*, 268, 110–114.
- Lee, S.K., Kim, J.H., Sohn, H.J., and Yang, J.W., 2005, Changes in aroma characteristics during the preparation of red ginseng estimated by electronic nose, sensory evaluation and gas chromatography/mass spectrometry, *Sensors Actuators, B Chem.*, 106, 7–12.
- Liu, C., Wyszynski, B., Yatabe, R., Hayashi, K., and Toko, K., 2017, Molecularly imprinted sol-gel-based QCM sensor arrays for the detection and recognition of volatile aldehydes, *Sensors (Switzerland)*, 17, 1–15.
- Malvino, A. dan Bates, D., 2016, *Electronic principles*,.
- Meyerhofer, D., 1978, Characteristics of resist films produced by spinning, *J. Appl. Phys.*, 49, 3993–3997.
- Mohajerani, E., Farajollahi, F., Mahzoon, R., and Bagheri, S., 2007, Morphological and thickness analysis for PMMA spin coated films, *J. Optoelectron. Adv. Mater.*, 9, 3901–3906.
- Montoya, P., Mejía, S., Gonçalves, V.R., Torresi, S.I.C. De, and Calderón, J.A., 2015, Performance improvement of macroporous polypyrrole sensor for detection of ammonia by incorporation of magnetite nanoparticles, *Sensors Actuators, B Chem.*, 213, 444–451.
- Mortaxavi, Z., Maryam, S., Sadeghi, M.M., Holt, M., Chowdhury, S.F., Tao, L., and Akinwande, D., 2016, Enhanced sensitivity of graphene ammonia gas sensors using molecular doping, *Appl. Phys. Lett.*, 108, 1–6.
- Mosbach, K., 1994, Molecular imprinting, *Trends Biochem. Sci.*, 19, 9–14.
- Mujahid, A., Lieberzeit, P.A., and Dickert, F.L., 2010, Chemical sensors based on molecularly imprinted sol-gel materials, *Materials (Basel)*, 3, 2196–2217.
- Na, J.Y., Kang, B., Sin, D.H., Cho, K., and Park, Y.D., 2015, Understanding solidification of

polythiophene thin films during spin-coating: Effects of spin-coating time and processing additives, *Sci. Rep.*, 5, 1–14.

NCBI-Alpha pinene, 2020, Alpha pinene, *Natl. Cent. Biotechnol. Inf.*,.

NCBI-Ammonia, 2020, Ammonia, <https://pubchem.ncbi.nlm.nih.gov/compound/222>,.

NCBI-Boric Acid, 2020, Boric Acid, *Natl. Cent. Biotechnol. Information-boric acid*, 2, 467–468.

NCBI-Chitosan, 2020, Chitosan, *Natl. Cent. Biotechnol. Inf.*,.

NCBI-Gamma-Terpinene, 2020, Gamma-Terpinene, *Natl. Cent. Biotechnol. Information-*,.

NCBI-Polyvinyl acetate, 2021, Polyvinyl acetate, *Natl. Cent. Biotechnol. Inf.*, 1–5.

Nematollahi, N., Kolev, S.D., and Steinemann, A., 2018, Volatile chemical emissions from essential oils, *Air Qual. Atmos. Heal.*, 11, 949–954.

O’Sullivan, C.K., and Guilbault, G.G., 1999, Commercial quartz crystal microbalances - Theory and applications, *Biosens. Bioelectron.*, 14, 663–670.

Pan, M., Li, R., Xu, L., Yang, J., Cui, X., and Wang, S., 2018, Reproducible molecularly imprinted piezoelectric sensor for accurate and sensitive detection of ractopamine in swine and feed products, *Sensors (Switzerland)*, 18, .

Park, J.Y., Lee, I.H., and Bea, G.N., 2008, Optimization of the electrospinning conditions for preparation of nanofibers from polyvinylacetate (PVAc) in ethanol solvent, *J. Ind. Eng. Chem.*, 14, 707–713.

Patel, H.K., 2014, *Toward Sensor to Reproduce Human Sense*,.

Patil, U. V., Ramgir, N.S., Karmakar, N., Bhogale, A., Debnath, A.K., Aswal, D.K., Gupta, S.K., and Kothari, D.C., 2015, Room temperature ammonia sensor based on copper nanoparticleintercalated polyaniline nanocomposite thin films, *Appl. Surf. Sci.*, 339, 69–74.

Percival, C.J., Stanley, S., Galle, M., Braithwaite, A., Newton, M.I., McHale, G., and Hayes, W., 2001, Molecular-imprinted, polymer-coated quartz crystal microbalances for the detection of terpenes, *Anal. Chem.*, 73, 4225–4228.

Phillips, M.A., Savage, T.J., and Croteau, R., 1999, Monoterpene synthases of loblolly pine (*Pinus taeda*) produce pinene isomers and enantiomers, *Arch. Biochem. Biophys.*, 372, 197–204.

Pickett, A.N., and Braun, P. V, 2012, FUNCTIONAL HYDROGEL MATERIALS BY Submitted in partial fulfillment of the requirements for the degree of Master of Science in Materials Science and

- Pillai, C.K.S., Paul, W., and Sharma, C.P., 2009, Chitin and chitosan polymers: Chemistry, solubility and fiber formation, *Prog. Polym. Sci.*, 34, 641–678.
- Qi, C., Zhao, H., Li, W., Li, X., Xiang, H., Zhang, G., Liu, H., Wang, Q., Wang, Y., Xian, M., and Zhang, H., 2018, Production of γ -terpinene by metabolically engineered *Escherichia coli* using glycerol as feedstock, *RSC Adv.*, 8, 30851–30859.
- Qiu, C., Smuts, J., and Schug, K.A., 2016, Analysis of Terpenes and Turpentine using Gas Chromatography with Vacuum Ultraviolet Detection, 1–23.
- Rianjanu, A., Aflaha, R., Khamidy, N.I., Djamil, M., Triyana, K., and Wasisto, H.S., 2021, Room-temperature ppb-level trimethylamine gas sensors functionalized with citric acid-doped polyvinyl acetate nanofibrous mats, *Mater. Adv.*, 2, 3705–3714.
- Rianjanu, A., Hasanah, S.A., Nugroho, D.B., Kusumaatmaja, A., Roto, R., and Triyana, K., 2019, Polyvinyl acetate film-based quartz crystal microbalance for the detection of benzene, toluene, and xylene vapors in air, *Chemosensors*, 7, .
- Rianjanu, A., Kusumaatmaja, A., Suyono, E.A., and Triyana, K., 2018, Solvent vapor treatment improves mechanical strength of electrospun polyvinyl alcohol nanofibers, *Heliyon*, 4, e00592.
- Rianjanu, A., Nugroho, D.B., Kusumaatmaja, A., Roto, R., and Triyana, K., 2019, A study of quartz crystal microbalance modified with polyvinyl acetate nanofiber to differentiate short-chain alcohol isomers, *Sens. Bio-Sensing Res.*, 25, 100294.
- Rinaudo, M., 2006, Chitin and chitosan: Properties and applications, *Prog. Polym. Sci.*, 31, 603–632.
- Rossi, S., Díez-Montero, R., Rueda, E., Castillo Cascino, F., Parati, K., García, J., and Ficara, E., 2020, Free ammonia inhibition in microalgae and cyanobacteria grown in wastewaters: Photorespirometric evaluation and modelling, *Bioresour. Technol.*, 305, 123046.
- Roto, 1998, Electron and Ion Transport in Redox Active Transition metals layered double hydroxides,.
- Roto, R., Rianjanu, A., Amaliya, I., Kusumaatmaja, A., and Triyana, K., 2020, Sensors and Actuators A : Physical Enhanced sensitivity and selectivity of ammonia sensing by QCM modified with

boric acid-doped PVAc nanofiber, *Sensors Actuators A. Phys.*, 304, 111902.

- Roto, R., Rianjanu, A., Fatyadi, I.A., Kusumaatmaja, A., and Triyana, K., 2020, Enhanced sensitivity and selectivity of ammonia sensing by QCM modified with boric acid-doped PVAc nanofiber, *Sensors Actuators A Phys.*, 304, 111902.
- Roto, R., Rianjanu, A., Rahmawati, A., Fatyadi, I.A., Yulianto, N., Majid, N., Syamsu, I., Wasisto, H.S., and Triyana, K., 2020, Quartz Crystal Microbalances Functionalized with Citric Acid-Doped Polyvinyl Acetate Nanofibers for Ammonia Sensing, *ACS Appl. Nano Mater.*, 3, 5687–5697.
- Salazar, S.A., Patiño-Herrera, R., Navarrete-Damián, J., and Louvier-Hernández, J.F., 2021, Electrospinning of chitosan from different acid solutions, *AIMS Bioeng.*, 8, 112–129.
- Scriven, L.E., 1988, Physics and Applications of DIP Coating and Spin Coating, *MRS Proc.*, 121, 717–729.
- Shang, L., Liu, C., Chen, B., and Hayashi, K., 2018, Development of molecular imprinted sol-gel based LSPR sensor for detection of volatile cis-jasmone in plant, *Sensors Actuators, B Chem.*, 260, 617–626.
- Shawgi, N., Li, S.X., and Wang, S., 2017, A Novel method of synthesis of high purity nano plated boron carbide powder by a solid-state reaction of poly (vinyl alcohol) and boric acid, *Ceram. Int.*, 43, 10554–10558.
- Shawgi, N., Xi Li, S., Wang, S., Wang, Z., and Nan Nie, Y., 2017, Synthesis of nano particles and fiber-like shape boron carbide powder from poly (vinyl alcohol) and boric acid, *J. Sol-Gel Sci. Technol.*, 82, 450–457.
- Silberberg, 2011, *Principles of General Chemistry*, McGraw-Hill, NewYork.
- Sroysee, W., Chunta, S., Amatatongchai, M., and Lieberzeit, P.A., 2019, Molecularly imprinted polymers to detect profenofos and carbofuran selectively with QCM sensors, *Phys. Med.*, 7, 100016.
- Stoker, H.S., 2010, *General, Organic, and Biological Chemistry*, Fifth Edit., Brooks/Cole, Cengage Learning.
- Tribunnews Surya Malang, 2019, Program Memaksa Mangga Alpukat Panen Lebih Awal Di Pasuruan Gagal, *Suryamalang.com*, 7–10.
- Triyana, K., Rianjanu, A., Nugroho, D.B., As'ari, A.H., Kusumaatmaja, A., Roto, R., Suryana, R., and

- Wasisto, H.S., 2019, A highly sensitive safrole sensor based on polyvinyl acetate (PVAc) nanofiber-coated QCM, *Sci. Rep.*, 9, 1–12.
- Triyana, K., Sembiring, A., Rianjanu, A., Hidayat, S.N., Riowirawan, R., Julian, T., Kusumaatmaja, A., Santoso, I., and Roto, R., 2018, Chitosan-based quartz crystal microbalance for alcohol sensing, *Electron.*, 7, 1–11.
- Veerabhadraiah, A., Ramakrishna, S., Angadi, G., Venkatram, M., Kanivebagilu Ananthapadmanabha, V., Hebbale NarayanaRao, N.M., and Munishamaiah, K., 2017, Development of polyvinyl acetate thin films by electrospinning for sensor applications, *Appl. Nanosci.*, 7, 355–363.
- Vives, A.A., 2008, *Piezoelectric transducers and applications (Google eBook)*,.
- Wikipedia_CA, 2021, Citric acid, https://en.wikipedia.org/wiki/Citric_acid, 53 Su Pt 1, 597–599.
- Woollam, M., Teli, M., Liu, S., Daneshkhah, A., Siegel, A.P., Yokota, H., and Agarwal, M., 2020, Urinary Volatile Terpenes Analyzed by Gas Chromatography-Mass Spectrometry to Monitor Breast Cancer Treatment Efficacy in Mice, *J. Proteome Res.*, 19, 1913–1922.
- Wu, Z., Chen, X., Zhu, S., Zhou, Z., Yao, Y., Quan, W., and Liu, B., 2013, Enhanced sensitivity of ammonia sensor using graphene/polyaniline nanocomposite, *Sensors Actuators, B Chem.*, 178, 485–493.
- Wulff, G., 1995, Molecular Imprinting in Cross-Linked Materials with the Aid of Molecular Templates— A Way towards Artificial Antibodies, *Angew. Chemie Int. Ed. English*, 34, 1812–1832.
- Xu, L., Huang, Y.A., Zhu, Q.J., and Ye, C., 2015, Chitosan in molecularly-imprinted polymers: Current and future prospects, *Int. J. Mol. Sci.*, 16, 18328–18347.
- Yan dan Ramstrom, O., 2005, *Molecularly Imprinted Materials: Science and Technology*,.
- Yin, J., Guo, W., Qin, X., Zhao, J., Pei, M., and Ding, F., 2017, A sensitive electrochemical aptasensor for highly specific detection of streptomycin based on the porous carbon nanorods and multifunctional graphene nanocomposites for signal amplification, *Sensors Actuators, B Chem.*, 241, 151–159.
- Yin, Y., Li, J., Liu, Y., and Li, Z., 2005, Starch crosslinked with poly(vinyl alcohol) by boric acid, *J. Appl. Polym. Sci.*, 96, 1394–1397.



UNIVERSITAS
GADJAH MADA

Modifikasi Molecularly Imprinted Polymer dan Doping untuk Meningkatkan Sensitivitas dan Selektivitas

Sensor Terpenoid dan Amoniak berbasis Quartz Crystal Microbalance

Nur Aisyah Humairah, Prof. Dr. Eng. Kuwat Triyana, M.Si; Dr. Ahmad Kusumaatmadja, M.Sc; Prof. Drs. Roto, M.Eng

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yu, S.Y., Tung, T.W., Yang, H.Y., Chen, G.Y., Shih, C.C., Lee, Y.C., Chen, C.C., Zan, H.W., Meng, H.F., Lu, C.J., Wang, C.L., Jian, W. Bin, and Soppera, O., 2019, A Versatile Method to Enhance the Operational Current of Air-Stable Organic Gas Sensor for Monitoring of Breath Ammonia in Hemodialysis Patients, *ACS Sensors*, 4, 1023–1031.
- Yu, Xiang, Chen, Xiangdong, Chen, Xinpeng, Zhao, X., Yu, Xinglin, and Ding, X., 2020, Digital ammonia gas sensor based on quartz resonator tuned by interdigital electrode coated with polyaniline film, *Org. Electron.*, 76, 105413.