

## DAFTAR PUSTAKA

- Abdurrahman, A. A., Kolawole, O. S., and Oladele, F. A. 2014. Leaf epidermal features as taxonomic characters in some *Lannea* species Anacardiaceae from Nigeria. *Phytologia Balcanica*, 20(2-3), 227-231.
- Ajuru, M. G. and B. E. Okoli. 2013. The Morphological Characterization of the Melon Species in the Family Cucurbitaceae Juss., and their Utilization in Nigeria. *International Journal of Modern Botany*, 3 (2) : 15-19.
- Ali I, Abbas SQ, Hameed M, Naz N, Zafar S, Kanwal S. 2009. Leaf Anatomical Adaptations in Some Exotic Species of *Eucalyptus* L'Her. (Myrtaceae). *Pakistan Journal of Botany*, 41(6):2717– 2727.
- Anonim. 2011. *Catalog 2011 Special Edition For the New Inauguration*. Know You Seed Co., Ltd. Taiwan. P:20.
- Armarego-Marriott, T., Sandoval-Ibañez, O., and Kowalewska, Ł. 2020. Beyond the darkness: recent lessons from etiolation and de-etiolation studies. *Journal of experimental botany*, 71(4), 1215-1225.
- Balass, M., Cohen, Y., and Bar-Joseph, M. 1992. Identification of a constitutive 45 Kd soluble protein associated with resistance to downy mildew in muskmelon (*Cucumis melo* L.) line PI 124111F. *Physiological and Molecular Plant Pathology*, 41, 387–396.
- Bariyyah, K., Suparjono, S., and Usmadi, U. 2015. Pengaruh kombinasi komposisi media organik dan konsentrasi nutrisi terhadap daya hasil tanaman melon (*Cucumis melo* L.). *Planta Tropika*, 3(2), 67-72.
- Bassanezi, R. B., Amorim, L., Bergamin Filho, A., and Berger, R. D. 2002. Gas exchange and emission of chlorophyll fluorescence during the monocycle of rust, angular leaf spot and anthracnose on bean leaves as a function of their trophic characteristics. *J. Phytopathol.* 150:37-47
- Beck, C. B. 2010 . *An introduction to plant structure and development: plant anatomy for the twenty-first century*. Cambridge University Press.
- Benjamin, I., Kenigsbuch, D., Galperin, M., Abrameto, J. A., and Cohen, Y. 2009 . Cisgenic melons over expressing glyoxylate-aminotransferase are resistant to downy mildew. *European Journal of Plant Pathology*, 125, 355–365.
- Bhatla, S. C., and Lal, M. A. 2018 . *Plant physiology, development and metabolism*. Springer.
- Bickford, C.P. 2016. Ecophysiology of leaf trichomes. *Functional Plant Biology*, 43(9), 807-814.
- Biruliova, E., Prosiannykova, I., and Fedotova, A. 2013 . The rust fungus *Uromyces geranii* (DC.) Lev. Localization and impact on anatomy of the host plant *Geranium sanguineum* L. *Modern Phytomorphology*, 4, 109-113.

- Boote, K. J., Jones, J. W., Smerage, G. H., Barfield, C. S., and Berger, R. D. 1980 . Photosynthesis of Peanut Canopies as Affected by Leafspot and Artificial Defoliation 1. *Agronomy Journal*, 72(2), 247-252.
- Call, A.D., Wehner, T.C., Holmes, G.J., and Ojiambo, P.S. 2013. Effects of host plant resistance and fungicides on severity of cucumber downy mildew. *HortScience*, 48(1) 53-59.
- Crang, R., Lyons-Sobaski, S., and Wise, R. 2018 . *Plant anatomy: a concept-based approach to the structure of seed plants*. Springer.
- Da Cunha, L., McFall, A. J., and Mackey, D. 2006. Innate immunity in plants: a continuum of layered defenses. *Microbes and infection*, 8(5), 1372-1381.
- Daryono, B. S., Setyani, E., Alfani, A., and Rivaldi, P. R. 2018. Fruit characters of *Cucumis melo* L.: 'Tacapa Green Black', 'Melona' and 'Meloni'. *Prociding of the ICTA 2017*. UGM Digital Press Life Sciences.
- Daryono, B.S. and S.D. Maryanto. 2017. *Keanekaragaman dan Potensi Sumber Daya Genetik Melon*. Gadjah Mada University Press. Yogyakarta.
- Dewi, I. M., Cholil, A., and Muhibuddin, A. 2013 . Hubungan karakteristik jaringan daun dengan tingkat serangan penyakit blas daun (*Pyricularia oryzae* Cav.) pada beberapa genotipe padi (*Oryza sativa* L.). *Jurnal HPT (Hama Penyakit Tumbuhan)*, 1(2), 10-18.
- Duca, M. 2015 . *Plant physiology*. Springer.
- Evans, J. R. 2021 . Mesophyll conductance: walls, membranes and spatial complexity. *New Phytologist*, 229(4), 1864-1876.
- Evert, R. and Eichhorn, S. E. 2013. *Raven Biology of Plants*. Eighth edition. New York, W. H. Freeman and Company Publishers
- Fukino, N., Kunihiisa, M., and Matsumoto, S. 2004 . Characterization of recombinant inbred lines derived from crosses in melon (*Cucumis melo* L.), 'PMAR NO.5' x 'Harukei No.3'. *Breeding Science*, 54(2), 141-145.
- GBIF. 2022. *Pseudoperonospora cubensis* (Berk. & M.A.Curtis) Rostovzev in GBIF Secretariat (2022). GBIF Backbone Taxonomy. Checklist dataset <https://doi.org/10.15468/39omei> accessed via GBIF.org on 2023-08-20.
- Glover, B. J. 2000 . Differentiation in plant epidermal cells. *Journal of experimental botany*, 51(344), 497-505.
- Göker, M., Voglmayr, H., Riethmüller, A., and Oberwinkler, F. 2007. How do obligate parasites evolve? A multi-gene phylogenetic analysis of downy mildews. *Fungal Genetics and Biology*, 44, 105-122.
- Grubben, G. J. H. and Denton. 2004. *Plant Resources of Tropical Africa 2. Vegetables*. PROTA Foundation/Backhuys Publishers/CTA.Wageningen, Netherlands. Pp : 243-245.

- Holmes, G. J., Ojiambo, P.S., Hausbeck, M.K., Quesada-Ocampo, L., Keinath, A. P. 2015. Resurgence of cucurbit downy mildew in the United States: A watershed event for research and extension. *Plant Disease*, 99(4) 428-441.
- IPGRI. 2003. *Minimum Descriptors for Cucurbita spp., Cucumber, Melon, and Watermelon*. European Cooperative Programme for Riset Genetic Resource. P.9
- Ishak, M. A., and Daryono, B. S. 2020 . Identifikasi dan Analisis Ketahanan terhadap Penyakit Embun Tepung pada Melon (*Cucumis melo* L.) Kultivar Meloni Identification and Analysis of Powdery Mildew Resistance in Melon (*Cucumis melo* L.) Cultivar Meloni. *BIOEDUSCIENCE*, 04(01), 1-10
- Javelle, M., Vernoud, V., Rogowsky, P. M., and Ingram, G. C. 2011 . Epidermis: the formation and functions of a fundamental plant tissue. *New Phytologist*, 189(1), 17-39.
- Jeniria, F., and Mukarlina, R. L. 2015. Struktur Anatomi dan Jagung (*Zea mays* L.) yang Terserang Penyakit Bercak dan Karat. *Jurnal Protobiont*, 4(1).
- Kowalewska Ł, Mazur R, Suski S, Garstka M, Mostowska A. 2016. Three-dimensional visualization of the tubular-lamellar transformation of the internal plastid membrane network during runner bean chloroplast biogenesis. *The Plant Cell*, 28, 875–891.
- Kubicek, C.P., Starr, T.L., and Glass, N.L. 2014. Plant cell wall–degrading enzymes and their secretion in plant-pathogenic fungi. *Annual review of phytopathology*, 52 427-451.
- Latifah, Y. W. 2016. Kestabilan Karaker Fenotip dan Molekular Melon (*Cucumis melo* L. ‘Melona’) Hasil Segregasi dan Seleksi Populasi. Skripsi. Fakultas Biologi
- Lebeda, A., and Cohen, Y. 2011. Cucurbit downy mildew (*Pseudoperonospora cubensis*)—biology, ecology, epidemiology, host-pathogen interaction and control. *European journal of plant pathology*, 129, 157-192.
- Leroux, O. 2012. Collenchyma: a versatile mechanical tissue with dynamic cell walls. *Annals of Botany*, 110(6), 1083-1098.
- Lindenthal, M., Steiner, U., Dehne, H. W., and Oerke, E. C. 2005. Effect of downy mildew development on transpiration of cucumber leaves visualized by digital infrared thermography. *Phytopathology*, 95, 233–240.
- Long, R. L. 2005. Improving Fruit Soluble Solids Content in Melon (*Cucumis melo* L.) (reticulatus group) in The Australian Production System. Tesis. Faculty of Arts Health and Science, Central Queensland University, Australia. P: 7-10.
- Mandal, K., Saravanan, R., Maiti, S., and Kothari, I. L. 2009. Effect of downy mildew disease on photosynthesis and chlorophyll fluorescence in

*Plantago ovata* Forsk. *Journal of Plant Diseases and Protection*, 116(4), 164.

- Maryanto, S. D., Ranis, R. E., and Daryono, B. S. 2015. Stability phenotypic characters and the scent of Gama Melon Parfum cultivar. *IPTEK Journal of Proceedings Series*, 1(1).
- Meggio, F., Zarco-Tejada, P. J., Núñez, L. C., Sepulcre-Cantó, G., González, M. R., & Martín, P. 2010. Grape quality assessment in vineyards affected by iron deficiency chlorosis using narrow-band physiological remote sensing indices. *Remote Sensing of Environment*, 114(9), 1968-1986.
- Mittelberger, C., Yalcinkaya, H., Pichler, C., Gasser, J., Scherzer, G., Erhart, T., and Oberhuber, M. 2017. Pathogen-induced leaf chlorosis: Products of chlorophyll breakdown found in degreened leaves of Phytoplasma-infected apple (*Malus domestica* Borkh.) and apricot (*Prunus armeniaca* L.) trees relate to the pheophorbide a oxygenase/phyllobilin pathway. *Journal of Agricultural and Food Chemistry*, 65(13), 2651-2660.
- Mulyani, E. S. 2006. *Anatomi Tumbuhan*. PT Kanisius. Jakarta.
- Naudin, C. 1859. Review des cucurbitacees cultivees on Museum en. *Ann. Sci. Natl. Ser. 4 Bot.* 12: 79-164.
- Negi, J., Hashimoto-Sugimoto, M., Kusumi, K., and Iba, K. 2014. New approaches to the biology of stomatal guard cells. *Plant and Cell Physiology*, 55(2), 241-250.
- Ni, X, L Sun, Q Cai, S Ma, Y Feng, Y Sun, L An, and C Ji. 2022. Variation and determinants of leaf anatomical traits from boreal to tropical forest in eastern China. *Ecological Indicators*, 140: 108992.
- Nopianasanti, H., and Daryono, B. S. 2018. Kestabilan Fenotip Tanaman Labu Susu (*Cucurbita moschata* (Duchesne) Poir “Butternut”) Hasil Budidaya di Sleman DI Yogyakarta. *Biogenesis*, 6(2), 115-123.
- Pessarakli, M. 2016. *Handbook of Cucurbits: growth, cultural practices, and physiology*. CRC Press.
- Pradana, A. W., Samiyarsih, S., and Muljowati, J. S. 2017. Korelasi karakter anatomi daun ubi jalar (*Ipomoea batatas* L.) kultivar tahan dan tidak tahan terhadap intensitas penyakit kudis daun. *Scripta Biologica*, 4(1), 21-29.
- Prohenz, J., and F. Nuez. 2008. *Handbook of Plant Breeding : Vegetable I*. Springer Science+Business Media LLC. New York. Pp. 283-284.
- Rai, M., Pandey, S., Kumar, S., and Pitrat, M. 2008. *Cucurbit research in India: a retrospect*. Proceedings of the IXth EUCARPIA meeting on genetics and breeding of cucurbitaceae, Avignon, France, 21-24 May 2008 (pp. 285-294). Institut National de la Recherche Agronomique (INRA).

- Reece, J. B., Meyers, N., Urry, L. A., Cain, M. L., Wasserman, S. A., and Minorsky, P. V. 2017. *Campbell Biology Australian and New Zealand Edition* (Vol. 10). Pearson Higher Education AU.
- Salcedo, A., Hausbeck, M., Pigg, S., & Quesada-Ocampo, L. M. 2020. Diagnostic guide for cucurbit downy mildew. *Plant Health Progress*, 21(3), 166-172.
- Samadi, B. 2007. *Melon : Usaha Tani dan Penanganan Pascapanen*. Penerbit Kanisius. Yogyakarta. Hal : 9-18.
- Savory, E. A., Tian, M., Erhardt, C., Hausbeck, M., Hammerschmidt, R., and Day, B. 2008. An integrative approach to characterizing the cucumber–*Pseudoperonospora cubensis* interaction. *Phytopathology*, 98 (June, Supplement), S140
- Schuurink, R., and Tissier, A. 2020. Glandular trichomes: micro-organs with model status?. *New Phytologist*, 225(6) 2251-2266.
- Sobir dan Siregar F. D., 2010. *Budidaya Semangka Unggul*. Penebar Swadaya, Jakarta
- Spring, O., Gomez-Zeledon, J., Hadziabdic, D., Trigiano, R. N., Thines, M., & Lebeda, A. 2018. Biological characteristics and assessment of virulence diversity in pathosystems of economically important biotrophic oomycetes. *Critical Reviews in Plant Sciences*, 37(6), 439-495.
- Sutikno. 2014. *Petunjuk Praktikum Mikroteknik Tumbuhan*. Fakultas Biologi UGM. Yogyakarta.
- Taler, D., Galperin, M., Benjamin, I., Cohen, Y., and Kenigsbuch, D. 2004. Plant Er genes that encode photorespiratory enzymes confer resistance against disease. *Plant Cell*, 16, 172–184.
- Urry, L. A., Meyers, N., Cain, M. L., Wasserman, S. A., Minorsky, P. V., Orr, R., and Campbell, N. A. 2021. *Campbell biology: Australian and New Zealand version*. Pearson Australia.
- Wang, X., Shen, C., Meng, P., Tan, G., and Lv, L. 2021. Analysis and review of trichomes in plants. *BMC plant biology*, 21(1), 1-11.
- Wehner, T. C., Naegel, R. P., Myers, J. R., Narinder, P. S., and Crosby, K. 2020. *Cucurbits* (Vol. 32.) CABI.
- Yeon, I. K. 2007. Incidence of *Pseudoperonospora cubensis* on winter grown oriental melon (*Cucumis melo*) in vinyl houses in Korea. In A. Lebeda, and P. T. N. Spencer-Phillips (Eds.), *Advances in Downy Mildew Research*, Vol. 3. Proceedings of The 2nd International Downy Mildews Symposium, pp. 217–222.