

DAFTAR PUSTAKA

- Abd-Elghany, S. E., Moustafa, A. A., Gomaa, N. H., & Hamed, B. A. 2021. Mycorrhizal impact on *Ocimum basilicum* under drought stres. *Beni-Suef University Journal of Basic and Applied Sciences*, 10(72):1-13.
- Abobatta, W. F. 2019. Drought adaptive mechanisms of plants-a review. *Advances in Agriculture and Environmental Science*, 2: 62-65.
- Aires, A. 2020. *Tannins Structural Properties, Biological Properties, and Current Knowledge*. IntechOpen, UK.
- Al Huqail, A., El Dakak, R. M., Sanad, M. N., Badr, R. H., Ibrahim, M. M., Suliman, D., and Khan, F. 2020. Effects of Climate Temperature and Water Stress on Plant Growth and Accumulation of Antioxidant Compounds in Sweet Basil (*Ocimum basilicum* L.) Leafy Vegetable. *Hindawi Scientifica*, p. 1-12.
- Alamgir, A. N. M. 2018. *Therapeutic Use of Medicinal Plants and their Extracts: Phytochemistry and Bioactive Compounds*. Switzerland. Springer, p. 793-794.
- Alhaithloul, H. A., Soliman, M. H., Ameta, K. L., El-Esawi, M. A., and Elkelish, A. 2020. Changes in Ecophysiology, Osmolytes, and Secondary Metabolites of the Medicinal Plants of *Mentha piperita* and *Ctaharanthus roseus* Subjected to Drought and Heat Stress. *Biomolecules*, 10(1): 1-21.
- Ali, B. 2021. Salicylic Acid: An efficient elicitor of secondary metabolite production in plants. *Biocatalysis and Agricultural Biotechnology*, 31:1-10.
- Ali, L. G., Nulit, R., Ibrahim, M. H., and Yien, C. Y. S. 2021. Efcacy of KNO₃, SiO₂ and SA priming for improving emergence, seedling growth and antioxidant enzymes of rice (*Oryza sativa*), under drought. *Scientific Reports*, 11(3864):1-11
- Alobaidy, B. S and Jaddoa, K. A. 2017. Wheat seed priming (*Triticum aestivum* L.) for tolerance drought. *Iraqi Journal of Agricultural Sciences*, 22(2): 210-222.
- Al-Sammarai, O. N. and Al-Sammarai, M. C. G. F. 2022. Growth and biochemical response of *Ocimum basilicum* L. plant under critical drought environmental. *International Journal of Health Sciences*, 6(3): 684-695.
- Arafa, A. A., Khafagy, M. A., El Kheer, A. M. A., Fouda, R. A., and El-Banna, M. F. 2014. Stomatal density in the leaves of sweet pepper plant as affected by certain bio-stimulants under salt stres conditions. *Journal Plant Production*, 5(4): 649-662.
- Asmorowati, H & Lindawati, N. Y. 2019. Penetapan kadar flavonoid total alpukat (*Persea americana* Mill.) dengan metode spektrofotometri. *Jurnal Ilmiah Farmasi*, 15(2): 51-63.
- Attia, E. Z., El-Baky, R. M. A., Dasoukey, S. Y., Mohamed, M. A. E. H., Bishr, M. M., Kamel, M. S. 2018. Chemical composition and antimicrobial activities of essential oils of *Ruta graveolens* plants treated with salicylic acid under drought stress condition. *Future Journal of Pharmaceutical Sciences*, 4:254-264.

- Barickman, T.C., Adhikari, B., Sehgal, A., Walne, C.H., Reddy, K.R., Gao, W. 2021. Drought and Elevated CO₂ Impacts Photosynthesis and Biochemicals of Basil (*Ocimum basilicum* L.). *Stresses*, 1:223-237.
- Bariyah, S. K., Ahmed, D., and Ikram, M. 2012. *Ocimum basilicum*: A Review on Phytochemical and Pharmacological Studies. *Pakistan Journal of Chemistry*, 2(2):78-85.
- Bates, L., Waldren, R. P., and Teare, I. D. 1973. Rapid determination of free proline for water-stress studies. *Plant and Soil*, 39: 205-207.
- Berlian, Z., Aini, F., & Lestari, W. 2016. Aktivitas Antifungi Ekstrak Daun Kemangi (*Ocimum Americanum* L.) terhadap Fungi *Fusarium oxysporum* Schlecht. *Jurnal Biota*, 20(1):99-105.
- Bhatla, S. C & Lal, M. A. 2018. *Plant Physiology, Development, and Metabolism*. Springer. Singapore, p. 994, 1117, 1120, 1128.
- Bialczyk, J and Lechowski, Z. 1999. Tannin concentration in water-stressed tomato seedlings. *Journal of Plant Diseases and Protection*, 106(4): 372-379.
- Białczyk, J., Lechowski, Z., and Libik, A. 1998. Regulation of tannin synthesis in leaves of tomato seedlings by phytohormones and plant growth inhibitors. *Journal of Plant Diseases and Protection*, 105(5): 496-503.
- Boukari, N., Jelali, N., Renaud, J. B., Youssef, R. B., Abdelly, C., and Hannoufa, A. 2019. Salicylic acid seed priming improves tolerance to salinity, iron deficiency and their combined effect in two ecotypes of Alfalfa. *Environmental and Experimental Botany*, 167:1-12.
- Buchory, G. N., Anwar, S., dan Kristanto, B. A. 2021. Pertumbuhan, produksi simplisia, dan kandungan fenolik total selasih (*Ocimum basilicum* L.) pada berbagai taraf cekaman kekeringan dan waktu panen. *Jurnal Agrotek*, 5(2): 37-48.
- Choudhary, V. K., Chander, S., Chethan, C. R., and Kumar, B. 2019. Effect of Seed Priming on Abiotic Stress Tolerance in Plants. *Plant Tolerance to Environmental Stress*, p. 29-32.
- Cingoz, G. S. and Gurel, E. 2016. Effects of salicylic acid on thermo tolerance and cardenolide accumulation under high temperature stress in *Digitalis trojana* Ivanina. *Plant Physiology and Biochemistry*. 105: 145 –149.
- Clemensen, A. K. 2018. Understanding Plant Secondary Metabolites; Above and Below Ground. All Graduate Thesis and Dissertations. *Utah State University*. 8(423): 153-164.
- Copolovici, L., Lupitu, A., Moisa, C., Taschina, M., and Copolovici, D. M. 2021. The Effect of Antagonist Abiotic Stress on Bioactive Compounds from Basil (*Ocimum basilicum*). *Applied Sciences*, 11: 1-12.
- Damalas, C. A. 2019. Improving drought tolerance in sweet basil (*Ocimum basilicum*) with salicylic acid. *Scientia Horticulturae*, 246: 360-365.
- Darmanti, S., Santosa, Nugroho, L. H., and Dewi, K. 2017. Purple Nutsedge (*Cyperus rotundus* L.) Interference and Drought Effect on Proline Accumulation in Soybean (*Glycine max* L.) Leaves. *Advanced Science Letters*, 23(7): 6487–6489.
- Dehghanian, Z., Habibi, K., Dehghanian, M., Aliyar, S., Lajayer, B. A., Astatkie, T., Minkina, T., and Keswani, C. 2022. Reinforcing the bulwark: unrevelling

- the efficient applications of plant phenolic and tannins against environmental stresses. *Heliyon*, 8(3):1-12.
- Dewi, B. A., Wardani, T. S., dan Nurhayati, N. 2022. *Fitokimia*. Pustaka Baru Press. Yogyakarta, p. 89, 119.
- Elya, B., Ariestanti, D. M., Forestrania, R. C., dan Fadhila, R. 2022. Penuntun Praktikum Fitokimia. Nas Media Pustaka. Yogyakarta, p. 40-45.
- Fahad, S., Bajwa, A. A., Nazir, U., Anjum, S. A., Farooq, A., Zohaib, A., Sadia, S., Nasim, W., Adkins, S., Saud, S., Ihsan, M. Z., Alharby, H., Wu, C., Wang, D., and Huang, J. 2017. Crop Production under Drought and Heat Stress: Plant Responses and Management Options. *Frontiers in Plant Science*, 8: 1-16.
- Fan, Y., Lv, Z., Yuxingli, Qin, B., Qingyu, L., Ma, L., Wu, Q., Zhang, W., Ma, S., Ma, C., and Huang, Z. 2022. Salicylic acid reduces wheat yield loss caused by high temperature stress by enhancing the photosynthetic performance of the flag leaves. *Agronomy*, 12(6): 1-17.
- Feng, Y., Zhao, Y., Li, Y., Zhou, J., and Shi, H. 2023. Improving photosynthesis and drought tolerance in *Nicotiana tabacum* L. by foliar application of salicylic acid. *Plant Biology*, 16(1): 1-13.
- Filip, S. 2017. Basil (*Ocimum basilicum* L.) a Source of Valuable Phytonutrients. *International Journal of Clinical Nutrition & Dietetics*, 3(118):1-5.
- Gharib, F. A. E. 2006. Effect of Salicylic Acid on the Growth, Metabolic, Activities and Oil Content of Basil and Merjoram. *International Journal of Agriculture & Biology*, 8(4): 485-492.
- Gharibi, S., Tabatabaei, B. E. S., Saeidi, G., Talebi, M., dan Matkowski, A. 2019. The Effect of Drought Stress on Polyphenolic Compounds and Expression of Flavonoid Biosynthesis Related Genes in *Achillea pachycephala* Rech.f. *Phytochemistry*, 162: 90-98.
- Golzarian, M. R., Frick, R. A., Rajendran, K., Berger, B., Roy, S., Tester, M., and Lun, D. S. 2011. Accurate Inference of Shoot Biomass From High-throughput Images of Cereal Plants. *Plant Methods*, 7(2): 1-11.
- Govindaraju, S and Arulselvi, P. I., 2018. Effect of cytokinin combined elicitors (l-phenylalanine, salicylic acid and chitosan) on in vitro propagation, secondary metabolites and molecular characterization of medicinal herb – *Coleus aromaticus* Benth (L). *Journal of the Saudi Society of Agricultural Sciences*, 17(4): 435-444.
- Guan Y., Li Z., He F., Huang Y., Song W. 2015. “On-Off” Thermoresponsive Coating Agent Containing Salicylic Acid Applied to Maize Seeds for Chilling Tolerance. *PloS one*, 10(3).
- Habibah, N. A., Moeljopawiro, S., Dewi, K., and Indrianto, A. 2017. Flavonoid Production, Growth and Differentiation of *Stelechocarpus burahol* (Bl.) Hook. F. and The Cell Suspension Culture. *Pakistan Journal of Biological Sciences*, 20 (4): 197-203.
- Hadizadeh, M., Ofoghi, H., Kianirad, M., Amidi, Z., 2019. Elicitation of pharmaceutical alkaloids biosynthesis by salicylic acid in marine microalgae *Arthrospira platensis*. *Algal Research*. 42: 101597.
- Hafez, I and Farig, M. 2019. Efficacy of Salicylic Acid as a Cofactor for Ameliorating Effects of Water Stress and Enhancing Wheat Yield and

- Water Use Efficiency in Saline Soil. *International Journal of Plant Production*, 13: 163-176.
- Harborne, J. B. 1984. *Phytochemical Methods, A Guide to Modern Techniques of Plant Analysis*. Second Edition. London. Chapman and Hall, p. 216.
- Heidari, A., Shekari, F., Saba, J., and Shahidi, G. 2015. The effect of seed priming with salicylic acid on growth and grain yield of pinto bean under nitrogen levels. *International Journal of Biosciences*, 6(1):298-307.
- Hongna, C., Leyuan, T., Junmei, S., Xiaori, H., and Xianguo, C. 2021. Exogenous salicylic acid signal reveal an osmotic regulatory role in priming the seed germination of *Leymus chinensis* under salt-alkali stress. *Environmental and Experimental Botany*, 188: 1-14.
- Ibrahim, E. A. 2016. Seed Priming to Alleviate Salinity Stress in Germinating Seeds. *Journal of Plant Physiology*, 192:38-46.
- Jafari, M and Shahsavar, A. 2021. The Effect of Foliar Application of Melatonin on Changes in Secondary Metabolite Contents in Two Citrus Species Under Drought Stress Conditions. *Frontiers in Plant Science*, 12: 1-20.
- Jan, R., Asaf, S., Numan, M., Lubna, Kim, K. 2021. Plant Secondary Metabolite Biosynthesis and Transcriptional Regulation in Response to Biotic and Abiotic Stress Conditions. *Agronomy*, 11(5): 1-31.
- Janda, T., Pal, M., Darko, E., and Szalai, G. 2017. Use of Salicylic Acid and Related Compounds to Improve the Abiotic Stress Tolerance of Plants: Practical Aspects. *Salicylic Acid: A Multifaceted Hormone*. Springer. Singapura, p.36-39.
- Jirakiattikul, Y., Rithichai, P., Songsoem, K., and Itharat, A. 2021. Elicitation of Salicylic Acid on Secondary Metabolite Production and Antioxidant Activity of In Vitro *Musa acuminata* L. cv. 'Gros Michel' Shoots. *Current Applied Science and Technology*, 21(3): 569-578.
- Joon-Sang, L. 1998. The mechanism of stomatal closing by salicylic acid in *Commelina communis* L. *Journal of Plant Biology*, 41: 97-102.
- Kahveci, H., Bilginer, N., Kulak, M., Yazar, E., Kocacinar, F., and Karaman, S. 2021. Priming with salicylic acid, β -carotene and tryptophan modulates growth, phenolics and essential oil components of *Ocimum basilicum* L. grown under salinity. *Scientia Horticulturae*, 281:1-11.
- Kalamartzis, I., Menexes, G., Georgiou, P., and Dordas, C. 2020. Effect of Water Stress on the Physiological Characteristics of Five Basil (*Ocimum basilicum* L.) Cultivars. *Agronomy*, 10(1029):1-20.
- Kang, G., Li, G., Xu, W., Peng, X.; Han, Q., Zhu, Y., Guo, T. 2012. Proteomics reveals the effects of salicylic acid on growth and tolerance to subsequent drought stress in wheat. *Journal of Proteome Research*, 11: 6066-6079.
- Kapoor, D., Bhardwaj, S., Landi, M., Sharma, A., Ramakrishnan, M., and Sharma, A. 2020. The impact of drought in plant metabolism: How to exploit tolerance mechanisms to increase crop production. *Applied Sciences*, 10(16):1-19.
- Khalid, K. A. 2006. Influence of water stress on growth, essential oil, and chemical composition of herbs (*Ocimum* sp.). *International Agrophysics*, 20: 289-296.
- Khalid, M., Afzal, F., Gul, A., Amir, R., Subhani, A., Ahmed, Z., Mahmood, Z., Xia, X., Rasheed, A., and He, Z. 2019. Molecular Characterization of 87

- Functional Genes in Wheat Diversity Panel and Their Association With Phenotypes Under Well-Watered and Water-Limited Conditions. *Frontiers in Plant Science*, 10(717):1-15.
- Khalvandi, M., Siosemardeh, A., Roohi, E., and Keramati, S. 2021. Salicylic acid alleviates the effect of drought stress in photosynthetic characteristics and leaf protein pattern in winter wheat. *Heliyon*, 7(1): 1-11.
- Koo, Y. M., Heo, A. Y., and Choi, H. W. 2020. Salicylic Acid as a Safe Plant Protector and Growth Regulator. *The Plant Pathology Journal*, 36(1):1-10.
- Kordi, S., Saidi, M., and Ghanbari, F. 2013. Induction of Drought Tolerance in Sweet Basil (*Ocimum basilicum* L) by Salicylic Acid. *International Journal of Agricultural and Food Research*, 2(2):18-26.
- Krist, S. 2020. *Vegetable Fats and Oils*. Springer. Switzerland, p. 110.
- Krol, A., Amarowicz, R., Weidner, S. 2014. Changes in composition of phenolic compounds and antioxidant properties of grapevine roots and leaves (*Vitis vinifera* L.) under continuous of long-term drought stress. *Acta Physiologiae Plant*, 36:1491-1499.
- Kumari, P and Gowda, P. N. N. 2019. Qualitative and Quantitative Phytochemical Analysis on *Ocimum* Species of Karnataka. *Indian Journal of Pure & Applied Biosciences*, 7(6):192-202.
- Kumari, R., Ashraf, S., Bagri, G. K., Khatik, S. K., Bagri, D. K., and Bagdi, D. L. 2018. Extraction and estimation of chlorophyll content of seed treated lentil crop using DMSO and acetone. *Journal of Pharmacognosy and Phytochemistry*, 7(3):249-250.
- Lestari, E. G. 2006. The Relation Between Stomata Index and Drought Resistant at Rice Somaclones of Gajahmungkur, Towuti, and IR 64. *Biodiversitas Journal of Biological Diversity*, 7(1):44-48.
- Li, A., Sun, X., and Liu, L. 2022. Action of Salicylic Acid on Plant Growth. *Frontiers Plant Science*, 13:1-7.
- Li, Y., He, N., Hou, J., Xu, L., Liu, C., Zhang, J., Wang, Q., Zhang, X., and Wu, X. 2018. Factors Influencing Leaf Chlorophyll Content in Natural Forests at the Biome Scale. *Frontiers in Ecology and Evolution*, 6(64): 1-10.
- Lutts, S., Benincasa, P., Wojtyla, L., Kubala, S., Pace, R., Lechowska, K., Quinet, M., and Garnczarska, M. 2016. *Seed Priming: New Comprehensive Approaches for an Old Empirical Technique*. New Challenges in Seed Biology-Basic and Translational Research Driving Seed Technology. InTech.
- MacCubbin, T., Tasker, G. B., Bowden, R., & Lamp'I, J. 2021. *Florida Gardener's Handbook*. Quarto Publishing Group.USA, p. 80.
- Mahmood, B. J., Rihan, H. Z., Foulkes, M., and Burchett, S. 2017. The Effect of Drought on Phytochemical active Compounds Content in Chamomile and Yarrow. *Agricultural Research & Technology*, 12(4):100-107.
- Marthandan, V., Geetha, R., Kumutha, K., Renganathan, V. G., Karthikeyan, A., and Ramalingam, J. 2020. Seed Priming: A Feasible Strategy to Enhance Drought Tolerance in Crop Plants. *International Journal of Molecular Sciences*, 21(8258):1-23.
- Masduqi, A. F., Izzati, M., dan Septiningsih, E. 2012. Pengaruh penambahan pembenah tanah *Pistia stratiotes* L. dan *Ceratophyllum demersum* L. pada

- tanah pasih dan liat terhadap kapasitas lapang dan pertumbuhan kacang hijau (*Vigna radiata* L.). *Buletin Anatomi dan Fisiologi*, XX(1):56-67.
- Mishra, A. K and Baek, K. 2021. Salicylic Acid Biosynthesis and Metabolism: A Divergent Pathway for Plants and Bacteria. *Biomolecules*, 11(5): 1-16.
- Molefe, N. I., Mogale, M. A., and Gololo, S. S. 2018. Qualitative and Quantitative Phytochemical Analysis of Leaves and Roots of *Barleria dinteri* with Varying Exposure to Road-Dust Pollution. *Asian Journal of Chemistry*, 30(11):2521-2526.
- Mori, I. C., Pinontoan, R., Kawano, T., and Muto, S. 2001. Involvement of Superoxide Generation in Salicylic Acid Induced Stomatal Closure in *Vicia faba*. *Plant and Cell Physiology*, 42(12): 1383-1388.
- Mulugeta, S. M and Radacsi, P. 2022. Influence of Drought Stress on Growth and Essential Oil Yield of *Ocimum* Species. *Horticulturae*, 8(175):1-12.
- Nadeem, M., Li, J., Yahya, M., Sher, A., Ma, C., Wang, X., dan Qiu, L. 2019. Research Progress and Perspective on Drought Stress in Legumes: A Review. *International Journal of Molecular Sciences*, 20(2541):1-32.
- Nastiti, P. 2019. Kandungan Senyawa Fenolik dan Aktivitas Antioksidan Ekstrak Metanol Buah, Daun, dan Ranting *Ficus Hispida*. Skripsi: Universitas Gadjah Mada.
- Nofita, D., Sari, S. N., Mardiah, H. 2020. Penentuan Fenolik Total dan Flavonoid Ekstrak Etanol Batang Matoa (*Pometia pinnata* J.P& G.Forst) secara Spektrofotometri. *Chemica et Natura Acta*, 8(1):36-41.
- Ogunyale, O. G., Fawibe, O. O., Ajiboye, A. A., and Agboola, D. A. 2014. A review of plant growth substances: Their forms, structures, synthesis, and function. *Journal of Advanced Research in Biology*, 5(4):152-168.
- Ozturk, M., TurkyilmazUnal, B., Garcia-Caparras, P., Khursheed, A., Gul, A., and Hasanuzzaman, M. 2021. Osmoregulation and its actions during the drought stress in plants. *Physiologia Plantarum*, 172(2): 1321-1335.
- Parveen, A., Rai, G. K., Bagati, S., Rai, P. K., and Singh, P. 2021. Morphological, Physiological, Biochemical, and Molecular Tanggapanes of Plants to Drought Stress. *Abiotic Stress Tolerance Mechanisms in Plants*. CRC Press. Boca Raton, p. 321-339,
- Parvin, K., Nahar, K., Mohsin, S. M., Al Mahmud, J., Fujita, M., and Hasanuzzaman, M. *Plant Phenolic Compounds for Abiotic Stress Tolerance*. Managing Plant Production Under Changing Environment. Springer: Singapore, p. 193-238
- Pellegrini, E., Hoshika, Y., Dusart, N., Cotrozzi, L., Gérard, J., Nali, C., Vaultier, M. N., Jolivet, Y., Lorenzini, G., and Paoletti, E. 2019. Antioxidative responses of three oak species under ozone and water stress conditions. *Science of the Total Environ*, 647: 390–399
- Peter, K. V. 2012. *Handbook of Herbs and Spices*. Woodhead Publishing. USA, p. 55-56.
- Putievsky, E dan Galambosi, B. 1999. Production Systems of Sweet Basil dalam Hiltunen, R dan Holm, Y (eds.). *Basil the Genus Ocimum*. Harwood Academic Publishers. The Netherlands, p. 39-58.
- Qamar, R., Khan, S., Safdar, M. E., Atique-ur-Rehman, Rehman, A., Javeede, H. M. R., Nadeem, M. A., Al-Yahyai, R., and Alkahtani, J. 2022. Seed priming with growth regulators modulates production, physiology and

- antioxidant defense of Indian squash (*Praecitrullus fistulosus*) under semi-arid conditions. *PLoS One*, 17(4).
- Radácsi, P., Inotai, K., Sárosi, S., Czövek, P., Bernáth, J., and Németh, E. 2010. Effect of water supply on the physiological characteristics and production of basil (*Ocimum basilicum* L.). *European Journal of Horticultural Science*, 75(5):193-197.
- Rai, G. K., Kumar, R. R., Bagati, S. 2021. *Abiotic Stress Tolerance Mechanisms in Plants*. CRC Press. Boca Raton, p. 5-6.
- Rhaman, M.S., Imran, S., Rauf, F., Khatun, M., Baskin, C.C., Murata, Y., and Hasanuzzaman, M. 2021. Seed Priming with Phytohormones: An Effective Approach for the Mitigation of Abiotic Stress. *Plants*, 10(37): 1-17.
- Rubab, S., Bahadur, S., Hanif, U., Durrani, A. I., Sadiqa, A., Shafique, S., Zafar, U., Shuaib, M., Urooj, Z., Nizamani, M. M., and Iqbal, S. 2021. Phytochemical and antimicrobial investigation of methanolic extract fraction of *Ocimum basilicum* L.. *Biocatalysis and Agricultural Biotechnology*, 31: 1-10.
- Sakoda, K., Yamori, W., Shimada, T., Sugano, S. S., Hara-Nishimura, I., and Tanaka, Y. 2020. Higher stomatal density improves photosynthetic induction and biomass production in *Arabidopsis* under fluctuating light. *Frontiers Plant Science*, 11: 1-11.
- Sanni, S., Onyeyili, P. A., and Sanni, F. S. 2008. Phytochemical analysis, elemental determination and some in vitro antibacterial activity of *Ocimum basilicum* L. leaf extracts. *Research Journal of Phytochemistry*, 2(2):77-83.
- Sarfraz, M., Hussain, S., Ijaz, M., Nawaz, A., Yasir, T. A., Sher, A., Wasaya, A., and Ahmad, S. 2019. *Abiotic Stress Tolerance in Plants by Priming and Pretreatments with Phytohormones. Priming and Pretreatment of Seeds and Seedlings*. Springer Nature. Singapore, p. 11-14.
- Sarker, U. & Oba, S. 2018. Catalase, Superoxide Dismutase and Ascorbate-glutathione Cycle Enzymes Confer Drought Tolerance of *Amaranthus tricolor*. *Scientific Reports*, 8(16496): 1-12.
- Sastro, Y dan Lestari, I. P. 2012. *Budidaya Sayuran Daun Mendukung Terciptanya Kawasan Rumah Pangan Lestari (KRPL) di Perkotaan*. Balai Pengkajian Teknologi Pertanian Jakarta. Jakarta, p. 15-18.
- Scholz, F. G., Bucci, S. J., Arias, N., Meinzer, F. G., and Guillermo, G. 2012. Osmotik and elastic adjustments in cold desert shrubs differing in rooting depth: coping with drought and subzero temperatures. *Oecologia*, 170: 885-897.
- Seidemann, J. 2005. *World Spice Plants*. Springer Verlag Berlin Heidelberg. New York, p. 256.
- Sharma, A., Bhardwaj, R., Kumar, V., Zheng, B., and Tripathi, D. K. 2022. *Managing Plant Stress Using Salicylic Acid: Physiological and Molecular Aspects*. Wiley. United Kingdom, p. 217.
- Shatpathy, P., Kar, M., Dwibedi, S. K., and Dash, A. 2018. Seed Priming with Salicylic Acid Improves Germination and Seedling Growth of Rice (*Oryza sativa* L.) under PEG-6000 Induced Water Stress. *International Journal of Current Microbiology and Applied Sciences*, 7(10): 907-924.

- Shen, H., Chen, J., Wang, Z., Yang, C., Sasaki, T., Ymamamoto, Y., Matsumoto, H., and Yan, X. 2006. Root plasma membrane H⁺-ATPase is involved in the adaptation of soybean to phosphorus starvation. *Journal of Experimental Botany*, 57(6): 1353–1362.
- Shukla, M. K. 2014. *Soil Physics An Introduction*. CRC Press. Boca Raton, 122-123.
- Siddiqui, M. W and Prasad, K. 2017. *Plant Secondary Metabolites*. Apple Academic Press. Canada, p. 109.
- Singh, G. 2010. *Plant Systematics: An Integrated Approach*. Third Edition. Science Publishers. India, p. 666.
- Soliman, M. H., Al-Juhani, R. S., Hashash, M. A., and Al-Juhani, F. M. 2016. Effect of Seed Priming with Salicylic Acid on Seed Germination and Seedling Growth of Broad bean (*Vicia faba* L). *International Journal of Agricultural Technology*, 12(6): 1125-1138.
- Sotelo, H. R and Perez, M. G. F. 2023. Use of salicylic acid during cultivation of plants as a strategy to improve its metabolite profile and beneficial health effects. *Italian Journal of Food Science*, 35 (1): 79–90.
- Staniak, M., Bojarszczuk, J., Kraska, P., Kwiatkowski, C., and Harasim, E. 2020. Prolonged drought stress induced changes in yield and physiological process of *Trifolium repens* and *Festulolium braunii*. *Biologia Plantarum*, 64: 701-709.
- Suharja & Sutarno. 2009. Biomass, chlorophyll and nitrogen content of leaves of two chili pepper varieties (*Capsicum annum*) in different fertilization treatments. *Bioscience*, 1(1): 9-16.
- Surahmaida & Umarudin. 2017. *Aplikasi Miana, Kemangi, dan Kumis Kucing sebagai Pestisida Nabati*. Graniti. Gresik, p. 31-33.
- Surahmaida dan Umarudin. 2019. Studi Fitokimia Ekstrak Daun Kemangi dan Daun Kumis Kucing Menggunakan Pelarut Etanol. *Indonesian Chemistry and Application Journal*, 3(1):1-5.
- Syaiful, S. A., Dungga, N. E., Riadi, M., and Ridwan, I. 2014. Seed Priming with PEG 8000 for Improving Drought Stress Tolerance of Soybean (*Glycine max*). *International Journal of Agriculture Systems*, 2(1): 19-26.
- Tajik, S., Zarinkamar, F., Soltani, B. M., and Nazari, M. 2019. Induction of phenolic and flavonoid compounds in leaves of saffron (*Crocus sativus* L.) by salicylic acid. *Scientia Horticulturae*, 257: 1-7.
- Top, S. M., Preston, C. M., Dukes, J. S., and Tharayii, N. 2017. Climate Influences the Content and Chemical Composition of Foliar Tannins in Green and Senesced Tissues of *Quercus rubra*. *Frontiers in Plant Science*, 8(423): 1-12.
- Toscano, S., Trivellini, A., Cocetta, G., Bulgari, R., Francini, A., Romano, D., and Ferrante, A. 2019. Effect of Preharvest Abiotic Stresses in the Accumulation of Bioactive Compounds in Horticultural Produce. *Frontiers in Plant Science*, 10: 1-17.
- Tucuch-Haas, C. J., Dzib-Ek, M. A., Vergara-Yoisura, S., and Larque-Saavedra, A. 2021. Salicylic Acid Increase Root Size That Favors the Absorption and Accumulation of Macro and Micronutrients That Contribute to Biomass Production. In: Hayat, S., Siddiqui, H., and Damalas, C. A. *Salicylic Acid - A Versatile Plant Growth Regulator*. Springer, Switzerland p. 17-27.

- Utami, J. L., Kristanto, B. A., dan Karno. 2020. Aplikasi Silika dan Penerapan Cekaman Kekeringan Terkendali dalam Upaya Peningkatan Produksi dan Mutu Simplisia Binahong (*Anredera cordifolia*). *Journal Agro Complex*, 4(1):69-78.
- Uysal, E. 2018. Effects of Nitrogen Fertilization on the Chlorophyll Content of Apple. *Meyve Bilimi Fruit Science*, 5(1): 12-17.
- Wahono, E., Izzati, M., dan Parman, S. 2018. Interaksi antara Tingkat Ketersediaan Air dan Varietas terhadap Kandungan Prolin serta Pertumbuhan Tanaman Kedelai (*Glycine max* L. Merr). *Buletin Anatomi dan Fisiologi*, 3(1): 11-19.
- Waqas, M., Korres, N. E., Khan, M. D., Nizami, A., Deebea, F., Ali, I., and Hussain, H. 2019. *Advances in the Concept and Methods of Seed Priming. Priming and Pretreatment of Seeds and Seedlings*. Springer Nature. Singapore, p. 449.
- Wardi, W., Umami, N., Kurniawati, A., Haryanto, B., Puspito, S., and Krishna, N. H. 2023. Tannins, flavonoids, and lignin levels of *Clitoria ternatea* L. legumes in different levels of urea fertilizer and harvesting age. *Livestock and Animal Research*, 21(2): 110-117.
- Widuri, L. I., Lakitan, B., Sodikin, E., Hasmeda, M., Meihana, M, Kartika, K., Siaga, E. 2018. Shoot and root growth in common bean (*Phaseolus vulgaris* L.) exposed to gradual drought stres. *Journal of Agricultural Science*, 40(3): 442-452.
- Widyatamanti, W., Murti, S. H., and Widayani, P. 2021. *Aplikasi Penginderaan Jauh dan Sistem Informasi Geografis untuk Pemodelan dan Pemetaan Data Biofisik Lahan*. Gadjah Mada University Press. Sleman, p. 96.
- Wu, S & Zhao, B. 2017. Using Clear Nail Polish to Make Arabidopsis Epidermal Imperssions for Measuring the Change of Stomatal Aperture Size in Immune Response. *In Methods in Molecular Biology*, 1578:5-8.
- Zhao, P., Hou, S., Guo, X., Jia, J., Yang, W., Liu, Z., Cheng, L. 2019. A MYB-related transcription factor from sheepgrass, *LcMYB2* promotes seed germination and root growth under drought stres. *BMC Plant Biology*, 19: 1-19.
- Zhao, W., Sun, Y., Kjergren, R., & Liu, X. 2015. Response of stomatal density and bound gas exchange in leaves of maize to soil water deficit. *Acta Physiologiae Plantarum*, 37(1):1704.