



VI. REFERENCES

- Abdul Malik, N.H., Simarani, K. and Aziz, M.A. 2022. Soybean as an alternative nutrient medium for *bacillus subtilis* growth, *Malaysian Applied Biology*, 51(4), pp. 67–74. Available at: <https://doi.org/10.55230/mabjournal.v51i4.12>.
- Alp, D. and Bulantekin, Ö. 2021. The microbiological quality of various foods dried by applying different drying methods: a review, *European Food Research and Technology*, 247(6), pp. 1333–1343. Available at: <https://doi.org/10.1007/s00217-021-03731-z>.
- Aritonang, S.N., Roza, E., Rossi, E., Purwati, E. & Husmaini, 2017. Isolation and Identification of Lactic Acid Bacteria from Okara and Evaluation of Their Potential as Candidate Probiotics. *Pakistan J. of Nutrition*, 16:618–628. <https://doi.org/10.3923/pjn.2017.618.628>
- Ayeni, F.A. et al. 2011. Evaluation of the functional potential of Weissella and Lactobacillus isolates obtained from Nigerian traditional fermented foods and cow's intestine', *International Journal of Food Microbiology*, 147(2), pp. 97–104. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2011.03.014>.
- Bayu, H.H. et al. 2023. Isolation and identification of lactic acid bacteria from channa sp. As potential probiotic', *JURNAL PEMBELAJARAN DAN BIOLOGI NUKLEUS*, 9(1), pp. 75–84. Available at: <https://doi.org/10.36987/jpbn.v9i1.3551>.
- Bonnet, M. et al. 2019. Bacterial culture through selective and non-selective conditions: the evolution of culture media in clinical microbiology, *New Microbes and New Infections*, 34, p. 100622. Available at: <https://doi.org/10.1016/j.nmni.2019.100622>.
- Božanić, R., Lovković, S., Jeličić, I., 2011. Optimising fermentation of soymilk with probiotic bacteria. *Czech J. Food Sci*, 29:51–56. <https://doi.org/10.17221/97/2010-CJFS>
- Byrne, S.J. et al. 2018. Chapter 7 - taxonomy of oral bacteria, in V. Gurtler and J.T. Trevors (eds) *Methods in Microbiology*. Academic Press (Microbiology of Atypical Environments), pp. 171–201. Available at: <https://doi.org/10.1016/bs.mim.2018.07.001>.
- Chun, J. et al. 2007. Conversion of isoflavone glucosides to aglycones in soymilk by fermentation with lactic acid bacteria, *Journal of Food Science*, 72(2), pp. M39–M44. Available at: <https://doi.org/10.1111/j.1750-3841.2007.00276.x>.
- Davy, P., Vuong, Q.V., 2020. Soy Milk By-product: Its Composition and Utilisation. *Food Reviews International*, 1:1–23.



- Di Cagno, R. *et al.* 2007. Characterization of Italian cheeses ripened under nonconventional conditions, *Journal of Dairy Science*, 90(6), pp. 2689–2704. Available at: <https://doi.org/10.3168/jds.2006-654>.
- Dimidi, E., Cox, S.R., Rossi, M., Whelan, K., 2019. Fermented Foods: Definitions and Characteristics, Impact on the Gut Microbiota and Effects on Gastrointestinal Health and Disease. *Nutrients*, 11(8): 1-26.
- Elbanna, K. *et al.* 2018. In vitro and in vivo evidences for innate immune stimulators lactic acid bacterial starters isolated from fermented camel dairy products, *Scientific Reports*, 8(1), p. 12553. Available at: <https://doi.org/10.1038/s41598-018-31006-3>.
- Fairfax, M.R., Lephart, P.R. and Salimnia, H. 2014. *Weissella confusa*: problems with identification of an opportunistic pathogen that has been found in fermented foods and proposed as a probiotic', *Frontiers in Microbiology*, 5. Available at: <https://www.frontiersin.org/articles/10.3389/fmicb.2014.00254> (Accessed: 10 September 2023).
- Fessard, A. and Remize, F. 2017. Why are weissella spp. Not used as commercial starter cultures for food fermentation?, *Fermentation*, 3(3), p. 38. Available at: <https://doi.org/10.3390/fermentation3030038>.
- Fukuda, K. *et al.* 2016. Molecular approaches to studying microbial communities: targeting the 16s ribosomal rna gene, *Journal of UOEH*, 38(3), pp. 223–232. Available at: <https://doi.org/10.7888/juoeh.38.223>.
- Goa, T. *et al.* 2022. Isolation and characterization of lactic acid bacteria from fermented milk produced in jimma town, southwest ethiopia, and evaluation of their antimicrobial activity against selected pathogenic bacteria, *International Journal of Food Science*, 2022, p. 2076021. Available at: <https://doi.org/10.1155/2022/2076021>.
- Goda, H., Barakat, O., Ali, M., 2011. Potential Exploitation of Okara as an Alternative Medium for Edible Pleurotus ostreatus Mycelium Production. *Arab J. Biotech*, 14:139–154.
- Government of Canada, C.F.I.A., 2012. *The Biology of Glycine max (L.) Merr. (Soybean)*. <https://inspection.canada.ca/plant-varieties/plants-with-novel-trait/applicants/directive-94-08/biology-documents/glycine-max-l-merr/eng/1330975306785/1330975382668>. Accessed 3.30.22 at 23:14.
- Gunawan, S. *et al.* 2021. Reaction kinetics of lactic acid fermentation from bitter cassava (*Manihot glaziovii*) starch by *Lactobacillus casei*, *Indonesian Journal of Biotechnology*, 26(1), pp. 7–14. Available at: <https://doi.org/10.22146/ijbiotech.54119>.
- Gupta, N. 2019. DNA extraction and polymerase chain reaction', *Journal of Cytology*, 36(2), pp. 116–117. Available at: https://doi.org/10.4103/JOC.JOC_110_18.



- Hajirostamloo, B., Mahastie, P., 2008. Comparison of Soymilk and Cow Milk Nutritional Parameter. *Research Journal of Biological Sciences*, 3: 1324–1326.
- Hayek, S.A. and Ibrahim, S.A. 2013. Current limitations and challenges with lactic acid bacteria: a review. *Food and Nutrition Sciences*, 4(11), pp. 73–87. Available at: <https://doi.org/10.4236/fns.2013.411A010>.
- Hayek, S.A., Gyawali, R., Aljaloud, S.O., Krastanov, A., Ibrahim, S.A., 2019. Cultivation media for lactic acid bacteria used in dairy products. *J Dairy Res*, 86:490–502.
- Heather, J.M. and Chain, B. (2016) ‘The sequence of sequencers: The history of sequencing DNA’, *Genomics*, 107(1), pp. 1–8. Available at: <https://doi.org/10.1016/j.ygeno.2015.11.003>.
- Ichikawa, N. et al. 2022. Solid-state fermented okara with aspergillus spp. Improves lipid metabolism and high-fat diet induced obesity. *Metabolites*, 12(3), p. 198. Available at: <https://doi.org/10.3390/metabo12030198>.
- Ismail, Y., Yulvizar, C. and Mazhitov, B. 2018. Characterization of lactic acid bacteria from local cow's milk kefir', *IOP Conference Series: Earth and Environmental Science*, 130, p. 012019. Available at: <https://doi.org/10.1088/1755-1315/130/1/012019>.
- Johnson, J.S. et al. 2019. Evaluation of 16S rRNA gene sequencing for species and strain-level microbiome analysis, *Nature Communications*, 10(1), p. 5029. Available at: <https://doi.org/10.1038/s41467-019-13036-1>.
- Jung, M.-G. et al. 2016. Isolation, identification, and characteristics of lactic acid bacteria for production of fermented soymilk which has improved sensory quality. 44(1), pp. 74–83. Available at: <https://doi.org/10.4014/mbl.1511.11008>.
- Karyantina, M. et al. 2020. Moderate halophilic lactic acid bacteria from *jambal roti*: a traditional fermented fish of central java, Indonesia, *Journal of Aquatic Food Product Technology*, 29(10), pp. 990–1000. Available at: <https://doi.org/10.1080/10498850.2020.1827112>.
- Kim, J., 2019. Transforming okara into a microalgae culture medium (Unpublished doctoral dissertation). Nanyang Technological University.
- Kim, M. and Chun, J. 2014. Chapter 4 - 16s rrna gene-based identification of bacteria and archaea using the eztaxon server, in M. Goodfellow, I. Sutcliffe, and J. Chun (eds) *Methods in Microbiology*. Academic Press (New Approaches to Prokaryotic Systematics), pp. 61–74. Available at: <https://doi.org/10.1016/bs.mim.2014.08.001>.
- Kirk, R.S., Sawyer, R., Egan, H., 1991. *Pearson's composition and analysis of foods*, 9th edition. Longman; Wiley, Harlow, Essex, U.K. New York, NY.



- Madigan, M.T., Bender, K.S., Buckley, D.H., Sattley, W.M., Stahl, D.A. 2018. Diversity of Bacteria. In: *Book Biology of Microorganisms*, 15th edition. (pp. 121, 123, 543). Pearson. New York City.
- Malik, T.F., Panuganti, K.K., 2022. Lactose Intolerance, in: *StatPearls*. StatPearls Publishing, Treasure Island.
- Mateos-Aparicio, I. et al. (2010) 'Pea pod, broad bean pod and okara, potential sources of functional compounds', *LWT - Food Science and Technology*, 43(9), pp. 1467–1470. Available at: <https://doi.org/10.1016/j.lwt.2010.05.008>.
- Messina, M., 2016. Soy and Health Update: Evaluation of the Clinical and Epidemiologic Literature. *Nutrients*, 8:754–796. *Nutrients*, 10:43–94.
- Oktari, A. et al. 2017. The bacterial endospore stain on schaeffer fulton using variation of methylene blue solution, *Journal of Physics: Conference Series*, 812, p. 012066. Available at: <https://doi.org/10.1088/1742-6596/812/1/012066>.
- Rahayu, H.M. and Setiadi, A.E. 2023. Isolation and characterization of indigenous lactic acid bacteria from pakatikng rape, dayak's traditional fermented food, *Jurnal Penelitian Pendidikan IPA*, 9(2), pp. 920–925. Available at: <https://doi.org/10.29303/jppipa.v9i2.2801>.
- Rizzo, G. and Baroni, L. 2018. Soy, soy foods and their role in vegetarian diets, *Nutrients*, 10(1), p. 43. Available at: <https://doi.org/10.3390/nu10010043>.
- Schillinger, U., Holzapfel, W.H., Björkroth, K.J., 2006. Lactic acid bacteria, in: *Food Spoilage Microorganisms*. (pp. 541–578). Woodhead publishing, Cambridge, England.
- Sedivy, E.J., Wu, F., Hanzawa, Y., 2017. Soybean domestication: the origin, genetic architecture and molecular bases. *New Phytol*, 214:539–553.
- Sharma, R., Garg, P., Kumar, P., Bhatia, S.K., Kulshrestha, S., 2020. Microbial Fermentation and Its Role in Quality Improvement of Fermented Foods. *Fermentation*, 6:106–126.
- Sikkema-Raddatz, B. et al. 2013. Targeted next-generation sequencing can replace sanger sequencing in clinical diagnostics, *Human Mutation*, 34(7), pp. 1035–1042. Available at: <https://doi.org/10.1002/humu.22332>.
- Spiegelhauer, M.R. et al. 2020. A case report of polymicrobial bacteremia with Weissella confusa and comparison of previous treatment for successful recovery with a review of the literature', *Access Microbiology*, 2(5), p. acmi000119. Available at: <https://doi.org/10.1099/acmi.0.000119>.
- Stanojevic, S.P. et al. 2013. Bioactive proteins and energy value of okara as a byproduct in hydrothermal processing of soy milk. *Journal of Agricultural and Food Chemistry*, 61(38), pp. 9210–9219. Available at: <https://doi.org/10.1021/jf4012196>.



- Teh, S.-S. *et al.* 2010. Enhanced growth of lactobacilli in soymilk upon immobilization on agrowastes. *Journal of Food Science*, 75(3), pp. M155–M164. Available at: <https://doi.org/10.1111/j.1750-3841.2010.01538.x>.
- Tripathi, N. and Sapra, A. 2023. Gram staining, in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK562156/> (Accessed: 10 September 2023).
- Tyl, C. and Sadler, G.D. 2017. Ph and titratable acidity, in S.S. Nielsen (ed.) *Food Analysis*. Cham: Springer International Publishing (Food Science Text Series), pp. 389–406. Available at: https://doi.org/10.1007/978-3-319-45776-5_22.
- Utomo, A.S., Harismah, K. and Mulyaningtyas, A. 2022. Making *bacillus cereus* bacterial growth media from soybeans (*glycine max (L.) merril*);, in. Sukoharjo, Indonesia. Available at: https://doi.org/10.2991/978-94-6463-050-3_26.
- Vanga, S.K., Raghavan, V., 2018. How well do plant-based alternatives fare nutritionally compared to cow's milk? *J Food Sci Technol*, 55:10–20.
- Yang, J. *et al.* (2014) ‘Selection of functional lactic acid bacteria as starter cultures for the fermentation of Korean leek (*Allium tuberosum Rottler ex Sprengel.*)’, *International Journal of Food Microbiology*, 191, pp. 164–171. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2014.09.016>.
- Zhang, P., Seth, A. and Fernandes, H. (2014) ‘Other post-pcr detection technologies’, in L.M. McManus and R.N. Mitchell (eds) *Pathobiology of Human Disease*. San Diego: Academic Press, pp. 4074–4088. Available at: <https://doi.org/10.1016/B978-0-12-386456-7.07707-8>.
- Zommiti, M., Feuilloye, M.G.J. and Connil, N. 2020. Update of probiotics in human world: a nonstop source of benefactions till the end of time. *Microorganisms*, 8(12), p. 1907. Available at: <https://doi.org/10.3390/microorganisms8121907>.