

DAFTAR PUSTAKA

- Aldina, R. F., Indarti, S. and Wibowo, A. (2019). Pathogenicity of nematofagous fungus for control of *Pratylenchus coffeae* nematodes on coffee plants. *Proceedings of the 1st International Conference on Tropical Agriculture*, p. 244.
- Athenaki, M., Gardeli, C., Diamantopoulou, P., Tchakouteu, S. S., Sarris, D., Philippoussis, A., & Papanikolaou, S. (2018). Lipids from yeasts and fungi: physiology, production and analytical considerations. *Journal of Applied Microbiology*, 124(2), 336–367. doi:<https://10.1111/jam.13633>.
- Barboráková, Z., Labuda, R., Häubl, G. and Tančinová, D. (2012). EFFECT OF GLUCOSE CONCENTRATION AND GROWTH CONDITIONS.
- Bardhan, P., Baruah, J., Raj, G. V. S. B., Kalita, E. and Mandal, M. (2021). Optimization of culture conditions for biomass and lipid production by oleaginous fungus *Penicillium citrinum* PKB20 using response surface methodology (RSM). *Biocatalysis and agricultural biotechnology*, 37, p. 102169. doi: 10.1016/j.bcab.2021.102169.
- Bayazit, A. (2014). Fungal lipids: the biochemistry of lipid accumulation. *International Journal of Chemical Engineering and Applications*, 5(5), pp. 409–414. doi: 10.7763/IJCEA.2014.V5.419.
- Beccaccioli, M., Reverberi, M. and Scala, V. (2019). Fungal lipids: biosynthesis and signalling during plant-pathogen interaction. *Frontiers in bioscience (Landmark edition)*, 24(1), pp. 172–185. doi: 10.2741/4712.
- Benny, G. L., Humber, R. A. and Voigt, K. (2014). 8 zygomycetous fungi: phylum entomophthoromycota and subphyla kickxellomycotina, mortierellomycotina, mucoromycotina, and zoopagomycotina,” in McLaughlin, D. J. and Spatafora, J. W. (eds.) *Systematics and evolution: part A*. Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 209–250. doi: 10.1007/978-3-642-55318-9_8.
- Bhanja, A., Minde, G., Magdum, S. and Kalyanraman, V. (2014). Comparative Studies of Oleaginous Fungal Strains (*Mucor circinelloides* and *Trichoderma reesei*) for Effective Wastewater Treatment and Bio-Oil Production. *Biotechnology research international*, 2014, p. 479370. doi: 10.1155/2014/479370.
- Calvey, C. H., Su, Y. K., Willis, L. B., McGee, M., & Jeffries, T. W. (2016). “Nitrogen limitation, oxygen limitation, and lipid accumulation in *Lipomyces starkeyi*.” *Bioresource Technology*. Elsevier Ltd, 200, 780–788.

- Chatzifragkou, A., Makri, A., Belka, A., Bellou, S., Mavrou, M., Mastoridou, M., Mystrioti, P., Onjaro, G., Aggelis, G. and Papanikolaou, S. (2011). Biotechnological conversions of biodiesel derived waste glycerol by yeast and fungal species. *Energy*, 36(2), pp. 1097–1108. doi: 10.1016/j.energy.2010.11.040.
- Chi, Z., Zheng, Y., Ma, J. and Chen, S. (2011). Oleaginous yeast *Cryptococcus curvatus* culture with dark fermentation hydrogen production effluent as feedstock for microbial lipid production. *International journal of hydrogen energy*, 36(16), pp. 9542–9550. doi: 10.1016/j.ijhydene.2011.04.124.
- Cui, Y., Blackburn, J. W. and Liang, Y. (2012). Fermentation optimization for the production of lipid by *Cryptococcus curvatus*: Use of response surface methodology. *Biomass and Bioenergy*, 47, pp. 410–417. doi: 10.1016/j.biombioe.2012.09.017.
- Deshavath, N. N., Mukherjee, G., Goud, V. V., Veeranki, V. D. and Sastri, C. V. (2020). Pitfalls in the 3, 5-dinitrosalicylic acid (DNS) assay for the reducing sugars: Interference of furfural and 5-hydroxymethylfurfural. *International journal of biological macromolecules*, 156, pp. 180–185. doi: 10.1016/j.ijbiomac.2020.04.045.
- Dey, P., Mall, N., Chattopadhyay, A., Chakraborty, M. and Maiti, M. K. (2014). Enhancement of lipid productivity in oleaginous *Colletotrichum* fungus through genetic transformation using the yeast CtDGAT2b gene under model-optimized growth condition. *Plos One*, 9(11), p. e111253. doi: 10.1371/journal.pone.0111253.
- Elsawy, M. M. R., Lanteri, S., Duvigneau, R., Fan, J. A. and Genevet, P. (2020). Numerical optimization methods for metasurfaces. *Laser & photonics reviews*, 14(10), p. 1900445. doi: 10.1002/lpor.201900445.
- Fakas, S., Papanikolaou, S., Batsos, A., Galiotou-Panayotou, M., Mallouchos, A., and Aggelis, G. (2009). Evaluating renewable carbon sources as substrates for single cell oil production by *Cunninghamella echinulata* and *Mortierella isabellina*. *Biomass & Bioenergy* 33, 573–580.
- Hashem, A. H., Suleiman, W. B., Abu-elreesh, G., Shehabeldine, A. M. and Khalil, A. M. A. (2020). Sustainable lipid production from oleaginous fungus *Syncephalastrum racemosum* using synthetic and watermelon peel waste media. *Bioresource Technology Reports*, 12, p. 100569. doi: 10.1016/j.biteb.2020.100569.
- Haura, A. (2022). Isolasi dan karakterisasi kapang *Mucorales* oleaginous dari buah-buahan di Sleman, Daerah Istimewa Yogyakarta. *UGM Repository*

- Hoffmann, K., Pawłowska, J., Walther, G., Wrzosek, M., de Hoog, G. S., Benny, G. L., Kirk, P. M. and Voigt, K. (2013). The family structure of the Mucorales: a synoptic revision based on comprehensive multigene-genealogies. *Persoonia*, 30, pp. 57–76. doi: 10.3767/003158513X666259.
- Huang, G., Zhou, H., Tang, Z., Liu, H., Cao, Yi, Qiao, D. and Cao, Yu (2016). Novel fungal lipids for the production of biodiesel resources by *Mucor fragilis* AFT7-4. *Environmental progress & sustainable energy*, 35(6), pp. 1784–1792. doi: 10.1002/ep.12395.
- Karamerou, E. E., & Webb, C. (2019). Cultivation modes for microbial oil 38 production using oleaginous yeasts – A review. *Biochemical Engineering Journal*, 151, 1-16. doi:<https://doi.org/10.1016/j.bej.2019.107322>.
- Khot, M., Kamat, S., Zinjarde, S., Pant, A., Chopade, B. and Ravikumar, A. (2012). Single cell oil of oleaginous fungi from the tropical mangrove wetlands as a potential feedstock for biodiesel. *Microbial Cell Factories*, 11, p. 71. doi: 10.1186/1475-2859-11-71.
- Kumar, S. P. J. (2013). Optimization of lipid enriched biomass production from oleaginous fungus using response surface methodology. *Indian journal of experimental biology*, 51(11), pp. 979–983.
- Lu, X. L., Najafzadeh, M. J., Dolatabadi, S., Ran, Y. P., Gerrits van den Ende, A. H. G., Shen, Y. N., Li, C. Y., Xi, L. Y., Hao, F., Zhang, Q. Q., Li, R. Y., Hu, Z. M., Lu, G. X., Wang, J. J., Drogari-Apiranthitou, M., Klaassen, C., Meis, J. F., Hagen, F., Liu, W. D. and de Hoog, G. S. (2013). Taxonomy and epidemiology of *Mucor irregularis*, agent of chronic cutaneous mucormycosis. *Persoonia*, 30, pp. 48–56. doi: 10.3767/003158513X665539.
- Pinasthika, N. P., Arbianti, R., Utami, T. S., & Hermansyah, H. (2018). Effect of medium and incubation time on production of AA, DHA and EPA from *spergillus oryzae* by solid state fermentation. *IOP Conference Series: Earth and Environmental Science*, 105(1), 1-6.
- Qiao, W., Tao, J., Luo, Y., Tang, T., Miao, J. and Yang, Q. (2018). Microbial oil production from solid-state fermentation by a newly isolated oleaginous fungus, *Mucor circinelloides* Q531 from mulberry branches. *Royal Society Open Science*, 5(11), p. 180551. doi: 10.1098/rsos.180551.
- Rangel-Porraz, R. A., Perez, S. P. D., Hernandez, J. M. M. (2019). Alcohol dehydrogenase 1 participates in the Crabtree effect and connects fermentative and oxidative metabolism in the Zygomycete *Mucor circinelloides*. *Journal of Microbiology*, 57(7):606-617.

- Ratledge, C., and J.P. Wynn. (2002). The biochemistry and molecular biology of lipid accumulation in oleaginous microorganisms. *Journal of Advances in Applied Microbiology*. 53(1),17-20. doi: [https://doi.org/10.1016/s0065-2164\(02\)51000-5](https://doi.org/10.1016/s0065-2164(02)51000-5).
- Rossi, M., Amaretti, A., Raimondi, S. and Leonardi, A. (2011). Getting Lipids for Biodiesel Production from Oleaginous Fungi, in Stoytcheva, M. (ed.) *Biodiesel - Feedstocks and Processing Technologies*. InTech. doi: 10.5772/25864.
- Shafiq, S. A. and Chechan, R. A. (2019). Influence of different natural media on production of myco-diesel. *IOP Conference Series: Earth and Environmental Science*, 388(1), p. 012054. doi: 10.1088/1755-1315/388/1/012054.
- Shoaib, A., Bhran, A., Rasmey, A.-H. and Mikky, Y. (2018). Optimization of cultural conditions for lipid accumulation by *Aspergillus wentii* Ras101 and its transesterification to biodiesel: application of response surface methodology. *3 Biotech*, 8(10), p. 417. doi: 10.1007/s13205-018-1434-5.
- Signori, L., Ami, D., Poster, R., Giuzzi, A., Mereghetti, P., Porro, D., & Branduardi, P. (2016). Assessing an effective feeding strategy to optimize crude glycerol utilization as sustainable carbon source for lipid accumulation in oleaginous yeasts. *Microbial Cell Factories*. *BioMedCentral*, 15(1), 1–19.
- Somashekar, D., Venkateshwaran, G., Sambaiah, K. and Lokesh, B. R. (2003). Effect of culture conditions on lipid and gamma-linolenic acid production by mucoraceous fungi. *Process Biochemistry*, 38(12), pp. 1719–1724. doi: 10.1016/S0032-9592(02)00258-3.
- Subhash, G. V. and Mohan, S. V. (2015). Sustainable biodiesel production through bioconversion of lignocellulosic wastewater by oleaginous fungi. *Biomass Conversion and Biorefinery*, 5(2), pp. 215–226. doi: 10.1007/s13399-014-0128-4.
- Thevenieau, F. and Nicaud, J.-M. (2013). Microorganisms as sources of oils. *OCL*, 20(6), p. D603. doi: 10.1051/ocl/2013034.
- Troiano, D., Orsat, V. and Dumont, M. J. (2020). Status of filamentous fungi in integrated biorefineries. *Renewable and Sustainable Energy Reviews*, 117, p. 109472. doi: 10.1016/j.rser.2019.109472.
- Vance, D. E., & Vance, J. E. (2008). *Biochemistry of Lipids, Lipoproteins and Membranes*. Elsevier.

- Wang, T., Sun, C. and Zhu, P. (2021). First Report of *Mucor irregularis* Causing Postharvest Fruit Rot on *Garcinia mangostana* in China. *Plant disease*. doi: 10.1094/PDIS-07-21-1431-PDN.
- Xia, C., Zhang, J., Zhang, W. and Hu, B. (2011). A new cultivation method for microbial oil production: cell pelletization and lipid accumulation by *Mucor circinelloides*. *Biotechnology for Biofuels*, 4, p. 15. doi: 10.1186/1754-6834-4-15.
- Yang, Y., Heidari, F. and Hu, B. (2019). Fungi (Mold)-Based Lipid Production. *Methods in Molecular Biology*, 1995, pp. 51–89. doi: 10.1007/978-1-4939-9484-7_3.
- Zheng, Y., Yu, X., Zeng, J. and Chen, S. (2012). Feasibility of filamentous fungi for biofuel production using hydrolysate from dilute sulfuric acid pretreatment of wheat straw. *Biotechnology for Biofuels*, 5(1), p. 50. doi: 10.1186/1754-6834-5-50.
- Zhu, S., & Bonito, G. (2021). Oleaginous fungi in biorefineries. *Encyclopedia of Mycology*, (4), 577–589. doi: <https://doi.org/10.1016/B978-0-12-819990-9.00004-4>.