

DAFTAR PUSTAKA

- Agouillal F., M. Taher Z., Moghrani H., Nasrallah N., and El Enshasy H. 2017. A Review of Genetic Taxonomy, Biomolecules Chemistry and Bioactivities of *Citrus hystrix* DC. *Biosciences, Biotechnology Research Asia*. 14(1): 285–305. doi:<https://doi.org/10.13005/bbra/2446>.
- Agrawal A.A., Petschenka G., Bingham R.A., Weber M.G., and Rasmann S. 2012. Toxic cardenolides: chemical ecology and coevolution of specialized plant-herbivore interactions. *New Phytologist*. 194(1): 28–45. doi:<https://doi.org/10.1111/j.1469-8137.2011.04049>.
- Ahmad S., Ullah F., Zeb A., Ayaz M., Ullah F., and Sadiq A. 2016. Evaluation of *Rumex hastatus* D. Don for cytotoxic potential against HeLa and NIH/3T3 cell lines: chemical characterization of chloroform fraction and identification of bioactive compounds. *BMC Complementary and Alternative Medicine*. 16(308): 1-10. doi:<https://doi.org/10.1186/s12906-016-1302-y>.
- Al Bratty M., Makeen H.A., Alhazmi H.A., Syame S.M., Abdalla A.N., Homeida H.E., Sultana S., Ahsan W., and Khalid A. 2020. Phytochemical, Cytotoxic, and Antimicrobial Evaluation of the Fruits of Miswak Plant, *Salvadora persica* L. *Journal of Chemistry*. 2020:1–11.
- Alejandro S., Höller S., Meier B., and Peiter E. 2020. Manganese in Plants: From Acquisition to Subcellular Allocation. *Frontiers in Plant Science*. 11(300): 1-23. doi:<https://doi.org/10.3389/fpls.2020.00300>.
- Ali A.S., and Elozeiri A.A. 017. Metabolic Processes During Seed Germination. *Advances in Seed Biology*. doi:<https://doi.org/10.5772/intechopen.70653>.
- Andila P.S., and Nugroho L.H. 2022. Antibacterial and phytochemical constituent of *Etlingera rubroloba* A.D. Poulsen extract, an endemic ginger from Wallacea Region, Indonesia. *Biodiversitas Journal of Biological Diversity*. 23(7): 3646-3658. doi:<https://doi.org/10.13057/biodiv/d230742>.
- Anggraeni D., Ismaini L., Surya M.I., Rahmi H., and Saputro N.W. 2022. Inisiasi Kalus Daun *Talinum triangulare* (Jacq.) Willd pada Beberapa Kombinasi

Konsentrasi Zat Pengatur Tumbuh 2,4-Dichlorophenoxyatic Acid dan Benzyl Adenine. *Jurnal Agrikultura*. 33(3):276–288.

Anjum N.A., Singh H.P., Khan M.I.R., Masood A., Per T.S., Negi A., Batish D.R., Khan N.A., Duarte A.C., Pereira E, and Ahmad I. 2014. Too much is bad—an appraisal of phytotoxicity of elevated plant-beneficial heavy metal ions. *Environmental Science and Pollution Research*. 22(5):3361–3382. doi:<https://doi.org/10.1007/s11356-014-3849-9>.

Anuchapreeda S., Chueahongthong F., Viriyaadhammaa N., Panyajai P., Anzawa R., Tima S., Ampasavate C., Saiai A., Rungrojsakul M., Usuki T., and Okonogi S. 2020. Antileukemic Cell Proliferation of Active Compounds from Kaffir Lime (*Citrus hystrix*) Leaves. *Molecules*. 25(6): 1-16. doi:<https://doi.org/10.3390/molecules25061300>.

Aparna V., Dileep K.V., Mandal P.K., Karthe P., Sadasivan C., and Haridas M. 2012. Anti-Inflammatory Property of n-Hexadecanoic Acid: Structural Evidence and Kinetic Assessment. *Chemical Biology & Drug Design*. 80(3):434–439. doi:<https://doi.org/10.1111/j.1747-0285.2012.01418.x>.

Arora S., Kumar G., and Meena S. 2017. Gas Chromatography-Mass Spectroscopy Analysis of Root of an Economically Important Plant, *Cenchrus ciliaris* L. from Thar Desert, Rajasthan (India). *Asian Journal of Pharmaceutical and Clinical Research*. 10(9): 64-69. doi:<https://doi.org/10.22159/ajpcr.2017.v10i9.19259>.

Bisht D., Kumar N., Singh Y., Malik R.K., Djalovic I., Dhaka N.S., Pal N., Balyan P., Mir R.R., Singh V.K., Dhankher O.M., Kumar U., and Kumar S. 2022. Effect of stem structural characteristics and cell wall components related to stem lodging resistance in a newly identified mutant of hexaploid wheat (*Triticum aestivum* L.). *Frontiers in Plant Science*. 13(1067063):1–11. doi:<https://doi.org/10.3389/fpls.2022.1067063>.

Chaudhry H., Fatima N., and Ahmad I.Z. 2015. Evaluation of Antioxidant and Antibacterial Potentials of *Nigella sativa* L. Suspension Cultures under Elicitation. *BioMed Research International*. 2015(2015):e708691. doi:<https://doi.org/10.1155/2015/708691>.

- Chowdhury A., Alam M.A., Rahman M.S., Hossain M.A., and Rashid M.A., 1970. Antimicrobial, Antioxidant and Cytotoxic Activities of *Citrus Hystrix* DC. Fruits. *Dhaka University Journal of Pharmaceutical Sciences*. 8(2):177–180. doi:<https://doi.org/10.3329/dujps.v8i2.6035>.
- Clairmont K.B., Hagar W.G., and Davis E.A. 1986. Manganese Toxicity to Chlorophyll Synthesis in Tobacco Callus. *Plant Physiology*. 80(1):291–293. doi:<https://doi.org/10.1104/pp.80.1.291>.
- Damanik I.T.S., Rosmayati, and Siregar L.A.M. 2017. Pengaruh Jenis Eksplan dan Komposisi Zat Pengatur Tumbuh Terhadap Induksi Kalus Pada Tanaman Binahong (*Anredera cordifolia* (Ten.) Steenis). *Jurnal Agroekoteknologi FP USU* .(70):532–536.
- Dambreville A., Lauri P.É, Normand F., and Guédon Y. 2014. Analysing growth and development of plants jointly using developmental growth stages. *Annals of Botany*. 115(1):93–105. doi:<https://doi.org/10.1093/aob/mcu227>.
- DeBaggio T, and Tucker A.O. 2009. The Encyclopedia of Herbs. Timber Press.
- Dertyasasa E.D., and Tunjung W.A.S. 2017. Volatile Organic Compounds of Kaffir Lime (*Citrus hystrix* DC.) Leaves Fractions and their Potency as Traditional Medicine. *Biosciences, Biotechnology Research Asia*. 14(4):1235–1250. doi:<https://doi.org/10.13005/bbra/2566>.
- dos Reis C.M., da Rosa B.V., da Rosa G.P., do Carmo G., Morandini L.M.B., Ugalde G.A., Kuhn K.R., Morel A.F., Jahn S.L., and Kuhn R.C. 2019. Antifungal and antibacterial activity of extracts produced from *Diaporthe schini*. *Journal of Biotechnology*. 294(2019): 30–37. doi:<https://doi.org/10.1016/j.jbiotec.2019.01.022>.
- Durbecq V., Sainz G., Oudjama Y., Clantin B., Bompard-Gilles C., Tricot C., Caillet J., Stalon V., Droogmans L., and Villeret V. Crystal structure of isopentenyl diphosphate:dimethylallyl diphosphate isomerase. *EMBO J*. 20(7):1530-1537. doi: 10.1093/emboj/20.7.1530.
- El Sharabasy S.F., Bosila H.A., A Bana A-M., and Mansour B.M. 2019. The Effect of Some Micro-Elements on Free Amino Acids, Indols and total Phenols Production from Embryogenic Callus of Tow Date Palm Cultivars

- (Sakkoty and Bartamuda). *Materials research proceedings*. 11(2019):235–243. doi:<https://doi.org/10.21741/9781644900178-19>.
- Esmat A.U., Mittapally S., and Begum S. 2020. GC-MS Analysis of Bioactive Compounds and Phytochemical Evaluation of the Ethanolic Extract of *Gomphrena globosa* L. Flowers. *Journal of Drug Delivery and Therapeutics*. 10(2):53–58. doi:<https://doi.org/10.22270/jddt.v10i2.3914>.
- Fajarina S., Prabowo B.N., Damayanti F., Widyasari A., Sasongko A.B., Indrianto A., Semiarti E., Hidayati L., and Tunjung W.A.S. 2021. Evaluation of Anticancer Bioactive Compounds and Cytotoxicity of *Citrus hystrix* DC. Callus Extract Post Preservation. *Indonesian Journal of Pharmacy*. 32(2):179–192.
- Farzaei M.H., Rahimi R., Attar F., Siavoshic F., Sanieec P., Hajimahmoodid M., Mirnezami T., and Khanavie M. 2014. Chemical Composition, Antioxidant and Antimicrobial Activity of Essential Oil and Extracts of *Tragopogon graminifolius*, a Medicinal Herb from Iran. *Natural Product Communications*. 9(1):121–124.
- Fernandes R. de M.N., Angelica M., Panontin J.F., Alves D.R., Maia S., Soares I.M., and Scapin E. 2021. Chemical investigation, toxic potential and acetylcholinesterase inhibitory effect of *Parkia platycephala* leaf and seed extracts. *Journal of Medicinal Plants Research*. 15(9):401–412. doi:<https://doi.org/10.5897/jmpr2021.7158>.
- Gautam V., Kohli S., Arora S., Bhardwaj R., Kazi M., Ahmad A., Raish M., Ganaie M., and Ahmad P. 2018. Antioxidant and Antimutagenic Activities of Different Fractions from the Leaves of *Rhododendron arboreum* Sm. and Their GC-MS Profiling. *Molecules*. 23(9):2239. doi:<https://doi.org/10.3390/molecules23092239>.
- Gheda S.F., and Ismail G.A. 2020. Natural products from some soil cyanobacterial extracts with potent antimicrobial, antioxidant and cytotoxic activities. *Anais da Academia Brasileira de Ciências*. 92(2): e20190934. doi:<https://doi.org/10.1590/0001-3765202020190934>.
- Göger G., Türkyolu Ü., Gürşen E.N., Yur S., Karaduman A.B., Göger F., Tekin M., and Özek G. 2021. Phytochemical characterisation of *Phlomis linearis*

- Boiss. & Bal and screening for anticholinesterase, anti-amylase, antimicrobial, and cytotoxic properties. *Turkish Journal of Chemistry*. 45(2):387–399. doi:<https://doi.org/10.3906/kim-2009-59>.
- Gollo A.L., Oliveira V., Vinícius G., Marin O., Bonatto S.L., Silva S., de Barros I.R., and Soccol C.R. 2020. Phytochemical analysis and biological activities of in vitro cultured *Nidularium procerum*, a bromeliad vulnerable to extinction. *Scientific Reports*. 10(1): 7008. doi:<https://doi.org/10.1038/s41598-020-64026-z>.
- Hussain S.Z., and Maqbool K. 2014. GC-MS: Principle, Technique and its application in Food Science. *International Journal of Current Science Research and Review*. 13(E):116–126.
- Julianti R.F., Nurchayati Y., and Setiari N. 2021. Produksi Flavonoid Pada Kalus Tomat (*Lycopersicon esculentum* Mill.) Secara *In Vitro* Dalam Medium MS Dengan Konsentrasi Sukrosa Yang Berbeda. *Metamorfosa: Journal of Biological Sciences*. 8(1):141. doi:<https://doi.org/10.24843/metamorfosa.2021.v08.i01.p15>.
- Kandowangko N.Y., and Febriyanti. 2023. Genetic diversity of the genus *Citrus* in Tomini Bay coastal areas, Indonesia based on morphological characters. *Biodiversitas*. 24(5). doi:<https://doi.org/10.13057/biodiv/d240549>.
- Kawsar S.M.A., Hosen M.A., Fujii Y., and Ozeki Y. 2020. Thermochemical, DFT, Molecular Docking and Pharmacokinetic Studies of Methyl β -D-galactopyranoside Esters. *SDRP Journal of Computational Chemistry & Molecular Modelling*. 4(4):452-462. doi:<https://doi.org/10.25177/jccmm.4.4.ra.10663>.
- Koné M., Koné T., Silué N., Soumahoro A.B, and Kouakou T.H. 2015. *In Vitro* Seeds Germination and Seedling Growth of Bambara Groundnut (*Vigna subterranean* (L.) Verdc. (Fabaceae). *The Scientific World Journal*. 2015(595073): 1–8. doi:<https://doi.org/10.1155/2015/595073>.
- Kothari-Chajer A., Sharma M., Kachhwaha S., and Kothari S.L. 2008. Micronutrient optimization results into highly improved *in vitro* plant regeneration in kodo (*Paspalum scrobiculatum* L.) and finger (*Eleusine*

coracana (L.) Gaertn.) millets. *Plant Cell, Tissue and Organ Culture*. 94(2):105–112. doi:<https://doi.org/10.1007/s11240-008-9392-y>.

Latief M., Muhaimin M., Amanda H., Prahandika G., and Tarigan I.L. 2020. Anti-inflammatory activities of squalene compound of methanol extract of *Abroma augusta* L. *Jurnal Teknologi Laboratorium*. 9(2):176–185. doi:<https://doi.org/10.29238/teknolabjournal.v9i2.228>.

Li Y., Kong D., Fu Y., Sussman M.R., and Wu H. 2020. The effect of developmental and environmental factors on secondary metabolites in medicinal plants. *Plant Physiology and Biochemistry*. 148(2020):80–89. doi:<https://doi.org/10.1016/j.plaphy.2020.01.006>.

Liu C-M, Kao C-L, Wu H-M, Li W-J, Huang C-T, Li H-T, and Chen C-Y. 2014. Antioxidant and Anticancer Aporphine Alkaloids from the Leaves of *Nelumbo nucifera* Gaertn. cv. Rosa-plena. *Molecules*. 19(11):17829–17838. doi:<https://doi.org/10.3390/molecules191117829>.

Marrufo T., Nazzaro F., Mancini E., Fratianni F., Coppola R., De Martino L., Agostinho A., and De Feo V. 2013. Chemical Composition and Biological Activity of the Essential Oil from Leaves of *Moringa oleifera* Lam. Cultivated in Mozambique. *Molecules*. 18(9):10989–11000. doi:<https://doi.org/10.3390/molecules180910989>.

Millaty I.N.K., Wijayanti N., Hidayati L., and Nuringtyas T.R. 2020. Identification of anticancer compounds in leaves extracts of agarwood (*Aquilaria malaccensis* (Lamk.)). *IOP Conference Series: Earth and Environmental Science*. 457(2020):012036. doi:<https://doi.org/10.1088/1755-1315/457/1/012036>.

Miya G.M., Oriola A.O., Payne B., Nel M., Lall N., and Oyedeji A.O. 2023. Steroids and Fatty Acid Esters from *Cyperus sexangularis* Leaf and Their Antioxidant, Anti-Inflammatory and Anti-Elastase Properties. *Molecules*. 28(8):3434–3434. doi:<https://doi.org/10.3390/molecules28083434>.

Mujeeb F., Bajpai P., and Pathak N. 2014. Phytochemical Evaluation, Antimicrobial Activity, and Determination of Bioactive Components from Leaves of *Aegle marmelos*. *BioMed Research International*. 2014:1–11. doi:<https://doi.org/10.1155/2014/497606>.

- Nugraha A., and Nandiyanto A.B.D. 2021. How to read and Interpret GC/MS Spectra. *Indonesian Journal of Multidisciplinary Research*. 1(2):171–202.
- Nursolihah L., Abadi S., and Saputro N.W. 2022. Various Concentration Distribution of Benzil Amino Purine Concentration on Callus Growth in Apple Cucumber Originated from Karawang. *Jurnal Mangifera Edu*. 6(2):139–152. doi:<https://doi.org/10.31943/mangiferaedu.v6i2.120>.
- Odiase-Omoighe JO, and Agoreyo BO. 2022. Identification of Bioactive Compounds in Sclerotia Extracts from *Pleurotus tuber-regium* (Fr.) Sing. using Gas Chromatograph– Mass Spectrometer (GC-MS). *Nigerian Journal of Biotechnology*. 38(1):39–50. doi:<https://doi.org/10.4314/njb.v38i1.4s>.
- Ohlsson A.B., and Berglund T. 1989. Effects of High MnSO₄ Levels on Cardenolide Accumulation by *Digitalis lanata* Tissue Cultures in Light and Darkness . *Journal of Plant Physiology*. 135:505–507.
- Padmashree M.S., Ashwathanarayana R., Naika R., and Roopa B. 2018. Antioxidant, cytotoxic and nutritive properties of *Ipomoea staphylyna* Roem & Schult. plant extracts with preliminary phytochemical and GCMS analysis. *Asian Journal of Pharmacy and Pharmacology*. 4(4):473–492. doi:<https://doi.org/10.31024/ajpp.2018.4.4.16>.
- Perveen S. 2018. Introductory Chapter: Terpenes and Terpenoids. Terpenes and Terpenoids. doi:<https://doi.org/10.5772/intechopen.79683>.
- Petolino J.F., and Collins G.B. 1985. Manganese Toxicity in Tobacco (*Nicotiana tabacum* L.) Callus and Seedlings. *Journal of Plant Physiology*. 118(2):139–144. doi:[https://doi.org/10.1016/s0176-1617\(85\)80142-5](https://doi.org/10.1016/s0176-1617(85)80142-5).
- Pohan D.J., and Djojoputro M. 2021. Antibacterial Effectiveness of Extracts of Lime (*Citrus aurantifolia* Swingle) and Kaffir Lime (*Citrus hystrix* Dc) Leaves Against Escherichia Coli. *International Journal of Modern Pharmaceutical Research*. 5(6):29–36.
- Pratama F.F., Setiari N., and Nurchayati Y. 2021. Pertumbuhan planlet anggrek *Cymbidium bicolor* Lindl. pada tahap subkultur dengan variasi media. *Jurnal Biologi Udayana*. 25(1): 71. doi:<https://doi.org/10.24843/jbiounud.2021.v25.i01.p08>.

- Qadir A., Khan N., Mir Najib Ullah S.N., Ali A., Gupta D.K., Khan S.A. 2022. GC–MS analysis of phytoconstituents present in methanolic extract of *Actinidia deliciosa* L. fruits and its antioxidant activity. *Journal of the Indian Chemical Society*. 99(7):100566. doi:<https://doi.org/10.1016/j.jics.2022.100566>.
- Rahman M.M., Ahmad S.H., Mohamed M.T.M., and Ab Rahman M.Z. 2014. Antimicrobial Compounds from Leaf Extracts of *Jatropha curcas*, *Psidium guajava*, and *Andrographis paniculata*. *The Scientific World Journal*. 2014:1–8. doi:<https://doi.org/10.1155/2014/635240>.
- Ramesh M., Satish L., Subramanian A., Periyasamy R., Arokiam S.R., Shanmugaraj G., Shunmugiah K.P., and David. 2018. Production of squalene with promising antioxidant properties in callus cultures of *Nilgirianthus ciliatus*. *Industrial Crops and Products*. 126(2018):357–367. doi:<https://doi.org/10.1016/j.indcrop.2018.10.031>.
- Rosyidah K., Karmila L., and Astuti M.D. 2022. Toxicity Testing of White Kapul Fruit Rind Extract (*Baccaurea macrocarpa*) and Component Analysis using Chromatography Method. *Jurnal Ilmiah Berkala Sains dan Terapan Kimia*. 16(1):18–18. doi:<https://doi.org/10.20527/jstk.v16i1.12178>.
- Setiaji A., Nintya S., and Endang S. 2018. In vitro shoot induction from intact protocorm and early stage development in *Dendrobium phalaenopsis*. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*. 4(1):20–27. doi:<https://doi.org/10.13057/psnmbi/m040103>.
- Setiawati T., Nurzaman M., Kusumaningtyas V.A., and Bari I. 2020. Analisis Metabolit Sekunder Kultur Pucuk, Kalus, dan Tanaman Lapang *Chrysanthemum morifolium* Ramat. *Jurnal Ilmu Dasar*. 21(1):1–10.
- Sharath K.P., and Naika R. 2022. Chemical profiling, in vitro antibacterial, and cytotoxic properties of *Elytranthe parasitica* (L.) Danser – A hemiparasitic Indian mistletoe. *Journal of Applied Biology & Biotechnology*. 11(3):238–244. doi:<https://doi.org/10.7324/jabb.2023.111219>.
- Sharma D., Rani R., Chaturvedi M., and Yadav J.P. 2018. Antibacterial Efficacy and Gas Chromatography-Mass Spectrometry Analysis of Bioactive Compounds Present In Different Extracts of *Allium Sativum*. *Asian*

- Journal of Pharmaceutical and Clinical Research.* 11(4):280.
doi:<https://doi.org/10.22159/ajpcr.2018.v11i4.24053>.
- Sianipar N.F., Assidqi K., Hadisaputri Y.E., Salam S., Tarigan R., and Purnamaningsih R. 2021. Determination of Bioactive Compounds of Superior Mutant Rodent Tuber (*Typhonium flagelliforme*) in Various Fractions Using GC-MS. *IOP conference series*.794(1):012144–012144.
doi:<https://doi.org/10.1088/1755-1315/794/1/012144>.
- Sugiyarto L., and Paramita C.K. 2014. Effect of 2,4-Diclorofenoksiasetat (2,4-D) And Benzyl Aminopurin (BAP) on The Growth Of Binahong Leaf Center (*Anredera cordifolia* L.) and Analysis of Flavonoid Total Content. *Jurnal Penelitian Saintek*. 19(1). doi:<https://doi.org/10.21831/jps.v19i1.2322>.
- Sulichantini E.D. 2015. Produksi Metabolit Sekunder Melalui Kultur Jaringan. *Proceeding of Mulawarman Pharmaceuticals Conferences*. 1(1):205–212.
doi:<https://doi.org/10.25026/mpc.v1i1.27>.
- Suryanti V., Kusumaningsih T., Marliyana S.D., Setyono H.A., and Trisnawati E.W. 2020. Identification of active compounds and antioxidant activity of teak (*Tectona grandis*) leaves. *Biodiversitas*. 21(3).
doi:<https://doi.org/10.13057/biodiv/d210313>.
- Suzana R, Pramesthi A.M, and Tunjung W.A.S. 2023. Growth and Bioactive Compound of Kaffir Lime (*Citrus hystrix* DC.) Callus derived from Leaf and Stem Explants. Songklanakarin J. Sci. Technol. 45(3): 331-340.
- Swamy M.K., Sinniah U.R., Akhtar M. 2015. In Vitro Pharmacological Activities and GC-MS Analysis of Different Solvent Extracts of *Lantana camara* Leaves Collected from Tropical Region of Malaysia. *Evidence-Based Complementary and Alternative Medicine*. 2015:1–9.
doi:<https://doi.org/10.1155/2015/506413>.
- Tahya C.Y. 2020. Identifikasi Fitosterol Melalui Kromatografi Gas – Spektrofotometer Massa Pada Ekstrak Kloroform Biji Buah Atung (*Parinarium glaberimum* Hassk) asal Kabupaten SBB, Maluku. *JC-T (Journal Cis-Trans): jurnal kimia dan terapannya*. 4(1):14–20.
doi:<https://doi.org/10.17977/um0260v4i12020p014>.

- Tong W-Y. 2013. Biotransformation of Terpenoids and Steroids. *Natural Products*. 2733–2759. doi:https://doi.org/10.1007/978-3-642-22144-6_122.
- Tunjung W.A.S, Cinatl J., Michaelis M., and Smales C.M. 2015. Anti-Cancer Effect of Kaffir Lime (*Citrus Hystrix* DC) Leaf Extract in Cervical Cancer and Neuroblastoma Cell Lines. *Procedia Chemistry*. 14:465–468. doi:<https://doi.org/10.1016/j.proche.2015.03.062>.
- Ulva M., Nurchayati Y., Prihastan E., and Setiari N. 2019. Pertumbuhan Kalus Tomat (*Lycopersicon esculentum* Mill.) Varietas Permata F1 dari Jenis Eksplan dan Konsentrasi Sukrosa yang Berbeda secara *in vitro*. *Life Science*. 8(2):160–169.
- Upadhyay R., Patel K., and Upadhyay U. 2023. A Review Article on Advancements in GC-MS. *International Journal of Pharmaceutical Research and Applications*. 8(2):54–59.
- Utami E.S.W., and Hariyanto S. 2019. In Vitro Seed Germination and Seedling Development of a Rare Indonesian Native Orchid *Phalaenopsis amboinensis*. *J.J.Sm. Scientifica*. 2019:1–6. doi:<https://doi.org/10.1155/2019/8105138>.
- Vattekkatte A., Garms S., Brandt W., and Boland W. 2018. Enhanced structural diversity in terpenoid biosynthesis: enzymes, substrates and cofactors. *Organic & Biomolecular Chemistry*. 16(3): 348–362. doi:<https://doi.org/10.1039/c7ob02040f>.
- Venn-Watson S., Lumpkin R., and Dennis E.A. 2020. Efficacy of dietary odd-chain saturated fatty acid pentadecanoic acid parallels broad associated health benefits in humans: could it be essential? *Scientific Reports*. 10(1):8161. doi:<https://doi.org/10.1038/s41598-020-64960-y>.
- Wendling M., Büchi L., Amossé C., Sinaj S., Walter A., and Charles R. 2016. Influence of root and leaf traits on the uptake of nutrients in cover crops. *Plant and Soil*. 409(1-2):419–434. doi:<https://doi.org/10.1007/s11104-016-2974-2>.
- Xu C., Wu P., Gao J., Zhang L., Ma T., Ma B., Yang S., Shao G., Yu Y., Huang X., Yang X., and Zhang B. 2019. Heptadecanoic acid inhibits cell

proliferation in PC-9 non-small-cell lung cancer cells with acquired gefitinib resistance. *Oncology Reports*. 41:3499–3507.

doi:<https://doi.org/10.3892/or.2019.7130>.

Zulwanis, Zairin T., and Essy H. 2018. Pengaruh Penambahan Ekstrak Ragi dalam Kultur Planlet Anggrek *Cattleya* spp. secara *in vitro*. *Prosiding Biotik*. 3(1):331–338.