

## DAFTAR PUSTAKA

- Adelberg, J. W., Delgado, M. P., & Tomkins, J. T. (2010). Spent medium analysis for liquid culture micropropagation of *Hemerocallis* on Murashige and Skoog medium. *In vitro Cellular & Developmental Biology-Plant*, 46, 95-107.
- Adnan, I.M., A Haque, R., A Ahamed, S., Fatemeh Jafari, S., B Khadeer Ahamed, M., & MS Abdul Majid, A. (2015). Crystal Structures and Cytotoxicity of Ortho-Xylene Linked Bis-benzimidazolium Salts. *Medicinal Chemistry*, 11(5), 473-481.
- Ahmad, M.A., Javed, R., Adeel, M., Rizwan, M., Ao, Q. and Yang, Y. 2020. Engineered ZnO and CuO nanoparticles ameliorate morphological and biochemical response in tissue culture regenerants of candyleaf (*Stevia rebaudiana*). *Molecules*, 25(6): 1356-1366.
- Ahmad, S., Ullah, F., Zeb, A., Ayaz, M., Ullah, F., & Sadiq, A. 2016. Evaluation of *Rumex hastatus* D. Don for cytotoxic potential against HeLa and NIH/3T3 cell lines: chemical characterization of chloroform fraction and identification of bioactive compounds. *BMC complementary and alternative medicine*, 16(1): 1-10.
- Akhter, M., Husain, A., Akhter, N., & Khan, M. Y. 2011. Synthesis, antiinflammatory and antimicrobial activity of some new 1-(3-Phenyl-3, 4-Dihydro-2H-1, 3-Benzoxazin-6-yl)-ethanone derivatives. *Indian journal of pharmaceutical sciences*, 73(1): 101-111.
- Andila, P. S., & Nugroho, L. H. 2022. Antibacterial and phytochemical constituent of *Etlingera rubroloba* AD Poulsen extract, an endemic ginger from Wallacea Region, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(7): 133-143.
- Aparna, V., Dileep, K. V., Mandal, P. K., Karthe, P., Sadasivan, C., & Haridas, M. 2012. Anti-inflammatory property of n-hexadecanoic acid: structural evidence and kinetic assessment. *Chemical biology & drug design*, 80(3), 434-439.
- Arianto, B dan M.U. Bustamil. 2013. Induksi Kalus Dua Klon Kakao (*Theobroma cacao* L.) Unggul Sulawesi ada Berbagai Konsentrasi 2,4D secara *in vitro*. *Jurnal agrotekbis*. 1(3): 45-55.
- Arora, S., Kumar, G., & Meena, S. 2017. Gas chromatography-mass spectroscopy analysis of root of an economically important plant, *Cenchrus ciliaris* L. from Thar desert, Rajasthan (India). *Asian J. Pharm. Clin. Res*, 10, 64-69.
- Bakrim, S., El Menyiy, N., Mrabti, H. N., El Omari, N., Bakili, A. E., Mekkaoui, M., & Bouyahya, A. 2022. Medicinal uses, phytochemistry, pharmacology, and toxicology of *Mentha spicata*. *Evidence-Based Complementary and Alternative Medicine*, 2022.
- Cakmak, I and E. Engles. 1999. *Role of Mineral Nutrient in Photosynthesis dan Yield Formation*. In Mineral Nutrition of Corps Fundamentals Mechanism and Implication. Rengel, Z. Food Production Press. New York. pp. 205-223.
- Dertayasasa, E.D and Tunjung, W. A. S. 2018. Volatile Organic Compounds of Kaffir Lime (*Citrus hystrix* DC.) Leaves Fractions and Their Potency as Traditional Medicine. *Biosciences Biotechnology Research Asia*, 14 (4): 1235-1250.
- Dos Reis, C. M., da Rosa, B. V., da Rosa, G. P., do Carmo, G., Morandini, L. M. B., Ugalde, G. A., & Kuhn, R. C. 2019. Antifungal and antibacterial activity of

- extracts produced from *Diaporthe schini*. *Journal of biotechnology*, 294(1): 30-37.
- Eisvand, H.R., Kamaei, H. and Nazarian, F. 2018. Chlorophyll fluorescence, yield and yield components of bread wheat affected by phosphate bio-fertilizer, zinc and boron under late-season heat stress. *Photosynthetica*, 56(4): 1287-1296.
- Elias, H., Taha, R. M., Hasbullah, N. A., Mohamed, N., Manan, A. A., Mahmad, N., & Mohajer, S. 2015. The effects of plant growth regulators on shoot formation, regeneration and coloured callus production in *Echinocereus cinerascens in vitro*. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 120(1): 729-739.
- Farzaei, M.H., Rahimi, R., Attar, F., Siavoshi, F., Saniee, P., Hajimahmoodi, M., Mirnezami, T. and Khanavi, M. 2014. Chemical composition, antioxidant and antimicrobial activity of essential oil and extracts of *Tragopogon graminifolius*, a medicinal herb from Iran. *Natural product communications*, 9(1): 1934-1944.
- Fehér, A. 2019. Callus, dedifferentiation, totipotency, somatic embryogenesis: what these terms mean in the era of molecular plant biology?. *Frontiers in plant science*, 10(1): 536-546.
- Feng, D., Y. Wang, J.P. Chen. 2015. Research progress of browning in the plant tissue culture. *Acta Agrictdturae Zhejiangensis*. 6(1): 1108-1116.
- Fernandes, R. D. M. N., Rodrigues, M. A. M., Panontin, J. F., Alves, D. R., Morais, S. M., Soares, I. M., & Scapin, E. 2021. Chemical investigation, toxic potential and acetylcholinesterase inhibitory effect of *Parkia platycephala* leaf and seed extracts. *Journal of Medicinal Plants Research*, 15(9): 401-412.
- García-López, J. I., Niño-Medina, G., Olivares-Sáenz, E., Lira-Saldivar, R. H., Barriga-Castro, E. D., Vázquez-Alvarado, R., & Zavala-García, F. 2019. Foliar application of zinc oxide nanoparticles and zinc sulfate boosts the content of bioactive compounds in habanero peppers. *Plants*, 8(8): 254-261.
- George, E. F., & Sherrington, P. D. 1984. *Plant propagation by tissue culture*. Exegetics Ltd, 80-82.
- Gheda, S. F., & Ismail, G. A. 2020. Natural products from some soil cyanobacterial extracts with potent antimicrobial, antioxidant and cytotoxic activities. *Anais da Academia Brasileira de Ciências*, 92(1), 1031-1039.
- Gresh, N., Audiffren, N., Piquemal, J. P., De Ruyck, J., Ledecq, M., & Wouters, J. 2010. Analysis of the Interactions Taking Place in the Recognition Site of a Bimetallic Mg (II)– Zn (II) Enzyme, Isopentenyl Diphosphate Isomerase. A Parallel Quantum-Chemical and Polarizable Molecular Mechanics Study. *The Journal of Physical Chemistry B*, 114(14): 4884-4895.
- Grusak, M.A, J.N. Pearson and E. Marentes. 1999. *The Physiology of Micronutrient Homeostatis in Field Corps*. Field Corp Research. 60:41-56
- Gupta, S. D, and Ibaraki, Y. 2008. *Plant Tissue Culture Engineering*. Springer. Netherlands, 85-86.
- Handayani, P. A. dan Munawaroh, S. 2010. Ekstraksi minyak daun jeruk purut (*Citrus hystrix* D. C.) dengan pelarut etanol dan n-heksana. *Jurnal Kompetensi Teknik* 2(1): 73 – 78.
- Hendaryono, D. P. S dan Wijayani. 1994. *Teknik Kultur Jaringan dan Petunjuk Perbanyakan Tanaman Secara Vegetatif Modern*. Yogyakarta: Kanisius, 45-46.

- Herawati, R., Purwoko, B. S., Khumaida, N., Dewi, I. S., & Abdullah, B. 2008. Pembentukan galur haploid ganda padi gogo dengan sifat-sifat tipe baru melalui kultur antera. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 36(3): 95-101.
- Husni, E., & Putri, U. S. 2021. Chemical content profile of essential oil from kaffir lime (*Citrus hystrix* DC.) in Tanah Datar regency and antibacterial activity. *In 2nd International Conference on Contemporary Science and Clinical Pharmacy*. 2(1): 174-181.
- Ibrahim, M. S. D. 2015. Faktor Penentu Keberhasilan Perbanyakan Kopi (*Coffea* Spp.) Melalui Embriogenesis Somatik. *Jurnal Sirinov*. 3(3): 127-136.
- Integrated Taxonomic Information System (ITIS). 2020. [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=825206#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=825206#null). Diakses pada tanggal 20 Maret 2022.
- Islam, S., Hosen, M.A., Ahmad, S., ul Qamar, M.T., Dey, S., Hasan, I., Fujii, Y., Ozeki, Y. and Kawsar, S.M. 2022. Synthesis, antimicrobial, anticancer activities, PASS prediction, molecular docking, molecular dynamics and pharmacokinetic studies of designed methyl  $\alpha$ -D-glucopyranoside esters. *Journal of Molecular Structure*, 1260(1): 1327-1333.
- Kandasamy, S., Baggu, C., Javagal, M. R., Lingamallu, J. R., Yenamandra, V., & Aradhya, S. M. 2014. Antioxidant properties of isolated compounds from banana rhizome. *Journal of food science*, 79(5): 988-1001.
- Kartikasari, P., Hidayat, M.T., Ratnasari, E. 2013. Pengaruh Zat Pengatur Tumbuh 2,4-D (2,4- dichlorophenoxyacetic acid) dan Kinetin (6- furfurylaminopurine) untuk Pertumbuhan Tunas Eksplan Pucuk Tanaman Jabon (*Anthocephalus cadamba* Miq. ex Roxb.) secara *In vitro*. *Lentera Bio*, 2(1): 75–80.
- Köse, Y.B., Iscan, G. and Demirci, B. (2016): Antimicrobial Activity of the Essential Oils Obtained from Flowering Aerial Parts of *Centaurea lycopifolia* Boiss. et Kotschy and *Centaurea cheirolopha* (Fenzl) Wagenitz from Turkey. *J Essent Oil Bear Pl.*, 19 (3): 762 – 768.
- Kothari, S.L., K. Agarwal, S. Kumar. 2004. inorganic nutrient manipulation for highly improved *in vitro* plant regeneration in finger millet: *Eleusine coracana* (L.) Gaertn. *Plant*. 40(5): 515-519.
- Krishnamoorthy, K., & Subramaniam, P. 2014. Phytochemical profiling of leaf, stem, and tuber parts of *Solena amplexicaulis* (Lam.) Gandhi using GC-MS. *International scholarly research notices*, 33(1): 140-145.
- Latief, M., Muhaimin, M., Amanda, H., Prahandika, G., & Tarigan, I. L. 2020. Anti-inflammatory activities of squalene compound of methanol extract of *Abroma augusta* L. *Jurnal Teknologi Laboratorium*, 9(2): 176-185.
- Liu, C. M., Kao, C. L., Wu, H. M., Li, W. J., Huang, C. T., Li, H. T., & Chen, C. Y. 2014. Antioxidant and anticancer aporphine alkaloids from the leaves of *Nelumbo nucifera* Gaertn. cv. Rosa-plena. *Molecules*, 19(11), 17829-17838.
- Lubinska-Szczygeł, M., Polkowska, Ż., Rutkowska, M. and Gorinstein, S. 2023. Chemical, Aroma and Pro-Health Characteristics of Kaffir Lime Juice—The Approach Using Optimized HS-SPME-GC-TOFMS, MP-OES, 3D-FL and Physiochemical Analysis. *International Journal of Molecular Sciences*, 24(15), 12410-12420.
- Mahood, H. E., Sarropoulou, V., & Tzatzani, T. T. 2022. Effect of explant type (leaf, stem) and 2, 4-D concentration on callus induction: Influence of elicitor

- type (biotic, abiotic), elicitor concentration and elicitation time on biomass growth rate and costunolide biosynthesis in gazania (*Gazania rigens*) cell suspension cultures. *Bioresources and Bioprocessing*, 9(1): 1-14.
- Mastuti, R. 2017. *Dasar-Dasar Kultur Jaringan Tumbuhan*. UB Press. Malang, 67- 68.
- Marrufo, T., Nazzaro, F., Mancini, E., Fratianni, F., Coppola, R., De Martino, L., & De Feo, V. 2013. Chemical composition and biological activity of the essential oil from leaves of *Moringa oleifera* Lam. cultivated in Mozambique. *Molecules*, 18(9), 10989-11000.
- Mazumder, K., Nabila, A., Aktar, A., & Farahnaky, A. 2020. Bioactive variability and *in vitro* and *in vivo* antioxidant activity of unprocessed and processed flour of nine cultivars of Australian lupin species: a comprehensive substantiation. *Antioxidants*, 9(4), 282-291.
- Millaty, I. N. K., Wijayanti, N., Hidayati, L., & Nuringtyas, T. R. 2020. Identification of anticancer compounds in leaves extracts of agarwood (*Aquilaria malaccensis* (Lamk.)). In IOP Conference Series: *Earth and Environmental Science*, 457(1): 12036-12046.
- Miya, G.M., Oriola, A.O., Payne, B., Nel, M., Lall, N. and Oyedeji, A.O. 2023. Steroids and Fatty Acid Esters from *Cyperus sexangularis* Leaf and Their Antioxidant, Anti-Inflammatory and Anti-Elastase Properties. *Molecules*, 28(8): 3434–3444.
- Mujeeb, F., Bajpai, P. and Pathak, N. 2014. Phytochemical Evaluation, Antimicrobial Activity, and Determination of Bioactive Components from Leaves of *Aegle marmelos*. *BioMed Research International*, 4(1): 1–11.
- Nugroho, L. H., & Verpoorte, R. 2002. Secondary metabolism in tobacco. *Plant Cell, Tissue and Organ Culture*, 68(1) 105-125.
- Nurulita, A. J. 2021. *Pengaruh Penambahan Kofaktor Zn dan Mg Terhadap Produksi Senyawa Bioaktif pada Kalus Jeruk Purut (Citrus hystrix DC.)* (Doctoral dissertation, Universitas Gadjah Mada).
- Odiase-Omoighe, J. O., & Agoreyo, B. O. 2022. Identification of Bioactive Compounds in Sclerotia Extracts from *Pleurotus tuber-regium* (Fr.) Sing. using Gas Chromatograph–Mass Spectrometer (GC-MS). *Nigerian Journal of Biotechnology*, 38(1): 39-50.
- Qadir, A., Khan, N., Mir Najib Ullah, S.N., Ali, A., Gupta, D.K. and Khan, S.A. 2022. GC–MS analysis of phytoconstituents present in methanolic extract of *Actinidia deliciosa* L. fruits and its antioxidant activity. *Journal of the Indian Chemical Society*, 99(7): 100566-100567.
- Rahman, M. M., Ahmad, S. H., Mohamed, M. T. M., & Ab. Rahman, M. Z. 2012. Leaf extracts of *Jatropha curcas*, *Psidium guajava* and *Andrographis paniculata* control microbial population in the vase solution of cut'Mokara Red'orchid flower. In *VII International Postharvest Symposium*, 1012(1): 593-598.
- Raman, B.V., Samuel, L.A., Saradhi, M.P., Rao, B.N., Krishna, N.V., Sudhakar, M. and Radhakrishnan, T.M. 2012. Antibacterial, antioxidant activity and GC-MS analysis of *Eupatorium odoratum*. *Asian J Pharm Clin Res*, 5(2): 99-106.
- Rameshkumar, R., Satish, L., Pandian, S., Rathinapriya, P., Rency, A. S., Shanmugaraj, G., & Ramesh, M. 2018. Production of squalene with promising antioxidant properties in callus cultures of *Nilgiranthus ciliatus*. *Industrial Crops and Products*, 126(1): 357-367.



- Ramulifho, E., T. Goche, J.V. As, T.J. Tsilo, S.Chivasa, and R. Ngara. 2019. Establishment and characterization of callus and cell suspension of *S. bicolor* (L.) moench varieties: a resource for gene discovery in plant stress biology. *Agronomy*. 9(5): 218-236.
- Sandra, E. 2013. *Cara Mudah Memahami dan Menguasai Kultur Jaringan*. IPB Press. Bogor. 131-133.
- Sedghi, M., Hadi, M. and Toluie, S.G. 2013. Effect of nano zinc oxide on the germination parameters of soybean seeds under drought stress. *Annales of West University of Timisoara. Series of Biology*, 16(2), 73-77.
- Shafique, S., N. Jabeen, K.S. Ahmad, S. Irum, S. Anwaar, N. Ahmad, S. Alam, M.Ilyas, T.F. Khan, S.Z. Hussain. 2020. Green fabricated zinc oxide nanoformulated media enhanced callus induction and regeneration dynamics of *P. virgatum* L. *PLoS ONE*, 15(7):1-14.
- Suryanti, V., Kusumaningsih, T., Marliyana, S. D., Setyono, H. A., & Trisnawati, E.W. 2020. Identification of active compounds and antioxidant activity of teak (*Tectona grandis*) leaves. *Biodiversitas Journal of Biological Diversity*, 21(3):141-149.
- Tahya, C. Y., Tiwery, E., Monaten, M. G., & Lumbantoruan, T. K. J. 2020. Identifikasi Fitosterol dengan Kromatografi Gas-Spektrometer Massa pada Ekstrak Kloroform Biji Buah Atung (*Parinarium Glaberimum* Hassk) Asal Kabupaten Seram Bagian Barat, Maluku. *JC-T (Journal Cis-Trans): Jurnal Kimia dan Terapannya*, 4(1): 14-20.
- Taji, A., & Williams, R. 2003. Use of *in vitro* breeding strategies in the development of Australian native plants. In *V International Symposium on New Floricultural Crops*, 683(1): 87-94.
- Taiz, L. and E. Zeiger. 1998. *Plant Physiology*. 2nd edition. Sinaueur Associates, Inc. Pub. Massachusetts, 110-111
- Tanzil, L., Latirah, dan Priyanto, D.N. 2017. Antidandruff Activity of Extracts from Kaffir Lime (*Citrus hystrix* DC.) Prepared by Different Solvents. *SANITAS: Jurnal Teknologi dan Seni Kesehatan*, 8(1): 57-62.
- Tarrahi, R. Rezanejad, F. 2013. Callogenesis and Production of Anthocyanin and Chlorophyll in Callus Cultures of Vegetative and Floral Explants in *Rosa gallica* and *Rosa hybrid* (Rosaceae). *Turkish Journal of Botany*. 37(1): 1145-1154.
- Tholl, D. 2015. Biosynthesis and Biological Functions of Terpenoids in Plants. *Adv Biochem Eng Biotechnology*, 48(1): 63-106.
- Tunjung, W.A.S., Jindrich, C., Martin, M, and Mark, C.S. 2015. Anti-Cancer Effect of Kaffir Lime (*Citrus hystrix* DC) Leaf Extract in Cervical Cancer and Neuroblastoma Cell Lines. *Procedia Chemistry*: 465-468.
- Tunjung, W.A.S., Widyasari, A.F., Iskandar, A., Nurulita, A.J., Sasongko, A.B.M Indrianto, A., Semiarti, E and Maryani. 2021. Effect of 2.4D and BAP Morphological Characters and Genetic Stability of Kaffir Lime (*Citrus hystrix* DC) Callus Cultures Among Generations. *Chiang Mai University Journal of Natural Sciences*, 20 (3): e202106.
- Tunjung, W. A. S., Fajarina, S., Prabowo, B. H., Damayanti, F., Widyasari, A., Sasongko, A. B., ... & Hidayati, L. (2021). Evaluation of Anticancer Bioactive Compounds and Cytotoxicity of Kaffir Lime (*Citrus hystrix* Dc.) Callus Extract Post Preservation. *Indonesian Journal of Pharmacy*, 179-192.

- Tsonev, T. and Cebola Lidon, F.J., 2012. Zinc in plants-an overview. *Emirates Journal of Food & Agriculture* (EJFA), 24(4): 54-64.
- Venn-Watson, S., Lumpkin, R., & Dennis, E. A. (2020). Efficacy of dietary odd-chain saturated fatty acid pentadecanoic acid parallels broad associated health benefits in humans: could it be essential?. *Scientific reports*, 10(1), 8161-8169.
- Waryastuti, D.E., L. Setyobudi., T. Wardiyati. 2017. Pengaruh Tingkat Konsentrasi 2,4-D Dan BAP Pada Media MS Terhadap Induksi Kalus Embriogenik Temulawak (*Curcuma xanthorrhiza* Roxb.). *Jurnal produksi tanaman*. 5(1): 140-149
- Yelnititis. 2012. Pembentukan Kalus Remah dari Eksplan Daun Ramin (*Gonystylus bancanus* (Miq) Kurz.). *Jurnal Pemuliaan Tanaman Hutan*. 6(3): 181-194.
- Yuliarti, N. (2010). *Kultur jaringan tanaman skala rumah tangga*. Penerbit Andi, 81-83.
- Yusuf, R., Samudin, S., & Rini, N. S. 2019. Initiation of onion callus (*allium wakegiaraki*) varieties of lembah palu at various light intensities. In IOP Conference Series: *Earth and Environmental Science*, 361(1): 12028-12033.
- Zembala, M., Filek, M., Walas, S., Mrowiec, H., Kornaś, A., Miszański, Z. and Hartikainen, H., 2010. Effect of selenium on macro-and microelement distribution and physiological parameters of rape and wheat seedlings exposed to cadmium stress. *Plant and Soil*, 329(1):457-468.