


DAFTAR PUSTAKA

- Agus, G.T.K. 2002. Koi (Revisi), Agro Media Pustaka, Tangerang.
- Anderson, D.P., Dorson, M. and Dubourget, P.H. 1982. Les antigenes des microorganismes des poissons symposium international de talloires, USA.
- Anderson, J.I.W. and Conroy, D.A. 1969. The pathogenic mycobacteria with special reference to fish disease. J. Appl. Bact. 32 : 30-39.
- Anderson, W.W., King, J.E. and Linder, M.J. 1970. Early in the livehistory of the common shrimp *Penaeus setiferus* (*Linnaeus*). Biol. Lab. Wood hole 96. P. 168-172.
- Anonim, 2002. Potensi perikanan air tawar Kabupaten Dati II Blitar. Dinas Perikanan dan Kelautan Kabupaten Blitar.
- Baggesen, D. L., Aaestrup, F., and Mobalk, K. 1999. The Emergence of nalidixic acid resistant, multiresistant *S. thypimurium* DT104 in Denmark. An outbreak in human traced back to pork. Symposium on the Epidemiology and control of Salmonella in pork. Washington D.C. August 5-6, 1999.
- Budiman, B.,1999. Koi News. http://www.ikankoi.Com/news_koi_7.html.
- Camus, A. C., Durborow, R. M., Hemstreet, W. G., Thune, R. L. and Hawke, J. P. 1998. Motile Aeromonad septicemia.The United States Departement of Agriculture, Cooperative States Research, Education, and Extension Service.
- Delmar. 2001. Nalidixic acid. A division of Thomson Learning.
- Dwidjoseputro, 1982. Dasar-dasar mikrobiologi, cetakan ke-enam, Penerbit Djembatan, Malang, h. 207.
- Effendy, H., 2002. Jenis-jenis ikan koi, Gramedia, Jakarta.
- Effendy, M.I., 1993. Metode biologi perikanan, cetakan ke-tiga, Yayasan Dewi Sri, Bogor. Hal. 12.
- Freyer, CI., Holtn, R.A. and Conraf, F. 1975. Furanaze for control Cytophaga Pscophila the causative agent of cold disease in Koho Solomon prog. Fish cult. Unicef State Department of interior Fish and Wild Life for Fish. Vol. 27, no 3, Juli. P. 137.





UNIVERSITAS
GADJAH MADA

Efektivitas Nalidixic acid pada ikan Koi (*Cyprinus carpio*) yang diinfeksi *Aeromonas caviae* isolat Blitar
SAMUDRO, Teguh, Prof.drh. R. Wasito, MSc.,PhD
Universitas Gadjah Mada, 2003 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Grubb, P.F., Seidler, R.J., Allen, D.A., Lockman, H., Collwel, R.R., Joseph S.W., and Darly, O.P. 1979. Isolation enumeration and characterization *Aeromonas* from polluted waters encountered in diving operations. *Appl. Environ. Microbiol.* 39: 1010-1018.

Harstein, A. P. 1977. US food and drug Administration, center for Food safety and applied nutrition. Foodborne pathogenic Microorganisms and natural toxins handbook.

Hewig, N., 1984. Handbook of drugs and chemical used in the treatment of fish of diseases, Charles and Thomas Publisher, Springfield Illionis, USA.

Hubert, J.J. 1980. Bioassay. Kendall. Hunt Publishing Company. St. Louis. Toronto, London.

Kingsford. 1975. Manual reference Aquaculture product, Agent chemical laboratories. P.2.

Lightner, 1977. *Vibrio* disease of shrimp In Siderman C. J., 1977 (editor). Disease diagnosis and controlin North American Marine Aquaculture, Elsevier Scientifics Publishing Company, New York.

McEwan, M. 2000. A work of art : For hundreds of years the koi has been recognized as the ultimate pond fish. http://www.Fish_doc.com.

Mock, C.D., Lewis, H. and Loong, J.I. 1981. Agregation of Penaeid shrimp larvae due to microbial Ephemionts. *Aquaculture* (27). Elsevier Scientific. Pub. Comp. Amsterdam. P. 149-155.

Nurdjana dan Sukresno, A. 1980. Pengelolaan pembenihan dalam Pedoman pembenihan udang penaeid, Departemen Pertanian, Ditjen Perikanan, BBAP, Jepara.

Pelczar, 1977. *Microbiology*, Fourth Edition, Tata Mc. Graw Hill Company, New Delhi, h. 610-612.

Reche, M. P., Rojas, A. M., and Rotger, R. , 2002. Gyra mutations associated with nalidixic acid resistant salmonellae from wild birds. *Am. Soc. Microbiol.*46 (9) :3108-3109

Rukyani, 1992. Identifikasi parasit protozoa pada ikan serta cara penanggulangannya, Bahan Kuliah Pada Karantina Ikan, BLPP Ciawi, Bogor.

Saadullah, D. 1990. Penggunaan furazolidon dalam menanggulangi bakteri penyebab penyakit udang menyala (*Vibrio sp*) pada larva udang windu (*Penaeous monodon fabricius*). Universitas Padjajaran Bandung.



Efektivitas Nalidixic acid pada ikan Koi (*Cyprinus carpio*) yang diinfeksi *Aeromonas caviae* isolat
Blitar
SAMUDRO, Teguh, Prof.drh. R. Wasito, MSc.,PhD
Universitas Gadjah Mada, 2003 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

Saanin, H., 1980. Taksonomi dan kunci identifikasi ikan, Penerbit Bina Cipta, Bandung.

Sastrosupadi, 1977. Statistik percobaan, Lembaga Penelitian Tanaman Industri Cabang Wilayah II, Malang, Departemen Pertanian, Universitas Brawijaya, Malang, hal. 60.

Steel, R.G.D. and Torrie H.J. 1960. Principles and procedures of statistics with special reference to the biological sciences. McGraw Hill Books Company Inc. New York.

Stoskopf, M. K. 1993. Fish Medicine. W.B. Saunders Company. Harcourt Brace Jovanovich. Inch Philadelphia.

Wattimena, J.R., Nelly C. Sugiarto, Mathilda, B.W., Elin Y., Sukandar, Andreanus A.S., and Anna R.S. 1991. Farmokodinami dan terapi antibiotik. Gadjah Mada University Press. Yogyakarta. Hal. 375.

Wimberg, G.G., Patalis,R., Wright, J.C. and Man, A.K.H. 1971. In W.T. Edmonson ed. Amanual on method for assesment of secondary Productivity in fresh water. Dalam Majalah BPPT. Jakarta. hal. 65.

Yanong, R.P.E. 2003. Use of antibiotics in ornamental fish aquaculture. University of Florida.

Yitnosumarto, S., 1993. Percobaan perancangan, analisis dan interpretasinya., Penerbit PT. Gramedia, Pustaka Utama, Jakarta.