

DAFTAR PUSTAKA

- Admarah, M. (2008, 08 Juli). *RI, Malaysia cut CPO Production*. The Jakarta Post. <https://www.thejakartapost.com/news/2008/11/08/ri-malaysia-cut-cpo-production.html>.
- Ansari, A., & Golabi, M. H. (2019). Using Ecosystem Service Modeler (ESM) for Ecological Quality, rarity and Risk Assessment of the wild goat habitat, in the Haftad-Gholleh protected area. *International Soil and Water Conservation Research*, 7(4), 346-353.
- Antomi, Y., Hermon, D., Lanin, D., Dewata, I., & Razak, A. (2018). Model habitat quality in the future in padang city. *GEOMATE Journal*, 15(52), 99-107.
- Bhagabati, N., Barano, T., Conte, M., Ennaanay, D., Hadian, O., McKenzie, E., ... & Wolny, S. (2012). A green vision for Sumatra: using ecosystem services information to make recommendations for sustainable land use planning at the province and district level. *Natural Capital Project, WWF-US and WWF-Indonesia, Washington DC*.
- Bhagabati, N. K., Ricketts, T., Sulistyawan, T. B. S., Conte, M., Ennaanay, D., Hadian, O., ... & Wolny, S. (2014). Ecosystem services reinforce Sumatran tiger conservation in land use plans. *Biological Conservation*, 169, 147-156.
- Bilucan, F., & Kavzoglu, T. (2021). The effect of auxiliary data (slope, aspect and elevation) on classification accuracy of Sentinel-2A image using random forest classifier. *Intercontinental Geoinformation Days*, 2, 143-146.
- Breiman, L. (2001). Random forests. *Machine learning*, 45(1), 5-32.
- Clark Labs. (2020). *Geospatial Monitoring and Modeling System*. Clark University.
- Cotter, M., Häuser, I., Harich, F. K., He, P., Sauerborn, J., Treydte, A. C., ... & Cadisch, G. (2017). Biodiversity and ecosystem services— A case study for the assessment of multiple species and functional diversity levels in a cultural landscape. *Ecological Indicators*, 75, 111-117.
- Daily, G. C. (1997). Introduction: what are ecosystem services. *Nature's services: Societal dependence on natural ecosystems*, 1(1).
- Danoedoro, P. (2003). Multisource classification for land-use mapping based on spectral, textural, and terrain information using landsat thematic mapper imagery:

- A Case Study of Semarang-Ungaran Area, Central Java. *Indonesian Journal of Geography*, 52(2), 81-106.
- Duda, R. O. (2001). Hart PE, Stork DG. *Pattern Classification*. New York: Wiley.
- Goldstein, J. H., Caldarone, G., Duarte, T. K., Ennaanay, D., Hannahs, N., Mendoza, G., ... & Daily, G. C. (2012). Integrating ecosystem-service tradeoffs into land-use decisions. *Proceedings of the National Academy of Sciences*, 109(19), 7565-7570.
- Guo, Z., Zhang, L., & Li, Y. (2010). Increased dependence of humans on ecosystem services and biodiversity. *PloS one*, 5(10), e13113.
- Haack, B., & Bechdol, M. (2000). Integrating multisensor data and RADAR texture measures for land cover mapping. *Computers & Geosciences*, 26(4), 411-421.
- Hall, L. S., Krausman, P. R., & Morrison, M. L. (1997). The habitat concept and a plea for standard terminology. *Wildlife society bulletin*, 173-182.
- Hastie, T., Tibshirani, R., & Friedman, J. (2009). Random forests. In *The elements of statistical learning* (pp. 587-604). Springer, New York, NY.
- Hurskainen, P., Adhikari, H., Siljander, M., Pellikka, P. K. E., & Hemp, A. (2019). Auxiliary datasets improve accuracy of object-based land use/land cover classification in heterogeneous savanna landscapes. *Remote sensing of environment*, 233, 111354.
- Janus, J., & Bozek, P. (2019). Land abandonment in Poland after the collapse of socialism: Over a quarter of a century of increasing tree cover on agricultural land. *Ecological Engineering*, 138, 106-117.
- Jensen, J. R. (2005). *Introductory digital image processing: a remote sensing perspective* (No. Ed. 3). Prentice-Hall Inc..
- Jeevalakshmi, D., Reddy, S. N., & Manikiam, B. (2016, April). Land cover classification based on NDVI using LANDSAT8 time series: A case study Tirupati region. In *2016 International Conference on Communication and Signal Processing (ICCSP)* (pp. 1332-1335). IEEE.
- Li, Y., Duo, L., Zhang, M., Wu, Z., & Guan, Y. (2021). Assessment and estimation of the spatial and temporal evolution of landscape patterns and their impact on habitat quality in Nanchang, China. *Land*, 10(10), 1073.

- Li, M., Zhou, Y., Xiao, P., Tian, Y., Huang, H., & Xiao, L. (2021). Evolution of habitat quality and its topographic gradient effect in northwest hubei province from 2000 to 2020 based on the invest model. *Land*, *10*(8), 857.
- Liu, D., Liang, X., Chen, H., Zhang, H., & Mao, N. (2018). A quantitative assessment of comprehensive ecological risk for a loess erosion gully: A case study of Dujiaoshi Gully, Northern Shaanxi province, China. *Sustainability*, *10*(9), 3239.
- Liu, Y., Huang, X., Yang, H., & Zhong, T. (2014). Environmental effects of land-use/cover change caused by urbanization and policies in Southwest China Karst area—A case study of Guiyang. *Habitat International*, *44*, 339-348.
- Lu, D., Mausel, P., Brondizio, E., & Moran, E. (2004). Change detection techniques. *International journal of remote sensing*, *25*(12), 2365-2401.
- McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International journal of remote sensing*, *17*(7), 1425-1432.
- McKinney, M. L. (2002). Urbanization, Biodiversity, and Conservation The impacts of urbanization on native species are poorly studied, but educating a highly urbanized human population about these impacts can greatly improve species conservation in all ecosystems. *Bioscience*, *52*(10), 883-890.
- Millennium ecosystem assessment, M. E. A. (2005). *Ecosystems and human well-being* (Vol. 5, pp. 563-563). Washington, DC: Island press.
- Ochoa, V., & Urbina-Cardona, N. (2017). Tools for spatially modeling ecosystem services: Publication trends, conceptual reflections and future challenges. *Ecosystem Services*, *26*, 155-169.
- Pejabat Pengelola Informasi dan Dokumentasi (2021, 27 Maret). Kementerian Lingkungan Hidup. <http://ppid.menlhk.go.id/berita/siaran-pers/5888/kenampakan-3-tiga-ekor-harimau-sumatera-di-taman-nasional-bukit-tiga-puluh>.
- Pereira, E., Queiroz, C., Pereira, H. M., & Vicente, L. (2005). Ecosystem services and human well-being: a participatory study in a mountain community in Portugal. *Ecology and Society*, *10*(2).

- Petrosillo, I., Zaccarelli, N., Semeraro, T., & Zurlini, G. (2009). The effectiveness of different conservation policies on the security of natural capital. *Landscape and Urban Planning*, 89(1-2), 49-56.
- Phan, T. N., Kuch, V., & Lehnert, L. W. (2020). Land cover classification using Google Earth Engine and random forest classifier—The role of image composition. *Remote Sensing*, 12(15), 2411.
- Polasky, S., Nelson, E., Pennington, D., & Johnson, K. A. (2011). The impact of land-use change on ecosystem services, biodiversity and returns to landowners: a case study in the state of Minnesota. *Environmental and Resource Economics*, 48, 219-242.
- Prijono, A., Kholis, M., & Bahduri L. M. (2019). AUM : Atlas Konservasi Harimau Sumatera. Direktorat Konservasi Keanekaragaman Konservasi Hayati Kementerian Lingkungan Hidup dan Kehutanan.
- Rodriguez-Galiano, V. F., Ghimire, B., Rogan, J., Chica-Olmo, M., & Rigol-Sanchez, J. P. (2012). An assessment of the effectiveness of a random forest classifier for land-cover classification. *ISPRS journal of photogrammetry and remote sensing*, 67, 93-104.
- Romero-Calcerrada, R., & Luque, S. (2006). Habitat quality assessment using Weights-of-Evidence based GIS modelling: The case of *Picoides tridactylus* as species indicator of the biodiversity value of the Finnish forest. *Ecological Modelling*, 196(1-2), 62-76.
- Rundquist, D. C., Narumalani, S., & Narayanan, R. M. (2001). A review of wetlands remote sensing and defining new considerations.
- Sanderson, J. G. (2004). Camera Phototrapping Monitoring Protocol, Version 2.0. TEAM Initiative. Washington DC. USA
- Seidensticker J and Suyono, I. 1980 The Javan tiger and the Meru Betiri Reserve, a plan for management, pp. 167. Gland: IUCN.
- Sang, X., Guo, Q., Wu, X., Xie, T., He, C., Zang, J., ... & Li, Y. (2021). The effect of DEM on the land use/cover classification accuracy of landsat OLI images. *Journal of the Indian Society of Remote Sensing*, 49, 1507-1518.
- Shetty, S. (2019). *Analysis of machine learning classifiers for LULC classification on Google Earth engine* (Master's thesis, University of Twente).

- Strahler, A. H., Logan, T. L., & Bryant, N. A. (1978). Improving forest cover classification accuracy from Landsat by incorporating topographic information. In *In: International Symposium on Remote Sensing of Environment*.
- Sunarto, Widodo, E., Priatna, D., & Etal. (2008). Rajut Belang: Panduan Perbaikan Praktik Pengelolaan Perkebunan Sawit dan Hutan Tanaman Industri Dalam Mendukung Konservasi Harimau Sumatera. Kementerian Kehutanan – WWF – HarimauKita – ZSL.
- Sunquist, M. (1999). Ecology, behaviour and resilience of the tiger and its conservation needs. *Riding the tiger: tiger conservation in human dominated landscapes*, 5-18.
- Sutanto (1986). Penginderaan Jauh Jilid I. Gadjah Mada University Press Yogyakarta.
- Tang, F., Fu, M., Wang, L., Song, W., Yu, J., & Wu, Y. (2021). Dynamic evolution and scenario simulation of habitat quality under the impact of land-use change in the Huaihe River Economic Belt, China. *PLoS One*, 16(4), e0249566.
- Van Zuidam, R. A. 1985. Aerial Photo – Interpretation in Terrain Analysis and Geomorphologic Mapping. Smith Publisher, The Hague, ITC.
- Wu, J. S., Cao, Q. W., Shi, S. Q., Huang, X. L., & Lu, Z. Q. (2015). Spatio-temporal variability of habitat quality in Beijing-Tianjin-Hebei Area based on land use change. *Ying yong sheng tai xue bao= The journal of applied ecology*, 26(11), 3457-3466.
- Xu, L., Chen, S. S., Xu, Y., Li, G., & Su, W. (2019). Impacts of land-use change on habitat quality during 1985–2015 in the Taihu Lake Basin. *Sustainability*, 11(13), 3513.
- Yang, Y. (2021). Evolution of habitat quality and association with land-use changes in mountainous areas: A case study of the Taihang Mountains in Hebei Province, China. *Ecological Indicators*, 129, 107967.
- Zhang, S. Q., Zhang, S. K., & Zhang, J. Y. (2000). A study on wetland classification model of remote sensing in the Sangjiang plain. *Chinese Geographical Science*, 10, 68-73.

Zhou, Y., Yang, G., Wang, S., Wang, L., Wang, F., & Liu, X. (2014). A new index for mapping built-up and bare land areas from Landsat-8 OLI data. *Remote Sensing Letters*, 5(10), 862-871.