

DAFTAR PUSTAKA

- Agatemor, U.M.M., Nwodo, O.F.C. and Anosike, C.A., 2018. Phytochemical and proximate composition of cucumber (*Cucumis sativus*) fruit from Nsukka, Nigeria. *African Journal of Biotechnology*, 17(38), pp.1215-1219.
- Ahmadi, A., Astiningrum, M. and Susilowati, Y.E., 2016. Pengaruh Macam Lanjaran Dan Mulsa Pada Hasil Mentimun Var. Oris (*Cucumis Sativus*, L.). *Vigor: Jurnal Ilmu Pertanian Tropika Dan Subtropika*, 1(1), pp.38-43.
- Ajao, A.A. and Moteetee, A.N., 2017. *Tithonia diversifolia* (Hemsl) A. Gray.(Asteraceae: Heliantheae), an invasive plant of significant ethnopharmacological importance: A review. *South African Journal of Botany*, 113, pp.396-403.
- Anjarwalla P, Belmain S, Sola P, Jamnadass R, Stevenson PC. 2016. Guide des plantes pesticides. World Agroforestry Centre (ICRAF), Nairobi, Kenya
- Annisa, P. and Gustia, H., 2018. Respon pertumbuhan dan produksi tanaman melon terhadap pemberian pupuk organik cair *Tithonia diversifolia*. *Prosiding SEMNASTAN*, pp.104-114.
- Anonim.2019.RPI2-JM Kabupaten Kulon Progo 2015-2019.<<https://kulonprogokab.go.id/v31/detil/7672/kondisi-umum>> diakses pada 13 Juni 2021
- Anonim.2019.RPI2-JM Kabupaten Kulon Progo Tahun 2015-2019\
- Arsi, A., Khaira, R., Suparman, S.H.K., Gunawan, B., Pujiastuti, Y., Hamidson, H., Nugraha, S.I. and Lailatturahmi, L., 2021. Keanekaragaman Hama dengan Kultur Teknis Berbeda Pada Lahan Mentimun (*Cucumis Sativus*) Di Desa Tanjung Seteko, Indralaya Utara, Kabupaten Ogan Ilir, Sumatera Selatan. *Sainmatika: Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, 18(1), pp.55-67.
- Badgery-Parker, J., L. James, J. Jarvis, and S. Parks. 2015. Commercial Greenhouse Cucumber Production: 2010 Edition. NSW Agriculture, State of New South Wales. Breeding Vegetables 1: *Asteraceae, Brassicaceae, Chenopodiaceae, and Cucurbitaceae*. Springer. New York. Page: 244.
- Baihaki, A., 2019. Pengaruh kompos paitan (*Tithonia diversifolia*) dan pupuk NPK terhadap pertumbuhan dan hasil tanaman mentimun varietas roman (*Cucumis sativus* L.) (Doctoral dissertation, University of Muhammadiyah Malang)
- Baliadi, Yuliantoro, dan W. Tengkan. 2010. Lalat pengorok daun, *Liriomyza* sp.(Diptera: Agromyzidae), hama baru pada tanaman kedelai di Indonesia. *J. Litbang Pertanian*, 29(1):1-9.
- Baruah, N.C.; Sarma, J.C.; Barua, N.C.; Sarma, S.; Sharma, R.P.1994.Germination and growth inhibitory sesquiterpene lactones and a flavone from *Tithonia diversifolia*. *Phytochemistry* 36, 29–36

- Campos, C.N.S., Teixeira, G.C.M., Prado, R.D.M., Caione, G., da Silva Júnior, G.B., David, C.H.O.D., Sales, A.C., Roque, C.G. and Teodoro, P.E., 2021. Macronutrient deficiency in cucumber plants: impacts in nutrition, growth and symptoms. *Journal of Plant Nutrition*, 44(17), pp.2609-2626.
- Chagas-Paula, D.A., Oliveira, R.B., Rocha, B.A. and Da Costa, F.B., 2012. Ethnobotany, chemistry, and biological activities of the genus *Tithonia* (Asteraceae). *Chemistry & biodiversity*, 9(2), pp.210-235.
- Chen, L., Yun, M., Cao, Z., Liang, Z., Liu, W., Wang, M., Yan, J., Yang, S., He, X., Jiang, B. and Peng, Q., 2021. Phenotypic characteristics and transcriptome of cucumber male flower development under heat stress. *Frontiers in Plant Science*, 12, p.758976.
- Choi, J.W., Park, M.H., Lee, J.H., Do, K.R., Choi, H.J. and Ji, K.G., 2015. Changes of postharvest quality in 'Bagdadagi' cucumber (*Cucumis sativus* L.) by storage temperature. *Journal of Food and Nutrition Sciences*, 3(1-2), pp.143-147.
- Chojnacka, K., Kowalski, Z., Kulczycka, J., Dmytryk, A., Górecki, H., Ligas, B. and Gramza, M., 2019. Carbon footprint of fertilizer technologies. *Journal of environmental management*, 231, pp.962-967.
- Ding, X., Yu, L., Jiang, Y., Yang, S., He, L., Zhou, Q., Yu, J. and Huang, D., 2020. Changes in leaf length, width, area, and photosynthesis of fruit cucumber in a greenhouse production system. *HortScience*, 55(7), pp.995-999.
- Eboibi, O. and Uguru, H., 2017. Storage conditions effect on physical, mechanical and textural properties of intact cucumber (cv Nandini) fruit. *International Journal of Engineering and Technical Research*, 7(11).
- Elisante, F., Ndakidemi, P.A., Arnold, S.E., Belmain, S.R., Gurr, G.M., Darbyshire, I., Xie, G., Tumbo, J. and Stevenson, P.C., 2019. Enhancing knowledge among smallholders on pollinators and supporting field margins for sustainable food security. *Journal of Rural Studies*, 70, pp.75-86.
- FAO. 2017. Agroforestry for landscape restoration: Exploring the potential of agroforestry to enhance the sustainability and resilience of degraded landscapes. Rome. <https://doi.org/10.4060/i7374e>
- Fauzi, Ikmal (2020) Pengaruh bentuk konstruksi ajir bambu dan varietas terhadap pertumbuhan dan hasil tanaman mentimun (*cucumis sativus* l.). Sarjana thesis, UMK.
- Fiani, A. and Hadiyan, Y., 2017. Respon Populasi Asal Cendana (*Santalum album* L) Terhadap Serangan Embun Jelaga. In *Proceeding Biology Education Conference: Biology, Science, Enviromental, and Learning* (Vol. 14, No. 1, pp. 106-108).
- Fitriyana, I., 2015. *Statistik Demografi Diaphania Indica (Saunders)(Lepidoptera: Crambidae) Pada Tanaman Mentimun* (Doctoral dissertation, Bogor Agricultural University (IPB)).
- Gallon, M.E., Silva-Junior, E.A., Amaral, J.G., Lopes, N.P. and Gobbo-Neto, L., 2019. Natural Products Diversity in Plant-Insect Interaction between *Tithonia*

diversifolia (Asteraceae) and Chlosyne lacinia (Nymphalidae). *Molecules*, 24(17), p.3118.

- Gao, L., Yu, G., Hu, F., Li, Z., Li, W. and Peng, C., 2021. The patterns of male and female flowers in flowering stage may not be optimal resource allocation for fruit and seed growth. *Plants*, 10(12), p.2819.
- Gardner, F. P., B.R Pearce., dan R. Mitchell. 1991. Fisiologi Tanaman Budidaya. UI Press. Jakarta.
- Gruda, N., G. Sallaku, and A. Balliu. 2017. Part III Crop Technologies: Cucumber. *In*: W. Baudoin, A. Nersisyan, A. Shamilov, A. Hodder, D. Gutierrez, S. De Pascale, S. Nicola, N. Gruda, L. Urban, and J. Tany (Eds.) *Good Agricultural Practices for Greenhouse Vegetable Production in the South East European Countries: Principles for Sustainable Intensification of Smallholder Farms*. Food and Agriculture Organization of The United Nations. Rome, page: 287-299.
- Hastari, R.P.D., 2019. Distribution of Tithonia diversifolia (Hemsley) A. Gray extracts concentration to growth and product of tomato varieties (Lycopersicum esculentum Mill.) (Doctoral dissertation, Universitas Islam Negeri Sultan Syarif Kasim Riau).
- Hindersah, Reginawanti. 2014. Limbah Sagu: Potensi Lokal untuk Media Pupuk Hayati. *Jurnal Agroekoteknologi*, 6(1):21-32.
- Kitaya, Y., H. Azuma, and M. Kiyota. 2005. Effects of temperature, CO₂/O₂ concentrations and light intensity on cellular multiplication of microalgae, Euglena gracilis. *Advances in Space Research*, 35(9):1584-1588.
- Kuo, Y.H. and Chen, C.H., 1998. Sesquiterpenes from the leaves of Tithonia diversifolia. *Journal of natural products*, 61(6), pp.827-828.
- Kwabiah, A.B., Palm, C.A., Stoskopf, N.C., Voroney, R.P., 2003. Response of soil microbial biomass dynamics to quality of plant materials with emphasis on P availability. *Soil Biol. Biochem.* 35, 207–216.
- Lakitan, Benyamin. 1995. *Dasar-Dasar Fisiologi Tumbuhan*. Jakarta. PT. Radja Grafindo Persada.
- Leakey, R., 2017. Multifunctional agriculture: Achieving sustainable development in Africa. Academic Press.
- Lestari, S.A.D., 2018. Pemanfaatan paitan (Tithonia diversifolia) sebagai pupuk organik pada tanaman kedelai.
- Li, S., Wang, C., Zhou, X., Liu, D., Liu, C., Luan, J., Qin, Z. and Xin, M., 2020. The curvature of cucumber fruits is associated with spatial variation in auxin accumulation and expression of a YUCCA biosynthesis gene. *Horticulture research*, 7.
- Liu, X., Pan, Y., Liu, C., Ding, Y., Wang, X., Cheng, Z. and Meng, H., 2020. Cucumber fruit size and shape variations explored from the aspects of morphology, histology, and endogenous hormones. *Plants*, 9(6), p.772.

- Loebenstein, G. and Lecoq, H., 2012. *Viruses and virus diseases of vegetables in the Mediterranean basin*. Academic Press.
- Mahy, B.W. and Van Regenmortel, M.H., 2008. *Encyclopedia of virology*. Academic Press.
- Mandey, J.S., Wolayan, F.R., Pontoh, C.J. and Sondakh, B.F., 2019. Phytochemical characterization of cucumber (*Cucumis sativus* L.) seeds as candidate of water additive for organic broiler chickens. *Journal of Advanced Agricultural Technologies*, 6(1).
- Mardhiana, M., Pradana, A.P., Adiwena, M., Kartina, K., Santoso, D., Wijaya, R. And Maliki, A., 2017. Effects of pruning on growth and yield of cucumber (*Cucumis sativus*) Mercy variety in The acid soil of North Kalimantan, Indonesia. *Cell Biology and Development*, 1(1), pp.13-17.
- Martínez, C. and Jamilena, M., 2021. To be a male or a female flower, a question of ethylene in cucurbits. *Current Opinion in Plant Biology*, 59, p.101981.
- Mawarni, L. and Siahaan, M.D.A., 2022, June. Effect of chicken manure and pruning on kyuri cucumber plant. In *IOP Conference Series: Earth and Environmental Science* (Vol. 977, No. 1, p. 012043). IOP Publishing.
- Miranda, M.A., Varela, R.M., Torres, A., Molinillo, J.M., Gualtieri, S.C. and Macías, F.A., 2015. Phytotoxins from *Tithonia diversifolia*. *Journal of Natural Products*, 78(5), pp.1083-1092.
- Nabuasa, F.M.G., 2016. Pengaruh Model Ajir dan Pemangkasan Tunas Lateral terhadap Pertumbuhan dan Hasil Tanaman Tomat (*Lycopersicum esculentum* Mill.) Cv. Lentana. *Savana Cendana*, 1(02), pp.77-80.
- Nurkomar, I., Pudjianto, Manuwoto, S., Kainoh, Y. and Buchori, D., 2018, November. Multitrophic Interaction between Cucumber Moth *Diaphania indica* Saunders, (Lepidoptera: Crambidae) and Its Natural Enemies. In *IOP Conference Series: Earth and Environmental Science* (Vol. 197, p. 012026). IOP Publishing.
- Nweke, I.A., Orji E.C., and Ijearu, S.I. 2013. The effect of staking and plant spacing on the growth and yield of cucumber (*Cucumis Sativus* L.). *Journal Of Environmental Science, Toxicology And Food Technology (IOSR-JESTFT)*, 3(4):26-31.
- Pandey, Rakesh & Paul, Vijay & Das, Madurima & Meena, Mahesh & Meena, Ramavatar. 2017. Plant growth analysis. Manual of ICAR Sponsored Training Programme on "Physiological Techniques to Analyze the Impact of Climate Change on Crop Plants" 16-25 January, 2017, Division of Plant Physiology, IARI, New Delhi.
- Penelitian Tanah, B., 2009. Petunjuk teknis analisis kimia tanah, tanaman, air, dan pupuk.
- Putri, Y. S., T. Nurmala, and A. Wawan Irwan. 2021. Pertumbuhan, hasil, dan fenologi ratun hanjeli varietas Batu pada kondisi kekeringan. *Kultivasi* 20(1):15-21.
- Rosa, H.O., 2002. Sebaran *Liriomyza* spp. dan parasitoidnya pada beberapa tanaman dan gulma di Sulawesi Selatan. *Agroscientiae*, 9(3), pp.139-144.
- Rosmarkam, Fandie, dan Nasih Widya Yuwono. 2002. *Ilmu Kesuburan Tanah*. Kanisius. Yogyakarta

- Rukmi., A. A. Bratawinata, R. Pitopang, dan P. Matius. 2017. Sifat fisik dan kimia tanah pada berbagai ketinggian tempat di habitat eboni (*Diospyros celebica* Bakh.) DAS Sausu Sulawesi Tengah. *Warta Rimba*, 5(1):28-36.
- Seblani, R., Keinath, A.P. and Munkvold, G., 2023. Gummy stem blight: One disease, three pathogens. *Molecular Plant Pathology*.
- Setiawati, W., H. Jayanti, A. Hudayya, dan A. Hasyim. 2015. Pengaruh insektisida karbofuran terhadap kerusakan dan kehilangan hasil kentang akibat serangan *Gryllotalpa hirsuta* Burmeister (Orthoptera: Gryllotalpidae) serta dampaknya terhadap keanekaragaman antropoda tanah. *Jurnal Hortikultura*, 25(1):54-62.
- Setyawati, T., Narulita, S., Bahri, I.P. and Raharjo, G.T., 2015. A Guide Book to Invasive Plant Species in Indonesia. Research, Development and Innovation Agency. Ministry of Environment and Forestry. Bogor-Indonesia.
- Setyawati, W., R. Murtiningsih, G.A. Sopha, dan T. Handayani. 2007. Petunjuk Teknis Budidaya Tanaman Sayuran Balai Penelitian Tanaman Sayuran, Lembang, Bandung.
- Sharma, A., Patni, B., Shankhdhar, D. and Shankhdhar, S.C., 2013. Zinc—an indispensable micronutrient. *Physiology and Molecular Biology of Plants*, 19, pp.11-20.
- Sinaga, P., 2014. Respon Pertumbuhan Dan Produksi Kailan (*Brassica oleraceae* L.) Pada Pemberian Pupuk Anorganik Dan Berbagai Dosis Pupuk Organik Cair Paitan (*Tithonia diversifolia* (Hemsl.) Gray).
- Soerjani, M., Kostermans, A.J. and Tjitrosoepomo, G., 1987. *Weeds of rice in Indonesia*. Balai Pustaka.
- Sui, X., Nie, J., Liu, H., Lin, T., Yao, X. and Turgeon, R., 2021. Complexity untwined: The structure and function of cucumber (*Cucumis sativus* L.) shoot phloem. *The Plant Journal*, 106(4), pp.1163-1176.
- Sumpena, U. 2001. Budidaya Mentimun Intensif. Jakarta: Penebar Swadaya. 92 hal
- Sutanto, R. 2005. *Dasar-Dasar Ilmu Tanah*. Kanisius. Yogyakarta
- Suzuki, M., Iwasaki, A., Suenaga, K. and Kato-Noguchi, H., 2017. Phytotoxic property of the invasive plant *Tithonia diversifolia* and a phytotoxic substance. *Acta Biologica Hungarica*, 68(2), pp.187-195
- Syarief, S. 1989. *Kesuburan dan Pemupukan Tanah Pertanian*. Pustaka Buana.
- Marcelis, L.F.M., 1992. The dynamics of growth and dry matter distribution in cucumber. *Annals of Botany*, 69(6), pp.487-492.
- Triningsih, D.W., Prihastanti, E. and Haryanti, S., 2014. Interaksi Jenis Penutup Dengan Lama Paparan Sinar Matahari Terhadap Susut Bobot, Kandungan Karotenoid Dan Vitamin a Wortel (*Daucus Carota* L.). *ANATOMI FISILOGI*, 22(2), pp.1-11.
- Uthpala, T.G.G., Marapana, R.A.U.J., Lakmini, K.P.C. and Wettimuny, D.C., 2020. Nutritional Bioactive Compounds and Health Benefits of Fresh and Processed Cucumber (*Cucumis Sativus* L.). *Sumerianz Journal of Biotechnology* 3(9):75-82

- Valcárcel, J. V., Peiró, R. M., Pérez-de-Castro, A., & Díez, M. J. (2018). Morphological characterization of the cucumber (*Cucumis sativus* L.) collection of the COMAV's Genebank. *Genetic Resources and Crop Evolution*, 65(4), 1293–1306. doi:10.1007/s10722-018-0614-9
- Valenzuela, Hector, Randall T. Hamasaki, and Steve Fukuda. 1994. Field Cucumber Production Guidelines for Hawaii. University of Hawaii. Thesis.
- Yuliah, Y., Fiani, A. and Haryjanto, L., 2017. Status Kesehatan Tegakan Konservasi Ex Situ Cendana (*Santalum Album* Linn.) Umur 11 Tahun di KHDTK Watusipat, Gunung Kidul.
- Yuliani, D., K. Napisah, and N. Maryana. 2016. Status *Oxya* spp.(Orthoptera: Acrididae), sebagai hama pada pertanaman padi dan talas di daerah Bogor. *Prosiding Seminar Nasional Inovasi Teknologi Pertanian Banjarbaru*, 20:1-10.
- Zhao, G.-J.; Xi, Z.-X.; Chen, W.-S.; Li, X.; Sun, L.; Sun, L.-N.2012. Chemical constituents from *Tithonia diversifolia* and their chemotaxonomic significance. *Biochem. Syst. Ecol.* , 44, 250–254.