



DAFTAR PUSTAKA

- Alakomi, H.L., E. Skyttä, M. Saarela, T. Mattila-Sandholm, K. Latva-Kala, and I. M. Helander. 2000. Lactic acid permeabilizes gram-negative bacteria by disrupting the outer membrane. *Applied and Environmental Microbiology*. 66(5): 2001 2005.
- Anal, A.K., G. Perpetuini, A. Petchkongkaew, R. Tan, S. Avallone, R. Tofalo, H.V., Nguyen, S. Chu-ky, P.H. Ho, T.T. Phan, and Y. Waché. 2020. Food safety risks in traditional fermented food from South-East Asia. *Food Control*. 109(106922).
- Arief II, Jenie BS, Suryati T, Ayuningtyas G, Fuziawan A. 2012. Antimicrobial activity of bacteriocin from indigenous *Lactobacillus plantarum* 2C12 and its application on beef meatball as biopreservative. *J Indones Trop Anim Agric* 37(2): 90-96.
- Axelsson, L. 2004. Lactic acid bacteria: Classification and Physiology. In Salminen, S., Wright, A.V., and Ouwehand. (eds). *Lactic Acid Bacteria. Microbiological and Functional Aspects Third Edition. Revised and Expanded*: 1–66.
- Bennour, M., Marrakchp, A.E., Bouchrif, N., Hamama, A. and Ouadaa, M.E., 1991. Chemical and Microbiological Assessments of Mackerel (*Scomber scombrus*) Stored in Ice. *Journal of Food Protection*, 54(10), pp.784-792.
- Bergey, D.H. 1993. *Bergey's Manual of Systematic Bacteriology*. Springer, New York.
- Borade, P. S., Ballary, C. C., dan Lee, D. K. C. 2007. A Fishy Cause Of SuddenNear Fatal Hypotension; Resuscitation, 72:158-160.
- Chen, H.C., H.F. Kung, W.C. Chen, W.F. Lin, D.F. Hwang, Y.C. Lee, and Y.H. Tsai. 2008. Determination of histamine and histamine-forming bacteria in tuna dumpling implicated in a food-borne poisoning. *Journal of Food Chem*. 8(106): 600-612.
- Chen H, Hoover DG. 2003. Bacteriocins and their food applications. *Comprehensive Reviews in Food Science and Food Safety* 2: 82-100.
- Dali, S., Natsir, H. Usman, H. dan Ahmad, A. 2011. Bioaktivitas antibakteri fraksi protein alga merah *Gelidium amansii* dari Perairan Cikoang Kabupaten Takalar, Sulawesi Selatan. *Jurnal Hasil Riset*, 15 (1), pp.47–52.
- Damongilala, L.J., 2009, Kadar Air dan Total Bakteri pada Ikan Roa (*Hemiramphus* Sp.) Asap dengan Metode Pencucian Bahan Baku Berbeda, *Jurnal Ilmiah Sains*.
- Ditjen Perikanan Tangkap. 2007. *Statistik Perikanan Tangkap Indonesia 2006*. Jakarta: Direktorat Jenderal Perikanan Tangkap. Departemen Kelautan dan Perikanan.



Drider D, Fimland G, Hechard Y, McMullen LM, Prevost H. 2006. The continuing story of class IIa bacteriocins. *Microbiology and Molecular Biology Reviews* 70, 564-582.

Econoumou, A.N., S. Giakoumi, L. Vardakas, R. Barbieri, M. Stoumboudi, and S. Zogaris. 2007. The freshwater ichthyofauna of Greece-an update based on a hydrographic basin survey. *Mediterranean Marine Science*. 8(1): 91-166.

[FDA] Food and Drug Administration. 2011. Scombrotoxin (Histamine) formation di dalam: Fish and Fishery Product Hazards and Control Guide. Washington: Department of Health and Human Service, Center for Food Safety and Applied Nutrition.

Flynn, S., D. van Sinderen, G. M. Thornton, H. Holo, I. F. Nes, and J. K. Collins. 2002. Characterization of the genetic locus responsible for the production of ABP-118, a novel bacteriocin produced by the probiotic bacterium *Lactobacillus salivarius* subsp. *salivarius* UCC118. *Microbiology* 148:973-984.

Francois ZN, Marie KP, Noelle TAH, Emeric GWR. 2013. Antimicrobial activity of a bacteriocin produced by *Lactobacillus plantarum* 29V and strain's viability in palm kernel oil. *Int J Nutr Food Sci* 2(3): 102-108.

Gillor, O., A. Etzion, and M. A. Riley. 2008. The dual role of bacteriocins as anti- and probiotics. *Appl. Microbiol. Biotechnol.* 81:591-606.

Goh, H.F. and K. Phillip. 2015. Purification and characterization of bacteriocin produced by *Waisella confusa*. *Journal pone PLoS ONE*. 10(10).

Guder A, Wiedemann I, Sahl HG. 2000. Posttranslationally modified bacteriocins the lantibiotics. *Biopolymers* 55, 62-73.

Hattu, N., Telussa, I., dan Paiss, shela.,2014, Kandungan Histamin dalam Olahan Ikan Komu (*Auxis thazard*) yang Direbus dengan Variasi Konsentrasi NaCl, Ind. J. Chem, Hal 147-154.

Heng NCK, Tagg JR. 2006. What's in a name? Class distinction for bacteriocins. *Nature Reviews Microbiology* 4, February, Correspondence.

Heruwati, E.S., Murtini, J.T., Indriati, N., Ariyani, F., Dwiyitno' Subaryono dan Suryanti. 2003. Riset Keamanan Pangan Produk Perikanan Selama Penanganan dan Pengolahan. Laporan Teknis Bagian Proyek Riset Pengolahan Produk dan Sosial Ekonomi Kelautan dan Perikanan T.A. 2003.

Huang YR, Liu K J, Hsieh HS, Hsieh CH, Hwang DF, Tsai YH. 2010. Histamine level and histamine-forming bacteria in dried fish products sold in Penghu Island of Taiwan. *Food Control*. 21: 1234–1239.



- Indriati, N., H.E. Irianto, S. Amini, Sugiyono, U. Rahayu, Sabarudin, Carkipan, E.J. Suarga. 1999. Laporan teknis peningkatan mutu dan keamanan produk fermentasi ikan tradisional melalui penggunaan bakteri asam laktat terseleksi. Pusat Penelitian dan Pengembangan Perikanan, Badan Penelitian dan Pengembangan Perikanan, Jakarta : 111 p.
- Jay, J.M., M.J. Loessner, and D.A. Golden. 2005. Modern Food Microbiology. 7th edition. Springer, New York.
- Jenie, B.S.L. and Rini, S.E., 1996. Aktivitas Antimikroba dari Beberapa Spesies *Lactobacillus* terhadap Mikroorganisme Patogen dan Perusak makanan. *Laporan Penelitian Tahun II/RUT II. Fateta. IPB. Bogor.*
- Josten, H.M.L. and M. Nunez. 1996. Prevention of Histamine Formation in Cheese by Bacteriocin-Producing Lactic Acid Bacteria. *Appl. Envir. Micro.* 62 (4) :1178-1181.
- Kanki, M, T. Yoda, T. Tsukamoto, and E. Baba. 2007. Histidine decarboxylases and their role in accumulation of histamine in tuna and dried saury. *Appl. Environ. Microbiol.* 73(5):1467-1473.
- Karyantina, M., Anggrahini, S., Utami, T., Sutriswati, E. 2020. Moderate Halophilic Lactic Acid Bacteria from Jambal roti : A Traditional Fermented Fish of Central Java, Indonesia A Traditional Fermented Fish of Central Java , Indonesia. *Journal of Aquatic Food Product Technology*, 00(00), 1–11.
- Karyantina, M.K., Anggrahini, S., Utami, T. and Rahayu, E.S., 2021. Karakteristik jambal roti ikan manyung (*Arius thalassinus*) dengan suplementasi bakteri asam laktat indigenous. *Agrointek: Jurnal Teknologi Industri Pertanian*, 15(2), pp. 667-675.
- Kerr M, Lawicki P, Aguirre S, Rayner C. 2002. Effect of storage conditions on histamine formation in fresh and canned tuna. [Research Report]. Victorian Government Department of Human Services, Werribee, 20 p.
- Kongpun, O. and Suwonsakornkul, P. 2000. Histamine formation during salting of Spanish mackerel (*Scomberomorus commerson*). *J.Aq. Food Prod. Technol.* 9(1): 21-30.
- Kusmawarti, A., F.R. Arief, dan S. Haryati. 2014. Eksplorasi bakteriosin dari bakteri asam laktat asal rusip Bangka dan Kalimantan. *JPB Perikanan*, 9(1): 29-40.
- Larsen AG, Vogensen FK, Josephsen J. 1993. Antimicrobial activity of lactic acid bacteria isolated from sour doughs: purification and characterization of bavaricin A, a bacteriocin produced by *Lactobacillus bavaricus* MI401. *Journal of Applied Bacteriology* 75: 113-22



Lazdunski, C.J. 1995. Colicin import and pore formation: a system for studying protein transport across membranes. *Molecular Microbiology* 16, 1059-1066.

Lee Y.C, Kung H.F, Lin C.S, Hwang C.C, Lin C.M, Tsai Y.H. (2012). Histamine production by *Enterobacter aerogenes* in tuna dumpling stuffing at various storage temperatures. *Food Chemistry*. 131 (2): 404-412.

Lim, E.S. 2016. Inhibitory effect of bacteriocin-producing lactic acid bacteria against histamine-forming bacteria isolated from *Myeolchi-jeot*. *Fisheries and Aquatic Sciences*. 19(42): 1-10.

Lin, C.S., Liu, F.L., Lee, Y.C., Hwang, C.C., & Tsai, Y.H. (2012). Histamine contents of salted seafood products in Taiwan and isolation of halotolerant histamine-forming bacteria. *Food Chemistry*, 131(2), 574–579.

Lucke, F.K. 2000. Utilization of Microbes to Process and Preserve Meat. *Meat Science* 56 : 105-115

Mangunwardoyo, W. 2007. Seleksi dan Pengujian Aktivitas Enzim L-Histidin Dekarboksilase dari Bakteri Pembentuk Histamin. *Journal Makara Sains*. 11(2):104-109.

Mariam, S. H., N. Zegeye, T. Tariku, E. Andargie, N. Endalafer, and A. Aseffa. 2014. Potential of cell-free supernatants from cultures of selected lactic acid bacteria and yeast obtained from local fermented foods as inhibitors of *Listeria monocytogenes*, *Salmonella* spp. and *Staphylococcus aureus*. *BMC research notes*, 7(1), 1-9.

Matamoros, S., Pilet, M.F., Gigout, F., Prevost, H., and Leroi, F. 2009. Selection and evaluation of seafood-borne psychrotrophic lactic acid bacteria as inhibitors of pathogenic and spoilage bacteria. *J. Food Microbiol*.26: 638-644.

Mergypta, D., Budiharjo, A. and Kusdiyantini, E., 2014. Isolasi, karakterisasi bakteri asam laktat, dan analisis proksimat dari pangan fermentasi rusip ikan teri (*Stolephorus* sp.). *Jurnal Akademika Biologi*, 3(2), pp.11-19.

Misgiyarta dan S. Widowati. 2002. Seleksi dan Karakterisasi Bakteri Asam Laktat Indigenus. Balai Penelitian Biogenik dan Sumberdaya Genetik Pertanian. Bogor.

Montiel, I. Martín-Cabrejas, S. Langa, N. El Aouad, J.L. Arques, F. Reyes, and M. Medina. 2014. Antimicrobial activity of reuterin produced by *Lactobacillus reuteri* on *Listeria monocytogenes* in cold-smoked salmon. *Food Microbiology*. 44: 1-5.

Nilsen T, Nes IF, Holo H. 2003. Enterolysin A, a cell wall degrading bacteriocin from *Enterococcus faecalis* LMG 2333. *Applied and Environmental Microbiology* 69, 2975-2984.



Parada, J.L., Caron, C.R., Medeiros, A.B., Soccol, C.R. 2007. Bacteriocins from lactic acid bacteria: purification, properties and use as biopreservatives. *Brazilian Archives of Biology and Technology*, 50, 521-524.

Pelczar, J., 2007. JR., ECS Chan, Noel R. Krieg. *Microbiology*. New Delhi: Tata McGraw-Hill Publishing Company Limited.

Pequignot, C., C. Larroche, and J.B. Gross. 1998. A spectrophotometric method for determination of bacterial biomass in the presence of a polymer. *Biotechnology techniques*. 12 (12): 899-903.

Pramono, Y.B., Rahayu, E.S., Suparmo, S. and Utami, T., 2009. Antagonism activity of Lactid Acid Bacteria isolated from Traditional Fermented Meat Petis. *Journal of the Indonesian Tropical Animal Agriculture*, 34(1), pp.22-27.

Prasetyo, F.D. 2018. Isolasi, seleksi, dan optimasi produksi bakteriosin oleh isolat bakteri asam laktat dari udang putih (*Penaeus merguiensis*). Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

Prihantono, A., Darius, A. dan Firdaus, M. (2013). Proteolytic and fibrinolytic activities of halophilic lactic acid bacteria from two Indonesia fermented foods. *Journal of Microbiology, Biotechnology and Food Sciences* 2(5): 2291-2293.

Putra, M.M.P., Al-Hammam, M.Y., Ahsan, G., Chandra, K.K.B. and Puspita, I.D., 2013. Antibacterial potency of cell free supernatant produced by lactic acid bacteria isolated from Indonesian fermented fish products against histamine-producing bacteria. *Saintek Perikanan: Indonesian Journal of Fisheries Science and Technology*, 18(1), pp.13-18.

Putri, A.L. and Kusdiyantini, E., 2018. Isolasi dan identifikasi bakteri asam laktat dari pangan fermentasi berbasis ikan (Inasua) yang diperjualbelikan di Maluku-Indonesia. *Jurnal Biologi Tropika*, 1(2), pp.6-12.

Putro, S., Hidayat, J.F. and Pandjaitan, M., 2008. Aplikasi ekstrak bawang putih (*Allium sativum*) untuk memperpanjang daya simpan ikan kembung segar (Rastrelliger kanagurta). *Jurnal pascapanen dan bioteknologi kelautan dan perikanan*, 3(2), pp.193-200.

Rahayu, E.S. 2003. Lactic Acid Bacteria in Fermented Foods in Indonesian Origin. *Agritech*. 23(2): 75-84.

Rawles, D.D., Flick, G.J. and Martin, R.E., 1996. Biogenic amines in fish and shellfish. *Advances in Food and Nutrition Research*, 39, pp.329-365.

Ray, B. 2004. Fundamental Food Microbiology. CRC Press, Inc. Washington, D.C.



Ray, B., Motlagh, A., Johnson, M.C. and Bozoglu, F., 1992. Mapping of pSMB74, a plasmid-encoding bacteriocin, pediocin AcH, production (Pap⁺) by *Pediococcus acidilactici* H. *Letters in applied microbiology*, 15(2), pp.35-37.

Rialita, T., Moody, S.D., Subroto, E. and Susanto, H.F., 2021. Isolation and Identification of Lactic Acid Bacteria (LAB) Producing Bacteriocin-like from Smoked Giant Catfish (*Arius thalassinus*). *Indonesian Journal of Applied Research (IJAR)*, 2(3), pp.170-178.

Rinto, Rahayu ES, Indrati R. 2006. Aplikasi *Pediococcus acidilactici* F-11 dalam menghambat pembentukan histamin selama fermentasi peda. Seminar Nasional dan Diseminasi. Teknologi Pengembangan Hasil Perikanan. Universitas Lampung.

Rinto, R., Ade Dwi Sasanti, and Kusumawati Fitria. "Bakteri Asam Laktat Dari Pencernaan Nila dan Tongkol yang Berpotensi Menghambat Bakteri Pembusuk, Pembentuk Histamin, dan Patogen pada Produk Perikanan." In *Prosiding SIMposium dan Seminar Nasional Badan Penelitian dan Pengembangan Daerah Sumatera Selatan*. 2010. pp 125-146. Badan Penelitian dan Pengembangan Daerah Sumatera Selatan, 2010.

Rinto, R., Arisanto, B. and Suarni, S., 2010. Bakteri Asam Laktat Penghambat Escherichia coli dari Produk Fermentasi Ikan Sumatera Selatan. In *Prosiding Seminar Nasional Teknologi Tepat Guna Agroindustri Polinela 2010* (pp. 30-36). Politeknik Negeri Lampung.

Romadhon., Subagiyo, dan S. Margino. 2012. Isolasi dan karakterisasi bakteri asam laktat dari usus udang penghasil bakteriosin sebagai agen antibakteria pada produk hasil perikanan. *J. Saintek Perikanan*. 8(1): 59–64.

Sabry, M.A., H.A. Mansour, R.M. Anshour, and E. Hamza. 2019. Histamine producing bacteria and histamine induction in retail sardine and mackerel from fish markets in Egypt. *Foodborne Pathogens & Disease*. 20(20): 1 – 7.

Santoso A., Palupi N.S., dan Kusumaningrum H.D. (2020). Pengendalian histamin pada rantai proses produk ikan tuna beku ekspor. *Jurnal Standardisasi*, 22(2), 131-142.

Sari, R., Deslianri, L. dan Apridamayanti, P., 2016. Skrining Aktivitas Antibakteri Bakteriosin dari Minuman Ce Hun Tiau. *Pharmaceutical Sciences and Research*, 3(2), p.4.

Satomi, M. 2016. Effect of histamine-producing bacteria on fermented fishery products. *Food Science and Technology Research*, 22(1): 1-21.

Schillinger, U., Geisen, R., Holzapfel, W.H., 1996. Potential of antagonistic microorganisms and bacteriocins for the biological preservation of foods. *Trends Food Sci. Technol.* 7 (5), 158–164.



Schved, F., Lalazar, A., Henis, Y. and Juven, B.J., 1993. Purification, partial characterization and plasmid-linkage of pediocin SJ-1, a bacteriocin produced by *Pediococcus acidilactici*. *Journal of Applied Bacteriology*, 74(1), pp.67-77.

Shalaby, A. R. 1996. Significance of Biogenic Amines to Food Safety and Human Health. *Food Res.Int.*, 29(7): 675-690.

Sidhu, P.K. and K. Nehra. 2017. Bacteriocin-nanoconjugates as emerging compounds for enhancing antimicrobial activity of bacteriocins. *Journal of King Saud University*.

Sonsa, N., A.R. Rodtong, M.L. Chikindas, and J. Yongsawatdigul. 2015. Characterization of bacteriocin produced by *Enterococcus faecium* CN-25 isolated from traditionally Thai fermented fish roe. *Food Control*. 54: 308-316.

Stamer, J.R., 1979. Lactic acid bacteria: Microbes of diversity. *Food technology*.

Suryanti, Wikanta, T. dan Indriati, N. 2006. Kandungan Histamin pada Beberapa Produk Hasil Perikanan, Pusat Riset Pengolahan Produk dan Sosial Ekonomi Departemen Kelautan dan Perikanan.

Tan, A., Y. Zhaoa, K. Sivashanmugana, K. Squirea, and A.X. Wang. 2019. Quantitative TLC-SERS detection of histamine in seafood with support vector machine analysis. *Food Control*. 103:111-118.

Taylor, S.L. 1986. Histamine food poisoning: toxicology and clinical aspects. *Crit. Rev. Toxicol.* 17:91-128.

Tsai, Y.H., Lin, C.Y., Chien, L.T., Lee, T.M., Wei, C.I. and Hwang, D.F., 2006. Histamine contents of fermented fish products in Taiwan and isolation of histamine-forming bacteria. *Food Chemistry*, 98(1), pp.64-70.

Tsai YH, Chueh YL, Liang TC, Tsong ML, Cheng IW, Deng FH. 2007. Histamine contents of fermented products in Taiwan and isolation of histamine forming bacteria. *Journal Food Chemistry* 98(1): 64-70.

Usmiati, S. 2009, Penggunaan Bakteriosin untuk Mempertahankan Kesegaran Daging Ayam.

Utomo, B.S.B., Suryanigrum, T.D. and Harianto, H.R., 2014. Optimization of enzymatic hydrolysis of fish protein hydrolysate (FPH) processing from waste of catfish fillet production. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 9(3), pp.115-126.

Wahyuni, S. 2011. Histamin tuna (*Thunnus* sp.) dan identifikasi bakteri pembentuknya pada kondisi suhu penyimpanan standar. Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor. Skripsi.

Waluyo, L. 2008. Teknik Metode Dasar Dalam Mikrobiologi. UMM Press, pp. 222-258.



Widyastuti Y dan Sofarianawati E. 1999. Karakter bakteri asam laktat *Enterococcus sp.* yang diisolasi dari saluran pencernaan ternak. *Jurnal Mikrobiologi Indonesia* 4(2):50-53.

Willey, J.M., L.M. Sherwood, and C.J. Woolverton. 2009. *Prescott's Principles of Microbiology*. McGraw-Hill Higher Education, Boston.

Yildrim, Z. and Johnson, M.G., 1998. Characterization and antimicrobial spectrum of bifidocin B, a bacteriocin produced by *Bifidobacterium bifidum* NCFB 1454. *Journal of Food Protection*, 61(1), pp.47-51.

Yousef, A.E and Carolyn C. 2003. *Food Microbiology: A Laboratory Manual*. Wiley-Interscience, John Wiley and Sons, Inc. Ohio State University. USA. 223-224.

Yusra dan Efendi, Y. 2010. Dasar-Dasar Teknologi Hasil Perikanan. Bung Hatta University Press. Padang.