

DAFTAR PUSTAKA

- Ahmed, B., & Ahmed, R. (2012). Modeling urban land cover growth dynamics using multioral satellite images: A case study of Dhaka, Bangladesh. *ISPRS International Journal of Geo-Information*, 1(1), 3–31.
- Anderson, J. R., Hardy, E. E., Roach, J. T., & Witmer, R. E. (1976). A Land Use And Land Cover Classification System For Use With Remote Sensor Data. *Geological Survey Professional Paper*.
- Beilin, R., Lindborg, R., Stenseke, M., Pereira, H. M., Llausàs, A., Slätmo, E., Cerqueira, Y., Navarro, L., Rodrigues, P., Reichelt, N., Munro, N., & Queiroz, C. (2014). Analysing how drivers of agricultural land abandonment affect biodiversity and cultural landscapes using case studies from Scandinavia, Iberia and Oceania. *Land Use Policy*, 36, 60–72.
- Bununu, Y. A. (2017). Integration of Markov chain analysis and similarity-weighted instance-based machine learning algorithm (SimWeight) to simulate urban expansion. *International Journal of Urban Sciences*, 21(2), 217–237.
- Danoedoro, P., Ananda, I. N., Kartika, C. S. D., Umela, A., & Indayani, A. B. (2020). Testing a detailed classification scheme for land-cover/ land-use mapping of typical Indonesia landscapes: case study of Sarolangun, Jambi and Salatiga, Cebtral Java. *Indonesian Journal of Geography*, 52(3), 327–340.
- European Environment Agency (EEA). (2004). Land Cover and Land Use. <https://www.eea.europa.eu/help/glossary/eea-glossary/land-use>. Diakses pada 13 Maret 2023, pukul 20.00 WIB.
- Feng, R., & Wang, K. (2021). Spatiotemporal effects of administrative division adjustment on urban expansion in China. *Land Use Policy*, 101, 105143.
- Feng, Y., & Liu, Y. (2013). A heuristic cellular automata approach for modelling urban land-use change based on simulated annealing. *International Journal of Geographical Information Science*, 27(3), 449–466.
- Fuchs, R., Herold, M., Verburg, P. H., Clevers, J. G. P. W., & Eberle, J. (2015). Gross changes in reconstructions of historic land cover/use for Europe between 1900

- and 2010. *Global Change Biology*, 21(1), 299–313.
- Gharaibeh, A., Shaamala, A., Obeidat, R., & Al-Kofahi, S. (2020). Improving land-use change modeling by integrating ANN with Cellular Automata-Markov Chain model. *Heliyon*, 6(9).
- Ghosh, P., Mukhopadhyay, A., Chanda, A., Mondal, P., Akhand, A., Mukherjee, S., Nayak, S. K., Ghosh, S., Mitra, D., Ghosh, T., & Hazra, S. (2017). Application of Cellular automata and Markov-chain model in geospatial environmental modeling- A review. *Remote Sensing Applications: Society and Environment*, 5, 64–77.
- Iacono, M., Levinson, D., El-Geneidy, A., & Wasfi, R. (2015). A Markov chain model of land use change in the Twin Cities, 1958-2005. *Tema. Journal of Land Use, Mobility and Environment*, 8(3), 49–62.
- Jafari, M., Majedi, H., Monavari, S. M., Alesheikh, A. A., & Zarkesh, M. K. (2016). Dynamic simulation of urban expansion through a CA-markov model case study: Hyrcanian region, Gilan, Iran. *European Journal of Remote Sensing*, 49, 513–529.
- Jafarpour Ghalehtemouri, K., Shamsoddini, A., Mousavi, M. N., Binti Che Ros, F., & Khedmatzadeh, A. (2022). Predicting spatial and decadal of land use and land cover change using integrated cellular automata Markov chain model based scenarios (2019–2049) Zarriné-Rūd River Basin in Iran. *Environmental Challenges*, 6, November 2021, 100399.
- Karimi, F., Sultana, S., Shirzadi Babakan, A., & Suthaharan, S. (2019). An enhanced support vector machine model for urban expansion prediction. *Computers, Environment and Urban Systems*, 75, August 2018, 61–75.
- Keshtkar, H., & Voigt, W. (2016). A spatiotemporal analysis of landscape change using an integrated Markov chain and cellular automata models. *Modeling Earth Systems and Environment*, 2(1), 1–13.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation* (7th ed.). John Wiley & Sons, Inc.
- Liu, Y. (2020). *Modelling Urban Development with Geographical Information Systems and Cellular Automata*. CRC Press Taylor & Francis Group.

- Long, Y., Jin, X., Yang, X., & Zhou, Y. (2014). Reconstruction of historical arable land use patterns using constrained cellular automata: A case study of Jiangsu, China. *Applied Geography*, 52, 67–77.
- Malingreau, J.P., (1978). *Penggunaan Lahan Pedesaan, Penafsiran Citra Untuk Interpretasi Dan Analisisnya*. Yogyakarta: Pusat Pendidikan Interpretasi Citra Penginderaan Jauh Dan Survey Terpadu.
- Megahed, Y., Cabral, P., Silva, J., & Caetano, M. (2015). Land cover mapping analysis and urban growth modelling using remote sensing techniques in greater Cairo region-Egypt. *ISPRS International Journal of Geo-Information*, 4(3), 1750–1769.
- Ojima, D. ., Galvin, K. ., & Turner, B. . (1994). The Global Impact of Land-use Change. *BioScience*, 44(5), 300–304.
- Pijanowski, B. C., Brown, D. G., Shellito, B. A., & Manik, G. A. (2002). Using neural networks and GIS to forecast land use changes: a Land Transformation Model. *Computer, Environment and Urban Systems*, 26(6), 553–575.
- Pontius, G. R., & Malanson, J. (2005). Comparison of the structure and accuracy of two land change models. *International Journal of Geographical Information Science*, 19(2), 243–265.
- Pradhan, R., Kumar, S., Pradhan, M. P., & Ghose, M. K. (2010). Contour Line Tracing Algorithm for Digital Topographic Maps. *International Journal of Image Processing (IJIP)*, 4(2), 156–163.
- Saxena, A., & Jat, M. K. (2019). Capturing heterogeneous urban growth using SLEUTH model. *Remote Sensing Applications: Society and Environment*, 13, November 2017, 426–434.
- Susilo, B. (2016). Pemodelan Spasial Probabilistik Integrasi Markov Chain Dan Cellular Automata Untuk Kajian Perubahan Penggunaan Lahan Skala Regional Di Provinsi Daerah Istimewa Yogyakarta. *Jurnal Geografi Gea*, 11(2), 163–178.
- Viana, C. M., & Rocha, J. (2020). Evaluating dominant land use/land cover changes and predicting future scenario in a rural region using a memoryless stochastic method. *Sustainability (Switzerland)*, 12(10).

- Wardani, D.W. (2015). Kajian Perubahan Penggunaan Lahan Berbasis Citra Satelit Penginderaan Jauh Resolusi Menengah dengan Metode Multi Layer Perceptron dan Markov Chain: Studi di Sebagian Kabupaten Bantul. Tesis. Fakultas Geografi, Universitas Gadjah Mada. Yogyakarta.
- Wardani, D. W., Danoedoro, P., & Susilo, B. (2016). Kajian Peubahan Penggunaan Lahan Berbasis Citra Satelit Pengideraan Jauh Resolusi Menengah dengan Metode Multi Layer Perceptrondan Markov Chain. *Majalah Geografi Indonesia*, 30(1), 9–18.
- Yang, Q., Li, X., & Shi, X. (2008). Cellular automata for simulating land use changes based on support vector machines. *Computers and Geosciences*, 34(6), 592–602.
- Yang, Y., Zhang, S., Yang, J., Chang, L., Bu, K., & Xing, X. (2014). A review of historical reconstruction methods of land use/land cover. *Journal of Geographical Sciences*, 24(4), 746–766.
- Yang, Y., Zhang, S., Yang, J., Xing, X., & Wang, D. (2015). Using a cellular Automata-Markov model to reconstruct spatial land-use patterns in Zhenlai County, Northeast China. *Energies*, 8(5), 3882–3902.
- Yubo, Z., Zhuoran, Y., Jiuchun, Y., Yuanyuan, Y., Dongyan, W., Yucong, Z., Fengqin, Y., Lingxue, Y., Liping, C., & Shuwen, Z. (2020). A novel model integrating deep learning for land use/cover change reconstruction: A case study of Zhenlai County, northeast China. *Remote Sensing*, 12(20), 1–22.