

DAFTAR PUSTAKA

- Abraham, A., Khatana, A. K., & Kumar, R. (2020). Evaluation of Polypharmacy and Appropriateness of Prescription in Respiratory Associated Diseases among Geriatric Patients in a Tertiary Care Hospital: A Cross-Sectional Study. *IOSR Journal Of Pharmacy* 10(6), 37–43.
- Adrogué, H. J., Tucker, B. M., & Madias, N. E. (2022). Diagnosis and Management of Hyponatremia: A Review. *JAMA*, 328(3), 280–291. <https://doi.org/10.1001/jama.2022.11176>
- Ahmed A., Clarke J.O. (2023). *Proton Pump Inhibitors (PPI)*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK557385/>
- Ahmed B., Nanji K., Mujeeb R., Patel M.J. (2014). Effects of polypharmacy on adverse drug reactions among geriatric outpatients at a tertiary care hospital in Karachi: a prospective cohort study. *PLoS One*;9(11):e112133. doi: 10.1371/journal.pone.0112133.
- Al Amin, M., & Juniati, D. (2017). KLASIFIKASI KELOMPOK UMUR MANUSIA BERDASARKAN ANALISIS DIMENSI FRAKTAL BOX COUNTING DARI CITRA WAJAH DENGAN DETEKSI TEPI CANNY. *Jurnal Ilmiah Matematika*, 2(6).
- Amarya, S., Singh, K., & Sabharwal, M. (2018). Ageing Process and Physiological Changes. Dalam *Gerontology*. InTech. <https://doi.org/10.5772/intechopen.76249>
- American Geriatrics Society. (2019). Updated AGS Beers Criteria® for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 67(4), 674-694.
- Ardhaninggar, A.A., & Rahmadewi, R. (2018). Penatalaksanaan Alopecia Areata (Treatment of Alopecia Areata), *Periodical of Dermatology and Venereology*, Vol 30, No 1, 34-39 DOI:10.20473/BIKKK.V30.1.2018.34-39
- Astuti, S. D., Lubis, N. D., & Kurniasari, F. (2017). Evaluasi Ketidaktepatan Pemilihan Obat Berdasarkan Kriteria STOPP Pada Pasien Geriatri. *Jurnal Farmasi Indonesia*, 14(2); 182–190. doi: <https://doi.org/10.31001/jfi.v14i2.347>.
- Bachhuber M.A., Hennessy S., Cunningham C.O., Starrels J.L. (2016). Increasing benzodiazepine prescriptions and overdose mortality in the United States, 1996-2013. *Am J Public Health*, 106(4): 686-688. doi:10.2105/AJPH.2016.303061.
- Badan Pusat Statistik. (2021). *Statistik Penduduk Lanjut Usia 2021*. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik. (2022). *Statistik Penduduk Lanjut Usia 2022*. Jakarta: Badan Pusat Statistik.

- Baldoni, A. de O., Ayres, L. R., Martinez, E. Z., Dewulf, N. de L. S., dos Santos, V., & Pereira, L. R. L. (2014). Factors associated with potentially inappropriate medications use by the elderly according to Beers criteria 2003 and 2012. *International Journal of Clinical Pharmacy*, 36(2), 316–324. <https://doi.org/10.1007/s11096-013-9880-y>
- Boon, M., van Dorp, E., Broens, S., & Overdyk, F. (2020). Combining opioids and benzodiazepines: effects on mortality and severe adverse respiratory events. *Annals Of Palliative Medicine*, 9(2), 542-557. doi:10.21037/apm.2019.12.09
- Breda, G. (2021). Classifying Causality of an Adverse Drug Reaction: Naranjo Algorithm. *International Journal of Pharmacy and Chemistry*, 7(6), 125 - 127.
- Briot K, Roux C. (2015). Glucocorticoid-induced osteoporosis. *RMD Open*;1(1):e000014. doi: 10.1136/rmdopen-2014-000014.
- Brueckle, MS., Thomas, E.T., Seide, S.E. (2020). Adverse drug reactions associated with amitriptyline — protocol for a systematic multiple-indication review and meta-analysis. *Syst Rev* 9, 59. <https://doi.org/10.1186/s13643-020-01296-8>
- Ceruelos, H. A., Romero-Quezada, L. C., Ruvalcaba L. J. C., & López C. L. (2019). Therapeutic uses of metronidazole and its side effects: an update. *European review for medical and pharmacological sciences*, 23(1), 397–401. https://doi.org/10.26355/eurev_201901_16788
- Chalise, H. N. (2019). Aging: Basic Concept. *American Journal of Biomedical Science & Research*, 1(1), 8–10. <https://doi.org/10.34297/AJBSR.2019.01.000503>
- Chapman J., Goyal A., Azevedo AM. (2023). *Splenomegaly*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK430907/>
- Chen J.J. (2018). Treatment of psychotic symptoms in patients with Parkinson disease. *Ment Health Clin*, 7(6):262-270. doi: 10.9740/mhc.2017.11.262.
- Crocco E.A., Jaramillo S., Cruz-Ortiz C., Camfield K. (2017). Pharmacological Management of Anxiety Disorders in the Elderly. *Curr Treat Options Psychiatry*;4(1):33-46. doi: 10.1007/s40501-017-0102-4.
- Dagli, R. J., & Sharma, A. (2014). Polypharmacy: a global risk factor for elderly people. *Journal of International Oral Health : JIOH*, 6(6), i–ii.
- Davies, E. A., & O'Mahony, M. S. (2015). Adverse Drug Reactions in Special Populations - the Elderly. *British Journal of Clinical Pharmacology*, 80(4): 796 - 807. doi: <https://doi.org/10.1111/bcp.12596>
- de Araújo, N. C., Mota, B. G., Guimarães, R. A., Carolina, A., Modesto, F., & Pagotto, V. (2022). *Risk Factors for Potentially Inappropriate Medication Use in Older Adults: A 10-Year Cohort Study with Generalized Estimating Equation Models*. <https://doi.org/10.21203/rs.3.rs-1314515/v1>

- de Araújo, N. C., Silveira, E. A., Mota, B. G., Neves Mota, J. P., de Camargo Silva, A. E. B., Alves Guimarães, R., & Pagotto, V. (2020). Potentially inappropriate medications for the elderly: Incidence and impact on mortality in a cohort ten-year follow-up. *PLOS ONE*, 15(10), e0240104. <https://doi.org/10.1371/journal.pone.0240104>
- Delara, M., Murray, L., Jafari, B., Bahji, A., Goodarzi, Z., Kirkham, J., Chowdhury, M., & Seitz, D. P. (2022). Prevalence and factors associated with polypharmacy: a systematic review and meta-analysis. *BMC Geriatrics*, 22(1), 601. <https://doi.org/10.1186/s12877-022-03279-x>
- Díez, R., Cadenas, R., Susperregui, J., Sahagún, A. M., Fernández, N., García, J. J., Sierra, M., & López, C. (2022). Potentially Inappropriate Medication and Polypharmacy in Nursing Home Residents: A Cross-Sectional Study. *Journal of Clinical Medicine*, 11(13), 3808. <https://doi.org/10.3390/jcm11133808>
- Divac N., Stojanović R., Savić V.K., Medić B., Damjanović A., Prostran M. (2016). The Efficacy and Safety of Antipsychotic Medications in the Treatment of Psychosis in Patients with Parkinson's Disease. *Behav Neurol*:4938154. doi: 10.1155/2016/4938154.
- Dziechciaż, M., & Filip, R. (2014). Biological psychological and social determinants of old age: Bio-psycho-social aspects of human aging. *Annals of Agricultural and Environmental Medicine*, 21(4), 835–838. <https://doi.org/10.5604/12321966.1129943>
- Farzam K., Abdullah M. (2022). *acetazolamide*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK532282/>
- Febrianti, Y., Setiawan, E.B., Srihadi, N. (2022). Potentially Inappropriate Medication in Elderly Outpatient of Tertiary Hospital in Indonesia, Jurnal Ilmiah Ibnu Sina, Vol 7(1). <https://doi.org/10.36387/jiis.v7i1.711>
- Friska, B., Usraleli, U., Idayanti, I., Magdalena, M., & Sakhnan, R. (2020). The Relationship Of Family Support With The Quality Of Elderly Living In Sidomulyo Health Center Work Area In Pekanbaru Road. *JPK: Jurnal Proteksi Kesehatan*, 9(1), 1–8. <https://doi.org/10.36929/jpk.v9i1.194>
- Galli, T.B., Reis, W.C., & Andrzejewski V.M. (2016). Potentially inappropriate prescribing and the risk of adverse drug reactions in critically ill older adults. *Pharmacy Practice Journal*, 14(4), 818 - 824.
- Guillot, J., Maumus-Robert, S., Marceron, A., Noize, P., Pariente, A., & Bezin, J. (2020). The Burden of Potentially Inappropriate Medications in Chronic Polypharmacy. *Journal of Clinical Medicine*, 9(11), 3728. <https://doi.org/10.3390/jcm9113728>
- Guthrie B. (2020). Can NSAIDs Be Used Safely for Analgesia in Patients with CKD?: *CON. Kidney360*, 1(11):1189-1191. doi: 10.34067/KID.0005112020

- Hamidah, F.K., Rahmadi, M., Meutia, F., Kriswidyatomo, P., Rahman, F. S., Izzah, Z., Zulkarnain, B. S., Aminde, L. N., Alderman, C. P., Yulistiani, Y., & Suprapti, B. (2022). Prevalence and factors associated with potentially inappropriate medication and medication complexity for older adults in the emergency department of a secondary teaching hospital in Indonesia. *Pharmacy Practice*, 20(4), 01–11. <https://doi.org/10.18549/PharmPract.2022.4.2735>
- Handayani, U., Alifiar, I., & Idacahyati, K. (2018). Potentially inappropriate medication among geriatric inpatients. *Jurnal Ilmiah Farmasi*, 15(2), 87–93.
- Hanlon J.T., Semla T.P., Schmader K.E. (2015). Alternative medications for medications in the use of high-risk medications in the elderly and potentially harmful drug-disease interactions in the elderly quality measures. *J Am Geriatr Soc*;63:e8-18.
- How, P. C., & Xiong, G. (2019). Pharmacological Overview in Geriatrics: Pharmacodynamics, Pharmacokinetics, Laboratory Monitoring. Dalam *Inpatient Geriatric Psychiatry* (hlm. 47–61). Springer International Publishing. https://doi.org/10.1007/978-3-030-10401-6_3
- Isola S., Hussain A., Dua A. *metoclopramide*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK519517/>
- Jayanthi, R. C., Renuka, M., & Panchaksharimath, P. (2017). An Observational Study to Analyze the Adverse Drug Reactions Among the Elderly at a Tertiary Care Hospital. *Biomedical and Pharmacology Journal*, 10(1), 345–352. <https://doi.org/10.13005/bpj/1115>
- Karminingtyas, S.R., Oktianti, D., Furdianti, N.H., Sandriana, M., Kusuma, A.M. (2020). Evaluation of The Use Of Anti-Non Steroid Inflammation Drugs on Geriatri, *Media Farmasi Indonesia*, Vol. 15 No. 1, pp 1558-1570 <https://doi.org/10.53359/mfi.v15i1.138>
- Kent, A. P., Brueckmann, M., Fraessdorf, M., Connolly, S. J., Yusuf, S., Eikelboom, J. W., Oldgren, J., Reilly, P. A., Wallentin, L., & Ezekowitz, M. D. (2018). Concomitant Oral Anticoagulant and Nonsteroidal Anti-Inflammatory Drug Therapy in Patients With Atrial Fibrillation. *Journal of the American College of Cardiology*, 72(3), 255–267. <https://doi.org/10.1016/j.jacc.2018.04.063>
- Khan K.M., Patel J.B., Schaefer T.J. (2023). *nifedipine*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK537052/>
- Kiranmai, E., Tejaswini, P., Srividya, C., Priyusha, A.S., Manohar, D., dan Kishore, P.K. (2021). A Case Report on Prednisolone Induced Facial Puffiness and Weight Gain. *International Journal of Research and Review*, Vol.8; Issue: 2; pp. 218-221. <https://doi.org/10.52403/ijrr.20210232>

- Kobza A.O., Herman D., Papaioannou A., Lau A.N., Adachi J.D. (2021). Understanding and Managing Corticosteroid-Induced Osteoporosis. *Open Access Rheumatol*;13:177-190. doi: 10.2147/OARRR.S282606.
- Koller, G., Cusnir, I., Hall, J., & Ye, C. (2019). Reversible alopecia areata: a little known side effect of leflunomide. *Clinical rheumatology*, 38(7), 2015–2016. <https://doi.org/10.1007/s10067-019-04577-3>
- Kusumawardani, D., & Andanawarih, P. (2018). Peran Posyandu Lansia terhadap Kesehatan Lansia di Perumahan Bina Griya Indah Kota Pekalongan. Dalam *Jurnal SIKLUS* (Vol. 7).
- Lenander, C., Bondesson, Å., Viberg, N., Beckman, A., & Midlöv, P. (2018). Effects of medication reviews on use of potentially inappropriate medications in elderly patients; a cross-sectional study in Swedish primary care. *BMC Health Services Research*, 18(1), 616. <https://doi.org/10.1186/s12913-018-3425-y>
- Lennox R, Mangin D. (2019). gabapentin misuse. *CMAJ*, 191(2):E47. doi: 10.1503/cmaj.180599.
- Liamis G., Filippatos T.D., Elisaf M.S. (2016). Thiazide-associated hyponatremia in the elderly: what the clinician needs to know. *J Geriatr Cardiol*, 13(2): 175-82. doi: 10.11909/j.issn.1671-5411.2016.02.001.
- Lim, Y.-J., Kim, H.-Y., Choi, J., Lee, J. S., Ahn, A.-L., Oh, E.-J., Cho, D.-Y., & Kweon, H.-J. (2016). Potentially Inappropriate Medications by Beers Criteria in Older Outpatients: Prevalence and Risk Factors. *Korean Journal of Family Medicine*, 37(6), 329. <https://doi.org/10.4082/kjfm.2016.37.6.329>
- Magalhães, M., Santos, F., & Reis, A. (2019). Factors associated with the use of potentially inappropriate medication by elderly patients prescribed at hospital discharge. *Einstein (São Paulo)*, 18, 1-8. doi: https://doi.org/10.31744/einstein_journal/2020AO4877.
- Malavade P, Hiremath S. (2017). Proton Pump Inhibitors: More Indigestion than Relief?. *Indian J Nephrol*, 27(4): 249-257. doi: 10.4103/0971-4065.202824.
- Massoud L., Al Agha, H., & Taleb, M. (2017). Pharmacokinetic and Pharmacodynamic Changes in Elderly People. *World Journal of Pharmaceutical and Medical Research*, 3(11), 14 – 23.
- Mehta N., Martinez G.F., Kamen C., Shah S., Burry L.D., Soong C., Mehta S. (2020) Proton Pump Inhibitors in the Elderly Hospitalized Patient: Evaluating Appropriate Use and Deprescribing. *J Pharm Technol*, 36(2): 54 – 60. doi: 10.1177/8755122519894953.
- Merel, S.E., & Paauw, D.S. (2017). Common Drug Side Effects and Drug-Drug Interactions in Elderly Adults in Primary Care. *Journal of the American Geriatric Society*, 65(7), 1578 – 1585. <https://doi.org/10.1111/jgs.14870>
- Molina M.I., Pinochet P.C.M., Quezada M.J.I. (2015) Alopecia areata secondary to the use of leflunomide in patients with rheumatoid arthritis: a case report and

literature review. *Medwave* 15:e6350–e6350.
<https://doi.org/10.5867/medwave.2015.11.6350>

Monégat, M., Sermet In collaboration with Marc Perronnin, C., & Rococo, E. (2014). *Polypharmacy: definitions, measurement and stakes involved. Review of the literature and measurement tests*. <http://www.irdes.fr/english/issues-in-health-economics/204-polypharmacy->

Moore N., Pollack C., Butkerait P. (2015). Adverse drug reactions and drug-drug interactions with over-the-counter NSAIDs. *Ther Clin Risk Manag.*, 11: 1061-75. doi: 10.2147/TCRM.S79135.

Morgan K.A., Ahlawat R. (2022). *ranitidine*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK532989/>

Mortazavi, S. S., Shati, M., Keshtkar, A., Malakouti, S. K., Bazargan, M., & Assari, S. (2016). Defining polypharmacy in the elderly: a systematic review protocol. *BMJ Open*, 6(3), e010989. <https://doi.org/10.1136/bmjopen-2015-010989>

Murali M., Suppes S.L., Feldman K., Goldman J.L. (2021). Utilization of the Naranjo scale to evaluate adverse drug reactions at a free-standing children's hospital. *PLoS One*;16(1):e0245368. doi: 10.1371/journal.pone.0245368.

Nabilla, A.A., Utami, E.D., Mustikaningtyas, I. (2019). Pengobatan Berpotensi Tidak Tepat Berdasarkan Kriteria Beers 2015 Pada Pasien Geriatri di RSUD Prof. Dr. Margono Soekarjo. *Acta Pharm Indo*, vol. 7(1): 12 – 18. DOI: 10.5281/zenodo.3703103

Nurdianningrum, B. (2016). *Pengaruh Senam Lansia Terhadap Kualitas Tidur pada Lansia*, Laporan Hasil Penelitian, Karya Tulis Ilmiah, Fakultas Kedokteran, Universitas Diponegoro, Semarang.

Nurhasnah, Viviandhari, D., Sakinah, R.N., Wulandari, D. (2022), Identifikasi Potentially Inappropriate Medications menggunakan Kriteria Beers 2019 di Rumah Sakit Rujukan Sekunder di Jakarta. *JMPF* Vol. 12, No. 3, pp: 153 – 163.

Nurmainah, N., & Astuti, R. (2022). Detection of Potentially Inappropriate Medication in Elderly Outpatient Based on The Beer's Criteria 2019. *JURNAL FARMASI DAN ILMU KEFARMASIAN INDONESIA*, 9(1), 82–91. <https://doi.org/10.20473/jfiki.v9i12022.82-91>

Ocejo A., Correa R. (2022). *methylprednisolone*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK544340/>

Osanlou R., Walker L., Hughes D.A. (2022). Adverse drug reactions, multimorbidity and polypharmacy: a prospective analysis of 1 month of medical admissions. *BMJ Open*;12:e055551. doi: 10.1136/bmjopen-2021-055551

- Padda, I. S., & Goyal, A. (2023). *Leflunomide*. In StatPearls. StatPearls Publishing. <https://pubmed.ncbi.nlm.nih.gov/32491731/>
- Park, M.J., Kim, M.H., Shin, S.M. (2018). Effect of providing drug utilization review information on tricyclic antidepressant prescription in the elderly. *Journal of Med System* 42, 198. <https://doi.org/10.1007/s10916-018-1061-z>
- Patibandla S., Heaton J., Kyaw H. (2022). *spironolactone*. In: StatPearls. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK554421/>
- Pedowitz, E. J., Abrams, R. M. C., & Simpson, D. M. (2021). Management of Neuropathic Pain in the Geriatric Population. *Clinics in geriatric medicine*, 37(2), 361–376. <https://doi.org/10.1016/j.cger.2021.01.008>
- Pradhan, S., Panda, A., Mohanty, M., Behera, J., Ramani, R., & Pradhan, P. (2015). A study of the prevalence of potentially inappropriate medication in elderly in a tertiary care teaching hospital in the state of Odisha. *International Journal of Public Health*, 5(4), 344-348. doi: <https://doi.org/10.4103/2230-8598.165108>.
- Pezeshkian, S., & Conway, S. E. (2018). Proton Pump Inhibitor Use in Older Adults: Long-Term Risks and Steps for Deprescribing. *The Consultant pharmacist : the journal of the American Society of Consultant Pharmacists*, 33(9), 497–503. <https://doi.org/10.4140/TCP.n.2018.497>
- Polkinghorne, K. R., Wolfe, R., Jachno, K. M., Wetmore, J. B., Woods, R. L., McNeil, J. J., Nelson, M. R., Reid, C. M., Murray, A. M., & ASPREE Investigator Group (2019). Prevalence of chronic kidney disease in the elderly using the ASPirin in Reducing Events in the Elderly study cohort. *Nephrology (Carlton, Vic.)*, 24(12), 1248–1256. <https://doi.org/10.1111/nep.13565>
- Qiu, X, Tackett, E, Khitan, Z. A. (2019). Case of gabapentin Overdose Induced Rhabdomyolysis Requiring Renal Replacement Therapy. *Clin Case Rep*; 7: 1596– 1599. <https://doi.org/10.1002/ccr3.2302>
- Quintero GC. (2017). Review about gabapentin misuse, interactions, contraindications and side effects. *J Exp Pharmacol*9: 13 – 21. doi: 10.2147/JEP.S124391.
- Rahman S., Marwaha R. (2022). *haloperidol*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK560892/>
- Rahmawati, F., Mustafidah, N., & Annisa, L. (2019). Prevalensi Penggunaan Fall Risk Medicine pada Pasien Lanjut Usia di Instalasi Rawat Jalan Rumah Sakit Madiun. *Journal of Management and Pharmacy Practice*, 9, 135–142. doi: <https://doi.org/10.22146/jmpf.45206>.
- Ramamoorthy, A., Pacanowski, M., Bull, J., & Zhang, L. (2015). Racial/ethnic differences in drug disposition and response: Review of recently approved drugs. *Clinical Pharmacology & Therapeutics*, 97.

- Ramana, P., Susmitha, K., Danish E., Eshma Y. (2018). A Case Report on Prednisolone Induced Pedal Edema. *Indian Journal of Pharmacy Practice*, 11: 96-98. 10.5530/ijopp.11.2.20.
- Rameau, A., Andreadis, K., Bayoumi, A., Kaufman, M., & Belafsky, P. (2020). Side Effects of Proton Pump Inhibitors: What are Patients' Concerns? *Journal of Voice*. doi:10.1016/j.jvoice.2020.01.018
- Raouf M., Atkinson T.J., Crumb M.W., Fudin J. (2017). Rational dosing of gabapentin and pregabalin in chronic kidney disease. *J Pain Res*;10:275-278. doi: 10.2147/JPR.S130942.
- Rochon P.A., Vozoris N., Gill S.S. (2017). The harms of benzodiazepines for patients with dementia. *CMAJ*, 189(14):E517-E518. doi: 10.1503/cmaj.170193.
- Rumawas, M.E., Bochori, I. (2023). Prevalensi Multimorbiditas, Kebutuhan Perawatan dan Keterbatasan Aktivitas pada Lansia di Jakarta. *Ebers Papyrus*, Vol. 29, No. 1.
- Rumi A., Tahir, M.T., Ilham, M. (2023). Identifikasi Potentially Inappropriate Medication (PIM) Melalui Beers Criteria pada Pasien Geriatri Rawat Inap di Ruang Seroja dan Flamboyan RSUD Undata Provinsi Sulawesi Tengah. *Media Publikasi Promosi Kesehatan Indonesia (MPPKI)*, 6(1), 51-58. <https://doi.org/10.56338/mppki.v6i1.2531>
- Scharf, A.-C., Gronewold, J., Dahlmann, C., Schlitzer, J., Kribben, A., Gerken, G., Frohnhofer, H., Dodel, R., & Hermann, D. M. (2020). Clinical and functional patient characteristics predict medical needs in older patients at risk of functional decline. *BMC Geriatrics*, 20(1), 75. <https://doi.org/10.1186/s12877-020-1443-1>
- Schmickl C.N., Owens R.L., Orr J.E., Edwards B.A., Malhotra A. (2020). Side effects of acetazolamide: a systematic review and meta-analysis assessing overall risk and dose dependence. *BMJ Open Respir Res.*;7(1):e000557. doi: 10.1136/bmjresp-2020-000557.
- Scott, I. A., Hilmer, S. N., Reeve, E., Potter, K., Le Couteur, D., Rigby, D., Gnjjidic, D., Del Mar, C. B., Roughead, E. E., Page, A., Jansen, J., & Martin, J. H. (2015). Reducing inappropriate polypharmacy: the process of deprescribing. *JAMA internal medicine*, 175(5), 827–834. <https://doi.org/10.1001/jamainternmed.2015.0324>
- Sera, L., & Uritsky, T. (2016). Pharmacokinetic and pharmacodynamic changes in older adults and implications for palliative care. *Progress in Palliative Care*, 24(5), 255–261. <https://doi.org/10.1080/09699260.2016.1192319>
- Setiati, S. (2013). Geriatric Medicine, Sarkopenia, Frailty dan Kualitas Hidup Pasien Usia Lanjut: Tantangan Masa Depan Pendidikan, Penelitian dan Pelayanan Kedokteran di Indonesia. *eJournal Kedokteran Indonesia*, 1(3): 240-250. doi: <https://doi.org/10.23886/ejki.1.3008>.

- Sgarbieri, V. C., & Pacheco, M. T. B. (2017). Healthy human aging: intrinsic and environmental factors. *Brazilian Journal of Food Technology*, 20(0). <https://doi.org/10.1590/1981-6723.00717>
- Shabani D, Murtezani A, Tahirbegolli B, Juniku-Shkololli A, Ibraimi Z. (2020). Non-steroidal anti-inflammatory drugs and gastroprotection in primary health care users. *Med Pharm Rep.*, 93(3):246-252. doi: 10.15386/mpr-1533.
- Shahrokhi M., Gupta V. (2023). *Propranolol*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK557801/>
- Simon L.V., Hashmi M.F., Farrell M.W. (2023). *Hyperkalemia*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK470284/>
- Singh, S., & Sarkar, S. (2016). Benzodiazepine abuse among the elderly. *Journal of Geriatric Mental Health*, 3:123-130.
- Suga, T., Takenoshita, M., Watanabe, T., Tu, T. T., Mikuzuki, L., Hong, C., Miura, K., Yoshikawa, T., Nagamine, T., & Toyofuku, A. (2019). Therapeutic Dose of amitriptyline for Older Patients with Burning Mouth Syndrome. *Neuropsychiatric disease and treatment*, 15, 3599–3607. <https://doi.org/10.2147/NDT.S235669>
- Sun E.C., Dixit A., Humphreys K., Darnall B.D., Baker L.C., Mackey S. (2017). Association between concurrent use of prescription opioids and benzodiazepines and overdose: retrospective analysis. *BMJ*, 356:j760. doi:10.1136/bmj.j760
- Tawadrous, D., Dixon, S., Shariff, S. Z., Fleet, J., Gandhi, S., Jain, A. K., Weir, M. A., Gomes, T., & Garg, A. X. (2014). Altered mental status in older adults with histamine2-receptor antagonists: a population-based study. *European journal of internal medicine*, 25(8), 701–709. <https://doi.org/10.1016/j.ejim.2014.06.021>
- Thai T., Salisbury B.H., Zito P.M. (2023). *ciprofloxacin*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK535454/>
- Tianyi, FL., Agbor, V.N. & Njim, T. (2017). metoclopramide induced acute dystonic reaction: a case report. *BMC Res Notes* 10, 32. <https://doi.org/10.1186/s13104-016-2342-6>
- Tornero-Aguilera J.F., Jimenez-Morcillo J., Rubio-Zarapuz A., Clemente-Suárez V.J. (2022). Central and Peripheral Fatigue in Physical Exercise Explained: A Narrative Review. *Int J Environ Res Public Health*;19(7):3909. doi: 10.3390/ijerph19073909.
- Tremblay D., Schwartz M., Bakst R., Patel R., Schiano T., Kremyanskaya M., Hoffman R., Mascarenhas J. (2020). Modern management of splenomegaly in

- patients with myelofibrosis. *Ann Hematol*, 99(7):1441-1451. doi: 10.1007/s00277-020-04069-4.
- Türkbeyler, İ. H., Öztürk, Z. A., Göl, M., Abiyev, A., Kaya, B., Atakur, S., & Öz, M. (2019). What is Geriatrics? Geriatrics or Older Adults Health and Diseases? *European Journal of Geriatrics and Gerontology*, 1(2), 51–55. <https://doi.org/10.4274/ejgg.galenos.2019.92>
- United Nations. (2019). *World Population Ageing 2019*. New York: Department of Economic and Social Affairs, Population Division, United Nations.
- van Dalem J, Brouwers M C G J, Stehouwer C D A, Krings A, Leufkens H G M, Driessen J H M. (2016). Risk of hypoglycaemia in users of sulphonylureas compared with metformin in relation to renal function and sulphonylurea metabolite group: population based cohort study. *BMJ Journals*; 354 :i3625 doi:10.1136/bmj.i3625
- van Poelgeest, E.P., Handoko, M.L., Muller, M. (2023). Diuretics, SGLT2 inhibitors and falls in older heart failure patients: to prescribe or to deprescribe?. *A clinical review. Eur Geriatr Med* 14, 659–674. <https://doi.org/10.1007/s41999-023-00752-7>
- Viviandhari, D., Wulandari N., Rusdi, N.K., Rahmi, N., Hildayana, N., Faniroh, N.S.S. (2020). Assessing Potentially Inappropriate Medications in Hospitalized Geriatric Patients in 2 Hospital in Jakarta using STOPP START Criteria. *Journal of Management and Pharmacy Practice*, 10(1): 26 – 34.
- Wahyuni, K.S.P.D., Widyaningrum, E.A., Sari, E.A., Noerhaliza, D. (2023). Hubungan Jumlah Peresepan Obat Terhadap *Potentially Inappropriate Medications* Berdasarkan *Beers Criteria* 2019 Pasien Diabetes Mellitus. *Indonesian Journal of Pharmaceutical Education (e-Journal)*; 3 (2): 195 – 202. DOI: 10.37311/ijpe.v3i2.19752
- Wang, F., Xu, G., Rong, C., & Wu, X. (2021). Association between potentially inappropriate medication and adverse drug reactions in hospitalized elderly patients. *Journal of Clinical Pharmacy and Therapeutics*, 46(4), 1139–1147. doi:10.1111/jcpt.13413
- Whelton P.K., Carey R.M., Aronow W.S., Casey D.E., Collins K.J., Dennison H.C., DePalma S.M., Gidding S., Jamerson K.A., Jones D.W., MacLaughlin E.J., Muntner P., Ovbigele B., Smith S.C., Spencer C.C., Stafford R.S., Taler S.J., Thomas R.J., Williams K.A., Williamson J.D., Wright J.T. (2017). Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Hypertension*, 71(6):1269-1324.
- Widyaningrum E.A., Kumala, S.P., Astusti, L.W., Suhartatik, S., Rimawati, & Sari, E.K. (2021). Correlation Between the Number of Prescribed Drugs and Potentially Inappropriate Medications (PIMs) Based on Beers Criteria in Geriatric Hypertensions Outpatients at Dr. Soedomo Hospital in Trenggalek.

Galenika Journal of Pharmacy, 7(3): 238 – 250. Doi: <https://doi.org/10.22487/j2248744.2021.v7.i3.15662>

- Wulansari, A., Wiedyaningsih, C., Probosuseno. (2023). *Potentially Inappropriate Medication (PIM) pada Pasien Geriatri Rawat Inap di RSUD Dr. H. Moch. Ansari Saleh Banjarmasin. Majalah Farmaseutik*, Vol. 19 No. 1: 91-98. DOI: 10.22146/farmaseutik.v19i1.70420
- Xing, X. X., Zhu, C., Liang, H. Y., Wang, K., Chu, Y. Q., Zhao, L. B., Jiang, C., Wang, Y. Q., & Yan, S. Y. (2019). Associations Between Potentially Inappropriate Medications and Adverse Health Outcomes in the Elderly: A Systematic Review and Meta-analysis. *The Annals of pharmacotherapy*, 53(10), 1005–1019. <https://doi.org/10.1177/1060028019853069>
- Xiong G.L., Javaheri A., & Wiechers I.R. (2016). *Psychopharmacology principles*. Switzerland: Springer. p. 31–44.
- Yang C.T., Kor C.T., Hsieh Y.P. (2018). Long-Term Effects of spironolactone on Kidney Function and Hyperkalemia-Associated Hospitalization in Patients with Chronic Kidney Disease. *J Clin Med*;7(11):459. doi: 10.3390/jcm7110459.
- Yuliawati, Krisdiawati, Sutrisno, D. Yulion, R. (2020) Potentially Inappropriate Medication Use In Geriatric Patients Based On 2015 Beers Criteria. *SCIENTIA Jurnal Farmasi dan Kesehatan*, 10 (1). pp. 70-76.
- Zazzara, M. B., Palmer, K., Vetrano, D. L., Carfi, A., & Onder, G. (2021). Adverse drug reactions in older adults: a narrative review of the literature. *European Geriatric Medicine*, 12(3), 463–473. <https://doi.org/10.1007/s41999-021-00481-9>
- Zucker I., Prendergast B.J. (2020). Sex differences in pharmacokinetics predict adverse drug reactions in women. *Biol Sex Differ*;11(1):32. doi: 10.1186/s13293-020-00308-5
- Zulkarnaini, A., Martini, R.D. (2019). Gambaran Polifarmasi Pasien Geriatri Dibeberapa Poliklinik RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, Vol. 8(1), pp. 1 – 6.