

DAFTAR PUSTAKA

- Andriyanti, W., dkk. (2017), *Deposisi lapisan tipis titanium nitrida pada stainless steel 316 menggunakan metode DC sputtering*, Prosiding PPI, pp. 155-160. ISSN 0216-3128.
- ASM Handbook (2000), *ASM handbook volume 8 mechanical testing and evaluation*, 8.
- ASM International (2000), *Alloy digest sourcebook: stainless steels*.
- Atanda, P., Fatudimu, A. and Oluwole, O. (2010), *Sensitisation study of normalized 316L stainless steel*, Journal of Minerals and Materials Characterization and Engineering, 09(01). Scientific Publishing, pp. 13-23. doi: 10.4236/jmmce.2010.91002.
- Azar, V., dkk. (2010), *The effect of shot peening on fatigue and corrosion behavior of 316L stainless steel in Ringer's solution*, Surface and Coatings Technology. Elsevier B.V., 204(21-22), pp. 3546-3551. doi: 10.1016/j.surfcoat.2010.04.015.
- Balashabadi, P., dkk. (2017), *The role of Cu content on the structural properties and hardness of TiN-Cu nanocomposite film*, Journal of Alloys and Compounds. Elsevier B.V., 728, pp. 863-871. doi: 10.1016/j.jallcom.2017.08.267.
- Bambang, S., dkk. (2011), *Analisis sifat mekanik lapisan tipis nitrida titanium pada camshaft hasil teknik plasma sputtering*, Prosiding PPI, pp. 110-114. ISSN 0216-3128.
- Baviera, G., dkk. (2014), *Microbiota in healthy skin and in atopic eczema*, BioMed Research International, Hindiawi., 2014, pp. 1-6. doi: 10.1155/2014/436921.
- Cowan, M., dkk. (1999), *Plant Products as Antimicrobial Agents*, Antimicrobial Plant Chemicals, 12(4), pp. 564-582. doi: 10.1590/s0006-87052004000200004.
- Creus, J., dkk. (2000), *Porosity evaluation of protective coatings onto steel, through electrochemical techniques*, Surface and Coatings Technology, 130(2-3), pp. 224-232. doi: 10.1016/S0257-8972(99)00659-3.
- Deonisia, A., (2022) *Titanium untuk implan tulang belakang*, www.kompas.id. Available at: <https://www.kompas.id/baca/ilmu-pengetahuan-teknologi/2022/06/05/titanium-untuk-implan-tulang-belakang> (Accessed: 6 June 2023).
- Donkov, N., dkk. (2020), *Effect of copper and silver doping on the antibacterial properties of magnetron-sputtered aluminium oxide coatings*, Journal of Physics: Conference Series, 1492(1-5). doi: 10.1088/1742-6596/1492/1/012039.
- Dziedzic, A., dkk. (2020), *Structure and antibacterial properties of Ag and N doped titanium dioxide coatings containing Ti_{2.85}O₄N phase, prepared by magnetron sputtering and annealing*, Surface and Coatings Technology. Elsevier, 393(March), p.125844. doi: 10.1016/j.surfcoat.2020.125844.

- Epp, J., dkk. (2016), *X-Ray Diffraction (XRD) Techniques for materials characterization*, Materials Characterization Using Nondestructive Evaluation (NDE) Methods. Elsevier Ltd. pp. 81-124, doi: 10.1016/B978-0-08-100040-3.00004-3.
- Ewald, A., dkk. (2012), *The effect of Cu(II)-loaded brushite scaffolds on growth and activity of osteoblastic cells*, Journal of Biomedical Materials Research - Part A, 100 A(9), pp. 2392–2400. doi: 10.1002/jbm.a.34184.
- Fan, Y., dkk. (2022), *Evaluation of the Crystal Structure and Mechanical Properties of Cu Doped TiN Films*, Coatings, 12(5), p. 652. doi: 10.3390/coatings12050652.
- Fatkahul, M., (2020), *BPPT Komersialisasi Implan Tulang Traumatik Stainless Steel 316L*, *ekonomi.bisnis.com*. Available at: <https://ekonomi.bisnis.com/read/20201101/257/1312172/bppt-komersialisasi-implan-tulang-traumatik-stainless-steel-316l> (Accessed: 6 June 2023).
- Grainger (1999), *Engineering Coatings—Design and Application*, 2nd ed', Engineering Coatings, pp. 194–225. doi: 10.1533/9781845698577.194.
- Heidenau, F., dkk. (2005), *A novel antibacterial titania coating: Metal ion toxicity and in vitro surface colonization*, Journal of Materials Science: Materials in Medicine, 16(10), pp. 883–888. doi: 10.1007/s10856-005-4422-3.
- Heinke, W., dkk. (1995), *Evaluation of PVD nitride coatings, using impact, scratch and Rockwell-C adhesion tests*, Thin Solid Films, 270(1–2), pp. 431–438. doi: 10.1016/0040-6090(95)06934-8.
- van Hengel, I. A. J., dkk. (2021), *Antibacterial titanium implants biofunctionalized by plasma electrolytic oxidation with silver, zinc, and copper: A systematic review*, International Journal of Molecular Sciences, 22(1). pp. 1-7. doi: 10.3390/ijms22073800.
- Van Hove, R. P., dkk. (2015), *Titanium-Nitride Coating of Orthopaedic Implants: A Review of the Literature*, BioMed Research International. Hindawi Publishing Corporation, 2015(November). pp. 1-9. doi: 10.1155/2015/485975.
- Hsieh, J.H., dkk (2015), *Antibacteria and anti-wear TaN-(Ag,Cu) nanocomposite thin films deposited on polyether ether ketone*. Thin Solid Film. Elsevier, pp. 0040-6090 doi: 0.1016/j.tsf.2015.02.063.
- Hsieh, J.H., dkk, (2012), *Antibacterial and tribological properties of TaN–Cu, TaN–Ag, and TaN–(Ag,Cu) nanocomposite thin films*. Materials Research Bulletin. Elsevier, pp. 2999–3003. doi: <https://doi.org/10.1016/j.materresbull.2012.04.101>.
- Hsieh, J.H., dkk (2013), *Mechanical properties and antibacterial behaviors of TaN–(Ag,Cu) nanocomposite thin films after annealing*. Surface Coating & Technology, Elsevier, pp. S116–S119. doi: <https://doi.org/10.1016/j.surfcoat.2012.07.022>.
- Jokanović, V., dkk. (2022), *Detailed physico-chemical characterization of the multilayered thin films based on titanium oxynitride and copper doped titanium nitride obtained by different PVD techniques*, Vacuum, 195(November 2021). pp.1-10. doi: 10.1016/j.vacuum.2021.110708.

- Kamachi Mudali, U., dkk. (2003), *Corrosion of bio implants*, Sadhana - Academy Proceedings in Engineering Sciences, 28(3–4), pp. 601–637. doi: 10.1007/BF02706450.
- Kelly, P. J., dkk. (2010), *Comparison of the tribological and antimicrobial properties of CrN/Ag, ZrN/Ag, TiN/Ag, and TiN/Cu nanocomposite coatings*, Surface and Coatings Technology, 205(5), pp. 1606–1610. doi: 10.1016/j.surfcoat.2010.07.029.
- Kim, W., dkk. (2010), *Properties and rapid consolidation of binderless titanium nitride by pulsed current activated sintering*, Journal of Ceramic Processing Research, 11(5), pp. 627–630. doi:10.3365/eml.2009.09.119.
- Kondi Maliwemu, E. U., dkk (2018), *Effect of shot peening in different shot distance and shot angle on surface morphology, surface roughness and surface hardness of 316L biomaterial*, IOP Conference Series: Materials Science and Engineering, 299(1), pp. 0–6. doi: 10.1088/1757-899X/299/1/012051.
- Lackner, J. M., dkk. (2007), *Adhesion improvement of PVD coatings by plasma treatment with linear anode layer ion sources*, Materials. Joanneum Research. pp. 1-5. ISSN 0737-5921.
- Li, J., dkk. (2016), *Tribological properties characterization of Ti/Cu/N Thin films prepared by DC magnetron sputtering on titanium alloy*, Surface and Coatings Technology. Elsevier B.V., 294, pp. 30–35. doi: 10.1016/j.surfcoat.2016.03.043.
- Li, P., dkk. (2013), *Effect of heating rate on ferrite recrystallization and austenite formation of cold-roll dual phase steel*, Journal of Alloys and Compounds. Elsevier B.V., 578, pp. 320–327. doi: 10.1016/j.jallcom.2013.05.226.
- Liu, J., dkk. (2014), *Effect of Cu content on the antibacterial activity of titanium-copper sintered alloys*, Materials Science and Engineering C. Elsevier B.V., 35(1), pp. 392–400. doi: 10.1016/j.msec.2013.11.028.
- Ludwig, R. (1998), *Scanning electron microscopy physics of image formation and microanalysis*. Second. Edited by A. L. Schawlow. Springer.
- Luo, X. Y., dkk. (2021), *In vitro analysis of cell compatibility of TiCuN films with different Cu contents*, Surface and Coatings Technology, 408(December 2020). pp. 1-7. doi: 10.1016/j.surfcoat.2020.126790.
- Malachowa, N., dkk. (2010), *Mobile genetic elements of staphylococcus aureus*, Cellular and Molecular Life Sciences, 67(18), pp. 3057–3071. doi: 10.1007/s00018-010-0389-4.
- Maudisha (2023), *Doktor FTUi kembangkan biomaterial untuk bone plate implan tulang*, www.ui.ac.id, (Accessed: 6 June 2023).
- Wildemann, B., dkk. (2021), *Infections @ trauma / orthopedic implants : recent advances on*, Materials, 14(19), pp. 1–11. doi: <https://doi.org/10.3390/ma14195834>.
- Mitra, D., dkk. (2020), *Antimicrobial copper-based materials and coatings: potential multifaceted biomedical applications*, ACS Applied Materials and Interfaces, 12(19), pp. 21159–21182. doi: 10.1021/acsami.9b17815.

- Morsiya, C., dkk. (2020), *A review on parameters affecting properties of biomaterial SS 316L*. Taylor and Francis, Australian Journal Of Mechanical Engineering, pp. 2204–2253. doi: <https://doi.org/10.1080/14484846.2020.1752975>.
- Nemati, A., dkk. (2018), *Magnetron-sputtered Ti_xNy thin films applied on titanium-based alloys for biomedical applications: Composition-microstructure-property relationships*, Surface and Coatings Technology, 349(April), pp. 251–259. doi: 10.1016/j.surfcoat.2018.05.068.
- Ng, H. P., dkk. (2015), *Conjugated precipitation of twin-related α and Ti₂Cu phases in a Ti-25V-3Cu alloy*, Acta Materialia, pp. 457–471. doi: 10.1016/j.actamat.2014.10.053.
- Peng, C., dkk. (2019), *Antibacterial TiCu/TiCuN multilayer films with good corrosion resistance deposited by axial magnetic field-enhanced arc ion plating*, ACS Applied Materials and Interfaces, 11(1), pp. 125–136. doi: 10.1021/acsami.8b14038.
- Powers, J. P. S. and Hancock, R. E. W. (2003), *The relationship between peptide structure and antibacterial activity*, Peptides, 24(11), pp. 1681–1691. doi: 10.1016/j.peptides.2003.08.023.
- Priyambodo, B. H., dkk. (2017), *The influence of TiN-sputtering on hardness and corrosion rate of AISI 304 for biomaterials application*, Journal of Corrosion Science and Engineering, 20(November), pp. 1–8. ISSN 1466-8858.
- Stuart, R.V. (1983), *Vacuum Technology, Thin Films, and Sputtering, Chapter IV*, pp. 91–135. doi: 10.1016/B978-0-12-674780-5.50007-X.
- Rahmati, A. (2011), *Reactive DC magnetron sputter deposited Ti-Cu-N nano-composite thin films at nitrogen ambient*, Vacuum, Elsevier, pp. 853–860. doi: 10.1016/j.vacuum.2010.12.010.
- Rahmati, A. and Ahmadi, K. (2012), *Effect of sputtering power on structural, morphological, chemical, optical and electrical properties of Ti:Cu₃N nano-crystalline thin films*, EPJ Applied Physics, 60(3). doi: 10.1051/epjap/2012120247.
- Rana, S. and Jonnalagadda, S. B. (2017), *A facile synthesis of Cu-Ni bimetallic nanoparticle supported organo functionalized graphene oxide as a catalyst for selective hydrogenation of p-nitrophenol and cinnamaldehyde*, RSC Advances. Royal Society of Chemistry, 7(5), pp. 2869–2879. doi: 10.1039/C6RA26443C.
- Sayono, S. and Sujitno, T. (2007), *Deposisi lapisan tipis Zn:Al pada substrat alumina untuk bahan sensor gas*, Ganendra Majalah IPTEK Nuklir, 10(2), pp. 39–46. doi: 10.17146/gnd.2007.10.2.165.
- Setiabudi, A. R. H. A. M. (2012), *Karakterisasi material: prinsip dan aplikasinya dalam penelitian kimia*, UPI Press (Accessed: 6 June 2023).
- Smentkowski, V. S. (2000), *Trends in sputtering*, Progress in Surface Science, 64(1), pp. 1–58. doi: 10.1016/S0079-6816(99)00021-0.
- Stueber, M., dkk. (2009), *Concepts for the design of advanced nanoscale PVD multilayer protective thin films*, Journal of Alloys and Compounds, 483(1–2), pp. 321–333. doi: 10.1016/j.jallcom.2008.08.133.

- Tan, Z., dkk. (2019), *The antimicrobial effects and mechanism of ϵ -poly-lysine against Staphylococcus aureus*, Bioresources and Bioprocessing, Springer Singapore, 6(1). doi: 10.1186/s40643-019-0246-8.
- Titus, D., dkk. (2019), *Nanoparticle characterization techniques, Green Synthesis, Characterization and Applications of Nanoparticles*. Elsevier Inc. doi: 10.1016/b978-0-08-102579-6.00012-5.
- Vidakis, N., dkk. (2003), *The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds*, 144, pp. 481–485. doi: 10.1016/S0924-0136(03)00300-5.
- Wang, H., dkk. (2013), *Structural, tribological and antibacterial activities of Ti-Cu-N hard coatings prepared by plasma surface alloying technique*, Surface and Coatings Technology. Elsevier B.V., 235, pp. 235–240. doi: 10.1016/j.surfcoat.2013.07.038.
- Wang, J., dkk. (2020), *Study of TiCu/TiCuN multilayer films with antibacterial activity*, Materials Technology. Taylor & Francis, 35(8), pp. 475–482. doi: 10.1080/10667857.2019.1699269.
- Wang, L., dkk. (2010), *Corrosion and tribological properties and impact fatigue behaviors of TiN- and DLC-coated stainless steels in a simulated body fluid environment*, Surface and Coatings Technology, 205(5), pp. 1599–1605. doi: 10.1016/j.surfcoat.2010.07.111.
- Wang, X. Q., dkk. (2011), *Deposition, structure and hardness of Ti-Cu-N hard films prepared by pulse biased arc ion plating*, Vacuum, 86(4), pp. 415–421. doi: 10.1016/j.vacuum.2011.08.015.
- Wasa, K. (2012), *Sputtering Phenomena*. Second Edi, Handbook of Sputter Deposition Technology: Fundamentals and Applications for Functional Thin Films, Nano-Materials and MEMS: Second Edition. Second Edi. Elsevier Inc. doi: 10.1016/B978-1-4377-3483-6.00002-4.
- Wu, H., dkk. (2014), *Wear and corrosion resistance of anti-bacterial Ti-Cu-N coatings on titanium implants*, Applied Surface Science. Elsevier B.V., 317, pp. 614–621. doi: 10.1016/j.apsusc.2014.08.163.
- Xi, T., dkk. (2016), *Copper precipitation behavior and mechanical properties of Cu-bearing 316L austenitic stainless steel: A comprehensive cross-correlation study*, Materials Science and Engineering A. Elsevier, 675, pp. 243–252. doi: 10.1016/j.msea.2016.08.058.
- Xin, C., dkk. (2022), *Biological corrosion behaviour and antibacterial properties of Ti-Cu alloy with different Ti₂Cu morphologies for dental applications*, Materials and Design. The Author(s), 215, p. 110540. doi: 10.1016/j.matdes.2022.110540.
- Zhang, E., dkk. (2021), *Antibacterial metals and alloys for potential biomedical implants*, Bioactive Materials. KeAi Communications Co., Ltd, 6(8), pp. 2569–2612. doi: 10.1016/j.bioactmat.2021.01.030.
- Zhang, X., dkk. (2012), *Bactericidal behavior of Cu-containing stainless steel surfaces*, Applied Surface Science. Elsevier B.V., 258(24), pp. 10058–10063. doi: 10.1016/j.apsusc.2012.06.074.



- Zhao, J., dkk. (2019), *Antibacterial durability and biocompatibility of antibacterial-passivated 316L stainless steel in simulated physiological environment*, Materials Science and Engineering C. Elsevier, 100(March), pp. 396–410. doi: 10.1016/j.msec.2019.03.021.
- Zhuang, Y., dkk. (2020), *Antibacterial activity of copper-bearing 316L stainless steel for the prevention of implan-related infection*, Journal of Biomedical Materials Research - Part B Applied Biomaterials, 108(2), pp. 484–495. doi: 10.1002/jbm.b.34405.