

DAFTAR PUSTAKA

- Abidin, C. M. R. Z., A. H. Ahmad, H. Salim, & N. H. Hamid. 2014. Population dynamics of *Oryctes rhinoceros* in decomposing oil palm trunks in areas practising zero burning and partial burning. *Journal of oil palm research*, 26(2): 140-145.
- Adiprasetyo, T., I. Irnad., & N. Nusril. 2019. Perceived environment-economic benefits and factors influencing the adoption of indonesian sustainable palm oil production system by smallholder farmers. In *IOP Conference Series: Earth and Environmental Science* (Vol. 347, No. 1, p. 012098). IOP Publishing.
- Badan Pengelola Dana Perkebunan Kelapa Sawit (BPDPKS). 2022. Annual report: development of palm oil plantation human resources as an effort toward sustainable indonesian palm oil. Jakarta: Oil Palm Plantation Fund Management Agency.
- Bedford, G. O. 1976. Observations on the biology and ecology of *Oryctes rhinoceros* and *Scapanes australis* (Coleoptera: Scarabaeidae: Dynastinae): pests of coconut palms in Melanesia. *Australian Journal of Entomology*, 15(3): 241-251.
- Bedford, G. O. 1980. Biology, ecology, and control of palm rhinoceros beetles. *Annual Review of Entomology*, 25: 309-339
- Bedford, G. O. 2022. *Oryctes rhinoceros* (coconut rhinoceros beetle), CABI Compendium. CABI International. <doi: 10.1079/cabicompendium.37974>. Diakses pada 09 Desember 2022.
- Blair, G. J., L. Chapman , A. M. Withbread, B. B. Coelho, P. Larsen & H. Tissen. 1998. Soil carbon change resulting from sugarcane trash management at two location in Queensland, Australia and in North-East Brazil. *Soil Res. Aust. J.*, 38: 87-88.
- Bot, A., & J. Benites. 2005. The importance of soil organic matter. Key to drought-resistant soil and sustained food and production. *FAO Soils Buletin* 80. Rome:Food and Agriculture Organization of the United Nations.
- BPS (Badan Pusat Statistik). 2020. *Indonesia oil palm statistic* 2020. Jakarta: BPS-Statistics Indonesia
- Brandhorst-Hubbard, J. L., K. L. Flanders & A. G. Appel. 2001. Oviposition site and food preference of the green june beetle (Coleoptera:Scarabidae). *Journal of Economic Entomology*, 94: 628-633
- CABI. 2015. *Oryctes rhinoceros* (coconut rhinoceros beetle). <<https://www.cabidigitallibrary.org/doi/10.1079/cabicompendium.37974>>. Diakses pada 1 Juli 2023.
- Cherry, R. H., F. J. Coale, & P. S. Porter. 1990. Oviposition and survivorship of sugarcane grubs (Coleoptera: Scarabidae) at different soil moistures. *Journal of Economic Entomology*, 83:1355-1359
- Chung, G F; S. S. Cheah & R. Balasubranium. 1999. Effects of pest damage during immature phase on the early yields of oil palm. A paper for 1999 PIPOC International Palm Oil Congress.

- Das, S., S. T. Jeong, S. Das, & P. J. Kim. 2017. Composted cattle manure increases microbial activity and soil fertility more than composted swine manure in a submerged rice paddy. *Frontiers in microbiology*, 8: 1702.
- Fidiadi, M., Wardati, & S. Desita. 2019. Pengaruh Kotoran Larva Kumbang Tanduk (*Oryctes rhinoceros*) terhadap Kepadatan dan Keragaman Makrofauna Tanah di Piringan Tanaman Kelapa Sawit (*Elaeis guineensis* Jacq). *JOM FAPERTA*, 6:1-10.
- GAPKI (Gabungan Pengusaha Kelapa Sawit). 2017. Sejarah Kelapa Sawit. <<https://gapki.id/news/2017/11/28/video-sejarah-kelapa-sawit-indonesia/>>. Daikses pada 1 Juli 2023.
- Giblin-Davis, R. M. 2001. Borers of palms. In F. W. Howard, D. Moore, R. M. Giblin-Davis & R. G. Abad [eds.] *Insects on palms*. CABI Publishing.
- Gupta, K. K., K. R. Aneja, & D. Rana. 2016. Current status of cow dung as a bioresource for sustainable development. *Bioresources and Bioprocessing*, 3: 1-11.
- Idham, N. Sudiarso, Y. Aini, Nuraini. 2016. Isolation and identification on microorganism decomposers of Palu local cow manure of Central Sulawesi, Indonesia. *Journal of Degraded and Mining Lands Management*, 3(4): 625-629.
- Integrated Taxonomic Information System (ITIS). 2022. *Elaeis guineensis* Jacq. <www.itis.gov, CC0. <<https://doi.org/10.5066/F7KH0KBK>>. Diambil pada 9 Desember 2022.
- Jiang, Y., Y. Yao, H. Liu, S. Zhang, X. Bai, X. Ma ... & Q. Ren. 2023. Volatile organic compounds conversion pathways and odor gas emission characteristics in chicken manure composting process. *Frontiers in Ecology and Evolution*, 11: 1192132.
- Josephraj Kumar, A., C. Mohan, P. S. Prathibha, T. Nalinakumari, & C. P. R. Nair. 2018. Pest dynamics and suppression strategies. In *The Coconut Palm (Cocos nucifera L.)*. *Research and Development Perspectives* 557-634.
- Kalshoven, L.G.E. 1981. *The Pest of Crop in Indonesia*. P. A. Van Der Laan. Jakarta: PT. Ihtiar Baru Van Hoeve.
- Kee, K. K. 2004. Nutrient reserves and recycling from oil palm trunks at replanting. *Changes*, 32(5.4): 27-28.
- Kementerian Perdagangan. 2022. Perkembangan Ekspor Non Migas (Komoditi). <<https://satudata.kemendag.go.id/data-informasi/perdagangan-luar-negeri/ekspor-non-migas-komoditi>>. Diakses pada 1 Juli 2023.
- Khalil, A. I., M. S. Hassouna., M. M. Shaheen., & M. A. Abou Bakr. 2013. Evaluation of the composting process through the changes in physical, chemical, microbial and enzymatic parameters. *Asian J. of Microbiology, Biotechnol. Environ. Sci*, 15(1): 25-42.
- Manley, M. E. 2017. Oviposition Behavior of the Female Coconut Rhinoceros Beetle, *Oryctes rhinoceros* (Coleoptera: Scarabaeidae). Doctoral dissertation. University of Hawai'i at Mānoa.

- Manley, M., M. J. Melzer, & H. Spafford. 2018. Oviposition preferences and behavior of wild-caught and laboratory-reared coconut rhinoceros beetle, *Oryctes rhinoceros* (Coleoptera: Scarabaeidae), in relation to substrate particle size. *Insects*, 9(4): 141.
- Manurung, L. P., S. Hutabarat, & S. Kaswarina. 2015. Analisis model peremajaan perkebunan kelapa sawit pola plasma di desa meranti Kecamatan Pangkalan Kuras Kabupaten Pelalawan Provinsi Riau. *Sorot*, 10(1): 99-113.
- Mardhika, L. D. & Sudradjat. 2015. Respons Pertumbuhan Tanaman Kelapa Sawit (*Elaeis guineensis*) Belum Menghasilkan Umur Dua Tahun terhadap Pemupukan Kalsium. *Buletin Agrohorti*, 3(1): 110-118.
- Missbach, C., H. K. Dweck, H. Vogel, A. Vilcinskas, M. C. Stensmyr, B. S. Hansson & E. Grosse-Wilde. 2014. Evolution of insect olfactory receptors. *eLife*, 3:1-22.
- Molet, T. 2013. CPHST Pest Datasheet for *Oryctes rhinoceros*. USDA-APHIS-PPQ-CPHST.
- Mursal, S., Wardati & Ardian. 2019. Pengaruh Kotoran Larva Kumbang Tanduk (*Oryctes rhinoceros*) terhadap Pertumbuhan Kelapa Sawit (*Elaeis guineensis* Jacq) Pada TBM-I. *JOM FAPERTA*, 6:1-13.
- Nurkhoiry, R., M. A. Agustira, T. Wahyono, D. Moechtar, A. Kurniawan, I. Y. Harahap, A. D. Koedadri. 2006. Pedoman Norma Kerja Perkebunan Kelapa Sawit pada Lahan Mineral. Medan: Pusat Penelitian Kelapa Sawit.
- Pahan, I. 2013. Panduan Lengkap Kelapa Sawit. Jakarta: Penebar Swadaya.
- Pahan, I. 2015. Panduan teknis budidaya kelapa sawit untuk praktisi perkebunan. Jakarta Timur: Penebar Swadaya.
- PASPI (Palm Oil Agribusiness Strategic Policy Institute). 2023. Sejarah Kelapa Sawit dan Minyak Kelapa Sawit 2023. <palmoilina.asia/sawit-hub/sejarah-kelapa-sawit/#1-sejarah-kelapa-sawit-penanaman-kelapa-sawit-pertama>. Diakses pada 1 Juli 2023.
- PASPI-Monitor. 2023. Palm Oil Contribution As The Main Source Of Foreign Exchange in Indonesia's Trade Surplus 2022. *Analysis of Palm Oil Strategic Issues*, 4:754-760
- Potter, D. A., Andrew J. P., G. S. Patricia, & W. W. David. 1996. Cultural practices affect root-feeding white grubs (Coleoptera: Scarabaeidae) in turfgrass. *Journal of Economic Entomology*, 89(1): 156-164.
- Pulingam, T., M. Lakshmanan, J. A. Chuah, A. Surendran, I. Zainab-L, P. Foroozandeh, ... & K. Sudesh. 2022. Oil palm trunk waste: Environmental impacts and management strategies. *Industrial Crops and Products*, 189, 115827.
- Ritchie, H & Max R. 2021. "Forests and Deforestation". <<https://ourworldindata.org/forests-and-deforestation>>. Diakses pada 1 Juli 2023.

- RSPO (Roundtable on Sustainable Palm Oil). 2018. Principles and Criteria For the Production of Sustainable Palm Oil 2018. RSPO 15th General Assembly (GA15): Sabah, Malaysia.
- Schmidt, H.R. & Richard B. 2020 Molecular mechanisms of olfactory detection in insects: beyond receptors. *Open Biol.*, 10: 200252.
- Siswoko, E., Mulyadi A., Thamrin T., & Bahrudin B. 2017. Pendugaan kandungan karbon limbah batang pohon kelapa sawit peremajaan kebun di Provinsi Riau. *Jurnal Ilmu Lingkungan*, 11(2): 154-163.
- Sørensen, P., M. R. Weisbjerg, & P. Lund. 2003. Dietary effects on the composition and plant utilization of nitrogen in dairy cattle manure. *The Journal of Agricultural Science*, 141(1): 79-91.
- Sowig, P. 1995. Habitat selection and offspring survival rate in three paracoprid dung beetles: the influence of soil type and soil moisture. *Ecography*, 18:147-154
- Speight, J. G. 2016. Environmental organic chemistry for engineers. Oxford: Butterworth-Heinemann.
- Sun, R., J.M.Fang, L. Mott & J. Bolton. 1999. Fractional Isolation and Characterization of Polysaccharides from Oil Palm Trunk and Empty Fruit Bunch Fibres. *Holzforchung*, 53(3): 253-260.
- Szendrei, Z. & Isaacs. 2005. Do plant cues influence the oviposition behavior of Japanese beetles?. *Entomologia Experimnetalis et Applicata*, 117:165-174.
- Tang, P. L., O. Hassan, M. Y. Maskat, & K. Badri. 2015. Production of monomeric aromatic compounds from oil palm empty fruit bunch fiber lignin by chemical and enzymatic methods. *BioMed research international*, 891539.
- USDA. 2022. Palm Oil 2022 World Production: 77,744 (1000 MT). <ipad.fas.usda.gov/cropexplorer/cropview/commodityView.aspx?startrow=1&cropid=4243000&sel_year=2022&rankby=Production>. Diakses 1 Juli 2023.
- Wibowo, W. H., & A. Junaedi. 2017. Peremajaan Kelapa Sawit (*Elaeis guineensis* Jacq.) di Seruyan Estate, Minamas Plantation Group, Seruyan, Kalimantan Tengah. *Buletin Agrohorti*, 5(1): 107-116.