



## DAFTAR PUSTAKA

- Abidin, N. A. Z., F. Kormin, N. A. F. M. Anuar, and M. F. A. Bakar. 2020. The potential of insects as alternative sources of chitin: an overview on the chemical method of extraction from various sources. International Journal of Molecular Sciences, 21 (4978) : 2-25.
- Abedi, E. and S. M. B. Hashemi. 2020. Lactic acid production – producing microorganisms and substrates sources-state of art. Heliyon, 9 (5) : 1-32.
- Abrams, D., J. Barbosa, H. Albano, J. Silva. P.A. Gibbs., and P. Teixeria. 2011. Characterization of bacPPK34 a bacteriocin produced by *Pediococcus pentosaceus* strain K34 isolated from “Alheira”. Food Control. 22: 940-946.
- Acin-Albiac, M., P. Filannino, K. Arora, A. D. Ros, M. Gobbetti, and R. D. Cagno. 2021. Role of lactic acid bacteria phospho- $\beta$ -glucosidases during the fermentation of cereal by-products. Foods, 10 (1) : 1-14.
- Arbia, W., L. Arbia, L. Adour, and A. Amrane. 2013. Chitin Extraction from crustacean shells using biological methods – a review. Food Technology Biotechnology, 51 (1) : 12–25.
- Ali, A. A. 2010. Benefical role of lactic acid bacteria in food preservation and human health : a review. Research Journal of Microbiology. 5:1213-1221.
- Arifan, F., S. Winarni, W. Wahyuningsih, I. Pudjihastuti, and RTD W. Broto. 2019. Total plate count (TPC) analysis of processed ginger on Tlogowungu Village. Proceedings of the International Conference on Maritime and Archipelago (Icoma 2018) : 377-379.
- Bakrie, R.Y. 2021. Pengolahan wadi ikan patin (*Pangasius hypophthalmus*) proses cepat dan tidak asin. Jurnal Ziraa'ah 46 (3) : 336-342.
- Bartholomew, J. W. and T. Mittwer. 1952. The Gram stain. Bacteriology Reviews, 16 (1) : 1-29.
- Bautista, J., M. Jover, J.F. Gutierrez, R. Corpas, O. Cremades, E. Fontiveros, F. Iglesias, and J. Vega. 2001. Preparation of crayfish chitin by in situ lactic acid production. Process Biochemistry, 37 (3) : 229-234.
- Bouligand, Y. 1972. Twisted fibrous arrangements in biological materials and cholesteric mesophases. Tissue and Cell, 4 (2) : 189-217.
- Cao, C., M. Feng, J. Sun, X. Xu, and G. Zhou. 2019. Screening of lactic acid bacteria with high protease activity from fermented sausages and antioxidant activity assessment of its fermented sausages. CyTA Journal of Food, 17 (1) : 347-354.



Cahyaningtyas, H. A. A., W. Suyotha, B. Cheirsilp, A. A. Prihanto, S. Yano, and M. Wayakama. 2022. Optimization of protease production by *Bacillus cereus* HMRSC30 for simultaneous extraction of chitin from shrimp shell with value-added recovered products. Environmental Science and Pollution Research, 29 : 22163-22178

Casadidio, C., D. V. Peregrina, M. R. Gigliobianco, S. Deng, R. Censi and P. D. Martino. 2019. Chitin and chitosans: characteristics, eco-friendly processes, and applications in cosmetic science. Marine Drugs, 17 (369) : 1-30.

Castro, R., I. Guerrero-Legarreta, and R. Bórquez. 2018. Chitin extraction from *Allopetsrolisthes punctatus* crab using lactic fermentation. Biotechnology Reports, 20 (2018) : 1-5.

Chahrour, W., and Y. Merzouk, E. Henni, H. Mohamed dan M. Kihal. 2013. Screening and identification of lactic acid bacteria isolated from sorghum silage processes in west Algeria, 12 : 1703-1709.

Chen, X., H. Yang, & N. Yan. 2016. Shell biorefinery: dream or reality?. Chemistry Europe Journal, 22 : 1-21.

Dakwa, S., E. Saiki, Dawson, C. Diako, N.T. Annan, and W. K. AmoaAwua. 2005. Effect of boiling and roasting on the fermentation of soybeans into dawadawa (soy-dawadawa). International Journal of Food Microbiology 104: 69-82.

Daud, A., Suriati, dan Nuzulyanti. 2020. Kajian penerapan faktor yang mempengaruhi akurasi penentuan kadar air metode thermogravimetri. Jurnal Online Politeknik Pertanian Negeri Pangkajene Kepulauan, 24 (2) : 11-16.

Dayakar B., K. A. M. Xavier, S. Ngasotter, P. Layana, A. K. Balange, B. Priyadarshini, B. B. Nayak. 2022. Characterization of spray-dried carotenoprotein powder from Pacific white shrimp (*Litopenaeus vannamei*) shells and head waste extracted using papain: antioxidant, spectroscopic, and microstructural properties. LWT-Food Science and Technology, 159 (2022) : 1-10.

Dechapinan S., K. Judprasong, N. On-nom, and N. Tangsuphoom. 2017. Calcium from Pacific white shrimp (*Litopenaeus vannamei*) shells: properties and function as fortificant in soy milk. Food and Applied Bioscience Journal, 5 (3) : 176-195

Duan, S., L. Li, Z. Zhuang, and W. Wu. 2012. Improved production of chitin from shrimp waste by fermentation with epiphytic lactic acid bacteria. Carbohydrate Polymers, 89 (4) : 1283-1288.

Eiteman, M., and S. Ramalingam. 2015. Microbial production of lactic acid. Biotechnology Letters, 37 (5) : 955-972.

Feng, M. and J. Sun. 2020. Pretreatment and Conversion of Shrimp/Crab Shells into High-Value Products with Ionic Liquids. Springer, Singapore.



Flores-Albino, B., L. Arias, J. Gómez, A. Castillo, M. Gimeno, and K. Shirai. 2012. Chitin and L(+)-lactic acid production from crab (*Callinectes bellicosus*) wastes by fermentation of *Lactobacillus* sp. B2 using sugar cane molasses as carbon source. *Bioprocess Biosystems Engineering*, 35 (7) : 1193-1200.

Fohcher, B., A. Naggi, G. Tarri, A. Cossami, and M. Terbojevich. 1992. Structural differences between chitin polymorphs and their precipitates from solution evidences form CP-MAS 13 C-NMR, FTIR and FTRaman spectroscopy. *Carbohydrate Polymer*, 17 (2) : 97-102.

Francisco, F. C., R. M. C. Simora, and S. N. Nuñal. Deproteination and demineralization of shrimp waste using lactic acid bacteria for the production of crude chitin and chitosan. *International Journal of the Bioflux Society*, 8 (1) : 107-115.

Geel-Schuttená, G.H.V., F. Flesch, B. ten Brink, M.R. Smith, M.R., and L. Dijkhuizen. Screening and characterization of *Lactobacillus* strains producing large amounts of exopolysaccharides. *Appl. Microbiol. Biotechnol.* 50 : 697–703.

Gilliland, S. E. 1990. Health and nutritional benefits from lactic acid bacteria. *FEMS Microbiology Letters*, 87 (1-2) : 175-188.

Gincy, M. M., R. K. Sukumaran, R. Sindhu, P. Binod, and A. Pandey. 2022. *Microbes for the Synthesis of Chitin from Shrimp Shell Wastes*. Springer, Singapore.

Goodrich, J.D. and W.T. Winter. 2007.  $\alpha$ -Chitin nanocrystals prepared from shrimp shells and their specific surface area measurement. *Biomacromolecules*, 8 (1) : 252–257.

Ghorbel-Belaaj, O., N. Hmidet, K. Jellouli, I. Younes, H. Maalej, R. Hachicha, M. and Nasri. 2011. Shrimp waste fermentations with *Pseudomonas aeruginosa* A2: optimization of chitin extraction conditions through Planckett-Burman and response surface methodology. *Inter J Biological Macromolecules*, 48 (4) :596-602.

Halebian, S., B. Harris. S. M. Finegold, and R. D. Rolfe. 1981. Rapid method that aids in distinguishing gram-positive from gram-negative anaerobic bacteria. *Journal of Clinical Microbiology*, 13 (3) : 444-448.

Hamdi, M., S. Hajji, S. Affes, W. Taktak, H. Maâlej, M. Nasri, and R. Nasri. 2017. Development of a controlled bioconversion process for the recovery of chitosan from blue crab (*Portunus segnis*) exoskeleton. *Food Hydrocolloids*, 77 : 534–548.

Handayani, A.D., Sutrisno, N. Indraswati, dan S. Ismadji. 2009. Extraction of astaxanthin from giant tiger (*Penaeus monodon*) shrimp waste using palm oil: Studies of extraction kinetics and thermodynamic. *Bioresour. Technol.*, 99 (10) : 4414–4419.



Handayani, L., F. Syahputra, dan Y. Astuti. 2018. The potential of insects as alternative sources of chitin: an overview on the chemical method of extraction from various sources. *Jurnal Kimia Sains dan Aplikasi*, 21 (4) : 224 - 231.

Healy, M., A. Green., and A. Healy., 2003. Bioprocessing of marine crustacean shell waste. *Acta Biotechnological*, 23 (2-3) :151-160.

Hidayat, I.R., Kusrahayu, dan S. Mulyani. 2013. Total bakteri asam laktat, nilai pH dan sifat organoleptik drink yoghurt dari susu sapi yang diperkaya dengan ekstrak buah mangga. *Animal Agriculture Journal*, 2 (1) : 160-167.

Horváth-Szanics, E., J. Perjéssy, A. Klupács, K. Takács, A. Nagy, E. Koppány-Szabó, F. Hegyi, E. Németh-Szerdahelyi, M. Y. Du, Z. R. Wang, J. Q. Kan, and Zs. Zalán. 2020. Study of chitinase and chitinolytic activity of *Lactobacillus strains*. *Acta Alimentaria*, 49 (2) : 214-224.

Huang, C.H., C. H. Lin, H.H. Huang, and G. J. Tsai. Development of fermented shrimp shell product with hypoglycemic and hypolipidemic effects on diabetic rats. *Metabolites*, 12 (9) : 1-16.

Huang, W., D. Zhao, N. Guo, C. Xue, and X. Mao. 2018. Green and facile production of chitin from crustacean shells using a natural deep eutectic solvent. *Jurnal of Agricultural and Food Chemistry*, 66 (45) : 11897-11901.

Ines, E, M. Maher, H. and Mnasser. 2009 Technological and safety properties of *Lactobacillus plantarum* strains isolated from a Tunisian traditional salted meat. *Meat Science* 81 (1) : 203-208.

Judhaswati, R. D. dan H. O. Damayanti. 2019. Potensi ekonomi industri pengolahan limbah udang di Kabupaten Pati. *Jurnal Litbang*, 15 (1) : 1-12.

Jung, W.J., G.H. Jo, J.H. Kuk, Y.J. Kim, K.T. Oh, & R.D. Park. 2007. Production of chitin from red crab shell waste by successive fermentation with *Lactobacillus paracasei* KCTC-3074 and *Serratia marcescens* FS-3. *Carbohydr. Polym.* 68 (4) : 746-750.

Karnila, R., Edison, N. Pratiwi, S. W. Sidauruk. 2020. The natural antioxidant potential of astaxanthin extracted from the whiteleg shrimp (*Litopenaeus vannamei*) carapace. *International Journal of the Bioflux Society*, 13 (5) : 3175 – 3181.

Khanafari, A., R. Marandi, and Sh. Sanatei. 2008. Recovery of chitin and chitosan from shrimp waste by chemical and microbial methods. *Iranian Journal of Environmental Health, Science and Engineering*, 5 (1) : 19-24.

Kementerian Kelautan dan Perikanan. 2021. Statistik Ekspor Hasil Perikanan Tahun 2016-2020. Ditjen PDSPKP, Jakarta.



Kurniawidi, D. W., S. Alaa, E. Nurhaliza, D. O. Safitri, S. Rahayu, M. Ali, and M. Amin. 2022. Synthesis and characterization of nano chitosan from vannamei shrimp shell (*Litopenaeus vannamei*). Jurnal Ilmiah Perikanan dan Kelautan, 14 (2) : 380-387.

Le, T. H. and Nguyen, T. H. 2014. Biotechnological process of chitin recovery from shrimp waste using *Lactobacillus plantarum* NCDN4. Journal of Vietnamese Environment, 6 (3) : 251-255.

Leska, A., A. Nowak, and I. Motyl. 2022. Isolation and some basic characteristics of lactic acid bacteria from honeybee (*Apis mellifera* L.) environment—a preliminary study. Journal of Agriculture, 12 (10) : 1-18.

Li, J., R. Song, X. Zou, R. Wei, and J. Wang. 2023. Simultaneous preparation of chitin and flavor protein hydrolysates from the by-products of shrimp processing by one-step fermentation with *Lactobacillus fermentum*. Molecules 2023, 28 (9) : 1-18.

Lim, E.S. 2016. Inhibitory effect of bacteriocin-producin lactic acid bacteria against histamine-forming bacteria isolated from *Myeolchi-jeot*. Fisheries and Aquatic Sciences. 19(42): 1-10.

Lindgren, S. E., L. T. Axelsson, and R. F. McFeeters. 1990. Anaerobic L-lactate degradation by *Lactobacillus plantarum*. FEMS Microbiology Letters, 66(1-3) : 209-213.

Liu, Z., Q. Liu, D. Zhang, S. W, Q. Sun, Q. Xia, W. Shi, H. Ji, and S. Liu. 2021. Comparison of the proximate composition and nutritional profile of byproducts and edible parts of five species of shrimp. Foods, 10 (11) : 1-16.

MacFaddin, J.F. 1983. Biochemical Tests for Identification of Medical Bacteria. Williams & Wilkins Company, USA.

Mashari, S., R. Nurmaliha, and Suharno. 2019. Dinamika daya saing ekspor udang beku dan olahan Indonesia di pasar internasional. Jurnal Agribisnis Indonesia, 7 (1) : 37-52.

Mhamdi, S., N. Ktari, S. Hajji, M. Nasri, and A.S. Kamoun. 2017. Alkaline proteases from a newly isolated *Micromonospora chaiyaphumensis* s103: characterization and application as a detergent additive and for chitin extraction from shrimp shell waste. International Journal of Biological Macromolecules, 94 : 415-422.

Minh, T. L.T., T. T. True, and K. Osako. 2022. The effect of deproteinization methods on the properties of glucosamine hydrochloride from shells of white leg shrimp (*Litopenaeus vannamei*) and black tiger shrimp (*Penaeus monodon*). Ciência Rural, 52 (1) : 1-6.

Mittal, A., A. Singh, R. E. Aluko, S. Benjakul. 2020. Pacific white shrimp (*Litopenaeus vannamei*) shell chitosan and the conjugate with epigallocatechin gallate:



antioxidative and antimicrobial activities. Journal of Food Biochemistry. 45 (1) : 1-16.

Mokoena, M. 2017. Lactic acid bacteria and their bacteriocins: classification, biosynthesis and applications against uropathogens: a mini-review. Molecules 22 (8) : 1-13.

Mohan, K., T. Muralisankar, R. Jayakumar, and C. Rajeevgandhi. 2021. A study on structural comparisons of  $\alpha$ -chitin extracted from marine crustacean shell waste. Carbohydrate Polymer Technologies and Applications, 2 (2021) : 1-9.

Muzzarelli, R. 1990. Chitin and chitosan: unique cationic polysaccharides. Proc. Symp. Towards a Carbohydrate Based Chemistry, Amies, France, 23-26 Oct 1989 : 199-231.

Mustopa, A. Z. dan Fatimah. 2014. Diversity of lactic acid bacteria isolated from Indonesian traditional fermented foods. Journal Microbiology Indonesia, 8 (2) : 48-57.

Nasri, R., I. Younes, I. Lassoued, S. Ghorbel, O. Ghorbelbellaaj, and M. Nasri, M. 2011. Digestive alkaline proteases from *Zosterisessor ophiocephalus*, *Raja clavata*, and *Scorpaena scrofa*: characteristics and application in chitin extraction. Journal of Amino Acids 2011 (913616) : 1 - 6.

Neves, A.C., C. Zanette, S. T. Grade, J. V. Schaffer, H. J. Alves, and M. K. Arantes. 2017. Optimization of lactic fermentation for extraction of chitin from freshwater shrimp waste. Acta Scientiarum, 39 (2) : 125-133

Ngasotter, S., D. Waikhom, S. Mukherjee, M. S. Devi, and A. S. Singh. Diversity of lactic acid bacteria (LAB) in fermented fish products: a review. International Journal of Current Microbiology and Applied Sciences. 9 (5) : 2238 - 2249.

Ni, K. Y. Wang, D. Li, Y. Cai, and H. Pang. 2015. Characterization, identification and application of lactic acid bacteria isolated from forage paddy rice silage. PLoS ONE 10(3): 1-8.

Ningsi, D. W., Suhasman, and S. Saad. 2019. Characteristic of chitosan adhesive from shell shrimp *Litopenaeus vannamei* and their application for producing particleboard. IOP Conference Series: Materials Science and Engineering, 593 (2019) : 1-11

No, H.K. and S.P. Meyers. 1995. Preparation and characterization of chitin and chitosan—a review. Journal Aquatic Food Product Technology. 4 : 27–52.

Nuraida, L. 2015. A review: health promoting lactic acid bacteria in traditional Indonesian fermented foods. Food Science and Human Wellness 4(2): 47-55.



Oh, K.T., Kim Y. J., Nguyen V. N., Jung W. J. , and Park R. D. 2007. Demineralization of crab shell waste by *Pseudomonas aeruginosa* F722. Process Biochemistry 42 (7) :1069-1074.

Oh, Y.S., I.L. Shih, Y.M. Tzeng, and S.L. Wang. 2000. Protease produced by *Pseudomonas aeruginosa* K-187 and its application in the deproteinization of shrimp and crab shell wastes. Enzyme and Microbial Technology, 27 (1-2) : 3-10

Oktavia, R. 2018. Jenis-jenis udang air tawar dan karakteristik habitat di tujuh sungai Kabupaten Aceh Barat Provinsi Aceh. Biospecies, 11 (1) : 38-47.

Pal, J., H. O. Verma, V. K. Munka, S. K. Maurya, D. Roy, and J. Kumar. 2014. Biological method of chitin extraction from shrimp waste an eco-friendly low cost technology and its advanced application. International Journal of Fisheries and Aquatic Studies, 1(6): 104-107.

Peacock, T. and H. M. Hassan. Role of the Mn-catalase in aerobic growth of *Lactobacillus plantarum* ATCC 14431. Applied Microbiology, 1 (3) : 615-625.

Percot, A., C. Viton, and A. Domard. 2003. Optimization of chitin extraction from shrimp shells. Biomacromolecules 4 (1) : 12–18.

Phyu, H. E., Z. K. Oo, and K. N. Aye. Screening on proteolytic activity of lactic acid bacteria from various yogurts and fermented milk. International Journal of Advances in Science Engineering and Technology, Special Issue (5) : 34-37.

Prasetyaningsih A., Y. K. Adi, A. A. Wicaksono, and V. C. Prakasita. 2023. The effect of shrimp shell (*Litopenaeus vannamei*) extract on testicular parameters of streptozotocin-induced diabetic rats. World Veterinary Journal, 13 (1) : 144-151

Pratiwi, R. 2014. Manfaat kitin dan kitosan bagi kehidupan manusia. Jurnal Oseana, 39 (1) : 35-43.

Pusat Data Statisistik dan Informasi, Departemen Kelautan dan Perikanan. Diakses 2022 April 27. Tersedia pada : <https://statistik.kkp.go.id/home.php>.

Raabe, D., C. Sach, P. Ramano. 2005. The crustacean exoskeleton as an example of a structurally and mechanically graded biological nanocomposite material. Acta Materialia 53 (2005) : 4281-4292.

Rahayu, E.S. 2000. Lactic acid bacteria in fermented foods of Indonesian origin. Majalah Ilmu dan Teknologi Pertanian Agritech. 23 (2) : 75–84.

Rahmadi, A. 2019. Bakteri Asam Laktat dan Mandai Cempedak, Mulawarman University Press, Samarinda.



Rahmah, W., E. Nandini, S. S. Ressandy, dan H. Hamzah. 2021. Karakterisasi bakteri asam laktat (BAL) dari fermentasi tape singkong. Jurnal Penelitian Farmasi Indonesia, 10 (1) : 1-5.

Rakshit, S., S. Mondal, K. Pal, A. Jana, J. P. Soren, P. Barman, K. C. Mondal, and S. K. Halder. 2021. Extraction of chitin from *Litopenaeus vannamei* shell and its subsequent characterization: an approach of waste valorization through microbial bioprocessing. Bioprocess and Biosystems Engineering, 44 (2021) : 1943–1956.

Rao, M. S., J. Muñoz, and W. F. Stevens. 2000. Critical factors in chitin production by fermentation of shrimp biowaste. Applied Microbiology and Biotechnology, 54 (6) : 808-813.

Rao M. S. and W. F. Setevns. 2005. Chitin production by *Lactobacillus* fermentation of shrimp biowaste in a drum reactor and its chemical conversion to chitosan. Journal of Chemical Technology and Biotechnology, 80 : 1080-1087.

Rasweefali, M.K., S. Sabu, K.S. M. Azad, M. K. R. Rahman, K. V. Sunooj, A. Sasidharan, K. K. Anoop. 2022. Influence of deproteinization and demineralization process sequences on the physicochemical and structural characteristics of chitin isolated from deep-sea mud shrimp (*Solenocera hextii*). Advances in Biomarker Sciences and Technology, 4 : 12-27.

Ringo, E. 2004. Lactic acid bacteria in fish farming. Food Science and Technology- Marcel Dekker, 139 : 581-610.

Saleh, M. R., Abdillah, E. Suerman, J. Basmal, dan N. Indriati. 1994. Pengaruh suhu, waktu dan konsentrasi pelarut pada ekstraksi kitosan dari limbah pengolahan udang beku terhadap beberapa parameter mutu kitosan. Jurnal Pasca Panen Perikanan, 81: 30-43.

Samar, M. M., M. H. El-Kalyoubi, M.M. Khalaf, and M. M. El-Razik. 2013. Physicochemical, functional, antioxidant and antibacterial properties of chitosan extracted from shrimp wastes by microwave technique. Annals of Agricultural Sciences, 58 (1) : 33-41.

Sanusi, M. 2004. Transformasi kitin dari hasil isolasi limbah industri udang beku menjadi kitosan. Marina Chimca Acta, 5 (2): 28-32.

Saputra, B. and U. Kresnoadi. 2020. Toxicity test of shrimp shell (*Litopenaeus vannamei*) chitosan as bone graft scaffold on BHK-21 fibroblast cell cultures. EurAsian Journal of BioSciences, 14 (2) : 3747-3751

Sari, A., Y. Okfrianti, dan Darwis. 2020. Total bakteri asam laktat (BAL) dan uji daya terima organoleptik pada yoghurt sari buah naga merah (*Hylocereus polyrhizus*). Jurnal Penelitian Terapan Kesehatan, 7 (1) : 57 -63.



Schillinger, U., W. H. Holzapfel, and K. J. Björkroth. 2006. Lactic acid bacteria. Food Spoilage Microorganisms, 20 : 541-578.

Sedaghat, F., M. Yousefzadi, H. Toiserkani, and S. Najafipour. 2017. Bioconversion of shrimp waste *Penaeus merguiensis* using lactic acid fermentation: an alternative procedure for chemical extraction of chitin and chitosan. International Journal of Biological Macromolecules, 104 (2017) : 883-888.

Setijawati, D., Yahya, dan D. Ersyah. 2021. Pengaruh derajat deasetilasi kitosan dengan perlakuan alkali berbeda terhadap kualitas *edible film*. Journal of Fisheries and Marine Research, 5 (2) : 276-284.

Setyahadi, S. 2007. Screening of lactic acid bacteria for the purpose of chitin recovery processing. Microbiology Indonesia, 1 (1) : 48-50.

Shirai, K., I. Guerrero, S. Huerta, G. Saucedo, A. Casillo, G.R. Obdulia, dan M.G. Hall. Effect of initial glucose concentration and inoculation level of lactic acid bacteria in shrimp waste ensilation. Enzyme Microbial Technology, 28 : 446–452.

Sikora, A., M. Błaszczyk, M. Jurkowski, and U. Zielenkiewicz. 2013. Lactic Acid Bacteria in Hydrogen-Producing Consortia: On Purpose or by Coincidence? IntechOpen, Rijeka.

Silva, N. B., B. A. M. Carciofi, M. Ellouze, J. Baranyi. 2019. Optimization of turbidity experiments to estimate the probability of growth for individual bacterial cells. Food Microbiology, 83 : 109-112.

Sindhu, S. and P.M. Sherief. 2011. Extraction, characterization, antioxidant, and anti inflammatory properties of carotenoids from the shell waste of Arabian red shrimp *Aristeus alcocki*. Proceeding J. (2) : 95 – 103.

Soemarie, Y. B., T. Milanda, and M. I. Bariana. 2022. Isolation, characterization, and identification candidate of probiotic bacteria isolated from wadi papuyu (*Anabas testudineus* Bloch.) a fermented fish product from Central Kalimantan, Indonesia. International Journal of Food Science, 2022 : 1-9.

Soetjipto, W., R. Andriansyah, R. A. Q. A'yun, T. Setiadi, H. Susanto, A. Solah, U. Hasan, U. Khaerawati, C. Aryshandy, L. Moriansyah, N. D. Purnama, S. Wahyuni, E. Horida, I. Kurnia. 2019. Peluang Usaha dan Investasi Udang Vaname. Direktorat Usaha Dan Investasi, Jakarta.

Suchiva, K., S. Chandrkrachang, P. Methacanon, and M. G. Peter. 2002. Proceedings of the 5th Asia Pacific Chitin and Chitosan Symposium & Exhibition, Bangkok, Thailand.

Sudjarwo, G. W., Mahmiah, A. Wian, H. Insani. 2017. Analisis proksimat dan optimasi pembuatan kitosan dari limbah kulit dan kepala udang *whiteleg shrimp* (*Litopenaeus vannamei*). Seminar Nasional Kelautan XII : 39 - 44.



Suhardi. 1992. Buku Monograf Khitin dan Khitosan. PAU UGM, Yogyakarta.

Tan, J. S., S. Abbasiliasi, C. K. Lee, and P. Phapugrangkul. 2020. Chitin extraction from shrimp wastes by single step fermentation with *Lactobacillus acidophilus* FTDC3871 using response surface methodology. Journal of Food Processing and Preservation, 44 (11).

Vicente, F. A., S. P. M. Ventura, H. Passos, A. C. R. V. Dias, M. A. Torres-Acosta, U. Novak, and B. Lizokar. 2022. Crustacean waste biorefinery as a sustainable cost-effective business model. Chemical Engineering Journal, 442 (2) 1-13.

Vieco-Saiz, N., Y. Belguesmia, R. Raspoet, E. Auclair, F. Gancel, I. Kempf, and D. Drider. 2019. Benefits and inputs from lactic acid bacteria and their bacteriocins as alternatives to antibiotic growth promoters during food-animal production. Frontiers in Microbiology 10 (57) : 1-17.

Wang, S.L. and S.H. Chio. 1998. Deproteinization of shrimp and crab shell with the protease of *Pseudomonas aeruginosa* K-187 – waste pretreatment, enzyme production, process design, and economic analysis. Enzyme Microbial Technology, 22 : 629– 633.

Wang, Y., J. Wu, M. Lv, Z. Shao, M. Hungwe, J. Wang, X. Bai, J. Xie, Y. Wang, and W. Geng. 2021. Metabolism Characteristics of lactic acid bacteria and the expanding applications in food industry. Frontiers in Bioengineering and Biotechnology, 9 : 1-19.

Waty, K., E. Purwijantiningsih, dan S. Pranata. 2019. Kualitas Fermentasi spontan wadi ikan patin (*Pangasius Sp.*) dengan variasi konsentrasi garam. Jurnal Biota, 4 (1) : 24-32.

Xie, J., W. Xie, J. Yu, R. Xin, Z. Shi, L. Song, and X. Yang. 2021. Extraction of chitin from shrimp shell by successive two-step fermentation of *Exiguobacterium profundum* and *Lactobacillus acidophilus*. Front Microbiology, 12 : 1- 10.

Yang, J.K., I.L. Shih, Y.M. Tzeng, and S.L. Wang. 2000. Production and purification of protease from a *Bacillus subtilis* that can deproteinize crustacean wastes. Enzyme and Microbial Technology, 26 (5-6) : 406-413.

Yuliana, N., D. Koesoemawardani, Susilawaty, dan Y. Kurniati. 2018. Lactic acid bacteria during fish fermentation (rusip). MOJ Food Processing & Technology, 6 (2) : 211-216.

Yusmarini, R. Indrati, T. Utama, dan Y. Marsono. 2009. Isolasi dan identifikasi bakteri asam laktat proteolitik dari susu kedelai yang terfermentasi spontan. Jurnal Natur Indonesia, 12 (1) : 28-33.



UNIVERSITAS  
GADJAH MADA

Pengaruh Konsentrasi Bakteri Asam Laktat dari Wadi terhadap Derajat Demineralisasi dan

Deproteinasi

Kitin Cangkang Udang Vaname

Adelia Nurul Aisyah, Mgs. M. Prima Putra S.Pi., M.Sc., Ph.D.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zaunmüller, T., M. Eichert, H. Richter, and G. Unden. 2006. Variations in the energy metabolism of biotechnologically relevant heterofermentative lactic acid bacteria during growth on sugars and organic acids. *Applied Microbiology and Biotechnology*, 72 (3) : 421–429

Zhang, Q., L. Wang, S. L., & Y. Li. 2021. Establishment of successive co-fermentation by *Bacillus subtilis* and *Acetobacter pasteurianus* for extracting chitin from shrimp shells. *Carbohydrate Polymers* 258 (2021) : 1-8.

Zhang, Q., Q. Xiang, & Y. Li. 2022. One-step bio-extraction of chitin from shrimp shells by successive co-fermentation using *Bacillus subtilis* and *Lactobacillus plantarum*. *Innovative Food Science and Emerging Technologies* 80 (2022) : 1-7.

Zhao, D., W. Huang, N. Guo, S. Zhang, C. Xue, X. Mao. 2019. Two-Step separation of chitin from shrimp shells using citric acid and deep eutectic solvents with the assistance of microwave. *Polymers*, 11 (3) : 1-11.