



DAFTAR PUSTAKA

- [1] S. Islam and N. K. Roy, "Renewables integration into power systems through intelligent techniques: Implementation procedures, key features, and performance evaluation," *Energy Reports*, vol. 9, pp. 6063–6087, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2352484723008065>
- [2] J. T. d. F. Cavalcanti, J. G. d. Lima, M. R. d. N. Melo, E. C. B. Monteiro, and G. M. Campos-Takaki, *Fossil fuels, nuclear energy and renewable energy*. Editora, Jun. 2023.
- [3] H. Liu, R. Zhai, J. Fu, Y. Wang, and Y. Yang, "Optimization study of thermal-storage pv-csp integrated system based on ga-pso algorithm," *Solar Energy*, vol. 184, pp. 391–409, 2019. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0038092X19303494>
- [4] P. Moriarty and D. Honnery, "What is the global potential for renewable energy?" *Renewable and Sustainable Energy Reviews*, vol. 16, no. 1, pp. 244–252, 2012.
- [5] H. A. Kazem and M. T. Chaichan, "Status and future prospects of renewable energy in iraq," *Renewable and Sustainable Energy Reviews*, vol. 16, no. 8, pp. 6007–6012, 2012.
- [6] O. O. Yolcan, "World energy outlook and state of renewable energy: 10-year evaluation," *Innovation and Green Development*, vol. 2, no. 4, p. 100070, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2949753123000383>
- [7] N. Abas, A. Kalair, and N. Khan, "Review of fossil fuels and future energy technologies," *Futures*, vol. 69, pp. 31–49, 2015.
- [8] J. L. Holechek, H. M. Geli, M. N. Sawalhah, and R. Valdez, "A global assessment: can renewable energy replace fossil fuels by 2050?" *Sustainability*, vol. 14, no. 8, p. 4792, 2022.
- [9] T. Covert, M. Greenstone, and C. R. Knittel, "Will we ever stop using fossil fuels?" *Journal of Economic Perspectives*, vol. 30, no. 1, pp. 117–138, 2016.
- [10] R. K. Srivastava, *Technical challenges and prospects of renewable fuel generation and utilization at a global scale*, 2024, cited by: 0. [Online]. Available: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85161704849&doi=10.1002%2f9781119724872.ch2&partnerID=40&md5=0b7c8423261753d306387a570ea03838>
- [11] H. A. Kazem, "Renewable energy in oman: Status and future prospects," *Renewable and Sustainable Energy Reviews*, vol. 15, no. 8, pp. 3465–3469, 2011.
- [12] A. Dehghan, "Status and potentials of renewable energies in yazd province-iran," *Renewable and Sustainable Energy Reviews*, vol. 15, no. 3, pp. 1491–1496, 2011.



- [13] Y. Anagreh, A. Bataineh, and M. Al-Odat, “Assessment of renewable energy potential, at aqaba in jordan,” *Renewable and sustainable energy reviews*, vol. 14, no. 4, pp. 1347–1351, 2010.
- [14] F. Shen, S. Liu, G. Ouyang, J. Shan, Y. Cao, Z. Wang, and S. Zhai, “Inertia estimation of power system with new energy considering with high renewable penetrations,” *Energy Reports*, vol. 9, pp. 1066–1076, 2023, selected papers from 2022 International Conference on Frontiers of Energy and Environment Engineering. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2352484723005103>
- [15] G. G. Farivar, W. Manalastas, H. D. Tafti, S. Ceballos, A. Sanchez-Ruiz, E. C. Lovell, G. Konstantinou, C. D. Townsend, M. Srinivasan, and J. Pou, “Grid-connected energy storage systems: State-of-the-art and emerging technologies,” *Proceedings of the IEEE*, vol. 111, no. 4, pp. 397–420, 2023.
- [16] C. Li, “Unstable operation of photovoltaic inverter from field experiences,” *IEEE Transactions on Power Delivery*, vol. 33, no. 2, pp. 1013–1015, 2018.
- [17] S. Impram, S. V. Nese, and B. Oral, “Challenges of renewable energy penetration on power system flexibility: A survey,” *Energy Strategy Reviews*, vol. 31, p. 100539, 2020.
- [18] M. Mahmud, H. Pota, and M. Hossain, “Nonlinear current control scheme for a single-phase grid-connected photovoltaic system,” *IEEE Transactions on Sustainable Energy*, vol. 5, no. 1, pp. 218–227, 2013.
- [19] Y. Li, Y. Chi, X. Tian, C. Liu, J. Hu, Y. Fan, X. Fan, Y. Xiao, and C. Wang, “Research on capacity planning of renewable energy grid integration based on effective short circuit ratio,” in *2020 IEEE Sustainable Power and Energy Conference (iSPEC)*, 2020, pp. 622–627.
- [20] D. Wu, G. Li, M. Javadi, A. M. Malyscheff, M. Hong, and J. N. Jiang, “Assessing impact of renewable energy integration on system strength using site-dependent short circuit ratio,” *IEEE Transactions on Sustainable Energy*, vol. 9, no. 3, pp. 1072–1080, 2017.
- [21] R. Sellick and M. Åkerberg, “Comparison of hvdc light (vsc) and hvdc classic (lcc) site aspects, for a 500mw 400kv hvdc transmission scheme,” in *10th IET international conference on AC and DC power transmission (ACDC 2012)*. IET, 2012, pp. 1–6.
- [22] A. Alassi, S. Bañales, O. Ellabban, G. Adam, and C. MacIver, “Hvdc transmission: Technology review, market trends and future outlook,” *Renewable and Sustainable Energy Reviews*, vol. 112, pp. 530–554, 2019.
- [23] T. Hasegawa, K. Yamaji, H. Irokawa, H. Shirahama, C. Tanaka, and K. Akabane, “Development of a thyristor valve for next generation 500 kv hvdc transmission systems,” *IEEE Transactions on Power Delivery*, vol. 11, no. 4, pp. 1783–1788, 1996.

- [24] B. Hu, K. Xie, and H.-M. Tai, “Optimal reliability allocation of ±800 kv ultra hvdc transmission systems,” *IEEE Transactions on Power Delivery*, vol. 33, no. 3, pp. 1174–1184, 2018.
- [25] U. Astrom, B. Westman, V. Lescale, and G. Asplund, “Power transmission with hvdc at voltages above 600 kv,” in *2005 IEEE Power Engineering Society Inaugural Conference and Exposition in Africa*, 2005, pp. 44–50.
- [26] K. Hafeez and S. A. Khan, “High voltage direct current (HVDC) transmission: Future expectation for Pakistan,” *CSEE Journal of Power and Energy Systems*, vol. 5, no. 1, pp. 82–86, 2019.
- [27] K. Meah and S. Ula, “Comparative evaluation of hvdc and hvac transmission systems,” in *2007 IEEE Power Engineering Society General Meeting*, 2007, pp. 1–5.
- [28] A. Korompili, Q. Wu, and H. Zhao, “Review of vsc hvdc connection for offshore wind power integration,” *Renewable and Sustainable Energy Reviews*, vol. 59, pp. 1405–1414, 2016.
- [29] A. Kalair, N. Abas, and N. Khan, “Comparative study of hvac and hvdc transmission systems,” *Renewable and Sustainable Energy Reviews*, vol. 59, pp. 1653–1675, 2016.
- [30] T. W. May, Y. M. Yeap, and A. Ukil, “Comparative evaluation of power loss in hvac and hvdc transmission systems,” in *2016 IEEE Region 10 Conference (TENCON)*, 2016, pp. 637–641.
- [31] P. Krishayya, R. Adapa, M. Holm *et al.*, “Ieee guide for planning dc links terminating at ac locations having low short-circuit capacities, part i: Ac/dc system interaction phenomena,” *CIGRE, France*, pp. 1–216, 1997.
- [32] L. Zhang, L. Harnefors, and H.-P. Nee, “Interconnection of two very weak ac systems by vsc-hvdc links using power-synchronization control,” *IEEE Transactions on Power Systems*, vol. 26, no. 1, pp. 344–355, 2011.
- [33] J. Khazaei, P. Idowu, A. Asrari, A. Shafaye, and L. Piyasinghe, “Review of hvdc control in weak ac grids,” *Electric power systems research*, vol. 162, pp. 194–206, 2018.
- [34] A. ElMehdi, A. Momen, and B. K. Johnson, “Dynamic reactive compensation requirements at the rectifier end of an lcc hvdc link connected to a weak ac system,” in *2014 North American Power Symposium (NAPS)*, 2014, pp. 1–6.
- [35] P. Wang, Y. Wang, N. Jiang, and W. Gu, “A comprehensive improved coordinated control strategy for a statcom integrated hvdc system with enhanced steady/transient state behaviors,” *International Journal of Electrical Power & Energy Systems*, vol. 121, p. 106091, 2020.
- [36] S. S. Bhole and P. Nigam, “Improvement of voltage stability in power system by using svc and statcom,” *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, vol. 4, no. 2, pp. 76–81, 2015.

- [37] M. A. Bhaskar, C. Subramani, M. J. Kumar, S. Dash, and P. Chidambaram, "Voltage profile improvement using static var compensators (svc) and thyristor controlled voltage regulator (tcvr)," *International Journal of Recent Trends in Engineering*, vol. 2, no. 7, p. 86, 2009.
- [38] C. Rambabu, Y. Cbulesu, and C. Saibabu, "Improvement of voltage profile and reduce power system losses by using multi type facts devices," *International Journal of Computer Application*, vol. 13, no. 2, 2011.
- [39] S. Foster, L. Xu, and B. Fox, "Grid integration of wind farms using svc and statcom," in *Proceedings of the 41st International Universities Power Engineering Conference*, vol. 1, 2006, pp. 157–161.
- [40] T. A. Boghdady and Y. A. Mohamed, "Reactive power compensation using statcom in a pv grid connected system with a modified mppt method," *Ain Shams Engineering Journal*, vol. 14, no. 8, p. 102060, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2090447922003719>
- [41] V. K. Sood, *HVDC and FACTS Controllers: Applications of Static Converters in Power Systems*, 1st ed. Springer New York, NY, 2004. [Online]. Available: <https://doi.org/10.1007/b117759>
- [42] J. Qi, W. Zhao, and X. Bian, "Comparative study of svc and statcom reactive power compensation for prosumer microgrids with dfig-based wind farm integration," *IEEE Access*, vol. 8, pp. 209 878–209 885, 2020.
- [43] K. R. Hridya, V. Mini, R. Visakhan, and A. A. Kurian, "Comparative study of voltage stability enhancement of a grid and loss reduction using statcom and sssc," in *2015 International Conference on Power, Instrumentation, Control and Computing (PICC)*, 2015, pp. 1–4.
- [44] N. K. Hasanah, L. M. Putranto, S. P. Hadi, and F. M. R. Aditya, "Impact of statcom installation on power system's voltage stability performance," in *2019 4th International Conference on Information Technology, Information Systems and Electrical Engineering (ICITISEE)*, 2019, pp. 435–439.
- [45] L. Bao, L. Fan, and Z. Miao, "Comparison of synchronous condenser and statcom for wind farms in weak grids," in *2020 52nd North American Power Symposium (NAPS)*, 2021, pp. 1–6.
- [46] P. Kundur, *Power System Stability and Control*. New York: McGraw-Hill, 1994.
- [47] T. Kalitjuka, "Control of voltage source converters for power system applications," 2011. [Online]. Available: <http://hdl.handle.net/11250/257163>
- [48] O. E. Oni, I. E. Davidson, and K. N. Mbangula, "A review of lcc-hvdc and vsc-hvdc technologies and applications," in *2016 IEEE 16th International Conference on Environment and Electrical Engineering (EEEIC)*, 2016, pp. 1–7.
- [49] R. H. Illah, "Perancangan desain sistem transmisi hvdc vsc antarpulau," Yogyakarta, Indonesia, 2022.



- UNIVERSITAS
GADJAH MADA
- [50] M. Hadjikypris and V. Terzija, “Active power modulation assisting controller scheme implemented on a vsc-hvdc link establishing effective damping of low frequency power oscillations,” in *2014 IEEE International Energy Conference (ENERGYCON)*, 2014, pp. 295–302.
 - [51] P. Kundur *et al.*, “Definition and classification of power system stability ieee/cigre joint task force on stability terms and definitions,” *IEEE Transactions on Power Systems*, vol. 19, no. 3, pp. 1387–1401, 2004.
 - [52] J. Zhou and A. Gole, “Estimation of the short circuit ratio and the optimal controller gains selection of a vsc system,” in *International Conference on Power Systems Transients*, 2013, pp. 18–20.