



## DAFTAR PUSTAKA

- [1] K. Holmqvist and R. Andersson, *Eye tracking: a comprehensive guide to methods, paradigms, and measures*, 2nd ed. Lund, Sweden: Lund Eye-Tracking Research Institute, 2017.
- [2] M. Dorr, T. Martinetz, K. R. Gegenfurtner, and E. Barth, “Variability of eye movements when viewing dynamic natural scenes,” *Journal of Vision*, vol. 10, no. 10, pp. 28–28, Aug. 2010. [Online]. Available: <http://jov.arvojournals.org/Article.aspx?doi=10.1167/10.10.28>
- [3] O. V. Komogortsev and A. Karpov, “Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades,” *Behavior Research Methods*, vol. 45, no. 1, pp. 203–215, Mar. 2013. [Online]. Available: <http://link.springer.com/10.3758/s13428-012-0234-9>
- [4] N. M. Arar, “Robust Eye Tracking Based on Adaptive Fusion of Multiple Cameras,” PhD Thesis, Sep. 2017.
- [5] A. W. Kiwelekar, G. S. Mahamunkar, L. D. Netak, and V. B. Nikam, “Deep Learning Techniques for Geospatial Data Analysis,” in *Machine Learning Paradigms*, G. A. Tsirhrintzis and L. C. Jain, Eds. Cham: Springer International Publishing, 2020, vol. 18, pp. 63–81, series Title: Learning and Analytics in Intelligent Systems. [Online]. Available: [http://link.springer.com/10.1007/978-3-030-49724-8\\_3](http://link.springer.com/10.1007/978-3-030-49724-8_3)
- [6] R. C. Staudemeyer and E. R. Morris, “Understanding LSTM – a tutorial into Long Short-Term Memory Recurrent Neural Networks,” 2019, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/1909.09586>
- [7] D. P. Kingma and J. Ba, “Adam: A Method for Stochastic Optimization,” 2014, publisher: arXiv Version Number: 9. [Online]. Available: <https://arxiv.org/abs/1412.6980>
- [8] A. Hidaka and T. Kurita, “Consecutive Dimensionality Reduction by Canonical Correlation Analysis for Visualization of Convolutional Neural Networks,” in *Proceedings of the ISCIE International Symposium on Stochastic Systems Theory and its Applications*, vol. 2017, Dec. 2017, pp. 160–167.
- [9] J. Yan, L. Mu, L. Wang, R. Ranjan, and A. Y. Zomaya, “Temporal Convolutional Networks for the Advance Prediction of ENSO,” *Scientific Reports*, vol. 10, no. 1, p. 8055, May 2020. [Online]. Available: <https://www.nature.com/articles/s41598-020-65070-5>
- [10] Z. Shang, B. Zhang, W. Li, S. Qian, and J. Zhang, “Machine remaining life prediction based on multi-layer self-attention and temporal convolution network,” *Complex & Intelligent Systems*, vol. 8, Dec. 2021.
- [11] J. Ashfaque Minstp Maat and A. Iqbal, “Introduction to Support Vector Machines and Kernel Methods,” Apr. 2019.



- [12] B. W. Matthews, “Comparison of the predicted and observed secondary structure of T4 phage lysozyme,” *Biochimica et Biophysica Acta (BBA)-Protein Structure*, vol. 405, no. 2, pp. 442–451, 1975, publisher: Elsevier.
- [13] B. Alojaiman, “Technological Modernizations in the Industry 5.0 Era: A Descriptive Analysis and Future Research Directions,” *Processes*, vol. 11, no. 5, p. 1318, Apr. 2023. [Online]. Available: <https://www.mdpi.com/2227-9717/11/5/1318>
- [14] X. Xu, Y. Lu, B. Vogel-Heuser, and L. Wang, “Industry 4.0 and Industry 5.0—Inception, conception and perception,” *Journal of Manufacturing Systems*, vol. 61, pp. 530–535, Oct. 2021. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0278612521002119>
- [15] H. O. Edughele, Y. Zhang, F. Muhammad-Sukki, Q.-T. Vien, H. Morris-Cafiero, and M. Opoku Agyeman, “Eye-Tracking Assistive Technologies for Individuals With Amyotrophic Lateral Sclerosis,” *IEEE Access*, vol. 10, pp. 41 952–41 972, 2022. [Online]. Available: <https://ieeexplore.ieee.org/document/9745906/>
- [16] C. Ware and H. H. Mikaelian, “An evaluation of an eye tracker as a device for computer input2,” *ACM SIGCHI Bulletin*, vol. 17, no. SI, pp. 183–188, May 1986. [Online]. Available: <https://dl.acm.org/doi/10.1145/30851.275627>
- [17] L. E. Sibert and R. J. K. Jacob, “Evaluation of eye gaze interaction,” in *Proceedings of the SIGCHI conference on Human Factors in Computing Systems*. The Hague The Netherlands: ACM, Apr. 2000, pp. 281–288. [Online]. Available: <https://dl.acm.org/doi/10.1145/332040.332445>
- [18] D. H. Koh, S. Munikrishne Gowda, and O. V. Komogortsev, “Real time eye movement identification protocol,” in *CHI '10 Extended Abstracts on Human Factors in Computing Systems*. Atlanta Georgia USA: ACM, Apr. 2010, pp. 3499–3504. [Online]. Available: <https://dl.acm.org/doi/10.1145/1753846.1754008>
- [19] M. Vidal, A. Bulling, and H. Gellersen, “Detection of smooth pursuits using eye movement shape features,” in *Proceedings of the Symposium on Eye Tracking Research and Applications*. Santa Barbara California: ACM, Mar. 2012, pp. 177–180. [Online]. Available: <https://dl.acm.org/doi/10.1145/2168556.2168586>
- [20] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, “Using machine learning to detect events in eye-tracking data,” *Behavior Research Methods*, vol. 50, no. 1, pp. 160–181, Feb. 2018. [Online]. Available: <http://link.springer.com/10.3758/s13428-017-0860-3>
- [21] S. Hoppe and A. Bulling, “End-to-End Eye Movement Detection Using Convolutional Neural Networks,” 2016, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/1609.02452>
- [22] M. Startsev, I. Agtzidis, and M. Dorr, “1D CNN with BLSTM for automated classification of fixations, saccades, and smooth pursuits,” *Behavior Research Methods*, vol. 51, no. 2, pp. 556–572, Apr. 2019. [Online]. Available: <http://link.springer.com/10.3758/s13428-018-1144-2>



- [23] C. Elmadjian, C. Gonzales, and C. H. Morimoto, “Eye Movement Classification with Temporal Convolutional Networks,” in *Pattern Recognition. ICPR International Workshops and Challenges*, A. Del Bimbo, R. Cucchiara, S. Sclaroff, G. M. Farinella, T. Mei, M. Bertini, H. J. Escalante, and R. Vezzani, Eds. Cham: Springer International Publishing, 2021, vol. 12663, pp. 390–404, series Title: Lecture Notes in Computer Science. [Online]. Available: [http://link.springer.com/10.1007/978-3-030-68796-0\\_28](http://link.springer.com/10.1007/978-3-030-68796-0_28)
- [24] T. Yu and H. Zhu, “Hyper-Parameter Optimization: A Review of Algorithms and Applications,” 2020, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/2003.05689>
- [25] G. Montavon, G. Orr, and K.-R. Müller, Eds., *Neural networks: tricks of the trade*, 2nd ed., ser. Lecture notes in computer science. Heidelberg: Springer, 2012, no. 7700, oCLC: ocn828098376.
- [26] K. Eggensperger, “Towards an Empirical Foundation for Assessing Bayesian Optimization of Hyperparameters,” 2013.
- [27] L. Li, K. Jamieson, G. DeSalvo, A. Rostamizadeh, and A. Talwalkar, “Hyperband: A Novel Bandit-Based Approach to Hyperparameter Optimization,” Jun. 2018, arXiv:1603.06560 [cs, stat]. [Online]. Available: <http://arxiv.org/abs/1603.06560>
- [28] R. J. Leigh and D. S. Zee, *The Neurology of Eye Movements*, 5th ed. Oxford University Press, Jun. 2015. [Online]. Available: <https://academic.oup.com/book/25280>
- [29] T. Santini, W. Fuhl, T. Kübler, and E. Kasneci, “Bayesian identification of fixations, saccades, and smooth pursuits,” in *Proceedings of the Ninth Biennial ACM Symposium on Eye Tracking Research & Applications*. Charleston South Carolina: ACM, Mar. 2016, pp. 163–170. [Online]. Available: <https://dl.acm.org/doi/10.1145/2857491.2857512>
- [30] A. T. Bahill, A. Brockenbrough, and B. T. Troost, “Variability and development of a normative data base for saccadic eye movements,” *Investigative Ophthalmology & Visual Science*, vol. 21, no. 1 Pt 1, pp. 116–125, Jul. 1981.
- [31] D. D. Salvucci and J. H. Goldberg, “Identifying fixations and saccades in eye-tracking protocols,” in *Proceedings of the symposium on Eye tracking research & applications - ETRA '00*. Palm Beach Gardens, Florida, United States: ACM Press, 2000, pp. 71–78. [Online]. Available: <http://portal.acm.org/citation.cfm?doid=355017.355028>
- [32] S. Wibirama, S. Murnani, N. A. Setiawan, and H. Nurlatifa, “A Survey of Event Detection Methods for Eye Movements Classification in Smooth-Pursuit-Based Interactive Applications,” in *2020 International Symposium on Community-centric Systems (Ccs)*. Hachioji, Tokyo, Japan: IEEE, Sep. 2020, pp. 1–6. [Online]. Available: <https://ieeexplore.ieee.org/document/9231384/>
- [33] J. Pekkanen and O. Lappi, “A new and general approach to signal denoising and eye movement classification based on segmented linear regression,”



- [34] J. M. Bernardo and A. F. M. Smith, *Bayesian theory*, ser. Wiley series in probability and mathematical statistics. Chichester, Eng. ; New York: Wiley, 1994.
- [35] R. Zemblys, “Eye-movement event detection meets machine learning,” *BIOMEDICAL ENGINEERING 2016*, vol. 20, no. 1, 2017.
- [36] S. Bai, J. Z. Kolter, and V. Koltun, “An Empirical Evaluation of Generic Convolutional and Recurrent Networks for Sequence Modeling,” 2018, publisher: arXiv Version Number: 2. [Online]. Available: <https://arxiv.org/abs/1803.01271>
- [37] A. Darwish, A. E. Hassanien, and S. Das, “A survey of swarm and evolutionary computing approaches for deep learning,” *Artificial Intelligence Review*, vol. 53, no. 3, pp. 1767–1812, Mar. 2020. [Online]. Available: <http://link.springer.com/10.1007/s10462-019-09719-2>
- [38] J. A. Vilensky, W. Robertson, and C. A. Suárez-Quian, Eds., *The clinical anatomy of the cranial nerves: the nerves of an old Olympus towering top*. Ames, Iowa: Wiley Blackwell, 2015.
- [39] J. N. Stember, H. Celik, D. Gutman, N. Swinburne, R. Young, S. Eskreis-Winkler, A. Holodny, S. Jambawalikar, B. J. Wood, P. D. Chang, E. Krupinski, and U. Bagci, “Integrating Eye Tracking and Speech Recognition Accurately Annotates MR Brain Images for Deep Learning: Proof of Principle,” *Radiology: Artificial Intelligence*, vol. 3, no. 1, p. e200047, Jan. 2021. [Online]. Available: <http://pubs.rsna.org/doi/10.1148/ryai.2020200047>
- [40] P. A. Punde, M. E. Jadhav, and R. R. Manza, “A study of eye tracking technology and its applications,” in *2017 1st International Conference on Intelligent Systems and Information Management (ICISIM)*. Aurangabad: IEEE, Oct. 2017, pp. 86–90. [Online]. Available: <http://ieeexplore.ieee.org/document/8122153/>
- [41] J. M. Bland and D. G. Altman, “Statistics notes: Measurement error,” *BMJ*, vol. 312, no. 7047, pp. 1654–1654, Jun. 1996. [Online]. Available: <https://www.bmjjournals.org/lookup/doi/10.1136/bmj.312.7047.1654>
- [42] T. F. Budinger and A. Brahme, Eds., *Comprehensive biomedical physics. Volume 1, Nuclear medicine and molecular imaging*. Amsterdam: Elsevier, 2014, oCLC: 886540666.
- [43] A. Graves, G. Wayne, and I. Danihelka, “Neural Turing Machines,” 2014, publisher: arXiv Version Number: 2. [Online]. Available: <https://arxiv.org/abs/1410.5401>
- [44] T. Hastie, R. Tibshirani, and J. H. Friedman, *The elements of statistical learning: data mining, inference, and prediction: with 200 full-color illustrations*, ser. Springer series in statistics. New York: Springer, 2001.
- [45] S. Ruder, “An overview of gradient descent optimization algorithms,” Jun. 2017, arXiv:1609.04747 [cs]. [Online]. Available: <http://arxiv.org/abs/1609.04747>



- [46] O. H. Rodriguez and J. M. Lopez Fernandez, “A semiotic reflection on the didactics of the Chain rule,” *The Mathematics Enthusiast*, vol. 7, no. 2-3, pp. 321–332, Jul. 2010. [Online]. Available: <https://scholarworks.umt.edu/tme/vol7/iss2/10>
- [47] K. Janocha and W. M. Czarnecki, “On Loss Functions for Deep Neural Networks in Classification,” 2017, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/1702.05659>
- [48] S. Jadon, “A survey of loss functions for semantic segmentation,” in *2020 IEEE Conference on Computational Intelligence in Bioinformatics and Computational Biology (CIBCB)*. Via del Mar, Chile: IEEE, Oct. 2020, pp. 1–7. [Online]. Available: <https://ieeexplore.ieee.org/document/9277638/>
- [49] J. Wang, D. R. Salem, and R. K. Sani, “Two new exopolysaccharides from a thermophilic bacterium *Geobacillus* sp. WSUCF1: Characterization and bioactivities,” *New Biotechnology*, vol. 61, pp. 29–39, Mar. 2021. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1871678420301928>
- [50] C. M. Bishop, *Pattern Recognition and Machine Learning*, softcover reprint of the original 1st edition 2006 (corrected at 8th printing 2009) ed., ser. Information Science and Statistics. New York, NY: Springer New York, 2016.
- [51] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning*, ser. Springer Series in Statistics. New York, NY: Springer New York, 2009. [Online]. Available: <http://link.springer.com/10.1007/978-0-387-84858-7>
- [52] Y. Tian, D. Su, S. Lauria, and X. Liu, “Recent advances on loss functions in deep learning for computer vision,” *Neurocomputing*, vol. 497, pp. 129–158, Aug. 2022. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0925231222005239>
- [53] U. R. Dr.A, “Binary cross entropy with deep learning technique for Image classification,” *International Journal of Advanced Trends in Computer Science and Engineering*, vol. 9, no. 4, pp. 5393–5397, Aug. 2020. [Online]. Available: <http://www.warse.org/IJATCSE/static/pdf/file/ijatcse175942020.pdf>
- [54] L. Deng, J. Li, J.-T. Huang, K. Yao, D. Yu, F. Seide, M. Seltzer, G. Zweig, X. He, J. Williams, Y. Gong, and A. Acero, “Recent advances in deep learning for speech research at Microsoft,” in *2013 IEEE International Conference on Acoustics, Speech and Signal Processing*. Vancouver, BC, Canada: IEEE, May 2013, pp. 8604–8608. [Online]. Available: <http://ieeexplore.ieee.org/document/6639345/>
- [55] K. Fukushima, “A neural network model for selective attention in visual pattern recognition,” *Biological Cybernetics*, vol. 55, no. 1, pp. 5–15, Oct. 1986. [Online]. Available: <http://link.springer.com/10.1007/BF00363973>
- [56] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning,” *Nature*, vol. 521, no. 7553, pp. 436–444, May 2015. [Online]. Available: <https://www.nature.com/articles/nature14539>
- [57] E. Lewinson, *Python for finance cookbook: over 80 powerful recipes for effective financial data analysis*, second edition ed. Birmingham Mumbai: Packt Publishing, 2022.



- Optimalisasi Hyperparameter Arsitektur Temporal Convolutional Network Menggunakan Metode Hyperband untuk Mengklasifikasikan Gerakan Mata Manusia**  
Daffa Bil Nádzary, Dr. Eng. Ir. Sunu Wibirama, S.T., M.Eng., IPM., Syukron Abu Ishaq Alfarozi, S.T., Ph.D.  
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>
- [58] R. M. Schmidt, “Recurrent Neural Networks (RNNs): A gentle Introduction and Overview,” 2019, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/1912.05911>
- [59] Q. Qiu, Z. Xie, L. Wu, and W. Li, “DGeoSegmenter: A dictionary-based Chinese word segmenter for the geoscience domain,” *Computers & Geosciences*, vol. 121, pp. 1–11, Dec. 2018. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0098300418300852>
- [60] C. Lea, M. D. Flynn, R. Vidal, A. Reiter, and G. D. Hager, “Temporal Convolutional Networks for Action Segmentation and Detection,” 2016, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/1611.05267>
- [61] F. Yu and V. Koltun, “Multi-Scale Context Aggregation by Dilated Convolutions,” Apr. 2016, arXiv:1511.07122 [cs]. [Online]. Available: <http://arxiv.org/abs/1511.07122>
- [62] C. Sun, J. Sharma, and M. Maiti, “Investigating the Relationship Between Dropout Regularization and Model Complexity in Neural Networks,” Aug. 2021, arXiv:2108.06628 [cs]. [Online]. Available: <http://arxiv.org/abs/2108.06628>
- [63] S. Salman and X. Liu, “Overfitting Mechanism and Avoidance in Deep Neural Networks,” Jan. 2019, arXiv:1901.06566 [cs, stat]. [Online]. Available: <http://arxiv.org/abs/1901.06566>
- [64] J. Lederer, “Activation Functions in Artificial Neural Networks: A Systematic Overview,” 2021, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/2101.09957>
- [65] S. R. Dubey, S. K. Singh, and B. B. Chaudhuri, “Activation Functions in Deep Learning: A Comprehensive Survey and Benchmark,” 2021, publisher: arXiv Version Number: 3. [Online]. Available: <https://arxiv.org/abs/2109.14545>
- [66] P. M. Radiuk, “Impact of Training Set Batch Size on the Performance of Convolutional Neural Networks for Diverse Datasets,” *Information Technology and Management Science*, vol. 20, no. 1, Jan. 2017. [Online]. Available: <https://itms-journals.rtu.lv/article/view/itms-2017-0003>
- [67] S. Ioffe and C. Szegedy, “Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift,” 2015, publisher: arXiv Version Number: 3. [Online]. Available: <https://arxiv.org/abs/1502.03167>
- [68] S. Afaq and S. Rao, “Significance Of Epochs On Training A Neural Network,” *International Journal of Scientific & Technology Research*, vol. 9, pp. 485–488, 2020.
- [69] M.-A. Zöller and M. F. Huber, “Benchmark and Survey of Automated Machine Learning Frameworks,” 2019, publisher: arXiv Version Number: 5. [Online]. Available: <https://arxiv.org/abs/1904.12054>
- [70] R. Elshawi, M. Maher, and S. Sakr, “Automated Machine Learning: State-of-The-Art and Open Challenges,” 2019, publisher: arXiv Version Number: 2. [Online]. Available: <https://arxiv.org/abs/1906.02287>



- [71] N. DeCastro-García, L. Muñoz Castañeda, D. Escudero García, and M. V. Carriegos, “Effect of the Sampling of a Dataset in the Hyperparameter Optimization Phase over the Efficiency of a Machine Learning Algorithm,” *Complexity*, vol. 2019, pp. 1–16, Feb. 2019. [Online]. Available: <https://www.hindawi.com/journals/complexity/2019/6278908/>
- [72] S. S. Olof, “A Comparative Study of Black-box Optimization Algorithms for Tuning of Hyper-parameters in Deep Neural Networks,” 2018.
- [73] J. Bergstra, R. Bardenet, Y. Bengio, and B. Kégl, “Algorithms for Hyper-Parameter Optimization,” in *Advances in Neural Information Processing Systems*, J. Shawe-Taylor, R. Zemel, P. Bartlett, F. Pereira, and K. Q. Weinberger, Eds., vol. 24. Curran Associates, Inc., 2011. [Online]. Available: [https://proceedings.neurips.cc/paper\\_files/paper/2011/file/86e8f7ab32cf12577bc2619bc635690-Paper.pdf](https://proceedings.neurips.cc/paper_files/paper/2011/file/86e8f7ab32cf12577bc2619bc635690-Paper.pdf)
- [74] J. Bergstra and Y. Bengio, “Random Search for Hyper-Parameter Optimization,” *J. Mach. Learn. Res.*, vol. 13, no. null, pp. 281–305, Feb. 2012, publisher: JMLR.org.
- [75] J. Wang, J. Xu, and X. Wang, “Combination of Hyperband and Bayesian Optimization for Hyperparameter Optimization in Deep Learning,” 2018, publisher: arXiv Version Number: 1. [Online]. Available: <https://arxiv.org/abs/1801.01596>
- [76] M. Sokolova, N. Japkowicz, and S. Szpakowicz, “Beyond Accuracy, F-Score and ROC: A Family of Discriminant Measures for Performance Evaluation,” in *AI 2006: Advances in Artificial Intelligence*, D. Hutchison, T. Kanade, J. Kittler, J. M. Kleinberg, F. Mattern, J. C. Mitchell, M. Naor, O. Nierstrasz, C. Pandu Rangan, B. Steffen, M. Sudan, D. Terzopoulos, D. Tygar, M. Y. Vardi, G. Weikum, A. Sattar, and B.-h. Kang, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2006, vol. 4304, pp. 1015–1021, series Title: Lecture Notes in Computer Science. [Online]. Available: [http://link.springer.com/10.1007/11941439\\_114](http://link.springer.com/10.1007/11941439_114)
- [77] H. Dalianis, “Evaluation Metrics and Evaluation,” in *Clinical Text Mining*. Cham: Springer International Publishing, 2018, pp. 45–53. [Online]. Available: [http://link.springer.com/10.1007/978-3-319-78503-5\\_6](http://link.springer.com/10.1007/978-3-319-78503-5_6)
- [78] S. Yadav and S. Shukla, “Analysis of k-Fold Cross-Validation over Hold-Out Validation on Colossal Datasets for Quality Classification,” in *2016 IEEE 6th International Conference on Advanced Computing (IACC)*. Bhimavaram, India: IEEE, Feb. 2016, pp. 78–83. [Online]. Available: <http://ieeexplore.ieee.org/document/7544814/>
- [79] R. Kohavi, “A Study of Cross-Validation and Bootstrap for Accuracy Estimation and Model Selection,” vol. 14, Mar. 2001.
- [80] G. I. Webb, C. Sammut, C. Perlich, T. Horváth, S. Wrobel, K. B. Korb, W. S. Noble, C. Leslie, M. G. Lagoudakis, N. Quadrianto, W. L. Buntine, N. Quadrianto, W. L. Buntine, L. Getoor, G. Namata, L. Getoor, X. J. Han, Jiawei, J.-A. Ting, S. Vijayakumar, S. Schaal, and L. D. Raedt, “Leave-One-Out Cross-Validation,” in *Encyclopedia of Machine Learning*, C. Sammut and G. I. Webb, Eds. Boston, MA: Springer US, 2011, pp. 600–601. [Online]. Available: [http://link.springer.com/10.1007/978-0-387-30164-8\\_469](http://link.springer.com/10.1007/978-0-387-30164-8_469)



**Optimalisasi Hyperparameter Arsitektur Temporal Convolutional Network Menggunakan Metode Hyperband untuk Mengklasifikasikan Gerakan Mata Manusia**

Daffa Bil Nadzary, Dr. Eng. Ir. Sunu Wibirama, S.T., M.Eng., IPM., Syukron Abu Ishaq Alfarizi, S.T., Ph.D.

UNIVERSITAS  
GADJAH MADA  
[81]

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- [81] T.-T. Wong, "Performance evaluation of classification algorithms by k-fold and leave-one-out cross validation," *Pattern Recognition*, vol. 48, no. 9, pp. 2839–2846, Sep. 2015. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S0031320315000989>