

## DAFTAR PUSTAKA

- Acharya, S., Patnaik, M., Kumar, K.P. & Mishra, S.P. (2022) Correlation of body fat percentage, fat mass, fat free mass, and fat free mass index with hand grip strength in healthy young males in a tertiary health care center of South Odisha. *National Journal of Physiology, Pharmacy and Pharmacology*, 12(2), pp.196-201.
- Adam & Latif (2016) Membangun Daya Saing Indonesia Melalui Peningkatan Produktivitas. *Jurnal Kependudukan Indonesia*, 11(2).
- Agudelo, L. Z., Femenía, T., Orhan, F., Porsmyr-Palmertz, M., Goiny, M., & Martinez-Redondo, V. (2014) Skeletal muscle PGC-1 $\alpha$ 1 modulates kynurenine metabolism and mediates resilience to stres-induced depression. *Cell*, 159(1), pp. 33-45.
- Akbaraly, T. N., Kumari, M., Head, J., Ritchie, K., Ancelin, M. L., Tabák, A. G., Brunner, E., Chaudieu, I., Marmot, M. G., Ferrie, J. E., & Shipley, M. J. (2013) Glycemia, insulin resistance, insulin secretion, and risk of depressive symptoms in middle age. *Diabetes Care*, 36(4), pp. 928–934. <https://doi.org/10.2337/dc12-0239>.
- Al'Absi, M., Hovland, J. & L. Davis, G. (2011) Assessment of Stres in Research and Clinical Settings. In: *Stres and Addiction: Biological and Psychological Mechanisms*. Elsevier, 93(1), pp. 265–284.
- Alaminos-Torres, A., Martinez-Lorca, M., Sifre De Sola, I., López-Ejeda, N. & Dolores Marrodán, M. (2022) Psychological distress in Spanish airline pilots during the aviation crisis caused by the COVID-19 pandemic and psychometric analysis of the 12-item general health questionnaire. *Ergonomics*, 65(5), pp. 741-752.
- Alemán-Mateo, H., Carreón, V. R., Macías, L., Astiazaran-García, H., Gallegos-Aguilar, A. C. & Enríquez, J. R. R. (2014) Nutrient-rich dairy proteins improve appendicular skeletal muscle mass and physical performance, And attenuate the loss of muscle strength in older men and women subjects: A single-blind randomized clinical trial. *Clinical Interventions in Aging*, 9, pp. 1517–1525.
- Alley, D. E., Shardell, M. D., Peters, K. W., McLean, R. R., Dam, T. T., Kenny, A.M., & Ferrucci, L., 2007. Grip Strength Cutpoints for The Identification of Clinically Relevant Weakness. *Journal of Gerontology: Medical Sciences*, 62(11), 1231-1236.
- Andreoli, A. Garaci, F., Cafarelli, F. P., & Guglielmi, G. (2016) Body composition in clinical practice. *European Journal of Radiology*, 85(8), pp. 1461-1468.
- Andrews, J. S., Trupin, L., Hough, C. L., Daikh, D. I., Yelin, E.H., & Katz, P. P. (2017) Serum biomarkers of infammation and muscle strength among women with systemic lupus erythematosus. *Cytokine*, 90, pp. 109–112. <https://doi.org/10.1016/j.cyto.2016.11.003>
- Anjara, S.G., Bonetto, C., Van Bortel, T. & Brayne, C. (2020) Using the GHQ-12 to screen for mental health problems among primary care patients: psychometrics and practical considerations. *International Journal of Mental Health Systems*, 14, pp.1-13.
- Aragon, A A, Schoenfeld, B.J. Wildman, R, Kleiner, S, Van Dusseldorp, T., Taylor, L, Earnest, C.P. Arciero, P.J. Wilborn, C. Kalman, D.S. Stout, JR.

- Willoughby, D.S. Campbell, B., Arent, S.M., Bannock, L, Smith, Ryan, A.E. & Antonio, J. (2017) International society of sports nutrition position stand: diets and body composition. *Journal of the International Society of Sports Nutrition*, 14(1), pp. 16.
- Ball, K., Crawford, D. & Kenardy, J. (2004) Longitudinal relationships among overweight, life satisfaction, and aspirations in young women. *Obesity Research*, 12(6), pp.1019-1030.
- Barry VW, Caputo JL, & Kang M. (2018) The joint association of fitness and fatness on cardiovascular disease mortality: a meta-analysis. *Progress In Cardiovascular Diseases*, 61, pp. 136–41.
- Barseli, M. Ildil, I. & Nikmarjal, N. (2017) Konsep Stres Akademik Siswa. *Jurnal Konseling dan Pendidikan*, 5(3), pp. 143-148. doi:10.29210/119800.
- Barseli, M., Ahmad, R. & Ildil, I. (2018) Hubungan stres akademik siswa dengan hasil belajar. *Jurnal Pendidikan Indonesia*, 4(1), pp. 40 doi:10.29210/120182136\
- Bellantini F, Romano AD, Lo Buglio A, Castriotta V, Guglielmi G, Greco A, Serviddio G, & Vendemiale G. (2018) Oxidative stress is increased in sarcopenia and associated with cardiovascular disease risk in sarcopenic obesity. *Maturitas*, 109, pp. 6–12.
- Biener, A., Cawley, J., & Meyerhoefer, C. (2018) The impact of obesity on medical care costs and labor market outcomes in the US. *Clinical Chemistry*, 64(1), pp. 108-117.
- Bijlsma, A. Y., Pasma, J. H., Lambers, D., Stijntjes, M., Blauw, G. J., & Meskers, C. G. M. (2013) Muscle Strength Rather Than Muscle Mass Is Associated With Standing Balance in Elderly Outpatients. *Journal of the American Medical Directors Association*, Elsevier Ltd, 14(7), pp. 493–498. doi:10.1016/j.jamda.2013.02.001.
- Boggiano, M.M., Wenger, L.E., Turan, B., Tatum, M.M., Morgan, P.R. & Sylvester, M.D. (2015) Eating tasty food to cope. Longitudinal association with BMI. *Appetite*, 87, pp. 365-370.
- Bratter, J.L., & Eschbach, K. (2005) Race/ethnic differences in nonspecific psychological distress: evidence from the national health interview survey. *Social Science Quarterly*, 86(3), pp. 620–644. <https://doi.org/10.1111/j.0038-4941.2005.00321.x>.
- Brozek J, Grande F, Anderson JT, & Keys A. (1963) Densitometric analysis of body composition: revision of some quantitative assumptions. *Annals of the New York Academy of Sciences*, 110, pp. 113–40
- Budiman, I. (2008) Validitas Pengukuran Lemak badan yang Menggunakan Skinfold Caliper di 2, 3, 4, 7 Tempat terhadap Cara Bod Pod. *Jurnal Kesehatan Masyarakat*, 7(2). p.149358.
- Calzo, J.P., Sonnevile, K.R., Haines, J., Blood, E.A., Field, A.E. & Austin, S.B. (2012) The development of associations among body mass index, body dissatisfaction, and weight and shape concern in adolescent boys and girls. *Journal of Adolescent Health*, 51(5), pp. 517-523.
- Can, S., Demirkan, E., & Erca, S. (2019) The Effects of Exercise Preferences on Body Fat and Body Mass Index by Self-Report. *Universal Journal of Educational Research*, 7(1), pp. 293-297.
- Caron, J. & Guay, S. (2005) Social support and mental health: concept, measures, recent studies as well as implications for clinicians. *Santé Mentale au Québec*, 30(2), pp.15-41.

- Carr, D., & Umberson, D. (2013) The social psychology of stres, health, and coping. In DeLameter, J. & Ward, A. (Eds.). *Handbook of Social Psychology* (pp. 465-487). Netherlands: Springer.
- Carstensen, L.L., Isaacowitz, D.M. & Charles, S.T. (1999) Taking time seriously: A theory of socioemotional selectivity. *American Psychologist*, 54(3), pp.165.
- Cebrino, J. & Portero de la Cruz, S. (2020) Environmental, Health and Sociodemographic Determinants Related to Common Mental Disorders in Adults: A Spanish Country-Wide Population-Based Study (2006–2017). *Journal of Clinical Medicine*, 9(7), pp. 2199.
- Cecchini, M. (2018) Use of healthcare services and expenditure in the US in 2025: The effect of obesity and morbid obesity. *PLoS One*, 13(11), pp. 206703.
- Chan, O. Y. A., van Houwelingen, A. H., Gussekloo, J., Blom, J. W. & den Elzen, W. P. J. (2014) Comparison of quadriceps strength and handgrip strength in their association with health outcomes in older adults in primary care. *Age Journal*, 36(5), pp. 1-13. doi: 10.1007/s11357-014-9714-4.
- Chang, C. Y., Chu, N. F., Lin, M. H., Wang, S. C., Wu, D. M., Tsai, M. K., & Lu, C. H. (2022) Association between Grip Strength, Obesity, and Cardiometabolic Risk Factors among the Community-Dwelling Elderly Population in Taiwan. *International Journal of Environmental Research and Public Health*, 19(18), pp. 11359.
- Charlton, K., Batterham, M., Langford, K., Lateo, J., Brock, E., & Walton, K. (2015) Lean Body Mass Associated with Upper Body Strength in Healthy Older Adults While Higher Body Fat Limits Lower Extremity Performance and Endurance'. *Nutrients*, 7(9), pp. 7126–7142. doi: 10.3390/nu7095327.
- Chen, C., Tsai, L. T., Lin, C. F., Huang, C. C., Chang, Y. T., Chen, R. Y., & Lyu, S. Y. (2017) Factors influencing interest in recreational sports participation and its rural-urban disparity. *PLoS One*, 12(5), pp. 178052.
- Chen, G., Liu, L., & Yu, J. (2012) A Comparative Study on Strength between American College Male and Female Students in Caucasian and Asian Populations. *Sport Science Review*, 21(3–4), pp. 153–165. <https://doi.org/10.2478/v10237-012-0015-5>
- Chillon, P., Ortega, F. B., Ferrando, J. A., & Casajus, J. A. (2011) Physical fitness in rural and urban children and adolescents from Spain. *Journal of Science and Medicine in Sport*, 14(5), pp. 417-423.
- Claes, S., Myint, A. M., Domschke, K., Del-Favero, J., Entrich, K., Engelborghs, S., De Deyn, P., Mueller, N., Baune, B., & Rothermundt, M. (2011) The kynurenine pathway in major depression: Haplotype analysis of three related functional candidate genes. *Psychiatry Research*, 188(3), pp. 355-360.
- Corrigan, P. W., Bink, A. B., Schmidt, A., Jones, N., & Rüsch, N. (2016) What is the impact of self-stigma? Loss of self-respect and the “why try” effect. *Journal of Mental Health*, 25(1), pp. 10-15.
- Dağ, F. & Erdoğan, A.T. (2020) Gender and age differences in absolute and relative handgrip strength of the Turkish population aged 8–27 years. *Hand Surgery and Rehabilitation*, 39(6), pp. 556-563.
- Daulima, N. (2014) The decision-making process for pasung by the family for clients with mental disorders. Doctoral Dissertation, Faculty of Nursing, University of Indonesia, Jakarta.

- Davison, K.M., Lung, Y., Lin, S.L., Tong, H., Kobayashi, K.M. & Fuller-Thomson, E. (2020) Psychological distress in older adults linked to immigrant status, dietary intake, and physical health conditions in the Canadian Longitudinal Study on Aging (CLSA). *Journal of Affective Disorders*, 265, pp. 526-537.
- Deasy, C., Coughlan, B., Pironom, J., Jourdan, D., & Mannix-McNamara, P. (2014) Psychological distress and coping amongst higher education students: A mixed method enquiry. *Plos One*, 9(12), pp. 115193.
- Dent, E., Morley, J.E., Cruz-Jentoft, A.J., Arai, H., Kritchevsky, S.B., Guralnik, J., Bauer, J.M., Pahor, M., Clark, B.C., Cesari, M. & Ruiz, J. (2018) International clinical practice guidelines for sarcopenia (ICFSR): screening, diagnosis and management. *The Journal of Nutrition, Health & Aging*, 22, pp.1148-1161.
- Dewe, P. J., O'Driscoll, M. P., & Cooper, C. L. (2012) Theories of psychological stress at work. In Gatchel, R. J. & I. Z. Schultz, I. Z. (eds.) *Handbooks In Health, Work, And Disability* (pp. 23-38). USA: Springer.
- Dodds, R. M., Sayer, A. A., Cooper, R., Kuh, D., & Cooper, C. (2016) Ethnic and Gender Differences in Hand Grip Strength and Aging in Five Cohort Studies. *Age and Ageing*, 45(6), pp. 832-838.
- Drapeau, A., Marchand, A. & Beaulieu-Prévost, D. (2011) Mental Illnesses- Understanding, prediction and control: Epidemiology of psychological distress. National Population Health Survey (NPHS).
- Durnin, J.V.G.A. & Womersley, J. (1974) Body fat assessed from total body density and its estimation from skinfold thickness: Measurements on 481 men and women aged from 16 to 72 Years. *British Journal of Nutrition*. 32, pp. 77-97.
- Fitriani, A., & Purwaningtyas, D. R. (2020) Indeks Massa badan, Asupan Protein dan Kekuatan Otot Pada Perempuan Remaja Akhir di Perkotaan. *Jurnal Kesmas (Kesehatan Masyarakat) Khatulistiwa*, 7(4), pp. 166-177. <https://doi.org/10.29406/jkmk.v7i4.1254>
- Fletcher, G. F., & Landolfo C, Niebauer J. (2018) Promoting physical activity and exercise: JACC Health Promotion Series. *Journal of the American College of Cardiology*, 72(14), pp. 1622-1639.
- Franssen, F. M., Rutten, E. P., Groenen, M.T., Vanfleteren, L.E., Wouters, E.F. & Spruit, M.A. (2014) New reference values for body composition by bioelectrical impedance analysis in the general population: results from the UK Biobank. *Journal of the American Medical Association*, 15(6), pp. 448.
- Gale, C. R., Kivimaki, M., Lawlor, D. A., Carroll, D., Phillips, A. C., & Batty, G. D. (2010) Fasting glucose, diagnosis of type 2 diabetes, and depression: The Vietnam experience study. *Biological Psychiatry*, 67(2), pp. 189-192. <https://doi.org/10.1016/j.biopsych.2009.09.019>
- Gaol, N.T.L. (2016) Teori stres: stimulus, respons, dan transaksional. *Buletin Psikologi*, 24(1), pp. 1-11.
- Garcia-Hermoso, A., Cofre-Bolados, C., Andrade-Schnettler, R., Ceballos-Ceballos, R., Fernández-Vergara, O., Vegas-Heredia, E. D., & Izquierdo, M. (2021) Normative reference values for handgrip strength in Chilean children at 8-12 years old using the empirical distribution and the lambda, mu, and sigma statistical methods. *The Journal of Strength & Conditioning Research*, 35(1), pp. 260-266.



- Geifman, N., Cohen, R. & Rubin, E. (2013) Redefining meaningful age groups in the context of disease. *Age*, 35, pp. 2357-2366.
- Genton, L., Graf, C.E., Karsegard, V.L., Kyle, U.G. & Pichard, C. (2013) Low fat-free mass as a marker of mortality in community-dwelling healthy elderly subjects. *Age and Ageing*, 42(1), pp. 33-39.
- Gibson, E.L. (2012) The psychobiology of comfort eating: implications for neuropharmacological interventions. *Behavioural Pharmacology*, 23(5 & 6), pp. 442-460.
- Goettler, A., Grosse, A., & Sonntag, D. (2017) Productivity loss due to *overweight* and obesity: a systematic review of indirect costs. *BMJ open*, 7(10), pp. 14632.
- Goldberg, D. P., & Blackwell, B. (1970) Psychiatric illness in general practice: A detailed study using a new method of case identification. *British Medical Journal*, 2(5707), pp. 439–443. <https://doi.org/10.1136/bmj.2.5707.439>
- Goldberg, D. P., Gater, R., & Sartorius, N. (1997) The validity of two versions of the GHQ in the WHO study of mental illness in general health care. *Psychol Med*, 27(1), pp. 191–197.
- Goldberg, D., & Williams, P. (1988) A user's guide to the General Health Questionnaire. *NFER-Nelson*.
- Gómez-Cabello, A., Carnicero, J. A., Alonso-Bouzón, C., Tresguerres, J. Á., Alfaro-Acha, A., & Ara, I. (2014) Age and gender, two key factors in the associations between physical activity and strength during the ageing process. *Maturitas*, 78(2), pp. 106–112. doi: 10.1016/j.maturitas.2014.03.007.
- Goodpaster, B. H., Park, S. W., Harris, T. B., Kritchevsky, S. B., Nevitt, M., & Schwartz, A. V. (2006) The Loss of Skeletal Muscle Strength, Mass, and Quality in Older Adults. The Health, Aging and Body Composition Study. *Gerontology. Medical Sciences*, 61(10). pp. 1059–1064. doi: 10.1093/gerona/61.10.1059.
- Górnicka, M., Szewczyk, K., Białkowska, A., Jancichova, K., Habanova, M., Górnicki, K. & Hamulka, J. (2022) Anthropometric indices as predictive screening tools for obesity in adults; The need to define sex-specific cut-off points for anthropometric indices. *Applied Sciences*, 12(12), p. 6165.
- Graf, C.E., Karsegard, V.L., Spoerri, A., Makhoulouf, A.M., Ho, S., Herrmann, F.R. & Genton, L. (2015) Body composition and all-cause mortality in subjects older than 65 y. *The American journal of clinical nutrition*, 101(4), pp. 760-767.
- Graf, C.E., Pichard, C., Herrmann, F.R., Sieber, C.C., Zekry, D. & Genton, L. (2017) Prevalence of low muscle mass according to body mass index in older adults. *Nutrition*, 34, pp. 124-129.
- Gropper, S. S., & Smith, J. L. (2013) Advanced Nutrition and Human Metabolism. 6th edn. Edited by P. Williams. USA: Wadsworth Cengage Learning.
- Guerra, R. S. and Amaral, T. F., 2009. Comparison of hand dynamometers in elderly people. *Journal of Nutrition, Health and Aging*. 13(10), pp. 907–912. doi: 10.1007/s12603-009-0250-3.
- Halim, R., & Sukmaniah, S. (2020) Hubungan Antara Asupan Makronutrien dan Status Nutrisi Dengan Kekuatan Otot Pada Lansia di Panti Werdha Jakarta. *JMJ*, 8(2), pp. 127-134.
- Hansen, A.W., Beyer, N., Flensborg-Madsen, T., Grønbæk, M. & Helge, J.W. (2013) Muscle strength and physical activity are associated with self-rated

- health in an adult Danish population. *Preventive Medicine*, 57(6), pp. 792–798. doi:<https://doi.org/10.1016/j.ypmed.2013.08.029>.
- Hariharan, M., & Rath, R. (2008) Coping with life stres: The Indian experience. India: SAGE Publications India Pvt Ltd.
- Hartini, N., Fardana, N. A., Ariana, A. D., & Wardana, N. D. (2018) Stigma toward people with mental health problems in Indonesia. *Psychology Research And Behavior Management*, pp. 535-541.
- Hashimoto, R., Sakai, A., Murayama, M., Ochi, A., Abe, T., & Hirasaka, K. (2015) Effects of dietary soy protein on skeletal muscle volume and strength in humans with various physical activities. *The Journal of Medical Investigation*, 62(3), pp. 177–183. doi: 10.2152/jmi.62.177.
- Held, M. K. (2022) *Presented in partial fulfillment of the requirements for the degree doctor of philosophy in the graduate school of the ohio state university*. Doctoral dissertation, The Ohio State University.
- Hemmingsson, E. (2014) A new model of the role of psychological and emotional distres in promoting obesity: conceptual review with implications for treatment and prevention. *Obesity Reviews*, 15(9), pp. 769-779.
- Henares Montiel, J., Ruiz-Pérez, I. & Sordo, L. (2020) Salud mental en España y diferencias por sexo y por comunidades autónomas. *Gaceta Sanitaria*, 34(2), pp. 114-119.
- Hermosillo-Gallardo, M. E., Jago, R., & Sebire, S. J. (2017) The associations between urbanicity and physical activity and sitting time in Mexico. *Journal of Physical Activity and Health*, 14(3), pp. 189-194.
- Hernández-Cordero, S., Cuevas-Nasu, L., Morales-Ruán, M. D. C., Méndez-Gómez Humarán, I., Ávila-Arcos, M. A., & Rivera-Dommarco, J. A. (2017) Overweight and obesity in Mexican children and adolescents during the last 25 years. *Nutrition & Diabetes*, 7(3), pp. 247-247.
- Hernandez-Martinez, A., Martinez-Rosales, E., Alcaraz-Ibañez, M., Soriano-Maldonado, A. & Artero, E.G. (2019) Influence of body composition on arterial stiffness in middle-aged adults: healthy UAL cross-sectional study. *Medicina*, 55(7), pp. 334.
- Heymsfield, S. B., Ebbeling, C. B., Zheng, J., Pietrobelli, A., Strauss, B. J., & Silva, A. M. (2015) Multi-component molecular-level body composition reference methods: evolving concepts and future directions. *Obesity Reviews*, 16(4), pp. 282–94. <https://doi.org/10.1111/obr.12261>
- Hill, D. C., Moss, R. H., Sykes-Muskett, B., Conner, M., & O'Connor, D. B. (2018). Stress and eating behaviors in children and adolescents: Systematic review and meta-analysis. *Appetite*, 123, pp. 14-22.
- Huang, X., Ma, J., Ying, Y., Liu, K., Jing, C. & Hao, G. (2021) The handgrip strength and risk of depressive symptoms: a meta-analysis of prospective cohort studies. *Quality of Life Research*, 30(9), pp. 2467-2474.
- Hull, H. R., Thornton, J., Wang, J., Pierson, R. N., Kaleem, Z., Pi-Sunyer, X., ... & Gallagher, D. (2011). Fat-free mass index: changes and race/ethnic differences in adulthood. *International Journal of Obesity*, 35(1), pp. 121-127.
- Hwang, I.C., Ahn, H.Y. & Choi, S.J. (2021) Association between handgrip strength and mental health in Korean adolescents. *Family Practice*, 38(6), pp. 826-829.
- Hyun, B.R., Yoon, Y.S., Yang, Y.J., Lee, E.S., Lee, J.H., Huh, Y., Jung, C.H. & Kang, B.R. (2021) Association between Handgrip Strength and

- Psychological Distres: The Korea National Health and Nutrition Examination Survey (2015 and 2017). *Korean Journal of Family Practice*, 11(5), pp. 338-344.
- Idaiani, S., & Suhardi (2006) Validitas dan reliabilitas General Health Questionnaire untuk skrining distres psikologik dan disfungsi sosial di masyarakat. *Penel Kesehatan*, 34(4), pp. 161-173.
- Idris, H.A. (2016) *Pengantar ekonomi sumber daya manusia*. Deepublish.
- Indrika, S. N., & Chris, A. (2022) Hubungan Tingkat Depresi Dengan Kekuatan Genggaman Tangan Pada Mahasiswa Fakultas Kedokteran Universitas Tarumanagara. *Ebers Papyrus*, 28(1). pp. 74-82.
- International Labor Organization (2016) Upah dan Produktivitas Untuk Pembangunan Berkelanjutan[Internet]. Tersedia dalam <[https://www.ilo.org/jakarta/whatwedo/publications/WCMS\\_381159/lang-en/index.htm](https://www.ilo.org/jakarta/whatwedo/publications/WCMS_381159/lang-en/index.htm)> [Diakses 22 Agustus 2023].
- Irmansyah, I., Prasetyo, Y. A., & Minas, H. (2009) Human rights of persons with mental illness in Indonesia: more than legislation is needed. *International Journal of Mental Health Systems*, 3, pp. 1-10.
- Isanejad, M., Mursu, J., Sirola, J., Kröger, H., Rikkonen, T., Tuppurainen, M., & Erkkilä, A. T. (2016) Dietary protein intake is associated with better physical function and muscle strength among elderly women. *British Journal of Nutrition*, 115(7), pp. 1281-1291.
- Jääskeläinen, A., Nevanperä, N., Remes, J., Rahkonen, F., Järvelin, M.R. and Laitinen, J. (2014) Stres-related eating, obesity and associated behavioural traits in adolescents: a prospective population-based cohort study. *BMC Public Health*, 14(1), pp. 1-14.
- Jain, G., & Singhai, M. (2017) Academic stres amongst students: a review of literature. *Prestige e-Journal of Management and Research*, 4(2), pp. 58-67.
- Jáuregui, A., Medina, C., Salvo, D., Barquera, S., & Rivera-Dommarco, J. A. (2015) Active commuting to school in Mexican adolescents: evidence from the Mexican National Nutrition and Health Survey. *Journal of Physical activity and Health*, 12(8), pp. 1088-1095.
- Jeong, S. M., Choi, S., Kim, K., Kim, S. M., Kim, S., & Park, S. M. (2018) Association among handgrip strength, body mass index and decline in cognitive function among the elderly women. *BMC Geriatrics*, 18, pp. 1-9.
- Jiménez, E. G. (2013) Body Composition: Assessment and Clinical Value. *Endocrinología y Nutrición*, 60(2), pp. 69-75.
- Jin, M., Du, H., Zhang, Y., Zhu, H., Xu, K., Yuan, X., Pan, H. & Shan, G., 2019. Characteristics and reference values of fat mass index and fat free mass index by bioelectrical impedance analysis in an adult population. *Clinical Nutrition*, 38(5), pp. 2325-2332.
- Kalantari, N., Mohammadi, N. K., Rafieifar, S., Eini-Zinab, H., Aminifard, A., Malmir, H., & Doaei, S. (2017) Indicator for success of obesity reduction programs in adolescents: body composition or body mass index? Evaluating a school-based health promotion project after 12 weeks of intervention. *International Journal of Preventive Medicine*, 8.
- Keller K, E. M. (2013) Strength and muscle mass loss with aging process age and strength loss. *Muscles Ligaments Tendons Journal*, 3(4), pp. 346-350.
- Kementrian Kesehatan Republik Indonesia (2018) *Riset Kesehatan Dasar (Riskesdas) 2018*. Jakarta.

- Kementrian Pendidikan Kebudayaan Republik Indonesia (2016) *Kamus Besar Bahasa Indonesia*. Jakarta: Badan Pengembangan dan Pembinaan Bahasa.
- Khatib, M., Mansbach-Kleinfeld, I., Abu-Kaf, S., Ifrah, A. & Sheikh-Muhammad, A. (2021) Correlates of psychological distress and self-rated health among Palestinian citizens of Israel: findings from the health and environment survey (HESPI). *Israel Journal of Health Policy Research*, 10, pp.1-14.
- Khayat (2007) *Landasan Psikologi Proses Pendidikan*. Bandung: PT. Remaja Rosdakarya.
- Kim, C. R., Jeon, Y. J., Kim, M. C., Jeong, T., & Koo, W. R. (2018) Reference Values For Hand Grip Strength in The South Korean Population. *PloS One*, 13(4), pp. 195485. <https://doi.org/10.1371/journal.pone.0195485>.
- Kim, H., & Kwon, O. (2019) Higher diet quality is associated with lower odds of low hand grip strength in the Korean elderly population. *Nutrients*, 11(7), pp. 1487. <https://doi.org/10.3390/nu11071487>
- Kirk, B., Feehan, J., Lombardi, G. and Duque, G. (2020) Muscle, bone, and fat crosstalk: the biological role of myokines, osteokines, and adipokines. *Current Osteoporosis Reports*, 18(4), pp. 388-400.
- Kroshus, E., Hawrilenko, M., & Browning, A. (2021) Stres, self-compassion, and well-being during the transition to college. *Social Science and Medicine*, 256, pp. 113514. doi:10.1016/j.socscimed.2020.113514.
- Kumar, A., Jiwane, R., Alam, T., & Sahebrao, S. (2016) Achievements in the Life Sciences Grip Strength and Impact on Cognitive Function in Healthy Kitchen Workers. *Achievements in the Life Sciences*, 10(2), pp. 168–174. doi: 10.1016/j.als.2016.11.008.
- Kupriyanov, R., & Zhdanov, R. (2014) The eustres concept: Problems and outlooks. *World Journal of Medical Sciences*, 11(2), pp. 179-185. doi: 10.5829/idosi.wjms.2014.11.2.8433.
- Kuswandi, P. C., & Rahayu, T. (2022). Analisis Korelasi Indeks Massa badan (IMB) Dalam Keluarga Remaja Putri Yang Mengalami Obesitas Di Yogyakarta Correlation Analysis of Body Mass Index (Bmi) in Families of Obese Young Women in Yogyakarta. *J Sains Dasar*, 2022(1), pp. 1-6.
- Kwak, Y. & Kim, Y. (2022) Mental Health and Handgrip Strength Among Older Adults: A Nationwide Study. *INQUIRY: The Journal of Health Care Organization, Provision, and Financing*, 59, pp. 00469580211067481.
- Kwak, Y., & Kim, Y. (2019). Quality of life and subjective health status according to handgrip strength in the elderly: a cross-sectional study. *Aging & mental health*, 23(1), pp. 107-112. doi: 10.1080/13607863.2017.1387766.
- Kyle, U.G., Melzer, K., Kayser, B., Picard-Kossovsky, M., Gremion, G. & Pichard, C. (2006) Eight-year longitudinal changes in body composition in healthy Swiss adults. *Journal of the American College of Nutrition*, 25(6), pp. 493-501.
- Kyle, U.G., Pirlich, M., Lochs, H., Schuetz, T. & Pichard, C. (2005) Increased length of hospital stay in underweight and overweight patients at hospital admission: a controlled population study. *Clinical Nutrition*, 24(1), pp. 133-142.
- Lear, S. A., Humphries, K. H., Kohli, S., & Birmingham, C. L. (2012). The use of BMI and waist circumference as surrogates of body fat differs by ethnicity. *Obesity*, 15(11), pp. 2817-2824.



- LeCroy, M. N., Hua, S., Kaplan, R. C., Sotres-Alvarez, D., Qi, Q., Thyagarajan, B., & Isasi, C. R. (2021). Associations of changes in fat free mass with risk for type 2 diabetes: Hispanic Community Health Study/Study of Latinos. *Diabetes Research and Clinical Practice*, 171, pp. 108557.
- Lee, S. H., & Gong, H. S. (2020) Measurement and interpretation of handgrip strength for research on sarcopenia and osteoporosis. *In Journal of Bone Metabolism*, 27(2), pp. 85–96. <https://doi.org/10.11005/jbm.2020.27.2.85>
- Lenardt, M. H., Grden, C. R. B., Sousa, J. A. V. D., Reche, P. M., Betiolli, S. E., & Ribeiro, D. K. D. M. N. (2014) Factors associated with loss of handgrip strength in long-lived elderly. *Revista da Escola de Enfermagem da USP*, 48(6), pp. 1006-1012.
- Leong, D. P., Teo, K. K., Rangarajan, S., Kutty, V. R., Lanas, F., & Hui, C. (2016) Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. *Journal of Cachexia, Sarcopenia and Muscle*, 7(5), pp. 535–546. doi:10.1002/jcsm.12112.
- Leong, D. P., Teo, K. K., Rangarajan, S., Lopez-jaramillo, P., Jr, A. A., & Orlandini, A. (2015) Prognostic value of grip strength : findings from the Prospective Urban Rural Epidemiology (PURE) study. *The Lancet. Elsevier Ltd*. 386(9990), pp. 266–273. doi: 10.1016/S01406736(14)62000-6.
- Liang, Y., Wang, L. & Yin, X. (2016) The factor structure of the 12-item general health questionnaire (GHQ-12) in young Chinese civil servants. *Health And Quality Of Life Outcomes*, 14(1), pp. 1-9.
- Lin, S. H., & Huang, Y. C. (2014) Life stres and academic burnout. *Active Learning in Higher Education*, 15(1), pp. 77-90. doi: 10.1177/1469787413514651
- Livshits, G., & Kalinkovich, A. (2019) Inflammaging as a common ground for the development and maintenance of sarcopenia, obesity, cardiomyopathy and dysbiosis. *Ageing Research Reviews*, 56, pp. 100980.
- Lombardo, M., Padua, E., Campoli, F., Panzarino, M., Mîndrescu, V., Annino, G., Iellamo, F., & Bellia, A. (2021) Relative handgrip strength is inversely associated with the presence of type 2 diabetes in *overweight* elderly women with varying nutritional status. *Acta Diabetologica*, 58(1), pp. 25–32.
- Looijaard, W. G., Molinger, J., & Weijs, P. J. (2018) Measuring and monitoring lean body mass in critical illness. *Current opinion in critical care*, 24(4), pp. 241.
- Lyon, B. L. (2012) Stres, coping, and health. In Rice, H. V. (Eds.) *Handbook of stres, coping and health: Implications for nursing research, theory, and practice* (pp.3-23). USA: Sage Publication, Inc.
- Ma, Y., Fu, L., Jia, L., Han, P., Kang, L., & Yu, H. (2018) Muscle strength rather than muscle mass is associated with osteoporosis in older Chinese adults. *Journal of the Formosan Medical Association. Elsevier Ltd*, 117(2), pp. 101–108. doi: 10.1016/j.jfma.2017.03.004.
- Maeda, K., Koga, T., Nasu, T., Takaki, M., & Akagi, J. (2017) Predictive accuracy of calf circumference measurements to detect decreased skeletal muscle mass and European Society for Clinical Nutrition and Metabolism-defined malnutrition in hospitalized older patients. *Annals of Nutrition and Metabolism*, 71(1-2), pp. 10-15.
- Maestre-Miquel, C., López-de-Andrés, A., Ji, Z., de Miguel-Diez, J., Brocate, A., Sanz-Rojo, S., & Zamorano-León, J. J. (2021) Gender differences in the prevalence of mental health, psychological distress and psychotropic

- medication consumption in Spain: a nationwide population-based study. *International Journal of Environmental Research and Public Health*, 18(12), pp. 6350.
- Mainous, A. G., Tanner, R. J., Anton, S. D. & Jo, A. (2015) Grip Strength as a Marker of Hypertension and Diabetes in Healthy Weight Adults. *American Journal of Preventive Medicine. Elsevier*. 49(6), pp. 850–858. doi: 10.1016/j.amepre.2015.05.025.
- Malhotra, R., Ang, S., Carson, J., Chuan, N., Mmed, T., & Ostbye, T. (2016) Normative Values of Hand Grip Strength for Elderly Singaporeans Aged 60 to 89 Years: A Cross-Sectional Study. *Journal of the American Medical Directors Association. Elsevier Inc*, 17(9), pp. 8641-8647. doi:10.1016/j.jamda.2016.06.013
- Malik, V. S., & Hu, F. B. (2022) The role of sugar-sweetened beverages in the global epidemics of obesity and chronic diseases. *Nature Reviews Endocrinology*, 18(4), pp. 205-218.
- Malik, V. S., & Hu, F. B. (2022) The role of sugar-sweetened beverages in the global epidemics of obesity and chronic diseases. *Nature Reviews Endocrinology*, 18(4), pp. 205-218.
- Marreez, Y.M. (2013) Incorporation of “Human Body Composition” Course in the Medical or Premedical Curriculum. *Medical Science Educator*, 23, pp. 196-200.
- McClain, A. D., Otten, J. J., Hekler, E. B., & Gardner, C. D. (2013) Adherence to a low-fat vs. low-carbohydrate diet differs by insulin resistance status. *Diabetes, Obesity and Metabolism*, 15(1), pp. 87-90.
- McDonough, P. & Strohschein, L. (2003) Age and the gender gap in distress. *Women & Health*, 38(1), pp. 1-20.
- McGrath, R., Hackney, K.J., Ratamess, N.A., Vincent, B.M., Clark, B.C. and Kraemer, W.J. (2020) Absolute and body mass index normalized handgrip strength percentiles by gender, ethnicity, and hand dominance in Americans. *Advances In Geriatric Medicine And Research*, 2(1).
- McKenna, M.J. (1995) Effects of training on potassium homeostasis during exercise. *Journal of Molecular And Cellular Cardiology*, 27(4), pp. 941-949.
- Mendes, J., Padrão, P., Moreira, P., Santos, A., Borges, N., Afonso, C., Negrão, R. & Amaral, T.F. (2020) Handgrip strength and its association with hydration status and urinary sodium-to-potassium ratio in older adults. *Journal of the American College of Nutrition*, 39(3), pp. 192-199.
- Merchant, R.A., Seetharaman, S., Au, L., Wong, M.W.K., Wong, B.L.L., Tan, L.F., Chen, M.Z., Ng, S.E., Soong, J.T.Y., Hui, R.J.Y. & Kwek, S.C. (2021) Relationship of fat mass index and fat free mass index with body mass index and association with function, cognition and sarcopenia in pre-frail older adults. *Frontiers in Endocrinology*, 12, pp. 765415.
- Merrill, Z., Chambers, A., & Cham, R. (2020). Development and validation of body fat prediction models in American adults. *Obesity Science & Practice*, 6(2), pp. 189-195.
- Mijnarends, D. M., Koster, A., Schols, J. M., Meijers, J. M., Halfens, R. J., Gudnason, V., ... & Harris, T. (2016) Physical activity and incidence of sarcopenia: the population-based AGES—Reykjavik Study. *Age and Ageing*, 45(5), pp. 614-620.

- Minas, H., & Diatri, H. (2008) Pasung: Physical restraint and confinement of the mentally ill in the community. *International Journal Of Mental Health Systems*, 2(1), pp. 1-5.
- Morton, R. W., Traylor, D. A., Weijs, P. J., & Phillips, S. M. (2018) Defining anabolic resistance: implications for delivery of clinical care nutrition. *Current Opinion in Critical Care*, 24(2), pp. 124-130.
- Munizza, C., Argentero, P., Coppo, A., Tibaldi, G., Di Giannantonio, M., Picci, R.L. and Rucci, P. (2013) Public beliefs and attitudes towards depression in Italy: a national survey. *PloS One*, 8(5), pp. 63806.
- Musalek, C., & Kirchengast, S. (2017) Grip strength as an indicator of health-related quality of life in old age—a pilot study. *International journal of environmental research and public health*, 14(12), pp. 1447.
- Nakagawa, K. (2014) Relationship between Muscle Strength and Elbow Extension test. *Journal of Primary Health Care*, 4(3), pp. 3–4. doi:10.4172/2167-1079.1000165.
- Nasimi, N., Dabbaghmanesh, M. H., & Sohrabi, Z. (2019) Nutritional status and body fat mass: Determinants of sarcopenia in community-dwelling older adults. *Experimental Gerontology*, 122, pp. 67-73.
- Naufal, A.F. & Zein, R.H. (2019). *Latihan Fisik Dan Pembatasan Kalori Merubah Tipe Serat Otot Rangka*. In *Prosiding University Research Colloquium* (pp. 110-116).
- Navarro-Mateu, F., Tormo, M.J., Salmerón, D., Vilagut, G., Navarro, C., Ruíz-Merino, G., Escámez, T., Júdez, J., Martinez, S., Kessler, R.C. & Alonso, J. (2015) Prevalence of mental disorders in the South-East of Spain, one of the European regions most affected by the economic crisis: The cross-sectional PEGASUS-Murcia project. *PLoS One*, 10(9), pp. 137293.
- Nix, S. (2015) Nutrition and Physical Fitness. *Essentials of Nutrition and Diet Theray*. 11th edn. China: Elsevier.
- Noh, H. M., & Park, Y. S. (2020) Handgrip strength, dynapenia, and mental health in older Koreans. *Scientific Reports*, 10(1), pp. 4004.
- Odegard, S., Finset, A., Mowinckel, P., Kvien, T.K. & Uhlig, T. (2007) Pain and psychological health status over a 10-year period in patients with recent onset rheumatoid arthritis. *Annals of The Rheumatic Diseases*, 66(9), pp. 1195-1201.
- Ong, H. L., Abidin, E., Chua, B. Y., Zhang, Y., Seow, E., Vaingankar, J. A., & Subramaniam, M. (2017) Hand-grip strength among older adults in Singapore: a comparison with international norms and associative factors. *BMC Geriatrics*, 17, pp. 1-11.
- Osimo, E. F., Baxter, L. J., Lewis, G., Jones, P. B., & Khandaker, G. M. (2019) Prevalence of low-grade inflammation in depression: A systematic review and meta-analysis of CRP levels. *Psychological Medicine*, 49(12), pp. 1958–1970. <https://doi.org/10.1017/s0033291719001454>
- Othman, N., Ahmad, F., El Morr, C., & Ritvo, P. (2019) Perceived impact of contextual determinants on depression, anxiety and stress: a survey with university students. *International Journal of Mental Health Systems*, 13(1), pp. 1-9.
- Ou, Y., Chuang, H., Li, W., Tzeng, I. & Chen, J. (2017) Gender difference in the association between lower muscle mass and metabolic syndrome independent of insulin resistance in a middle-aged and elderly Taiwanese

- population. *Archives of Gerontology and Geriatrics. Elsevier*, 72(5), pp. 12–18. doi: 10.1016/j.archger.2017.04.006.
- Pan, P. J., Hsu, N. W., Lee, M. J., Lin, Y. Y., Tsai, C. C., & Lin, W. S. (2022) Physical fitness and its correlation with handgrip strength in active community-dwelling older adults. *Scientific Reports*, 12(1), pp. 17227.
- Park, H., Choi, E., & Wenzel, J. A. (2020) Racial/ethnic differences in correlates of psychological distress among five Asian-American subgroups and non-Hispanic Whites. *Ethnicity & Health*, 25(8), pp. 1072-1088.
- Pasco, J. A., Holloway, K. L., Dobbins, A. G., Kotowicz, M. A., Williams, L. J., & Brennan, S. L. (2014) Body mass index and measures of body fat for defining obesity and underweight: a cross-sectional, population-based study. *BMC Obesity*, 1(1), pp. 1-7.
- Peake, J., Gatta, P. D., & Cameron-Smith, D. (2010) Aging and its effects on inflammation in skeletal muscle at rest and following exercise-induced muscle injury. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 298(6), pp. 1485-1495.
- Phillips, M. R. (2009) Is distress a symptom of mental disorders, a marker of impairment, both or neither?. *World Psychiatry*, 8(2), pp. 91.
- Ponti, F., Santoro, A., Mercatelli, D., Gasperini, C., Conte, M., Martucci, M., & Bazzocchi, A. (2020) Aging and imaging assessment of body composition: from fat to facts. *Frontiers in endocrinology*, 10, pp. 861.
- Potter, P. (2010) *Fundamental Of Nursing: Consep, Proses and Practice*. 7th Edition.
- Pourhassan, M., Rommersbach, N., Lueg, G., Klimek, C., Schnatmann, M., Liermann, D., Janssen, G., & Wirth, R. (2020) The impact of malnutrition on acute muscle wasting in frail older hospitalized patients. *Nutrients*, 12(5), pp. 1–12. <https://doi.org/10.3390/nu12051387>
- Pramyothin, P., Limpattanachart, V., Dawilai, S., Sarasak, R., Sukaruttanawong, C., Chaiyasoot, K., & Yamwong, P. (2017) Fat-free mass, metabolically healthy obesity, and type 2 diabetes in severely obese asian adults. *Endocrine Practice*, 23(8), pp. 915-922.
- Pua, Y. H., Tay, L., Clark, R. A., Thumboo, J., Tay, E. L., Mah, S. M. & Ng, Y. S. (2023) Associations of height, weight, and body mass index with handgrip strength: A Bayesian comparison in older adults. *Clinical Nutrition ESPEN*, 54, pp. 206-210.
- Puhl, R. M., Peterson, J. L. & Luedicke, J. (2013) Weight-based victimization: Bullying experiences of weight loss treatment-seeking youth. *Pediatrics*, 131(1), pp. 1-9.
- Purcell, S. A., Mackenzie, M., Barbosa-Silva, T. G., Dionne, I. J., Ghosh, S., Siervo, M., & Prado, C. M. (2021) Prevalence of sarcopenic obesity using different definitions and the relationship with strength and physical performance in the Canadian longitudinal study of aging. *Frontiers in Physiology*, 11, pp. 583825.
- Puspasari, D. (2020) Analisis pengaruh pendidikan, kesehatan dan upah terhadap produktivitas tenaga kerja di Provinsi Jawa Tengah. *Jurnal Dinamika Ekonomi Pembangunan*, 3(1), pp. 65-76.
- Rahmandani, A., Salma, S., ranz La Kahija, Y., Kaloeti, D.V.S., Sakti, H. & Ediaty, A. (2021) Distres Psikologis Pada Tenaga Kependidikan Di Perguruan Tinggi Negeri Berbadan Hukum. *Jurnal Empati*, 10(3), pp. 175-186.



- Ramírez-Vélez, R., Correa-Bautista, J. E., García-Hermoso, A., Cano, C. A., & Izquierdo, M. (2019) Reference values for handgrip strength and their association with intrinsic capacity domains among older adults. *Journal of Cachexia, Sarcopenia and Muscle*, 10(2), pp. 278–286. <https://doi.org/10.1002/jcsm.12373>
- Ramlagan, S., Peltzer, K. & Phaswana-Mafuya, N. (2014) Hand grip strength and associated factors in non-institutionalised men and women 50 years and older in South Africa. *BMC Research Notes*. 7(1), pp. 1–7. doi: 10.1186/1756-0500-7-8.
- Ratmawati, R., & Emilia, E. (2021) Analisis Determinan Massa Otot Lansia di Panti Bhakti Kasih Siti Anna Kota Pangkalpinang. *Journal of Nutrition College*, 10(2), pp. 130–139. <https://doi.org/10.14710/jnc.v10i2.29234>
- Ratmawati, R., Muis, S. F., Sofro, M. A. U., Margawati, A., & Kartasurya, M. I. (2018) Aktivitas Fisik dan Massa Otot Lansia Non Panti di Pangkalpinang. *Jurnal Kesehatan Poltekkes Kemenkes RI Pangkalpinang*, 6(2), pp. 54-62.
- Regis, M. F., Oliveira, L. M. F. T. D., Santos, A. R. M. D., Leonidio, A. D. C. R., Diniz, P. R. B., & Freitas, C. M. S. M. D. (2016) Urban versus rural lifestyle in adolescents: associations between environment, physical activity levels and sedentary behavior. *Einstein (São Paulo)*, 14, pp. 461-467.
- Ribeiro, A., Deminice, R., Schoenfeld, B., Tomeleri, C., Padilha, C., Venturini, D., Barbosa, D. S., Sardinha, L. B., & Cyrino, E. S. (2017) Effect of resistance training systems on oxidative stress in older women. *International Journal of Sport Nutrition and Exercise Metabolism*, 27(5), pp. 439–447. <https://doi.org/10.1123/ijsnem.2016-0322>
- Rice, V. H. (2011) Theories Of Stress And Its Relationship To Health. In Rice, H. V. (Eds.), *Handbook Of Stress, Coping, And Health: Implications For Nursing Research*, Teori Stress: Stimulus, Respons, Dan Transaksional Buletin Psikologi 11 Theory, And Practice. Usa: Sage Publication, Inc.
- Riset Kesehatan Dasar. Laporan Nasional Riskesdas (2018) badan Penelitian dan Pengembangan Kesehatan Riset. 2018.
- Rivera-Ochoa, M., Brazo-Sayavera, J., Vizmanos-Lamotte, B., Mañas, A., López-Taylor, J. R., González-Gross, M., & Guadalupe-Grau, A. (2020) Health-related factors in rural and urban Mexican adolescents from the State of Jalisco: The HELENA-MEX study. *International Journal of Environmental Research and Public Health*, 17(23), pp. 8959.
- Robbins, S. P., & Judge, T. A. (2017) *Penilaku Organisasi*, ed. 16, Buku 1. Jakarta: Salemba Empat.
- Romppel, M., Braehler, E., Roth, M., & Glaesmer, H. (2013) What is the General Health Questionnaire-12 assessing?: Dimensionality and psychometric properties of the General Health Questionnaire-12 in a large scale German population sample. *Comprehensive Psychiatry*, 54(4), pp. 406-413.
- Rubio-Ruiz, M. E., Guarnier-Lans, V., Pérez-Torres, I., & Soto, M. E. (2019) Mechanisms underlying metabolic syndrome-related sarcopenia and possible therapeutic measures. *International Journal of Molecular Sciences*, 20(3), pp. 647.
- Russ, T. C., Stamatakis, E., Hamer, M., Starr, J. M., Kivimäki, M., & Batty, G. D. (2012) Association between psychological distress and mortality:

- individual participant pooled analysis of 10 prospective cohort studies. *BMJ*, pp. 345.
- Sahni, S., Dufour, A. B., Fielding, R. A., Newman, A. B., Kiel, D. P., Hannan, M. T., & Jacques, P. F. (2021) Total carotenoid intake is associated with reduced loss of grip strength and gait speed over time in adults: The Framingham Offspring Study. *American Journal of Clinical Nutrition*, 113(2), pp. 437–445. <https://doi.org/10.1093/ajcn/nqaa288>.
- Sahni, S., Mangano, K. M., Hannan, M. T., Kiel, D. P. & Mclean, R. R. (2015) Higher Protein Intake Is Associated with Higher Lean Mass and Quadriceps Muscle Strength in Adult Men and Women. *Journal of Nutrition*, 1456, pp. 1569–1575. doi: 10.3945/jn.114.104925.1569.
- Saini, S., Palekar, T. J., & Gurav, P. (2019) Correlation Between Body Composition and Hand Grip Strength Amongst Young Physical Therapists. *Journal of Emerging Technologies and Innovative Research*, 6(6), pp. 2349-5162.
- Samouda, H., & Langlet, J. (2022) Body fat assessment in youth with overweight or obesity by an automated bioelectrical impedance analysis device, in comparison with the dual-energy x-ray absorptiometry: a cross sectional study. *BMC Endocrine Disorders*, 22(1), pp. 195.
- Sánchez-López, M. del P. & Dresch, V. (2008) The 12-Item General Health Questionnaire (GHQ-12): Reliability, external validity and factor structure in the Spanish population. *Psicothema*, 20(4), pp. 839–843.
- Santrock, J. W. (2011) Life-Span Development. 13th edn. Edited by M. Stotts. New York: McGraw-Hill.
- Savitri, I. G. A. A. N., Winaya, I. M. N., Muliarta, I. M., & Griadhi, I. P. A. (2020) Hubungan Persentase Lemak badan Dan IMB Dengan Kekuatan Otot Genggam Pada Remaja Putri Usia 15-17 Tahun Di Smk Kesehatan Bali Medika Denpasar. *Majalah Ilmiah Fisioterapi Indonesia*, 8(3), pp. 1-6.
- Scafoglieri, A., & Clarys, J. P. (2018) Dual energy X-ray absorptiometry: gold standard for muscle mass? *J Cachexia Sarcopenia Muscle*, 9(4), pp. 786-787. doi:10.1002/jcsm.12308.
- Segal, A. B., Huerta, M. C., Aurino, E., & Sassi, F. (2021) The impact of childhood obesity on human capital in high-income countries: a systematic review. *Obesity Reviews*, 22(1), pp. 13104.
- Sejersted, O.M. & Sjøgaard, G. (2000) Dynamics and consequences of potassium shifts in skeletal muscle and heart during exercise. *Physiological Reviews*, 80(4), pp. 1411-1481.
- Serra-Prat, M., Lorenzo, I., Palomera, E., Ramírez, S. & Yébenes, J.C. (2019) Total body water and intracellular water relationships with muscle strength, frailty and functional performance in an elderly population. A cross-sectional study. *The Journal of Nutrition, Health & Aging*, 23, pp. 96-101.
- Setiowati, A. (2014) Hubungan Indeks Massa badan, Persen Lemak badan, Asupan Zat Gizi dengan Kekuatan Otot. *Media Ilmu Keolahragaan Indonesia*, 4(1). <https://doi.org/10.15294/miki.v4i1.4394>
- Shah, S. A., Safian, N., Mohammad, Z., Nurumal, S. R., Wan Ibadullah, W. A. H., Mansor, J., & Shobugawa, Y. (2022) Factors Associated with Handgrip Strength Among Older Adults in Malaysia. *Journal of Multidisciplinary Healthcare*, pp. 1023-1034.
- Shuey, M.M., Huang, S., Levinson, R.T., Farber-Eger, E., Cahill, K.N., Beckman, J.A., Koethe, J.R., Silver, H.J., Niswender, K.D., Cox, N.J. & Harrell Jr, F.E. (2022) Exploration of an alternative to body mass index to

- characterize the relationship between height and weight for prediction of metabolic phenotypes and cardiovascular outcomes. *Obesity Science & Practice*, 8(1), pp. 124-130.
- Singh, K., Russell-Mayhew, S., von Ranson, K., & McLaren, L. (2019) Is there more to the equation? Weight bias and the costs of obesity. *Canadian Journal of Public Health*, 110, pp. 17-20.
- Siri, W. E. (1956) Body Composition from Fluid Spaces and Density: Analysis of Methods. Lawrence Radiation Laboratory: Berkeley, CA, USA.
- Smith, A. B., Oluboyede, Y., West, R., Hewison, J., & House, A. O. (2013) The factor structure of the GHQ-12: the interaction between item phrasing, variance and levels of distress. *Quality of Life Research*, 22, pp. 145-152.
- Sonnenberg, C. M., Deeg, D. J. H., van Tilburg, T. G., Vink, D., Stek, M. L., Beekman, A. T. F. (2013) Gender differences in the relation between depression and social support in later life. *International Psychogeriatrics*, 25, pp. 61-70.
- Spinosa, J., Christiansen, P., Dickson, J.M., Lorenzetti, V. & Hardman, C.A. (2019) From socioeconomic disadvantage to obesity: the mediating role of psychological distress and emotional eating. *Obesity*, 27(4), pp. 559-564.
- Stenholm, S., Sallinen, J., Koster, A., Rantanen, T., Sainio, P., Heliövaara, M. (2011) Association between Obesity History and Hand Grip Strength in Older Adults - Exploring the Roles of Inflammation and Insulin Resistance As Mediating Factors. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 66(3), pp. 341-348. doi:10.1093/gerona/glq226.
- Stoyanova, A. & Pinilla, J. (2019) Socioeconomic burden of mental disorders in Spain 2006-2017.
- Strugnell, C., Dunstan, D. W., Magliano, D. J., Zimmet, P. Z., Shaw, J. E., & Daly, R. M. (2014) Influence of age and gender on fat mass, fat-free mass and skeletal muscle mass among Australian adults: the Australian diabetes, obesity and lifestyle study (AusDiab). *The journal of nutrition, health & aging*, 18, pp. 540-546.
- Stuart, G. W., & Sundeen, S. J. (2006) Principles and practice of psychiatric nursing. St. Louis: Mosby.
- Subu, M. A. (2015) *Persistent taboo understanding mental illness and stigma among Indonesian adults through grounded theory. Doctoral Dissertation*, University of Ottawa.
- Subu, M. A., Waluyo, I., Nurdin, A. E., Priscilla, V., & Aprina, T. (2018) Stigma, stigmatisasi, perilaku kekerasan dan ketakutan diantara orang dengan gangguan jiwa (ODGJ) di Indonesia: Penelitian constructivist grounded theory. *Jurnal Kedokteran Brawijaya*, pp. 53-60.
- Subu, M. A., Wati, D. F., Netrida, N., Priscilla, V., Dias, J. M., Abraham, M. S., & Al-Yateem, N. (2021) Types of stigma experienced by patients with mental illness and mental health nurses in Indonesia: a qualitative content analysis. *International Journal Of Mental Health Systems*, 15, pp. 1-12.
- Sudarya, I. W., Bagia, I. W., & Suwendra, I. W. (2014) Analisis Faktor-Faktor Yang Mempengaruhi Stres Pada Mahasiswa Dalam Penyusunan Skripsi Jurusan Manajemen Undiksha Angkatan 2009, *eJournal Bisma Universitas Pendidikan Ganesha Jurusan Manajemen*, 2(1). pp. 1-10.
- Supriasa, I. D. N. (2016) Penilaian Status Gizi. Jakarta: Penerbit Buku Kedokteran EGC.

- Suyanto, D. H., Paskaria, C., & Gunawan, D. (2021) Perbandingan Kekuatan Otot Dan Massa Otot Antara Perempuan Lansia Aktif Dan Tidak Aktif Berolahraga. *Jurnal Ilmu Faal Olahraga Indonesia*, 4(1), pp. 9. <https://doi.org/10.51671/jifo.v4i1.88>
- Takimoto, M., Yasui-Yamada, S., Nasu, N., Kagiya, N., Aotani, N., Kurokawa, Y., Tani-Suzuki, Y., Kashihara, H., Saito, Y., Nishi, M. & Shimada, M. (2022) Development and Validation of Cutoff Value for Reduced Muscle Mass for GLIM Criteria in Patients with Gastrointestinal and Hepatobiliary–Pancreatic Cancers. *Nutrients*, 14(5), p. 943.
- Tamara, J. & Chis, A. (2018) Hubungan stres dengan prestasi akademik di SMA Diakonia Jakarta. *Tarumanagara Medical Journal*, 1(1). pp. 116-121.
- Tinsley, G. M., Smith-Ryan, A. E., Kim, Y., Blue, M. N., Nickerson, B. S., Stratton, M. T. & Harty, P. S. (2020) Fat-free mass characteristics vary based on sex, race, and weight status in US adults. *Nutrition Research*, 81, pp. 58-70.
- Tomlinson, D. J., Erskine, R. M., Morse, C. I., Winwood, K., Pearson, G. (2016) The impact of obesity on skeletal muscle strength and structure through adolescence to old age. *Biogerontology*, 17(3), pp. 467-483.
- Torre, J. A. D. L., Molina, A. J., Fernández-Villa, T., Artazcoz, L., & Martín, V. (2019) Mental health, family roles and employment status inside and outside the household in Spain. *Gaceta Sanitaria*, 33, pp. 235-241.
- Toru, V. (2019) Dampak Stres yang Dialami Mahasiswa Saat Menyelesaikan Skripsi. *Jurnal Kesehatan Primer*, 4(1), pp. 30-41.
- Toyabe, S. I., Shioiri, T., Kobayashi, K., Kuwabara, H., Koizumi, M., Endo, T., Ito, M., Honma, H., Fukushima, N., Someya, T. & Akazawa, K. (2007) Factor structure of the General Health Questionnaire (GHQ-12) in subjects who had suffered from the 2004 Niigata-Chuetsu Earthquake in Japan: a community-based study. *BMC Public Health*, 7(1), pp. 1-7.
- Tusianti, E. (2022) Analisis Profil Penduduk Indonesia, Mendeskripsikan Peran Penduduk dalam Pembangunan. Jakarta: BPS.
- Utami, T. N., Susilawati & Ayu, D. (2021) *Manajemen Stres Kerja Suatu Pendekatan Integrasi Sains dan Islam*. Medan: Merdeka Kreasi Group.
- Van der Zanden, V., van Soolingen, N. J., Viddeler, A. R., Trum, J. W., Amant, F., Mourits, M. J. E., Portielje, J. E. A., Baalbergen, A., Souwer, E. T. D., & van Munster, B. C. (2022) Loss of skeletal muscle density during neoadjuvant chemotherapy in older women with advanced stage ovarian cancer is associated with postoperative complications. *European Journal of Surgical Oncology*, 48(4), pp. 896–902.
- Van Dronkelaar, C., van Velzen, A., Abdelrazek, M., van der Steen, A., Weijs, P. J. & Tieland, M. (2018) Minerals and sarcopenia; the role of calcium, iron, magnesium, phosphorus, potassium, selenium, sodium, and zinc on muscle mass, muscle strength, and physical performance in older adults: a systematic review. *Journal of the American Medical Directors Association*, 19(1), pp. 6-11.
- Verreijen, A. M., Engberink, M. F., Memelink, R. G., Van der Plas, S. E., Visser, M., & Weijs, P. J. (2017) Effect of a high protein diet and/or resistance exercise on the preservation of fat free mass during weight loss in overweight and obese older adults: a randomized controlled trial. *Nutrition Journal*, 16, pp. 1-8.



- Wagner, D. R., & Heyward, V. H. (2000). Measures of body composition in blacks and whites: a comparative review. *The American Journal of Clinical Nutrition*, 71(6), pp. 1392-1402.
- Wang, J. and Hong, Z., 2015. Effect of Dietary Pattern on Grip Strength in Middle Aged and Elderly People in Zhang Fang Village in Beijing. *Journal of Food and Nutrition*, 3(1), pp. 1–6. doi: 10.12691/ajfn-3-1-1.
- Wang, J., Rennie, K. L., Gu, W., Li, H., Yu, Z., & Lin, X. (2009) Independent associations of body-size adjusted fat mass and fat-free mass with the metabolic syndrome in Chinese. *Annals of Human Biology*, 36(1), pp. 110-121.
- Wedell-Neergaard, A. S., Eriksen, L., Grønbæk, M., Pedersen, B. K., Krogh-Madsen, R., & Tolstrup, J. (2018) Low fitness is associated with abdominal adiposity and low-grade inflammation independent of BMI. *PLoS One*, 13(1), pp. 1-11.
- Wellman, N. S. & Kamp, B. J. (2017) Nutrition in Aging', in Mahan, L. K. and Raymond, J. L. (eds) Krause's Food & The Nutrition Care Process. 14th edn. Canada: Elsevier.
- Whitney, E. & Rolfes, S. R. (2013) Understanding Nutrition. USA: Wadsworth Cengage Learning.
- Wijayanti, D. N., Sukmaningtyas, H., & Fitranti, D. Y. (2018) Kesesuaian Metode Pengukuran Persentase Lemak badan *Skinfold* Caliper Dengan Metode Bioelectrical Impedance Analysis. *Jurnal Kedokteran Diponegoro*, 7(2), pp. 1504-1510.
- World Health Organization (2000) The Asia-Pacific perspective: Redefining Obesity And Its Treatment.
- World Health Organization (2019) *The WHO Special Initiative for Mental Health (2019-2023): Universal Health Coverage for Mental Health* [Internet]. Tersedia di <[https://www.who.int/publications/i/item/special-initiative-for-mental-health-\(2019-2023\)](https://www.who.int/publications/i/item/special-initiative-for-mental-health-(2019-2023))> [Diakses 7 Mei 2023].
- World Health Organization (WHO), 2021. Obesity and *Overweight*[Internet]. Tersedia di <<https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>> [Diakses 7 Mei 2023].
- World Health Organization. (1995). The World Health Organization Quality of Life assessment (WHO/QOL): position paper from the World Health Organization. *Social Science Medicine*, 41(10), pp. 1403-1409.
- Wu C., et al., 2015. Predicting body composition using foot-to-foot bioelectrical impedance analysis in healthy Asian individuals. *Nutrient Journal*. 14. doi:10.1186/s12937-015-0041-0
- Wu, Y., Wang, W., Liu, T. & Zhang, D. (2017) Association of Grip Strength With Risk of All-Cause Mortality, Cardiovascular Diseases, and Cancer in Community-Dwelling Populations: A Meta-analysis of Prospective Cohort Studies. *Journal of the American Medical Directors Association. Elsevier Inc.*, 18(6), pp. 17–35. doi: 10.1016/j.jamda.2017.03.011.
- Wulan, S. N., Westerterp, K. R., Plasqui, G. (2010) Ethnic differences in body composition and the associated metabolic profile: a comparative study between Asians and Caucasians. *Maturitas*, 65, pp. 315–319.
- Yamada, Y., Yoshida, T., Yokoyama, K., Watanabe, Y., Miyake, M., Yamagata, E., Yamada, M., & Kimura, M. (2017) The extracellular to intracellular water ratio in upper legs is negatively associated with skeletal muscle strength

- and gait speed in older people. *Journals of Gerontology Series A: Biomedical Sciences and Medical Sciences*, 72(3), pp.293-298.
- Yoo, J., Choi, H., & Ha, Y. (2017) Mean Hand Grip Strength and Cut-off Value for Sarcopenia in Korean Adults Using KNHANES VI. *The Korean Academy of Medical Sciences*, pp. 868–872.
- Yorke, A. M., Curtis, A. B., Shoemaker, M. & Vangsnes, E. (2017) The impact of multimorbidity on grip strength in adults age 50 and older: Data from the health and retirement survey (HRS). *Archives of Gerontology and Geriatrics. Elsevier*, 72, pp. 164–168. doi: 10.1016/j.archger.2017.05.011.
- Yusoff, M. S. B., Rahim, A. F. A., & Yacoob, M. J. (2009) The sensitivity, specificity and reliability of the malay version 12 items General Health Questionnaire (GHQ-12) in Detecting Distressed Medical Students. *ASEAN Journal of Psychiatry*, 11 (1), pp. 1-8. doi:10.5959/eimj.2.1.2010.or.
- Zaccagni, L., Toselli, S., Bramanti, B., Gualdi-Russo, E., Mongillo, J., & Rinaldo, N. (2020) Handgrip strength in young adults: Association with anthropometric variables and laterality. *International Journal of Environmental Research and Public Health*, 17(12), pp. 4273.
- Zhang, X. S., Liu, Y. H., Zhang, Y., Xu, Q., Yu, X. M., Yang, X. Y., Liu, Z., Li, H. Z., Li, F., & Xue, C. Y. (2017) Handgrip Strength as a Predictor of Nutritional Status in Chinese Elderly Inpatients at Hospital Admission. *Biomedical and Environmental Sciences*, 30(11), pp. 802–810. <https://doi.org/10.3967/bes2017.108>
- Zhu, E., Sun, J. & Du, T. (2020) The relationship between low-intensity exercise and psychological distress among college students. *Revista da Associação Médica Brasileira*, 66, pp. 737-739.