

## DAFTAR PUSTAKA

- [1] “Badan Pusat Statistik.”  
<https://www.bps.go.id/linkTableDinamis/view/id/1134> (accessed Apr. 02, 2023).
- [2] R. Qian, X. Lai, and X. Li, “3D Object Detection for Autonomous Driving: A Survey,” *Pattern Recognit.*, vol. 130, p. 108796, Oct. 2022, doi: 10.1016/j.patcog.2022.108796.
- [3] D. Dai, Z. Chen, P. Bao, and J. Wang, “A Review of 3D Object Detection for Autonomous Driving of Electric Vehicles,” *World Electr. Veh. J.*, vol. 12, no. 3, Art. no. 3, Sep. 2021, doi: 10.3390/wevj12030139.
- [4] E. Arnold, O. Y. Al-Jarrah, M. Dianati, S. Fallah, D. Oxtoby, and A. Mouzakitis, “A Survey on 3D Object Detection Methods for Autonomous Driving Applications,” *IEEE Trans. Intell. Transp. Syst.*, vol. 20, no. 10, pp. 3782–3795, Oct. 2019, doi: 10.1109/TITS.2019.2892405.
- [5] “The KITTI Vision Benchmark Suite.”  
[https://www.cvlibs.net/datasets/kitti/eval\\_object.php?obj\\_benchmark=2d](https://www.cvlibs.net/datasets/kitti/eval_object.php?obj_benchmark=2d) (accessed Apr. 02, 2023).
- [6] E. Arnold, O. Y. Al-Jarrah, M. Dianati, S. Fallah, D. Oxtoby, and A. Mouzakitis, “A Survey on 3D Object Detection Methods for Autonomous Driving Applications,” *IEEE Trans. Intell. Transp. Syst.*, vol. 20, no. 10, pp. 3782–3795, Oct. 2019, doi: 10.1109/TITS.2019.2892405.
- [7] A. Mousavian, D. Anguelov, J. Flynn, and J. Kosecka, “3D Bounding Box Estimation Using Deep Learning and Geometry,” presented at the Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2017, pp. 7074–7082. Accessed: Apr. 02, 2023. [Online]. Available: [https://openaccess.thecvf.com/content\\_cvpr\\_2017/html/Mousavian\\_3D\\_Bounding\\_Box\\_CVPR\\_2017\\_paper.html](https://openaccess.thecvf.com/content_cvpr_2017/html/Mousavian_3D_Bounding_Box_CVPR_2017_paper.html)
- [8] P. Li, H. Zhao, P. Liu, and F. Cao, “RTM3D: Real-Time Monocular 3D Detection from Object Keypoints for Autonomous Driving,” in *Computer Vision – ECCV 2020*, A. Vedaldi, H. Bischof, T. Brox, and J.-M. Frahm, Eds., in Lecture Notes in Computer Science. Cham: Springer International Publishing, 2020, pp. 644–660. doi: 10.1007/978-3-030-58580-8\_38.
- [9] Z. Liu, Z. Wu, and R. Toth, “SMOKE: Single-Stage Monocular 3D Object Detection via Keypoint Estimation,” presented at the Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops, 2020, pp. 996–997. Accessed: Apr. 02, 2023. [Online]. Available: [https://openaccess.thecvf.com/content\\_CVPRW\\_2020/html/w60/Liu\\_SMOK\\_E\\_Single-Stage\\_Monocular\\_3D\\_Object\\_Detection\\_via\\_Keypoint\\_Estimation\\_CVPRW\\_2020\\_paper.html](https://openaccess.thecvf.com/content_CVPRW_2020/html/w60/Liu_SMOK_E_Single-Stage_Monocular_3D_Object_Detection_via_Keypoint_Estimation_CVPRW_2020_paper.html)
- [10] X. Zhou, D. Wang, and P. Krähenbühl, “Objects as Points.” arXiv, Apr. 25, 2019. doi: 10.48550/arXiv.1904.07850.
- [11] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, “You Only Look Once: Unified, Real-Time Object Detection.” arXiv, May 09, 2016. doi:



- 10.48550/arXiv.1506.02640.
- [12] A. G. Howard *et al.*, “MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications.” arXiv, Apr. 16, 2017. doi: 10.48550/arXiv.1704.04861.
  - [13] A. Geiger, P. Lenz, and R. Urtasun, “Are we ready for autonomous driving? The KITTI vision benchmark suite,” in *2012 IEEE Conference on Computer Vision and Pattern Recognition*, Providence, RI: IEEE, Jun. 2012, pp. 3354–3361. doi: 10.1109/CVPR.2012.6248074.
  - [14] H. Caesar *et al.*, “nuScenes: A multimodal dataset for autonomous driving.” arXiv, May 05, 2020. doi: 10.48550/arXiv.1903.11027.
  - [15] J. Houston *et al.*, “One Thousand and One Hours: Self-driving Motion Prediction Dataset.” arXiv, Nov. 16, 2020. Accessed: Apr. 03, 2023. [Online]. Available: <http://arxiv.org/abs/2006.14480>
  - [16] X. Chen *et al.*, “3D Object Proposals for Accurate Object Class Detection,” in *Advances in Neural Information Processing Systems*, Curran Associates, Inc., 2015. Accessed: Apr. 03, 2023. [Online]. Available: [https://papers.nips.cc/paper\\_files/paper/2015/hash/6da37dd3139aa4d9aa55b8d237ec5d4a-Abstract.html](https://papers.nips.cc/paper_files/paper/2015/hash/6da37dd3139aa4d9aa55b8d237ec5d4a-Abstract.html)
  - [17] R. Girshick, “Fast R-CNN.” arXiv, Sep. 27, 2015. doi: 10.48550/arXiv.1504.08083.
  - [18] X. Chen, K. Kundu, Z. Zhang, H. Ma, S. Fidler, and R. Urtasun, “Monocular 3D Object Detection for Autonomous Driving,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, NV, USA: IEEE, Jun. 2016, pp. 2147–2156. doi: 10.1109/CVPR.2016.236.
  - [19] F. Chabot, M. Chaouch, J. Rabarisoa, C. Teulière, and T. Chateau, “Deep MANTA: A Coarse-to-fine Many-Task Network for joint 2D and 3D vehicle analysis from monocular image.” arXiv, Mar. 22, 2017. doi: 10.48550/arXiv.1703.07570.
  - [20] B. Li, W. Ouyang, L. Sheng, X. Zeng, and X. Wang, “GS3D: An Efficient 3D Object Detection Framework for Autonomous Driving.” arXiv, Mar. 26, 2019. doi: 10.48550/arXiv.1903.10955.
  - [21] S. Ren, K. He, R. Girshick, and J. Sun, “Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks.” arXiv, Jan. 06, 2016. doi: 10.48550/arXiv.1506.01497.
  - [22] F. Yu, D. Wang, E. Shelhamer, and T. Darrell, “Deep Layer Aggregation.” arXiv, Jan. 04, 2019. doi: 10.48550/arXiv.1707.06484.
  - [23] B. Xu and Z. Chen, “Multi-level Fusion Based 3D Object Detection from Monocular Images,” in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*, Salt Lake City, UT, USA: IEEE, Jun. 2018, pp. 2345–2353. doi: 10.1109/CVPR.2018.00249.
  - [24] X. Weng and K. Kitani, “Monocular 3D Object Detection with Pseudo-LiDAR Point Cloud.” arXiv, Aug. 30, 2019. doi: 10.48550/arXiv.1903.09847.
  - [25] C. R. Qi, W. Liu, C. Wu, H. Su, and L. J. Guibas, “Frustum PointNets for 3D Object Detection From RGB-D Data,” presented at the Proceedings of the



- IEEE Conference on Computer Vision and Pattern Recognition, 2018, pp. 918–927. Accessed: Feb. 03, 2022. [Online]. Available: [https://openaccess.thecvf.com/content\\_cvpr\\_2018/html/Qi\\_Frustum\\_PointNet\\_s\\_for\\_CVPR\\_2018\\_paper.html](https://openaccess.thecvf.com/content_cvpr_2018/html/Qi_Frustum_PointNet_s_for_CVPR_2018_paper.html)
- [26] S. S. A. Zaidi, M. S. Ansari, A. Aslam, N. Kanwal, M. Asghar, and B. Lee, “A Survey of Modern Deep Learning based Object Detection Models.” arXiv, May 12, 2021. doi: 10.48550/arXiv.2104.11892.
- [27] G. Jocher *et al.*, “ultralytics/yolov5: v7.0 - YOLOv5 SOTA Realtime Instance Segmentation.” Zenodo, Nov. 22, 2022. doi: 10.5281/zenodo.7347926.
- [28] A. S. M. M. Mohamed and M. M. Rashid, “Video-Based Vehicle Counting and Analysis using YOLOv5 and DeepSORT with Deployment on Jetson Nano,” *Asian J. Electr. Electron. Eng.*, vol. 2, no. 2, Art. no. 2, Oct. 2022.
- [29] K. Simonyan and A. Zisserman, “Very Deep Convolutional Networks for Large-Scale Image Recognition.” arXiv, Apr. 10, 2015. doi: 10.48550/arXiv.1409.1556.
- [30] H. Tu, S. Peng, V. Leung, and R. Gao, “SoK: Vehicle Orientation Representations for Deep Rotation Estimation.” arXiv, Dec. 10, 2021. doi: 10.48550/arXiv.2112.04421.
- [31] X. Chen, H. Ma, J. Wan, B. Li, and T. Xia, “Multi-View 3D Object Detection Network for Autonomous Driving.” arXiv, Jun. 21, 2017. doi: 10.48550/arXiv.1611.07759.
- [32] S. Shi, X. Wang, and H. Li, “PointRCNN: 3D Object Proposal Generation and Detection from Point Cloud.” arXiv, May 16, 2019. doi: 10.48550/arXiv.1812.04244.
- [33] F. Chollet, *Deep Learning with Python, Second Edition*. Simon and Schuster, 2021.
- [34] M. Elgendy, *Deep Learning for Vision Systems*. Simon and Schuster, 2020.
- [35] A. Paszke *et al.*, “PyTorch: An Imperative Style, High-Performance Deep Learning Library,” in *Advances in Neural Information Processing Systems*, Curran Associates, Inc., 2019. Accessed: Apr. 05, 2023. [Online]. Available: <https://proceedings.neurips.cc/paper/2019/hash/bdbca288fee7f92f2bfa9f7012727740-Abstract.html>
- [36] M. Abadi *et al.*, “TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems.” arXiv, Mar. 16, 2016. doi: 10.48550/arXiv.1603.04467.
- [37] J. Deng, W. Dong, R. Socher, L.-J. Li, K. Li, and L. Fei-Fei, “ImageNet: A large-scale hierarchical image database,” in *2009 IEEE Conference on Computer Vision and Pattern Recognition*, Jun. 2009, pp. 248–255. doi: 10.1109/CVPR.2009.5206848.
- [38] A. Buslaev, V. I. Iglovikov, E. Khvedchenya, A. Parinov, M. Druzhinin, and A. A. Kalinin, “Albumentations: Fast and Flexible Image Augmentations,” *Information*, vol. 11, no. 2, Art. no. 2, Feb. 2020, doi: 10.3390/info11020125.



- [39] B. Moore and J. Corso, “voxel51/fiftyone.” Voxel51, Apr. 04, 2023. Accessed: Apr. 05, 2023. [Online]. Available: <https://github.com/voxel51/fiftyone>
- [40] J. Ku, M. Mozifian, J. Lee, A. Harakeh, and S. Waslander, “Joint 3D Proposal Generation and Object Detection from View Aggregation.” arXiv, Jul. 12, 2018. doi: 10.48550/arXiv.1712.02294.
- [41] S. Song and J. Xiao, “Deep Sliding Shapes for Amodal 3D Object Detection in RGB-D Images.” arXiv, Mar. 09, 2016. doi: 10.48550/arXiv.1511.02300.
- [42] K. He, X. Zhang, S. Ren, and J. Sun, “Deep Residual Learning for Image Recognition.” arXiv, Dec. 10, 2015. doi: 10.48550/arXiv.1512.03385.
- [43] R. Szeliski, *Computer Vision: Algorithms and Applications*. in Texts in Computer Science. Cham: Springer International Publishing, 2022. doi: 10.1007/978-3-030-34372-9.
- [44] R. Hartley and A. Zisserman, *Multiple View Geometry in Computer Vision*. Cambridge University Press, 2003.
- [45] “OpenCV: Camera Calibration.” [https://docs.opencv.org/4.x/dc/dbb/tutorial\\_py\\_calibration.html](https://docs.opencv.org/4.x/dc/dbb/tutorial_py_calibration.html) (accessed Apr. 05, 2023).
- [46] W. Liu *et al.*, “SSD: Single Shot MultiBox Detector,” 2016, pp. 21–37. doi: 10.1007/978-3-319-46448-0\_2.
- [47] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, “Focal Loss for Dense Object Detection.” arXiv, Feb. 07, 2018. doi: 10.48550/arXiv.1708.02002.
- [48] A. Bochkovskiy, C.-Y. Wang, and H.-Y. M. Liao, “YOLOv4: Optimal Speed and Accuracy of Object Detection.” arXiv, Apr. 22, 2020. doi: 10.48550/arXiv.2004.10934.
- [49] C. Li *et al.*, “YOLOv6: A Single-Stage Object Detection Framework for Industrial Applications.” arXiv, Sep. 07, 2022. doi: 10.48550/arXiv.2209.02976.
- [50] C.-Y. Wang, A. Bochkovskiy, and H.-Y. M. Liao, “YOLOv7: Trainable bag-of-freebies sets new state-of-the-art for real-time object detectors.” arXiv, Jul. 06, 2022. doi: 10.48550/arXiv.2207.02696.
- [51] S. Tammina, “Transfer learning using VGG-16 with Deep Convolutional Neural Network for Classifying Images,” presented at the International Journal of Scientific and Research Publications (IJSRP), Oct. 2019, p. p9420. doi: 10.29322/IJSRP.9.10.2019.p9420.
- [52] D. P. Kingma and J. Ba, “Adam: A Method for Stochastic Optimization.” arXiv, Jan. 29, 2017. doi: 10.48550/arXiv.1412.6980.
- [53] M. Elgandy, *Deep learning for vision systems*. Simon and Schuster, 2020.
- [54] T.-Y. Lin *et al.*, “Microsoft COCO: Common Objects in Context.” arXiv, Feb. 20, 2015. doi: 10.48550/arXiv.1405.0312.
- [55] R. Padilla, S. L. Netto, and E. A. B. da Silva, “A Survey on Performance Metrics for Object-Detection Algorithms,” in *2020 International Conference on Systems, Signals and Image Processing (IWSSIP)*, Jul. 2020, pp. 237–242.



- doi: 10.1109/IWSSIP48289.2020.9145130.
- [56] P. Pochelu, "Deep Learning Inference Frameworks Benchmark." arXiv, Oct. 09, 2022. doi: 10.48550/arXiv.2210.04323.
- [57] "NVIDIA TensorRT," *NVIDIA Developer*, Apr. 05, 2016.  
<https://developer.nvidia.com/tensorrt> (accessed Apr. 08, 2023).
- [58] "openvinotoolkit/openvino." OpenVINO™ Toolkit, Apr. 07, 2023.  
Accessed: Apr. 08, 2023. [Online]. Available:  
<https://github.com/openvinotoolkit/openvino>
- [59] ONNX Runtime developers, "ONNX Runtime." Accessed: Apr. 08, 2023.  
[Online]. Available: <https://onnxruntime.ai/>
- [60] A. Buslaev, A. Parinov, E. Khvedchenya, V. I. Iglovikov, and A. A. Kalinin, "Albumentations: fast and flexible image augmentations," *Information*, vol. 11, no. 2, p. 125, Feb. 2020, doi: 10.3390/info11020125.
- [61] A. Paszke *et al.*, "Pytorch: An imperative style, high-performance deep learning library," *Adv. Neural Inf. Process. Syst.*, vol. 32, 2019.
- [62] T. Akiba, S. Sano, T. Yanase, T. Ohta, and M. Koyama, "Optuna: A Next-generation Hyperparameter Optimization Framework." arXiv, Jul. 25, 2019. doi: 10.48550/arXiv.1907.10902.

