

DAFTAR PUSTAKA

- Afshari, M., & Dinari, M. (2021). *A novel triazine-based covalent organic framework: Enhancement fire resistance and mechanical performances of Thermoplastic Polyurethanes. Composites Part A: Applied Science and Manufacturing, 147*, 106453.
<https://doi.org/10.1016/J.COMPOSITESA.2021.106453>
- Alafaghani, A., Qattawi, A., Alrawi, B., & Guzman, A. (2017). *Experimental Optimization of Fused Deposition Modelling Processing Parameters: A Design-for-Manufacturing Approach. Procedia Manufacturing, 10*, 791–803. <https://doi.org/10.1016/J.PROMFG.2017.07.079>
- Ayatollahi, M. R., Nabavi-Kivi, A., Bahrami, B., Yazid Yahya, M., & Khosravani, M. R. (2020). *The influence of in-plane raster angle on tensile and fracture strengths of 3D-printed PLA spesimens. Engineering Fracture Mechanics, 237*, 107225.
<https://doi.org/10.1016/J.ENGFRACTMECH.2020.107225>
- Chawla, K. K. (2012). *Composite materials: Science and engineering, third edition. Composite Materials: Science and Engineering, Third Edition, 1–542*. <https://doi.org/10.1007/978-0-387-74365-3/COVER>
- Dharmalingam, G., Arun Prasad, M., & Salunkhe, S. (2022). *Investigation of impact strength at different infill rates biodegradable PLA constituent through fused deposition modeling. Materials Today: Proceedings, 62*, 551–558. <https://doi.org/10.1016/J.MATPR.2022.03.591>
- Farah, S., Anderson, D. G., & Langer, R. (2016). *Physical and properti mekanis of PLA, and their functions in widespread applications — A comprehensive review. Advanced Drug Delivery Reviews, 107*, 367–392.
<https://doi.org/10.1016/J.ADDR.2016.06.012>
- Harris, M., Potgieter, J., Archer, R., & Arif, K. M. (2019). *Effect of material and process specific factors on the strength of printed parts in fused filament*

- fabrication: A review of recent developments on Materials* (Vol. 12, Nomor 10). MDPI AG. <https://doi.org/10.3390/ma12101664>
- ISO/ASTM 52900:2021(en), Additive manufacturing — General principles — Fundamentals and vocabulary.* (t.t.). Diambil 25 November 2022, dari <https://www.iso.org/obp/ui/#iso:std:iso-astm:52900:ed-2:v1:en>
- Jaisingh Sheoran, A., & Kumar, H. (2020). *Fused deposition modeling process parameters optimization and effect on mechanical properties and part quality: Review and reflection on present research. Materials Today: Proceedings, 21*, 1659–1672. <https://doi.org/10.1016/J.MATPR.2019.11.296>
- Kumar, S., Singh, R., Singh, T. P., & Batish, A. (2020). *Fused filament fabrication: A comprehensive review. Dalam Journal of Thermoplastic Composite Materials. SAGE Publications Ltd.* <https://doi.org/10.1177/0892705720970629>
- Naik, M., Thakur, D. G., & Chandel, S. (2022). *An insight into the effect of printing orientation on tensile strength of multi-infill pattern 3D printed spesimen: Experimental study. Materials Today: Proceedings, 62(P14)*, 7391–7395. <https://doi.org/10.1016/J.MATPR.2022.02.305>
- Ngo, T.-D., & Ngo, T.-D. (2020). *Introduction to Composite Materials. Composite and Nanocomposite Materials - From Knowledge to Industrial Applications.* <https://doi.org/10.5772/INTECHOPEN.91285>
- Overview of materials for Thermoplastic Polyurethane, Elastomer, Glass Filled.* (t.t.). Diambil 9 Juli 2023, dari <https://matweb.com/search/Datasheet.aspx?MatGUID=2fe782a31c4b4bed984b49651762b086&ckck=1>
- Plummer, C. J. G., & Seguelin, P. (2001). *Structure-Mechanical Properti Relationships in Engineering Polymers. Chimia, 55(3).*
- Popescu, D., Zapciu, A., Amza, C., Baciu, F., & Marinescu, R. (2018). *FDM process parameters influence over the mechanical properties of polymer*

spesimens: A review. Polymer Testing, 69, 157–166.

<https://doi.org/10.1016/J.POLYMERTESTING.2018.05.020>

Rahmatabadi, D., Ghasemi, I., Baniassadi, M., Abrinia, K., & Baghani, M.

(2022). *3D printing of PLA-TPU with different component ratios:*

Fracture toughness, properti mekanis, and morphology. Journal of Materials Research and Technology, 21, 3970–3981.

<https://doi.org/10.1016/j.jmrt.2022.11.024>

Raut, S., Jatti, V. S., Khedkar, N. K., & Singh, T. P. (2014). *Investigation of the*

Effect of Built orientation on Properti mekanis and Total Cost of FDM Parts. Procedia Materials Science, 6, 1625–1630.

<https://doi.org/10.1016/J.MSPRO.2014.07.146>

Rodríguez-Reyna, S. L., Mata, C., Díaz-Aguilera, J. H., Acevedo-Parra, H. R.,

& Tapia, F. (2022). *Mechanical properties optimization for PLA, ABS and Nylon + CF manufactured by 3D FDM printing. Materials Today Communications, 33, 104774.*

<https://doi.org/10.1016/J.MTCOMM.2022.104774>

Rouse, M. (t.t.). *FDM definition.*

Savioli Lopes, M., Jardim, A. L., & Maciel Filho, R. (2012). Poly (lactic acid)

production for tissue *engineering* applications. *Procedia Engineering, 42, 1402–1413.* <https://doi.org/10.1016/J.PROENG.2012.07.534>

Schneck, M., Gollnau, M., Lutter-Günther, M., Haller, B., Schlick, G.,

Lakomic, M., & Reinhart, G. (2019). Evaluating the use of *Additive manufacturing* in industry applications. *Procedia CIRP, 81, 19–23.*

<https://doi.org/10.1016/j.procir.2019.03.004>

Seeger, P., Ratfisch, R., Moneke, M., & Burkhart, T. (2018). Addition of

thermo-plastic polyurethane (TPU) to poly(methyl methacrylate) (PMMA) to improve its *impact strength* and to change its scratch behavior. *Wear, 406–407, 68–74.*

<https://doi.org/10.1016/J.WEAR.2017.11.024>

- Singh, J., Kumar Goyal, K., & Kumar, R. (2022). Effect of filling percentage and raster style on tensile behavior of FDM produced PLA parts at different *built orientation*. *Materials Today: Proceedings*, 63, 433–439. <https://doi.org/10.1016/J.MATPR.2022.03.444>
- WANG, P., ZOU, B., DING, S., LI, L., & HUANG, C. (2021). Effects of FDM-*3D printing* parameters on properti mekanis and microstructure of CF/PEEK and GF/PEEK. *Chinese Journal of Aeronautics*, 34(9), 236–246. <https://doi.org/10.1016/J.CJA.2020.05.040>