

DAFTAR PUSTAKA

- [1] United Nations Environment Programme (2022), “Global Status Report for Buildings and Construction: Towards a zero-emissions, efficient and resilient buildings and construction sector,” 2022.
- [2] B2TKE and BPPT, “BENCHMARKING SPECIFIC ENERGY CONSUMPTION DI BANGUNAN KOMERSIAL,” 2020. [Online]. Available: www.b2tke.bppt.go.id
- [3] M. Santamouris, C. Cartalis, A. Synnefa, and D. Kolokotsa, “On the impact of urban heat island and global warming on the power demand and electricity consumption of buildings - A review,” *Energy Build*, vol. 98, pp. 119–124, Jun. 2015, doi: 10.1016/j.enbuild.2014.09.052.
- [4] S. M. Al-Masrani, K. M. Al-Obaidi, N. A. Zalin, and M. I. Aida Isma, “Design optimisation of solar shading systems for tropical office buildings: Challenges and future trends,” *Solar Energy*, vol. 170. Elsevier Ltd, pp. 849–872, Aug. 01, 2018. doi: 10.1016/j.solener.2018.04.047.
- [5] R. P. Utari, “ANALISA NILAI OVERALL THERMAL TRANSFER VALUE (OTTV) SEBAGAI KONSERVASI ENERGI SELUBUNG PADA BANGUNAN BERDASARKAN SNI 03-6389-2011,” *Seminr Nasional Teknologi dan Rekayasa (SENTRA)*, pp. 40–47, 2018.
- [6] M. A. Karim, M. M. Hasan, and M. I. H. Khan, “A simplistic and efficient method of estimating air-conditioning load of commercial buildings in the sub-tropical climate,” *Energy Build*, vol. 203, Nov. 2019, doi: 10.1016/j.enbuild.2019.109396.
- [7] Z. Liu, Q. Wang, V. J. L. Gan, and L. Peh, “Envelope thermal performance analysis based on building information model (BIM) cloud platform - Proposed green mark collaboration environment,” *Energies (Basel)*, vol. 13, no. 3, 2020, doi: 10.3390/en13030586.
- [8] M. Qays Oleiwi, M. Farid Mohamed, M. Khairul Azhar Mat Sulaiman, A. Irfan Che-Ani, and S. N. Raman, “Thermal Environment Accuracy Investigation of Integrated Environmental Solutions-Virtual Environment (IES-VE) Software for Double-Story House Simulation in Malaysia,” *Journal of Engineering and Applied Sciences*, vol. 14, no. 11, pp. 3659–3665, 2019.
- [9] F. W. H. Yik and K. S. Y. Wan, “An evaluation of the appropriateness of using overall thermal transfer value (OTTV) to regulate envelope energy performance of air-conditioned buildings,” *Energy*, vol. 30, no. 1, pp. 41–71, 2005, doi: 10.1016/j.energy.2004.03.001.



- [10] I. Paryudi, S. Fenz, and A. Tjoa, "Study on Indonesian Overall Thermal Transfer Value (OTTV) Standard," *International Journal of Thermal and Environmental Engineering*, vol. 06, no. 2, 2013, doi: 10.5383/ijtee.06.02.001.
- [11] C. Singhpoo, N. Punnuharoenwong, and C. Benjapiyaporn, "Study of the Effect of Temperature Differences on the Overall Thermal Transfer Value of buildings," in *Energy Procedia*, Elsevier Ltd, Nov. 2015, pp. 348–353. doi: 10.1016/j.egypro.2015.11.501.
- [12] T. N. Chan, P. Thi Hai Ha, and N. T. K. Phuong, "Method of calculating solar heat transmitted through shaded windows for OTTV in consideration of diffuse radiation diminished," *Journal of Asian Architecture and Building Engineering*, vol. 22, no. 2, pp. 945–960, 2023, doi: 10.1080/13467581.2022.2064477.
- [13] R. L. Hwang, W. M. Shih, T. P. Lin, and K. T. Huang, "Simplification and adjustment of the energy consumption indices of office building envelopes in response to climate change," *Appl Energy*, vol. 230, pp. 460–470, Nov. 2018, doi: 10.1016/j.apenergy.2018.08.090.
- [14] Badan Standardisasi Nasional, "Konservasi energi selubung bangunan pada bangunan gedung," SNI 6389:2020.
- [15] H. Utama and E. Setyowati, "Optimalisasi Konservasi Energi Bangunan Bertingkat melalui Pilihan Material Kaca sebagai Fasad," *ARSITEKTURA*, vol. 20, no. 2, p. 353, Oct. 2022, doi: 10.20961/arst.v20i2.65099.
- [16] M. Nikpour, M. Z. Kandar, and E. Mousavi, "Empirical validation of simulation software with experimental measurement of self shading room in term of heat gain," *World Appl Sci J*, vol. 21, no. 8, pp. 1200–1206, 2013, doi: 10.5829/idosi.wasj.2013.21.8.27.
- [17] X. Wang, X. Sun, and C. W. F. Yu, "Building envelope with variable thermal performance: Opportunities and challenges," *Indoor and Built Environment*, vol. 27, no. 6. SAGE Publications Ltd, pp. 729–733, Jul. 01, 2018. doi: 10.1177/1420326X18773928.
- [18] P. T. Desain, B. Pedoman, and E. Efisiensi, "Energy Efficiency and Conservation Clearing House Indonesia," 2012.
- [19] J. Vijayalaxmi, "Concept of Overall Thermal Transfer Value (OTTV) in Design of Building Envelope to Achieve Energy Efficiency," *International Journal of Thermal and Environmental Engineering*, vol. 1, no. 2, pp. 75–80, Dec. 2010, doi: 10.5383/ijtee.01.02.003.



- [20] S. Kumar, *ENERGY CONSERVATION BUILDING CODE (ECBC) USER GUIDE*. 2009.
- [21] R. and A.-C. Engineers. American Society of Heating, *2013 ASHRAE handbook : fundamentals.*, Inch-Pound. 2013.
- [22] S. Loekita, “ANALISIS KONSERVASI ENERGI MELALUI SELUBUNG BANGUNAN,” *Civil Engineering Dimension*, vol. 8, no. 2, pp. 93–98, 2006, [Online]. Available: <http://puslit.petra.ac.id/journals/civil>
- [23] T. E. Seghier, Y. W. Lim, M. F. Harun, M. H. Ahmad, A. A. Samah, and H. A. Majid, “BIM-based retrofit method (RBIM) for building envelope thermal performance optimization,” *Energy Build*, vol. 256, Feb. 2022, doi: 10.1016/j.enbuild.2021.111693.
- [24] O. T. Masoso and L. J. Grobler, “A new and innovative look at anti-insulation behaviour in building energy consumption,” *Energy Build*, vol. 40, no. 10, pp. 1889–1894, 2008, doi: 10.1016/j.enbuild.2008.04.013.
- [25] L. Kusumawati, E. Setyowati, and A. B. Purnomo, “Practical-empirical modeling on envelope design towards sustainability in tropical architecture,” *Sustainability (Switzerland)*, vol. 13, no. 5, pp. 1–23, Mar. 2021, doi: 10.3390/su13052959.
- [26] B. P. Jelle, “Solar radiation glazing factors for window panes, glass structures and electrochromic windows in buildings - Measurement and calculation,” *Solar Energy Materials and Solar Cells*, vol. 116, pp. 291–323, 2013. doi: 10.1016/j.solmat.2013.04.032.
- [27] J. C. Lam, C. L. Tsang, D. H. W. Li, and S. O. Cheung, “Residential building envelope heat gain and cooling energy requirements,” *Energy*, vol. 30, no. 7, pp. 933–951, 2005, doi: 10.1016/j.energy.2004.07.001.
- [28] S. Egunatun, E. Joseph-Akwara, and R. Akaigwe, “Optimizing Energy Consumption in Building Designs Using Building Information Model (BIM),” *Slovak Journal of Civil Engineering*, vol. 24, no. 3, pp. 19–28, Sep. 2016, doi: 10.1515/sjce-2016-0013.
- [29] N. A. Al-Tamimi and S. F. S. Fadzil, “The potential of shading devices for temperature reduction in high-rise residential buildings in the tropics,” in *Procedia Engineering*, Elsevier Ltd, 2011, pp. 273–282. doi: 10.1016/j.proeng.2011.11.2015.
- [30] Menteri Keuangan Republik Indonesia, “STANDAR BARANG DAN STANDAR KEBUTUHAN BARANG MILIK NEGARA BERUPA TANAH DAN/ATAU BANGUNAN,” in *PERMENKAU RI*, 172/PMK.06/2020., 2011.



- [31] J. Remund, S. Müller, M. Schmutz, D. Barsotti, P. Graf, and R. Cattin, “Handbook part I: Software Global Meteorological Database Version 8.2 Software and Data for Engineers, Planers and Education The Meteorological Reference for Solar Energy Applications, Building Design, Heating & Cooling Systems, Education Renewable Energy System Design, Agriculture and Forestry, Environmental Research.” [Online]. Available: <http://Meteonorm.com/en/downloads/documents/>
- [32] Badan Standardisasi Nasional, “Tata cara perancangan sistem ventilasi dan pengkondisian udara pada bangunan gedung,” SNI 03-6572-2001.

