

DAFTAR PUSTAKA

- Abdul Rahim, H., & Bidin, V. (2022). Evaluating Oil Palm Cultivation using Geospatial Approach in Kerdu, Temerloh District. *IOP Conference Series: Earth and Environmental Science*, 1051(1). <https://doi.org/10.1088/1755-1315/1051/1/012025>
- Abdurahman, M., Somantri, A., & Muhidin, S. A. (2011). Dasar-Dasar Metode Statistik Untuk Penelitian. Bandung (ID): Pustaka Setia.
- Acharya, U., Daigh, A. L. M., & Oduor, P. G. (2022). Soil Moisture Mapping with Moisture-Related Indices, OPTRAM, and an Integrated Random Forest-OPTRAM Algorithm from Landsat 8 Images. *Remote Sensing*, 14(15). <https://doi.org/10.3390/rs14153801>
- Alfajar, A., Yuniasih, B., & Santoso, T. N. B. (2023). Evaluasi Produksi Kelapa Sawit Berdasarkan Data Curah Hujan Dan Defisit Air. *Agrotechnology, Agribusiness, Forestry, and Technology: Jurnal Mahasiswa Instipen (AGROFORETECH)*, 1(1), 50-59.
- Amalia, S. (2017). Analisis Hubungan Produksi Padi Dengan Nilai Ndzi (Normalized Difference Vegetation Index) Menggunakan Citra Landsat 8 Di Kecamatan Ingin Jaya. *Skripsi. Universitas Syiah Kuala Darussalam, Banda Aceh*.
- Amelia, N. A. (2019). Design and Control of Temperature and Soil pH for Plants By Notification Throught Arduino-Uno-Based SMS. *JITCE (Journal of Information Technology and Computer Engineering)*, 3(02), 60–64. <https://doi.org/10.25077/jitce.3.02.60-64.2019>
- Ashoori, H., Valadan Zoej, M. J., & Sahebi, M. R. (2019). Introduction of Spatio-Spectral Indices for Using Spatial Data in Multispectral Image Classification. *Journal of the Indian Society of Remote Sensing*, 47(6), 1003–1017. <https://doi.org/10.1007/s12524-019-00960-4>
- Bangun, B. (2021). Produktivitas Kelapa Sawit (*Elaeis guineensis* Jacq) Pada Kedalaman Gambut yang Berada di PT Kaswari Unggul (Doctoral Dissertation, Universitas Batanghari). <http://repository.unbari.ac.id/id/eprint/573>
- Bannari, A., Morin, D., Bonn, F., & Huete, A. R. (1995). A review of vegetation indices. *Remote Sensing Reviews*, 13(1–2), 95–120. <https://doi.org/10.1080/02757259509532298>
- Brys, G., Hubert, M., & Struyf, A. (2003). A comparison of some new measures of skewness. In *Developments in robust statistics: international conference on robust statistics 2001* (pp. 98-113). Physica-Verlag HD.
- Cao, H. X., Sun, C. X., Shao, H. B., & Lei, X. T. (2011). Effects of low temperature and drought on the physiological and growth changes in oil palm seedlings. *African Journal of Biotechnology*, 10(14), 2630–2637. <https://doi.org/10.5897/ajb10.1272>
- Campbell, J. B., & Wynne, R. H. (2011). Introduction to Remote Sensing. Guilford Press.
- Carolita, I., Sitorus, Y., Tjahjaningsih, A., & Kartika, T. (2015). Analisa Profil Pertumbuhan Kelapa Sawit Dengan Menggunakan Data Landsat 8 (Studi Kasus : Tanah Laut , Kalimantan Selatan). In *Prosiding Pertemuan Ilmiah Tahunan MAPIN XX 2015* (Vol. 20). http://repository.lapan.go.id/index.php?p=show_detail&id=2645&keywords=sa

wit

- Chong, K. L., Kanniah, K. D., Pohl, C., & Tan, K. P. (2017). A review of remote sensing applications for oil palm studies. *Geo-Spatial Information Science*, 20(2), 184–200. <https://doi.org/10.1080/10095020.2017.1337317>
- Corley, R. H. V., & Tinker, P. B. (2008). *The Oil Palm*. John Wiley & Sons.
- Darmawan, S., Carolita, I., Agustan, Dirgahayu, D., Suyadini, W., Hernawati, R., & Wiratmoko, D. (2021). *Model Fenologi Kelapa Sawit Berbasis Pengindraan Jauh*.
- Desmonda, D., Tursina, T., & Irwansyah, M. A. (2018). Prediksi Besaran Curah Hujan Menggunakan Metode Fuzzy Time Series. *Jurnal Sistem Dan Teknologi Informasi (JUSTIN)*, 6(4), 141. <https://doi.org/10.26418/justin.v6i4.27036>
- Dhumal, R. K., Vibhute, A. D., Nagne, A. D., Rajendra, Y. D., Kale, K. V., & Mehrotra, S. C. (2015). Advances in classification of crops using remote sensing data. *International Journal of Advanced Remote Sensing and GIS*, 4(1), 1410–1418.
- Djumali, & Sri, M. (2014). Pengaruh Kelembaban Tanah Terhadap Karakter Agronomi, Hasil Rajangan Kering Dan Kadar Nikotin Tembakau. *Berita Biologi*, 13(1), 1–11.
- Egwu Kalu, A. K. (2008). Introduction of regression analysis. *Linear Regression*, 1–6. <http://numericalmethods.eng.usf.edu>
- ESA. (2014). Sentinel-2 Missions-Sentinel Online; ESA: Paris, France.
- ESA. (2015). Sentinel-2 User Handbook, no. 1.
- Fairhurst, T. H., & Mutert, E. (1999). Interpretation and Management of Oil Palm Leaf Analysis Data. *Better Crops International*, 13(1), 48–51.
- Fitri, H. (2017). Pemanfaatan Citra Landsat 8 untuk Penentuan Korelasi Indeks Vegetasi dengan Kadar Klorofil Tanaman Padi di Kecamatan Koto Tangah Kota Padang. *Tunas Geografi*, 6(2), 151–158.
- Fedotova, E., & Gosteva, A. (2021). Using of Google Earth Engine in monitoring systems. *E3S Web of Conferences*, 333, 3–8. <https://doi.org/10.1051/e3sconf/202133301013>
- Gao, B. C. (1996). NDWI—A normalized difference water index for remote sensing of vegetation liquid water from space. *Remote sensing of environment*, 58(3), 257–266. [https://doi.org/10.1016/S0034-4257\(96\)00067-3](https://doi.org/10.1016/S0034-4257(96)00067-3)
- Gunawan, S. (2021). Keberlanjutan Produktivitas Kelapa Sawit pada Tanah Pasiran (Doctoral dissertation, UNS (Sebelas Maret University)).
- Hagolle, O., Huc, M., Pascual, D. V., & Dedieu, G. (2010). A multi-temporal method for cloud detection, applied to FORMOSAT-2, VENμS, LANDSAT and SENTINEL-2 images. *Remote Sensing of Environment*, 114(8), 1747–1755. <https://doi.org/10.1016/j.rse.2010.03.002>
- Ismoyo, J., Agung, Saiful, M., Auf, A., Supriadi, Cepi, Winianingsih, Dewi, Lestari, A., Firda, Marhama, Hasna, Pazriatu, R., & Intan. (2018). Prospek Ekonomi dan Budidaya Perkebunan Kelapa Sawit di Indonesia. *Munich Personal RePEc Archive Palm Oil Cultivation and Economic Prospect in Indonesia*, 1(2), 1–34.
- Ji, L., Zhang, L., Wylie, B. K., & Rover, J. (2011). On the terminology of the spectral vegetation index (NIR - SWIR)/(NIR+SWIR). *International Journal of Remote Sensing*, 32(21), 6901–6909. <https://doi.org/10.1080/01431161.2010.510811>
- Kamaruddin, M. A. (2018). Determination of the relationship between NDVI and oil

- palm yield (Doctoral dissertation, Universiti Teknologi Mara Perlis).
- Karan, S. K., Samadder, S. R., & Maiti, S. K. (2016). Assessment of the capability of remote sensing and GIS techniques for monitoring reclamation success in coal mine degraded lands. *Journal of Environmental Management*, 182, 272–283. <https://doi.org/10.1016/j.jenvman.2016.07.070>
- Kasno, A., & Subardja, D. (2010). Soil fertility and nutrient management on spodosol for oil palm. *AGRIVITA, Journal of Agricultural Science*, 32(3), 285-292.
- Khan, N., Kamaruddin, M. A., Ullah Sheikh, U., Zawawi, M. H., Yusup, Y., Bakht, M. P., & Mohamed Noor, N. (2022). Prediction of Oil Palm Yield Using Machine Learning in the Perspective of Fluctuating Weather and Soil Moisture Conditions: Evaluation of a Generic Workflow. *Plants*, 11(13). <https://doi.org/10.3390/plants11131697>
- Kurniawan, A., Saputra, T. W., & Ramadan, A. (2020). Sistem Fertigasi Rain Pipe Otomatis pada Main Nursery Kelapa Sawit (*Elaeis Guineensis Jacq.*) Berbasis Mikrokontroler Arduino Uno. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 9(3), 184. <https://doi.org/10.23960/jtep-l.v9i3.184-190>
- Larasati, S., & Gilang, A. (2014). Pengaruh motivasi kerja terhadap kinerja karyawan wilayah telkom jabar barat utara (Witel bekasi). *Jurnal Manajemen dan Organisasi*, 5(3), 200-213.
- Liaghat, S., & Balasundram, S. K. (2010). A review: The role of remote sensing in precision agriculture. *American Journal of Agricultural and Biological Science*, 5(1), 50–55. <https://doi.org/10.3844/ajabssp.2010.50.55>
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). Remote sensing and image interpretation. John Wiley & Sons.
- Mairing, J.P. (2017). Statistika Pendidikan, Konsep dan Penerapannya Menggunakan Minitab dan Microsoft Excel. Yogyakarta : Penerbit Andi.
- Margareta, A. (2022). Distribusi Spasial Kesehatan Tanaman Kelapa Sawit di PT. Perkebunan Nusantara VII Unit Rejosari, Natar, Kabupaten Lampung Selatan Menggunakan Citra Satelit Sentinel-2 dan Citra Satelit Landsat 8
- McMorrow, J. (2001). Linear regression modelling for the estimation of oil palm age from Landsat TM. *International Journal of Remote Sensing*, 22(12), 2243–2264. <https://doi.org/10.1080/01431160117188>
- Moroni, M., Porti, M., & Piro, P. (2019). Design of a remote-controlled platform for green roof plants monitoring via hyperspectral sensors. *Water (Switzerland)*, 11(7), 1–13. <https://doi.org/10.3390/w11071368>
- Muchsin, F. (2010). Estimasi Kelembaban Tanah Skala Regional (Studi Kasus Wilayah Kabupaten Subang). Fakultas Matematika dan Ilmu Pengetahuan Alam: Universitas Indonesia.
- Muhammad, D. A., & Nurtyawan, R. (2023). Peta Analisis Kelembaban Tanah menggunakan Metode *Soil Moisture Index* (SMI) berdasarkan Citra Landsat 9 (Studi Kasus: Kota Bandung, Jawa Barat). *FTSP*, 151-157.
- Mutanga, O., & Kumar, L. (2019). Google earth engine applications. *Remote Sensing*, 11(5), 11–14. <https://doi.org/10.3390/rs11050591>
- Nayantakaningtyas, J. S., & Daryanto, H. K. (2012). daya saing dan strategi pengembangan minyak sawit di indonesia Jauhar Samudera nayantakaningtyas *)1 dan heny k. daryanto *) *). *Jurnal Manajemen & Agribisnis*, 9(3), 194–201.

- Nurmahribi, W. (2021). Analisis Penentuan C-Organik Pada Sampel Tanah. *20.77. Laporan Tugas Akhir*, 11–43.
- Ochtyra, A., Marcinkowska-Ochtyra, A., & Raczko, E. (2020). Threshold- and trend-based vegetation change monitoring algorithm based on the inter-annual multi-temporal normalized difference moisture index series: A case study of the Tatra Mountains. *Remote Sensing of Environment*, 249(July), 112026. <https://doi.org/10.1016/j.rse.2020.112026>
- Pangestu, N. H. A., & Banowati, G. (2023). Pemetaan Kesehatan Kebun Kelapa Sawit Berdasarkan Nilai Normalized Difference Vegetation Index (NDVI) Menggunakan Citra Landsat-8 Di Kebun PT. Wanapotensi Guna. *Agriprima : Journal of Applied Agricultural Sciences*, 7(1), 40–49. <https://doi.org/10.25047/agriprima.v7i1.513>
- Rabiei, S., Jalilvand, E., & Tajrishy, M. (2021). A method to estimate surface soil moisture and map the irrigated cropland area using sentinel-1 and sentinel-2 data. *Sustainability (Switzerland)*, 13(20). <https://doi.org/10.3390/su132011355>
- Raiyani, K., Gonçalves, T., Rato, L., Salgueiro, P., & da Silva, J. R. M. (2021). Sentinel-2 image scene classification: A comparison between sen2cor and a machine learning approach. *Remote Sensing*, 13(2), 1–22. <https://doi.org/10.3390/rs13020300>
- Richards, J. A., & Richards, J. A. (2022). *Remote sensing digital image analysis* (Vol. 5). Berlin/Heidelberg, Germany: springer.
- Rouse, J.W., R.H. Haas, J.A. Schell, and D.W. Deering, (1974). Monitoring vegetation systems in the Great Plains with ERTS, In: S.C. Freden, E.P. Mercanti, and M. Becker (eds) Third Earth Resources Technology Satellite–1 Symposium. Volume I: Technical Presentations, NASA SP-351, NASA, Washington, D.C., pp. 309–317.
- Sari, N. Y. (2018). Analisis Soil Moisture Index (Smi) Untuk Kelembaban Tanah Dengan Citra Landsat 8 Oli/Tirs Di Kebun Percobaan Karangploso, Kabupaten Malang. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Shafri, H. Z. M., Anuar, M. I., Seman, I. A., & Noor, N. M. (2011). Spectral discrimination of healthy and ganoderma-infected oil palms from hyperspectral data. *International Journal of Remote Sensing*, 32(22), 7111–7129. <https://doi.org/10.1080/01431161.2010.519003>
- Sitoms, J., Bidang, P., & Daia, P. (2004). Pengembangan Model Estimasi umur Tanaman Sawit Dengan Menggunakan Data Landsat-Tm. *Jauh Dan Pengolahan Data Citra Digital*, 1(1), 14–19.
- Sudjianto, F. (2015). Analisa Tingkat Kesuburan Kelapa Sawit Berdasarkan Citra Landsat 8 Menggunakan Metode Klasifikasi Terselia (Studi Kasus: Kecamatan Pelaihari, Kabupaten Tanah Laut, Kalimantan Sel. *Tugas Akhir*, 80. <http://repository.its.ac.id/70854/>
- Suleman, S., Rajamuddin, U. A., & Isrun, dan. (2016). Penilaian Kualitas Tanah pada Beberapa Tipe Penggunaan Lahan di Kecamatan Sigi Biromaru Kabupaten Sigi. *Agrotekbis*, 4(6), 712–718.
- Sum, A. F. W., & Shukor, S. A. A. (2019). Oil Palm Plantation Monitoring from Satellite Image. *IOP Conference Series: Materials Science and Engineering*, 705(1). <https://doi.org/10.1088/1757-899X/705/1/012043>
- Tui, L. C., Selvaraja, S., Yaw, S. K., Mahdhar, S., Hussaid, S., & Bador, S. (2019).

- Impact of ceased manuring on oil palm. *The Planter*, 95(116), 157-168.
- Voogt, J.A. (2002). Urban Heat Island, In: Douglas, I. (ed) Volume 3, Causes and Consequences of Global Environment Change, In: Munn, T. (ed). *Encyclopedia of Global Environment Change*, Chichester: John Wiley & Son, Ltd. 606 – 666.
- Watson-Hernández, F., Gómez-Calderón, N., & da Silva, R. P. (2022). Oil Palm Yield Estimation Based on Vegetation and Humidity Indices Generated from Satellite Images and Machine Learning Techniques. *AgriEngineering*, 4(1), 279-291.
- Wigena, I. G. P., Sudrajad, Sitorus, S. R. P., & Siregar, H. (2009). Karakterisasi Tanah dan Iklim serta Kesesuaiannya untuk Kebun Kelapa Sawit Plasma di Sei Pagar, Kabupaten Kampar, Provinsi Riau. *Jurnal Tanah Dan Iklim*, 1(30), 1–13.
- Xue, J., & Su, B. (2017). Significant remote sensing vegetation indices: A review of developments and applications. *Journal of Sensors*, 2017. <https://doi.org/10.1155/2017/1353691>
- Yuniasih, B., & Adjie, A. R. P. (2022). Evaluasi Kondisi Kebun Kelapa Sawit Menggunakan Indeks NDVI dari Citra Satelit Sentinel 2. *Jurnal Teknotan*, 16(2), 127. <https://doi.org/10.24198/jt.vol16n2.10>
- Yurianda, R. B., Setyawan, D., & Warsito. (2022). Metode Klasifikasi Difference Vegetation Index Berbasis Citra Landsat 8 untuk Identifikasi Sebaran Kondisi Kesehatan Tanaman Kelapa Sawit di PT. Andira Agro, Sumatera Selatan. *Pedontropika: Jurnal Ilmu Tanah Dan Sumber Daya Lahan*, 8(2), 1–5. <https://jurnal.untan.ac.id/index.php/pedontropika/article/view/56431%0Ahttps://jurnal.untan.ac.id/index.php/pedontropika/article/viewFile/56431/pdf>
- Zhang, Z., Wei, M., Pu, D., He, G., Wang, G., & Long, T. (2021). Assessment of annual composite images obtained by google earth engine for urban areas mapping using random forest. *Remote Sensing*, 13(4), 1–21. <https://doi.org/10.3390/rs13040748>