



DAFTAR PUSTAKA

- Aghdam, A. M., & Rousta, F. (2022). *Investigating the Effectiveness of Ketorolac in Controlling Pain after Abdominal Surgeries*. Eurasian Journal of Chemical, Medicinal and Petroleum Research, 1(5), 1-11. doi: 10.5281/zenodo.8004712
- ASA. (2012). *Practice Guidelines for Acute Pain Management in the Perioperative Setting*. <http://pubs.asahq.org/anesthesiology/article-pdf/116/2/248/255950/0000542-201202000-00011.pdf>
- Bahrudin, M. (2018). *PATOFSIOLOGI NYERI (PAIN)*. Saintika Medika, 13(1), 7. <https://doi.org/10.22219/sm.v13i1.5449>
- Bertolini, G., Minelli, C., Latronico, N., Cattaneo, A., Mura, G., Melotti, R. M., & Iapichino, G. (2002). *The use of analgesic drugs in postoperative patients: the neglected problem of pain control in intensive care units*. An observational, prospective, multicenter study in 128 Italian intensive care units. European Journal of Clinical Pharmacology, 58(1), 73–77. <https://doi.org/10.1007/s00228-002-0432-y>
- Claus, C. F., Lytle, E., Lawless, M., Tong, D., Sigler, D., Garmo, L., Slavnic, D., Jasinski, J., McCabe, R. W., Kaufmann, A., Anton, G., Yoon, E., Alsalahi, A., Kado, K., Bono, P., Carr, D. A., Kelkar, P., Houseman, C., Richards, B., & Soo, T. M. (2022). *The effect of ketorolac on posterior minimally invasive transforaminal lumbar interbody fusion: an interim analysis from a randomized, double-blinded, placebo-controlled trial*. The spine journal : official journal of the North American Spine Society, 22(1), 8–18. <https://doi.org/10.1016/j.spinee.2021.08.011>
- Gélinas, C., Fillion, L., Puntillo, K. A., Viens, C., & Fortier, M. (2006). *Validation of the critical-care pain observation tool in adult patients*. American Journal of Critical Care : An Official Publication, American Association of Critical-Care Nurses, 15(4), 420–427.
- H, A., Budi Santoso, S., & Suprapto, R. (2020). *Perbandingan Efektivitas Kombinasi Fentanyl-Paracetamol dan Fentanyl-Ketorolac terhadap Numerical Rating Scale (NRS) Post Operasi Seksio Sesarea*. Jurnal Anestesi Obstetri Indonesia, 3(2). <https://doi.org/10.47507/obstetri.v3i2.49>
- Habibabadi, M. R., Yaraghi, A., Hayati, F., Hayati, F., Hosseini, B., Mohammad, S., & Alshohadaei, S. (2019). *Comparison of Continuous Infusions of Ketorolac, Paracetamol and Parecoxib for postoperative pain management in orthopedic lower limb surgery undergoing spinal anesthesia*. In Journal of Cellular & Molecular Anesthesia (JCMA) (Vol. 4, Issue 2).
- Hapsari, E. A. (2015). *Evaluasi Penggunaan Analgesik Pada Pasien Apendektoni di RSUP DR SOERADJI TIRTONEGORO Klaten 2014*. In Skripsi.



- Helms, J. E., & Barone, C. P. (2008). *Physiology and Treatment of Pain*. Critical Care Nurse, 28(6), 38–49. <https://doi.org/10.4037/ccn2008.28.6.38>
- Hostage, J. C., Kolettis, D., Sverdlov, D., Drzymalski, D., Mhatre, M., & House, M. (2023). *Opioid use after cesarean with and without scheduled ketorolac administration: a randomized control trial*. American Journal of Obstetrics and Gynecology, 228(1), S9. <https://doi.org/10.1016/j.ajog.2022.11.013>
- Jennings, P. J. (2003). *The Epidemiology of Pain*. Home Health Care Management & Practice, 15(3), 192–197. <https://doi.org/10.1177/1084822302250682>
- Jesus, J., Almeida, I., Soares, R., Geraldes, R., & Chibante-Pedro, J. (2020). *Corneal perforation associated with the use of ketorolac tromethamine after cataract surgery*. Journal of EuCornea, 6, 1–3. <https://doi.org/10.1016/j.xjec.2019.12.002>
- Kashif, S., Kundu, N., & Khan, T. A. (2021). *Intravenous Paracetamol Vs Intravenous Ketorolac Pak Armed Forces Med*. In *J* (Vol. 71, Issue 4).
- Khezri, M. B., Mosallaei, M. A., Ebtehaj, M., & Mohammadi, N. (2018). *Comparison of preemptive effect of intravenous ketorolac versus meperidine on postoperative shivering and pain in patients undergoing cesarean section under spinal anesthesia: A prospective, randomized, double-blind study*. Caspian journal of internal medicine, 9(2), 151–157. <https://doi.org/10.22088/cjim.9.2.151>
- Mahmoodi, A. N., & Kim, P. Y. (2022). *Ketorolac*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK545172/>
- Málek, J., & Ševčík, P. (2014). *Postoperative Pain Management surgery made easy*. Mladá fronta - Medical Services.
- Mardana, I. K., & Aryasa, T (2017). *Penilaian Nyeri*. F. Ked. Universitas Udayana. <https://artikel.simdos.ac.id>.
- Mubarak, W. I., Indrawati, L., & Susanto, J. (2015). *Buku Ajar Ilmu Keperawatan Dasar* (Buku 1). Salemba Medika.
- O’Neil, C. K. (2016). *Pain Management*. In M. A. Chisholm-Burns, T. L. Schwinghammer, B. G. Wells, P. M. Malone, J. M. Kolesar, & J. T. DiPiro (Eds.), *Pharmacotherapy Principles & Practice*, 4e. McGraw-Hill Education. ppp.mhmedical.com/content.aspx?aid=1150519856
- HCANJ. (2006). *Pain Management Guideline*. https://www.hcanj.org/files/2013/09/hcanjbp_painmgmt2_3.pdf
- Park, I., Hong, S., Kim, S. Y., Hwang, J.-W., Do, S.-H., & Na, H.-S. (2023). *Reduced side effects and improved pain management by continuous ketorolac infusion with patient-controlled fentanyl injection compared*



with single fentanyl administration in pelviscopic gynecologic surgery: a randomized, double-blind, controlled study. Korean Journal of Anesthesiology. <https://doi.org/10.4097/kja.23217>

Passi, D., Singh, M., Kishore, M., Dutta, S., Jyoti, G., Yadav, G., Singh, N., & Srivastava, D. (2018). *Comparative Evaluation of Analgesic Efficacy of Oral Ketorolac and Tramadol after Impacted Mandibular Third Molar Surgery: A Short Clinical Study with Literature Review.* Annals of Medical and Health Sciences Research, 8, 153–158.

Permata, V. A., Istanto, W., & Supatmo, Y. (2014). *Penggunaan analgesik pasca operasi orthopedi di rsup dr. kariadi semarang.* Jurnal Kedokteran Diponegoro, vol. 3, no. 1, 2014.

Pudas-Tähkä, S.-M., Axelin, A., Aantaa, R., Lund, V., & Salanterä, S. (2009). *Pain assessment tools for unconscious or sedated intensive care patients: a systematic review.* Journal of Advanced Nursing, 65(5), 946–956. <https://doi.org/10.1111/j.1365-2648.2008.04947.x>

Raja, S. N., Carr, D. B., Cohen, M., Finnerup, N. B., Flor, H., Gibson, S., Keefe, F. J., Mogil, J. S., Ringkamp, M., Sluka, K. A., Song, X. J., Stevens, B., Sullivan, M. D., Tutelman, P. R., Ushida, T., & Vader, K. (2020). *The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises.* In Pain (Vol. 161, Issue 9, pp. 1976–1982). NLM (Medline). <https://doi.org/10.1097/j.pain.0000000000001939>

Sessler, C. N., & Wilhelm, W. (2008). *Analgesia and sedation in the intensive care unit: An overview of the issues.* In Critical Care (Vol. 12, Issue SUPPL. 3). <https://doi.org/10.1186/cc6147>

Soliman, H. M., Mélot, C., & Vincent, J.-L. (2001). *Sedative and analgesic practice in the intensive care unit: the results of a European survey.* British Journal of Anaesthesia, 87(2), 186–192. <https://doi.org/10.1093/bja/87.2.186>

Vacha, M. E., Huang, W., & Mando-Vandrick, J. (2015). *The role of subcutaneous ketorolac for pain management.* Hospital Pharmacy, 50(2), 108–112. <https://doi.org/10.1310/hpj5002-108>

Wagner-Kovacec, J., Povalej-Brzan, P., & Mekis, D. (2018). *Efficacy of continuous in-wound infusion of levobupivacaine and ketorolac for post-caesarean section analgesia: a prospective, randomised, double-blind, placebo-controlled trial.* BMC anesthesiology, 18(1), 165. <https://doi.org/10.1186/s12871-018-0609-2>

Wilson, S. H., Slone, H., Furse, C. M., Epperson, T. I., & Wolf, B. J. (2018). *Impact of Ketorolac on Opioid Consumption after Knee Arthroscopy HHS Public Access.* In Austin J Anesth Analg (Vol. 6, Issue 2).