



DAFTAR PUSTAKA

- Adhika, R., Anindya, A. L., Tanuwijaya, V. V., & Rachmawati, H. (2018). Teknik Pengamatan Sampel Biologi dan Non-konduktif Menggunakan Scanning Electron Microscopy. *Seminar Nasional Instrumentasi, Kontrol, Dan Otomasi (SNIKO)*.
- Ben-Yehoshua, S., & Rodov, V. (2002). Transpiration and Water Stress. In *Postharvest Physiology and Pathology of Vegetables*. <https://doi.org/10.1201/9780203910092>
- Benkeblia, N. (2021). Physiological and Biochemical Response of Tropical Fruits to Hypoxia/Anoxia. *Frontiers in Plant Science*, 12(July), 1–11. <https://doi.org/10.3389/fpls.2021.670803>
- Britton, N. L., & Rose, J. N. (1924). *The Cactaceae, Descriptions and Illustrations of Plants of the Cactus Family*. The Carnegie Institution of Washington. <https://doi.org/10.1126/science.60.1542.66>
- Brown, W. E. (1992). *Plastics in food packaging: properties, design, and fabrication*. CRC Press. <https://doi.org/10.0824786858>
- C. Lizada, Seymour, G. B., Taylor, J. E., & Tucker, G. A. (1993). Manggo. In *Biochemistry of fruit ripening* (1st ed., pp. 255–271). Chapman & Hall, London. [https://doi.org/https://doi.org/10.1007/978-94-011-1584-1](https://doi.org/10.1007/978-94-011-1584-1)
- Castro, A. C., Esguerra, E. B., & Franco, R. K. G. (2020). *Modified Atmosphere Packaging and Low Temperature Storage of Red-Fleshed Dragon Fruit (Hylocereus polyrhizus (Weber) Britton & Rose)*. 45(April), 1–12.
- Chandran, S. (2010). Effect of Film Packaging in Extending Shelf Life of Dragon Fruit, *Hylocereus undatus* and *Hylocereus polyrhizus*. *ISHS Acta Horticulturae 875: Southeast Asia Symposium on Quality and Safety of Fresh and Fresh-Cut Produce*, 389–394. <https://doi.org/10.17660/ActaHortic.2010.875.49>
- Chien, P., Sheu, F., & Lin, H. (2007). Quality assessment of low molecular weight chitosan coating on sliced red pitayas. 79, 736–740. <https://doi.org/10.1016/j.jfoodeng.2006.02.047>
- Chitravathi, K., Chauhan, O. P., & Raju, P. S. (2015). Influence of modified atmosphere packaging on shelf-life of green chillies (*Capsicum annuum* L.). *Food Packaging and Shelf Life*, 4, 1–9. <https://doi.org/10.1016/j.fpsl.2015.02.001>
- Cichello, S. A. (2015). Oxygen absorbers in food preservation: a review. *Journal of Food Science and Technology*, 52(4), 1889–1895. <https://doi.org/10.1007/s13197-014-1265-2>
- Crank, J. (1975). The Mathematics of Diffusion. In *Clarendon Press*. <https://doi.org/10.1021/ja01562a072>
- Crisosto, C. H., & Crisosto, G. M. (2001). Understanding consumer acceptance of early harvested ‘Hayward’ kiwifruit. *Postharvest Biology and Technology*, 22(3), 205–213. [https://doi.org/10.1016/S0925-5214\(01\)00097-7](https://doi.org/10.1016/S0925-5214(01)00097-7)
- Cruz, R. S., Peruch, G., & Santos Pires, A. C. dos. (2012). Oxygen Scavengers: An

Approach on Food Preservation. *Structure and Function of Food Engineering*.
<https://doi.org/10.5772/48453>

D'Aquino, S., Piga, A., Agabbio, M., & McCollum, T. G. (1998). Film wrapping delays ageing of "Minneola" tangelos under shelf-life conditions. *Postharvest Biology and Technology*, 14(1), 107–116. [https://doi.org/10.1016/S0925-5214\(98\)00019-2](https://doi.org/10.1016/S0925-5214(98)00019-2)

de Freitas, S. T., & Mitcham, E. J. (2013). Quality of pitaya fruit (*Hylocereus undatus*) as influenced by storage temperature and packaging. *Scientia Agricola*, 70(4), 257–262. <https://doi.org/10.1590/S0103-90162013000400006>

EFSA. (2013). Scientific Opinion on the safety evaluation of the active substances iron, sodium chloride, water, silica gel, activated carbon, monosodium glutamate, potassium acid tartrate, powdered cellulose, malic acid, chabazite, hydroxypropyl cellulose, potassium c. *EFSA Journal*, 11(4), 1-143155–143167. <https://doi.org/10.2903/j.efsa.2013.3155>

Fante, C. A., Boas, A. C. V., Paiva, V. A., Pires, C. R. F., & Lima, L. C. de O. (2014). Modified atmosphere efficiency in the quality maintenance of Eva apples. *Food Science and Technology*, 34(2), 309–314. <https://doi.org/10.1590/fst.2014.0044>

FAO. (2020). *Crop production manual* (S. M. N. Khalid (ed.)). Food and Agriculture Organization of the United Nations.

Femenia, A., Sánchez, E. S., Simal, S., & Rosselló, C. (1998). Modification of Cell Wall Composition of Apricots (*Prunus armeniaca*) during Drying and Storage under Modified Atmospheres. *Journal of Agricultural and Food Chemistry*, 46(12), 5248–5253. <https://doi.org/10.1021/jf9804037>

Fonseca, S. C., Oliveira, F. A., & Brecht, J. K. (2002). Modelling respiration rate of fresh fruits and vegetables for modified atmosphere packages: a review. *Journal of Food Engineering*, 52(2), 99–119. [https://doi.org/10.1016/s0260-8774\(01\)00106-6](https://doi.org/10.1016/s0260-8774(01)00106-6)

Galić, K., Gajdoš, J., Kurtanjek, Ž., & Ciković, N. (2000). Gas permeability and DSC characteristics of polymers used in food packaging. *Polymer Testing*, 20(1), 49–57. [https://doi.org/10.1016/S0142-9418\(99\)00078-1](https://doi.org/10.1016/S0142-9418(99)00078-1)

Garcia, M. C., & Robayo, Y. P. (2008). Evaluation of the use of passive modified atmospheres and low temperatures on the conservation of yellow pitahaya. *Rev. Corpoica-Ciencia y Tecnol.Agropecuaria*, 9(1), 30–39. https://doi.org/10.21930/rcta.vol9_num1_art:102

Githiga, R., Ambuko, J., Hutchnison, M., & Owino, W. (2015). Effect of Activebag® modified atmosphere packaging on the postharvest characteristics of mango fruits, *Mangifera indica* L, cultivar Tommy Atkins. *Journal of Applied Biosciences*, 83(1), 7535. <https://doi.org/10.4314/jab.v83i1.6>

Grosvenor, A. P., Kobe, B. A., & McIntyre, N. S. (2005). Activation energies for the oxidation of iron by oxygen gas and water vapour. *Surface Science*, 574(2–3), 317–321. <https://doi.org/10.1016/j.susc.2004.10.043>

Gwynne, J. (2023). *Crystallinity*. University of Cambridge.
<https://www.doitpoms.ac.uk/tplib/polymerbasics/crystallinity.php>

Hansen, A. Å., Moen, B., Rødbotten, M., Berget, I., & Kvalvåg, M. (2016). Effect



- of vacuum or modified atmosphere packaging (MAP) in combination with a CO₂ emitter on quality parameters of cod loins (*Gadus morhua*). *Food Packaging and Shelf Life*, 9, 29–37. <https://doi.org/10.1016/j.fpsl.2016.05.005>
- Hernández-Muñoz, P., Almenar, E., Valle, V. Del, Velez, D., & Gavara, R. (2008). Effect of chitosan coating combined with postharvest calcium treatment on strawberry (*Fragaria × ananassa*) quality during refrigerated storage. *Food Chemistry*, 110(2), 428–435. <https://doi.org/10.1016/j.foodchem.2008.02.020>
- Hitendraprasad, P. P., Hegde, K., & Shabaraya, A. R. (2020). *Hylocereus undatus* (Dragon Fruit): A Brief Review. *International Journal of Pharmaceutical Sciences Review Ad Research*, 60(1), 55–57.
- Ho, P. L., Tran, D. T., Hertog, M. L. A. T. M., & Nicolaï, B. M. (2020). Modelling respiration rate of dragon fruit as a function of gas composition and temperature. *Scientia Horticulturae*, 263(October 2019), 109138. <https://doi.org/10.1016/j.scienta.2019.109138>
- Inkson, B. J. (2016). 2- Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for materials characterization. In G. Hübschen, I. Altpeter, R. Tschun, & H.-G. Herrmann (Eds.), *Materials Characterization Using Nondestructive Evaluation (NDE) Methods* (pp. 17–43). Woodhead Publishing. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Jalgaonkar, K., Mahawar, M. K., Bibwe, B., & Kannaujia, P. (2020). Postharvest Profile, Processing and Waste Utilization of Dragon Fruit (*Hylocereus Spp.*): A Review. *Food Reviews International*, 38(4), 733–759. <https://doi.org/10.1080/87559129.2020.1742152>
- Jiang, J., Trundle, P., Ren, J., Cheng, Y.-L., Lee, C.-Y., Huang, Y.-L., Buckner, C. A., Lafrenie, R. M., Dénommée, J. A., Caswell, J. M., Want, D. A., Gan, G. G., Leong, Y. C., Bee, P. C., Chin, E., Teh, A. K. H., Picco, S., Villegas, L., Tonelli, F., ... García-Díaz, V. (2010). We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 %. *Intech*, 34(8), 57–67. <https://doi.org/10.1007/s12559-021-09926-6%0Ahttps://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics%0Ahttp://dx.doi.org/10.1016/j.compmedimag.2010.07.003>
- Johnson, G. I., To, L. Van, Duc, N. D., & Webb, M. C. (2000). Quality assurance in agricultural produce. *ACIAR Proceedings No. 100*, 101–114.
- Keller, P. E., & Kouzes, R. (2017). Water Vapour Permeation in Plastics. *United States, January*, 29.
- Kofinas, P., Cohen, R. E., & Halasa, A. F. (1994). Gas permeability of polyethylene/poly(ethylene-propylene) semicrystalline diblock copolymers. *Polymer*, 35(6), 1229–1235. [https://doi.org/10.1016/0032-3861\(94\)90016-7](https://doi.org/10.1016/0032-3861(94)90016-7)
- Krohn, J., Tate, R., & Jordy, D. (1997). Factors affecting the permeability of blown films. *Journal of Plastic Film and Sheeting*, 13(4), 327–335. <https://doi.org/10.1177/875608799701300408>
- Krupa, T., & Tomala, K. (2021). Effect of oxygen and carbon dioxide concentration on the quality of mini kiwi fruits after storage. *Agronomy*, 11(11). <https://doi.org/10.3390/agronomy11112251>
- Labuza, T. P. (1984). *Moisture Sorption: Practical Aspects of Isotherm*



- Measurement and Use Paperback.* Amer Assn of Cereal Chemists. https://www.amazon.com/Moisture-Sorption-Practical-Isotherm-Measurement/dp/0913250341#detailBullets_feature_div
- Lara-Espinoza, C., Carvajal-Millán, E., Balandrán-Quintana, R., López-Franco, Y., & Rascón-Chu, A. (2018). Pectin and pectin-based composite materials: Beyond food texture. *Molecules*, 23(4). <https://doi.org/10.3390/molecules23040942>
- Le Bellec, F., Vaillant, F., & Imbert, E. (2006). Pitahaya (*Hylocereus* spp.): A new fruit crop, a market with a future. *Fruits*, 61(4), 237–250. <https://doi.org/10.1051/fruits:2006021>
- Lee, D. S., Yam, K. L., & Piergiovanni, L. (2008). *Food Packaging Science and Technology* (1st ed.). CRC Press. <https://doi.org/10.1201/978143989407>
- Lichter, A., Lurie, S., Zutahy, Y., Kaplunov, T., & Aharoni, N. (2005). The Effect of Ethanol Dip and Modified Prevention of Botrytis Rot of. *HortTechnology*, 15(2). <https://doi.org/10.17660/ActaHortic.2010.857.26>
- Mahajan, P. V., Rodrigues, F. A. S., Motel, A., & Leonhard, A. (2008). Development of a moisture absorber for packaging of fresh mushrooms (*Agaricus bisporous*). *Postharvest Biology and Technology*, 48(3), 408–414. <https://doi.org/10.1016/j.postharvbio.2007.11.007>
- Muas, I., Mansyah, E., & Yuliati, S. (2019). Dragon Fruit Production and Marketing in Indonesia: Standard Quality in The Global and Regional Levels. *Food and Fertilizer Technology Center for the Asian and Pacific Region*. <https://ap.fftc.org.tw/article/1601>
- Muas, I., Mansyah, E., Yuliati, S., & Hendri. (2019). Dragon Fruit Production and Marketing in Indonesia: Standard Quality in the Global and Regional Levels. FFTC. <https://ap.fftc.org.tw/article/1601>
- Muhammad, K., Nur, N. I., Gannasin, S. P., Mohd. Adzahan, N., & Bakar, J. (2014). High methoxyl pectin from dragon fruit (*Hylocereus polyrhizus*) peel. *Food Hydrocolloids*, 42(P2), 289–297. <https://doi.org/10.1016/j.foodhyd.2014.03.021>
- Nerd, A., Gutman, F., & Mizrahi, Y. (1999). Ripening and postharvest behaviour of fruits of two *Hylocereus* species (Cactaceae). *Postharvest Biology and Technology*, 17(1), 39–45. [https://doi.org/10.1016/S0925-5214\(99\)00035-6](https://doi.org/10.1016/S0925-5214(99)00035-6)
- Nerd, A., & Mizrahi, Y. (1999). The effect of ripening stage on fruit quality after storage of yellow pitaya. 15, 99–105.
- Nohl, H. (1994). Generation of superoxide radicals as byproduct of cellular respiration. *Annales de Biologie Clinique*, 52(3), 199–204. <https://pubmed.ncbi.nlm.nih.gov/7998676/>
- Ohol, M. N., Vidhate, S. S., Salve, R. K., Wayal, S. R., Barke, S. A., & Nirmal, S. A. (2023). A brief review on : *Hylocereus undatus* (Dragon fruit). 5(1), 59–64.
- Pant, A. F., Dorn, J., & Reinelt, M. (2018). Effect of temperature and relative humidity on the reaction kinetics of an oxygen scavenger based on Gallic acid. *Frontiers in Chemistry*, 6(NOV), 1–6. <https://doi.org/10.3389/fchem.2018.00587>
- Park, M., Chang, E., Yang, H., Lee, J., Do, G., Song, H. J., Chang, M., & Ku, K.



- (2020). G G Modified Atmosphere and Humidity Film Reduces.pdf. *Foods*, 9(1329). <https://doi.org/10.3390/foods9091329>
- Pascual, M. L. P., Peralta, E. K., Yaptenco, K. F., Elauria, J. C., & Esguerra, E. B. (2017). Passive Modified Atmosphere Packaging for Low Temperature Storage of White Flesh Variety Dragon Fruit (*Hylocereus undatus* (Haw.) Britton & Rose). *Philippine Journal of Agricultural and Biosystems Engineering*, 13(1), 30–41.
- Paull, R. E. (2014). Dragon Fruit: Postharvest Quality-Maintenance Guidelines. *Fruit, Nut, and Beverage Crops*, 37–39.
- Punitha, V., Boyce, A. N., & Chandran, S. (2010). Effect of storage temperatures on the physiological and biochemical properties of *Hylocereus polyrhizus*. *Acta Horticulturae*, 875(875), 137–144. <https://doi.org/10.17660/ActaHortic.2010.875.16>
- Puspasari, I., & Tasirin, S. M. (2014). *Quality Changes of Red Pitaya (Hylocereus undatus) Slices Dried in Hot Air , Microwave-Hot Air and Microwave-Vacuum Dryers Department of Bioresource Engineering , Faculty of Agricultural and Environmental Sciences , . 5(3)*. <https://doi.org/10.5829/idosi.ijee.2014.05.03.11>
- Rahmadhani, D. S. D., Reswandha, R., Rahayoe, S., Bintoro, N., Prasetyatama, Y. D., & Karyadi, J. N. W. (2020). The effect of cold storage temperatures on respiration rate and physical quality of crownless pineapple (*Ananas comosus* L.). *IOP Conference Series: Earth and Environmental Science*, 542(1). <https://doi.org/10.1088/1755-1315/542/1/012006>
- Rahmati, S. (2012). Morphological Studies on Pectin Extracted from Dragon Fruit Peel Using Microwave and Conventional Extraction Methods. *Proceeding International Conference on Halal Gums 2012*. <https://doi.org/978-967-5878-75-b>
- Sevillano, L., Sanchez-Ballest, M. T., Romojaro, F., & Flores, F. B. (2009). Physiological, hormonal and molecular mechanisms regulating chilling injury in horticultural species. Postharvest technologies applied to reduce its impact. *Journal of the Science of Food and Agriculture*, 89(4), 555–573. <https://doi.org/10.1002/jsfa.3468>
- Seymour, R. B., & Jr., C. E. C. (1984). Diffusion and Permeation of Gas and Vapors in Polymers. In *Structure—Property Relationships in Polymers* (pp. 107–111). Springer New York, NY. <https://doi.org/10.1007/978-1-4684-4748-4>
- Sharma, V., & Bhardwaj, A. (2019). 29 - Scanning electron microscopy (SEM) in food quality evaluation. In *Evaluation Technologies for Food Quality*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814217-2.00029-9>
- Singh, N., Banjare, P., & Mondloe, D. (2021). *Increasing shelf life of Dragon fruit by maintaining at optimum temperature*. 09(3), 108–115.
- Siracusa, V. (2012). Food packaging permeability behaviour: A report. *International Journal of Polymer Science*, 2012(i). <https://doi.org/10.1155/2012/302029>
- Sperelakis, N. (1995). Diffusion and Permeability. *Cell Physiology Source Book*, 61–66. <https://doi.org/10.1016/B978-0-12-656970-4.50011-7>
- Sutrisno, & Purwanto, E. G. M. (2011). Kajian Penyimpanan Buah Naga



- (*Hylocereus costaricensis*) dalam Kemesan Atmosfer Termodifikasi. *Journal Keteknikan Pertanian*, 25(2), 127–132.
- Techavuthiporn, C., & Boonyaratthongchai, P. (2016). Effect of prestorage short-term Anoxia treatment and modified atmosphere packaging on the physical and chemical changes of green asparagus. *Postharvest Biology and Technology*, 117, 64–70. <https://doi.org/10.1016/j.postharvbio.2016.01.016>
- Thakur, R. R., & Mangaraj, S. (2021). Effect of oxygen absorber concentration and temperature on enzyme kinetics-based respiration rate modeling of mango (cv. Amrapali). *Food and Bioprocess Technology*, 14(5), 956–967. <https://doi.org/10.1007/s11947-021-02620-3>
- Tinebra, I., Sortino, G., Inglese, P., Fretto, S., & Farina, V. (2021). Effect of Different Modified Atmosphere Packaging on the Quality of Mulberry Fruit (*Morus alba* L. cv Kokuso 21). *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/8844502>
- Tzoumaki, M. V., Biliaderis, C. G., & Vasilakakis, M. (2009). Impact of edible coatings and packaging on quality of white asparagus (*Asparagus officinalis*, L.) during cold storage. *Food Chemistry*, 117(1), 55–63. <https://doi.org/10.1016/j.foodchem.2009.03.076>
- Xing, S., Zhang, X., & Gong, H. (2020). The effect of CO₂ concentration on sweet cherry preservation in modified atmosphere packaging. *Czech Journal of Food Sciences*, 38(2), 103–108. <https://doi.org/10.17221/255/2019-CJFS>
- Zee, F., Yen, C., Nishina, M., & Rica, C. (2004). (Dragon Fruit, Strawberry Pear). *Fruit and Nuts*, 8–10. <http://hdl.handle.net/10125/2403>
- Zhuang, H., Barth, M. M., & Cisneros-Zevallos, L. (2014). Chapter 18 - Modified Atmosphere Packaging for Fresh Fruits and Vegetables. In *Innovations in Food Packaging (Second Edition)* (pp. 445–473). <https://doi.org/10.1016/b978-0-12-394601-0.00018-7>