



DAFTAR PUSTAKA

- Akingbala, J., Gomez, M. H., Rooney, L. W., Sweat, V. E., & Texas, U. S. A. (1988). Thermal Properties of Sorghum Starch. *Starch/Stärke*, 40(10), 375–378.
- Asropi, A., Bintoro, N., Karyadi, J. N. W., Rahayoe, S., & Saputro, A. D. (2019). Kinetika Perubahan Sifat Fisik dan Kadar Tanin Biji Sorgum (Sorghum Bicolor L.) Selama Perendaman. *AgriTECH*, 39(3), 222. <https://doi.org/10.22146/agritech.42610>
- Azrai, M., Pabendon, M. B., Aqil, M., Arvan, R. Y., Zainuddin, B., & Andayani, N. N. (2021). *Teknologi Budidaya Tanaman Sorgum Unggul Bebas Limbah* (Tim Balitsereal dan Puslitbang Tanaman Pangan (ed.)). CV. Cakrawala Yogyakarta.
- Batariuc, A., Cotovanu, I., & Mironeasa, S. (2023). Sorghum flour features related to dry heat treatment and milling. *Foods*, 12(2248).
- Budijanto, S., & Yuliyanti. (2012). Studi Persiapan Tepung Sorgum (Sorghum bicolor L. Moench) dan Aplikasinya pada Pembuatan Beras Analog. *Jurnal Teknologi Pertanian*, 13(3), 177–186.
- Chakraborty, S. (2022). TOPSIS and Modified TOPSIS : A comparative analysis. *Decision Analytics Journal*, 2(September 2021), 100021. <https://doi.org/10.1016/j.dajour.2021.100021>
- Chemat, F., Rombaut, N., Sicaire, A., Meullemiestre, A., & Abert-vian, M. (2017). Ultrasonics Sonochemistry Ultrasound assisted extraction of food and natural products . Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics - Sonochemistry*, 34, 540–560. <https://doi.org/10.1016/j.ulstsonch.2016.06.035>
- Chisi, M., & Peterson, G. (2019). Breeding and agronomy. In J. R. N. Taylor & K. G. Duodu (Eds.), *Sorghum and Millets Chemistry, Technology, and Nutritional Attributes* (Second Edi, pp. 23–50). Elsevier Inc.
- Cui, R., & Zhu, F. (2020). Effect of ultrasound on structural and physicochemical properties of sweetpotato and wheat flours. *Ultrasonics - Sonochemistry*, 66(March), 105118. <https://doi.org/10.1016/j.ulstsonch.2020.105118>
- de la Fuente-blanco, S., de Sarabia, E. R., Acosta-Aparicio, V. M., Blanco-Blanco, A., & Gallego-Juárez, J. . (2006). Food drying process by power ultrasound. *Ultrasonics*, 44(2006), e523–e527. <https://doi.org/10.1016/j.ultras.2006.05.181>
- Dujmić, F., Brnčić, M., Karlović, S., Bosiljkov, T., Ježek, D., Tripalo, B., & Mofardin, I. (2013). Ultrasound-assisted infrared drying of pear slices: textural issues. *Journal of Food Process Engineering*, 36, 397–406. <https://doi.org/10.1111/jfpe.12006>



- Fijalkowska, A., Nowacka, M., Wiktor, A., Sledz, M., & Witrowa-Rajchert, D. (2015). Ultrasound as a pretreatment method to improve drying kinetics and sensory properties of dried apple. *Journal of Food Process Engineering*, 39, 256–265. <https://doi.org/10.1111/jfpe.12217>
- Garcia-Noguera, J., Oliveira, F. I. P., Galla, M. I., Weller, C. L., Rodrigues, S., & Fernandes, F. A. N. (2010). Ultrasound-Assisted Osmotic Dehydration of Strawberries : Effect of Pretreatment Time and Ultrasonic Frequency. *Drying Technology*, 28, 294–303. <https://doi.org/10.1080/07373930903530402>
- Gunawan, S., Sijid, S. A., & Hafsan. (2017). Sorgum untuk Indonesia Swasembada Pangan (Sebuah Review). *Prosiding Seminar Nasional Biology for Life, November*, 49–54.
- Huang, D., Men, K., Li, D., Wen, T., Gong, Z., Sundén, B., & Wu, Z. (2020). Application of ultrasound technology in the drying of food products. *Ultrasonics - Sonochemistry*, 63(December 2019), 104950. <https://doi.org/10.1016/j.ulsonch.2019.104950>
- Inyang, U. E., Oboh, I. O., & Etuk, B. R. (2018). Kinetic Models for Drying Techniques — Food Materials. *Advances in Chemical Engineering and Science*, 8, 27–48. <https://doi.org/10.4236/aces.2018.82003>
- Iriany M, R. N., & Makkulawu, A. T. (2014). *Asal Usul dan Taksonomi Tanaman Sorgum* (p. 12). Balai Penelitian Tanaman Serealia.
- Kakar, A., Miano, T. F., Soomro, A. H., Yar, A., Memon, S. A., & Khan, B. (2022). Oil and water absorption capacity of wheat , rice and gram flour powders. *International Journal of Ecosystems and Ecology Science (IJEES)*, 12(2), 585–594.
- Kek, S. P., Chin, N. L., & Yusof, Y. A. (2013). Direct and indirect power ultrasound assisted pre-osmotic treatments in convective drying of guava slices. *Food and Bioproducts Processing*, 91(4), 495–506. <https://doi.org/10.1016/j.fbp.2013.05.003>
- Kingwell, R., Elliot, P., Cowman, S., Carter, C., & White, P. (2018). *The Indonesian wheat market: Its strategic importance to Australia*. Australian Export Grains Innovation Centre.
- Krokida, M. K., Karathanos, V. T., Maroulis, Z. B., & Marinos-Kouris, D. (2003). Drying kinetics of some vegetables. *Journal of Food Engineering*, 59, 391–403. [https://doi.org/10.1016/S0260-8774\(02\)00498-3](https://doi.org/10.1016/S0260-8774(02)00498-3)
- Kumar, K., Srivastav, S., & Singh, V. (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products : A review. *Ultrasonics - Sonochemistry*, 70(May 2020), 105325. <https://doi.org/10.1016/j.ulsonch.2020.105325>
- Lima, A. A. S., Otero, D. M., Ferreira-ribeiro, C. D., & da Silva, R. M. (2019). Wheat Substitutes for Gluten-Free Pasta : An Integrative Review. *Journal of*



- Biotechnology Research*, 5(10), 100–106.
<https://doi.org/https://doi.org/10.32861/jbr.510.100.106>
- Luo, X., Cui, J., Zhang, H., Duan, Y., Zhang, D., Cai, M., & Chen, G. (2018). Ultrasound assisted extraction of polyphenolic compounds from red sorghum (Sorghum bicolor L .) bran and their biological activities and polyphenolic compositions. *Industrial Crops & Products*, 112(301), 296–304. <https://doi.org/10.1016/j.indcrop.2017.12.019>
- Naderinezhad, S., Etesami, N., Najafabady, A. P., & Falavarjani, M. G. (2016). Mathematical modeling of drying of potato slices in a forced convective dryer based on important parameters. *Food Science & Nutrition*, 4(1), 110–118. <https://doi.org/10.1002/fsn3.258>
- Nowacka, M., & Wedzik, M. (2016). Effect of ultrasound treatment on microstructure, colour and carotenoid content in fresh and dried carrot tissue. *Applied Acoustics*, 103, 163–171. <https://doi.org/10.1016/j.apacoust.2015.06.011>
- Odunmbaku, L. A., Sobowale, S. S., Adenekan, M. K., Oloyede, T., Adebiyi, J. A., & Adebo, O. A. (2018). Influence of steeping duration, drying temperature, and duration on the chemical composition of sorghum starch. *Food Science & Nutrition*, 6(October 2017), 348–355. <https://doi.org/10.1002/fsn3.562>
- Ojha, P., Adhikari, R., Karki, R., Mishra, A., Subedi, U., & Bahadur, T. (2018). Malting and fermentation effects on antinutritional components and functional characteristics of sorghum flour. *Food Science & Nutrition*, 6(1)(July 2017), 47–53. <https://doi.org/10.1002/fsn3.525>
- Paterno, T., & Augusto, P. E. D. (2015). Ultrasound (US) enhances the hydration of sorghum (Sorghum bicolor) grains. *Ultrasonics Sonochemistry*, 23, 11–15. <https://doi.org/10.1016/j.ultsonch.2014.10.021>
- Rani, P., & Tripathy, P. P. (2019). Effect of ultrasound and chemical pretreatment on drying characteristics and quality attributes of hot air dried pineapple slices. *Journal of Food Science and Technology*, 56(11), 4911–4924. <https://doi.org/10.1007/s13197-019-03961-w>
- Sayaslan, A. (2004). Wet-milling of wheat flour : industrial processes and small-scale test methods. *LWT - Food Science and Technology*, 37(5), 499–515. <https://doi.org/10.1016/j.lwt.2004.01.009>
- Shamaei, S., Emam-djomeh, Z., & Moini, S. (2011). Ultrasound-assisted osmotic dehydration of cranberries: effect of finish drying methods and ultrasonic frequency on textural properties. *Journal of Texture Studies ISSN*, 43(2), 133–141. <https://doi.org/10.1111/j.1745-4603.2011.00323.x>
- Sullivan, A. C., Pangloli, P., & Dia, V. P. (2018). Impact of ultrasonication on the physicochemical properties of sorghum ka fi rin and in vitro pepsin-



- pancreatin digestibility of sorghum gluten-like flour. *Food Chemistry*, 240(2018), 1121–1130. <https://doi.org/10.1016/j.foodchem.2017.08.046>
- Susanti, D. Y. (2021). *Evaluasi kuantitatif pemungutan antioksidan biji sorgum merah dengan batch extraction dalam rangka optimalisasi potensi sorgum*. Universitas Gadjah Mada.
- Taylor, J. R. N. (2019). Sorghum and millets: taxonomy, history, distribution, and production. In J. R. N. Taylor & K. G. Duodu (Eds.), *Sorghum and Millets Chemistry, Technology, and Nutritional Attributes* (Second Edi, pp. 1–22). Elsevier Inc.
- USDA. (2001). *Sorghum bicolor (L.) Moench*. United States Department of Agriculture. <https://plants.usda.gov/home/plantProfile?symbol=sobi2>
- USDA. (2023). *World Agricultural Production*. <https://apps.fas.usda.gov/psdonline/circulars/production.pdf>
- Xie, X. J., Liang, Y. T. S., Selb, P. A., & Tuinstra, M. R. (2006). Wet-milling of grain sorghum of varying seed size without steeping. *Starch/Staerke*, 58(7), 353–359. <https://doi.org/10.1002/star.200500486>
- Yoganandan, M., Bean, S. R., Miller-Regan, R., Dogan, H., Pulivarthi, M. K., & Siliveru, K. (2021). Effect of tempering conditions on white sorghum milling, flour, and bread properties. *Foods*, 10(1947), 1–18.
- Yu, S., Zhang, Y., Ge, Y. I. N., Zhang, Y., Sun, T., Jiao, Y. A. N., & Al, S. Y. U. E. T. (2013). Effects of ultrasound processing on the thermal and retrogradation properties of nonwaxy rice starch. *Journal of Food Process Engineering*, 36, 793–802. <https://doi.org/10.1111/jfpe.12048>
- Yüksel, Y., & Elgün, A. (2020). Determination of the effect of high energy ultrasound application in tempering on flour quality of wheat. *Ultrasonics - Sonochemistry*, 67(February), 105129. <https://doi.org/10.1016/j.ulsonch.2020.105129>
- Zhang, Z., Feng, H., Niu, Y., & Eckhoff, S. R. (2005). Starch recovery from degermed corn flour and hominy feed using power ultrasound. *Cereal Chemistry*, 82(4), 447–449. <https://doi.org/10.1094/CC-82-0447>
- Zheng, L., & Sun, D. (2006). Innovative applications of power ultrasound during food freezing processes — a review. *Trends in Food Science & Technology*, 17(2006), 16–23. <https://doi.org/10.1016/j.tifs.2005.08.010>