

## DAFTAR PUSTAKA

- Abubakar, S., Akbar, N., Baksir, A., Umasangadji, H., Najamuddin, N., Tahir, I., Paembonan, R. E., & Ismail, F. (2021). Distribusi Spasial dan Temporal Fitoplankton di Perairan Laut Tropis. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 14(2), 149–163. <https://doi.org/10.21107/jk.v14i2.10285>
- Aide, T. M., Corrada-Bravo, C., Campos-Cerqueira, M., Milan, C., Vega, G., & Alvarez, R. (2013). Real-time bioacoustics monitoring and automated species identification. *PeerJ*, 2013(1). <https://doi.org/10.7717/peerj.103>
- Allifah, A. N. A., Natsir, N. A., Rijal, M., & Samputri, S. (2019). Pengaruh Faktor Lingkungan Terhadap Pola Distribusi Spasial Dan Temporal Musuh Alami Di Lahan Pertanian. *Jurnal Biology Science & Education*, 8(2).
- Andewi, B. A., Burhanuddin, & Dewantara, I. (2015). STRUKTUR DAN KOMPOSISI VEGETASI DI AREAL PETAK UKUR PERMANEN (PUP) PT. KAWEDAR WOOD INDUSTRY KABUPATEN KAPUAS HULU. *Jurnal Hutan Lestari*, 3(1), 150–159.
- Azhari, A., Sukmono, T., Prima Nugraha, A., Ihsan, M., & Suprayogi, D. (2022). KEANEKARAGAMAN AMFIBI (ORDO ANURA) DI HUTAN LINDUNG GAMBUT LONDERANG TANJUNG JABUNG TIMUR Amfibi Diversity (Ordo Anura) in Londerang Peat Protected Forest, East Tanjung Jabung. In *Biospecies* (Vol. 15, Issue 1).
- Azizah, S. A., Kissinger, Nugroho, Y., & Fauzi, H. (2020). Analisis Vegetasi Hutan Kerangas Di Arborem Nyaru Menteng Kalimantan Tengah. *Serambi Engineering*, 1(1), 861–867.
- Badriah, S. R., Wahyuni, I., Usman, Mahrawi, Ratnasari, D., & Rifqiawati, I. (2022). Inventory of Amphibian Species (Order Anura) in Ujung Kulon National Park. *Berkala Ilmiah Biologi*, 13(3), 1–8. <https://doi.org/10.22146/bib.v13i3.4819>
- Böhm, M., & Popescu, V. D. (2016). *Conservation Status of Invertebrates View project Global Species Assessment of Indian Swallowtails View project Landscape ecology, biogeography, and GIS methods*. <https://www.researchgate.net/publication/321873286>
- Bravo, C. J. C., Berríos, R. Á., & Aide, T. M. (2017). Species-specific audio detection: A comparison of three template-based detection algorithms using random forests. *PeerJ Computer Science*, 2017(4). <https://doi.org/10.7717/peerj-cs.113>
- Browning, E., Gibb, R., Glover-Kapfer, P., Jones, K. E., Billington, G., Burivalova, Z., Clink, D., De Ridder, J., Halls, J., Hastings, T., Jacoby, D., Kalan, A., Kershenbaum, A., Linke, S., Lucas, S., Machado, R., Owens, P., Sutter, C., Trethowan, P., ... Wrege, P. (2017). Conservation Technology Acoustic Monitoring: Passive acoustic monitoring in ecology and conservation. *WWF Conservation Technology Series*, 1(2).
- Brumm, H., & Slabbekoorn, H. (2005). *Acoustic Communication in Noise* (pp. 151–209). [https://doi.org/10.1016/S0065-3454\(05\)35004-2](https://doi.org/10.1016/S0065-3454(05)35004-2)
- Buckley, B. J., Ripoll Capilla, B., Maimunah, S., Boyd, N., Cheyne, S. M., Husson, S. J., Ferisa, A., Namaskari, N., van Veen, F., Harrison, M. E., Bnf, by, Thompson, C., Murrell, D., Cheyne, S., Walmsey, A., Bruges Sintes, P., Newton, A., & Sturrock, H. (2018). *Borneo Nature Foundation (BNF) in Collaboration With: Cover and Report Photographs*. <http://www.borneonaturefoundation.org/facebook.com/borneonature.fdn>
- Buechner, H. K. (1963). Animal Dispersion in Relation to Social Behaviour V. C. Wynne-Edwards. *The Auk*, 80(2), 208–209. <https://doi.org/10.2307/4082571>

- Davis, A. J., Manly, B. F. J., McDonald, L. L., & Thomas, D. L. (1994). Resource Selection by Animals: Statistical Design and Analysis for Field Studies. *The Journal of Animal Ecology*, 63(3), 745. <https://doi.org/10.2307/5247>
- Dehling, M. (2017). *A Field Guide to the Frogs of Borneo*. <https://www.researchgate.net/publication/319395607>
- Faritsi, M. F. Al, & Santosa, Y. (2021). Keanekaragaman Jenis Herpetofauna sebagai Dampak Pembangunan Perkebunan Kelapa Sawit di Sumatera Selatan. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 18(1), 39–51. <https://doi.org/10.20886/jphka.2021.18.1.39-51>
- Frost, D. (2022). *Amphibian Species of the World: an Online Reference. Version 6.1*. American Museum of Natural History. .
- Garshelis, D. L. (2000). Chapter 4: Measuring Use, Selection, and Importance. In *Delusions in Habitat Evaluation*.
- Gillespie, G. R., Howard, S., Stroud, J. T., Ul-Hassanah, A., Campling, M., Lardner, B., Scroggie, M. P., & Kusriani, M. (2015). Responses of tropical forest herpetofauna to moderate anthropogenic disturbance and effects of natural habitat variation in Sulawesi, Indonesia. *Biological Conservation*, 192, 161–173. <https://doi.org/10.1016/j.biocon.2015.08.034>
- Goutte, S., Dubois, A., & Legendre, F. (2013). The Importance of Ambient Sound Level to Characterise Anuran Habitat. *PLoS ONE*, 8(10). <https://doi.org/10.1371/journal.pone.0078020>
- Greenberg, C. H. (2001). Spatio-Temporal Dynamics of Pond Use and Recruitment in Florida Gopher Frogs (*Rana capito aesopus*). *Journal of Herpetology*, 35(1), 74. <https://doi.org/10.2307/1566026>
- Guerra, V., de Queiroz Costa, N., Llusia, D., Márquez, R., & Bastos, R. P. (2020). Nightly patterns of calling activity in anuran assemblages of the Cerrado, Brazil. *Community Ecology*, 21(1), 33–42. <https://doi.org/10.1007/s42974-020-00013-8>
- Haas, A. (2008). *Larval identities of Ansonia hanitschi Inger, 1960 (Amphibia: Bufonidae) and Polypedates colletti (Boulenger, 1890) (Amphibia: Rhacophoridae) from East Malaysia (Borneo) Cryptic speciation View project Reviving ghost of taxonomy past: Identifying cryptic species using high-throughput sequencing of historical museum specimens for Asian ranids with gastromyzophorous tadpoles View project*. <http://www.salamandra-journal.com>
- Hendri, W. (2015). *Inventarisasi Jenis Katak (Ranidae) Sebagai Komoditi Ekspor di Sumatera Barat*. <http://ejournal.stkip-pgri-sumbar.ac.id/index.php/BioCONCETTA>
- Hilwan, I. (2015). KARAKTERISTIK BIOFISIK PADA BERBAGAI KONDISI HUTAN KERANGAS DI KABUPATEN BELITUNG TIMUR, PROVINSI KEPULAUAN BANGKA BELITUNG Biophysical Characteristic in Various Conditions of Heath Forest in East Belitung Residence, Province of Bangka Belitung Islands. *Jurnal Silvikultur Tropika*, 06(1), 59–65.
- Hsing, P., Hill, R. A., Smith, G. C., Bradley, S., Green, S. E., Kent, V. T., Mason, S. S., Rees, J., Whittingham, M. J., Cokill, J., & Stephens, P. A. (2022). Large-scale mammal monitoring: The potential of a citizen science camera-trapping project in the United Kingdom. *Ecological Solutions and Evidence*, 3(4). <https://doi.org/10.1002/2688-8319.12180>
- Huaimai, Y., Wong, A., Afif, M., & Zakaria, B. (2019). Diversity of Frogs in Tawau Hills Park, Sabah, Malaysia. *Journal of Tropical Biology and Conservation*, 16, 229–251.
- Imasuen, A. A., & Enabulele, E. E. (2019). Preys of Two Arboreal Frogs: *Chiromantis rufescens* and *Leptopelis spiritusnoctis* in Okomu National Park, Nigeria. In *African Scientist* (Vol. 20, Issue 1). <http://www.niseb.org/afs>

- Inger, R. F., & Stuebing, R. B. (2005). *A Field Guide to the FROGS OF BORNEO* (2nd ed.). Natural History Publications.
- Iskandar, D. (1998). *Amfibi Jawa dan Bali – Seri Panduan Lapangan*. Puslitbang LIPI.
- IUCN SSC Amphibian Specialist Group. (2021). *Pulchrana baramica*. The IUCN Red List of Threatened Species 2021: E.T58558A113806998. <https://Dx.Doi.Org/10.2305/IUCN.UK.2021-3.RLTS.T58558A113806998>. <https://www.iucnredlist.org/species/58558/113806998>
- IUCN SSC Amphibian Specialist Group. (2022, April 12). *Polypedates colletti*. The IUCN Red List of Threatened Species 2022: E.T58942A64132897. <https://Dx.Doi.Org/10.2305/IUCN.UK.2022-1.RLTS.T58942A64132897.En>.
- Justa, P., Kumar, R. S., Talukdar, G., & Sinha, A. (2019). Sharing from the Same Bowl: Resource Partitioning between Sympatric Macaque Species in the Western Himalaya, India. *International Journal of Primatology*, 40(3), 356–373. <https://doi.org/10.1007/s10764-019-00092-z>
- Kahirun, K., Surya, R. A., Ode, L., & Erif, M. (2019). *Indikator Kualitas Air Sungai dengan Menggunakan Makroinvertebrata di Sungai Wanggu*. <https://www.researchgate.net/publication/334432642>
- Karyati, K., Putri, R. O., & Syafrudin, M. (2018). SUHU DAN KELEMBABAN TANAH PADA LAHAN REVEGETASI PASCA TAMBANG DI PT ADIMITRA BARATAMA NUSANTARA, PROVINSI KALIMANTAN TIMUR. *AGRIFOR*, 17(1), 103. <https://doi.org/10.31293/af.v17i1.3280>
- Kissinger, Thamrin, G. AR., & Rina Muhayah N.P. (2012). Konservasi Keanekaragaman Hayati Hutan Kerangas Berbasis Penemuan Bioaktivitas Tumbuhan sebagai Antidiabetes. *Prosiding InSINas*, 1316. <https://doi.org/10.1111/j.1750-3841.2011.02116.x>
- KLHK. (2020). *PEMULIHAN EKOSISTEM GAMBUT*.
- Köhler, J., Jansen, M., Rodríguez, A., Kok, P. J. R., Toledo, L. F., Emmrich, M., Glaw, F., Haddad, C. F. B., Rödel, M. O., & Vences, M. (2017). The use of bioacoustics in anuran taxonomy: Theory, terminology, methods and recommendations for best practice. *Zootaxa*, 4251(1), 1–124. <https://doi.org/10.11646/zootaxa.4251.1.1>
- Krause, B. (1987). *Bioacoustics Habitat Ambience and Ecological Balance*.
- Krause, B. (2008). Anatomy of the *Soundscape*: Evolving Perspectives. *Journal of the Audio Engineering Society*. *Audio Engineering Society*. <https://www.researchgate.net/publication/257943187>
- Kuswanda, W., & Abdullah Syarief Muhktar, and. (2010). Pengelolaan Populasi Mamalia Besar Terrestrial di Taman Nasional Batang Gadis, Sumatera Utara. *Jurnal Penelitian Hutan Dan Konservasi Alam*, VII(1), 59–74.
- Kvsn, R. R., Montgomery, J., Garg, S., & Charleston, M. (2020). Bioacoustics Data Analysis-A Taxonomy, Survey and Open Challenges. *IEEE Access*, 8, 57684–57708. <https://doi.org/10.1109/ACCESS.2020.2978547>
- Kwatrina, R. T. (2019). KEANEKARAGAMAN SPESIES HERPETOFAUNA PADA BERBAGAI TIPE TUTUPAN LAHAN DI LANSEKAP PERKEBUNAN SAWIT: Studi Kasus di PT. BLP Central Borneo. *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 9(2), 304–313. <https://doi.org/10.29244/jpsl.9.2.304-313>
- Malkmus, R., Manthey, U., Vogel, G., Hoffmann, P., & Kosuch, J. (2002). *AMPHIBIANS & REPTILES of MOUNT KINABALU (North Borneo)*.
- Markolf, M., Zinowsky, M., Keller, J. K., Borys, J., Cillov, A., & Schülke, O. (2022). Toward Passive Acoustic Monitoring of Lemurs: Using an Affordable Open-Source

- System to Monitor Phaner Vocal Activity and Density. *International Journal of Primatology*, 43(3), 409–433. <https://doi.org/10.1007/s10764-022-00285-z>
- McDonald, E. M., Morano, J. L., DeAngelis, A. I., & Rice, A. N. (2017). Building time-budgets from bioacoustic signals to measure population-level changes in behavior: a case study with sperm whales in the Gulf of Mexico. *Ecological Indicators*, 72, 360–364. <https://doi.org/10.1016/j.ecolind.2016.08.028>
- McLoughlin, M. P., Stewart, R., & McElligott, A. G. (2019). Automated bioacoustics: methods in ecology and conservation and their potential for animal welfare monitoring. *Journal of The Royal Society Interface*, 16(155), 20190225. <https://doi.org/10.1098/rsif.2019.0225>
- Melo, I., Llusia, D., Bastos, R. P., & Signorelli, L. (2021). Active or passive acoustic monitoring? Assessing methods to track anuran communities in tropical savanna wetlands. *Ecological Indicators*, 132. <https://doi.org/10.1016/j.ecolind.2021.108305>
- Muhaimin, M., Jaya Prihantarto, W., Latifiana, K., Surya Hidayat, A., Kuswantoko, H., Kamal, M., & Heru Murti, S. (2016). Correlation Analysis of Vegetation Indices with Canopy Closure Using Worldview-2 Imagery. *ICOIRS 2016: The 2nd International Conference of Indonesian Society for Remote Sensing Remote Sensing for a Better Governance*.
- Muslim, T., Rayadin, Y., & Suhardiman, D. A. (2018). PREFERENSI HABITAT BERDASARKAN DISTRIBUSI SPASIAL HERPETOFAUNA DI KAWASAN PERTAMBANGAN BATUBARA PT SINGLURUS PRATAMA, KALIMANTAN TIMUR. *Jurnal AGRIFOR*, 17(1).
- Mustari, A. H., Mansyur, I., Rinaldi, D., Konservasi, D., Hutan, S., Ekowisata, D., Kehutanan, F., & Pertanian Bogor, I. (2013). *KARAKTERISTIK HABITAT DAN POPULASI TARSIVUS (Tarsius fuscus Fischer 1804) DI RESORT BALOCCI, TAMAN NASIONAL BANTIMURUNG BULUSARAUNG, SULAWESI SELATAN (Habitat Characteristics and Population of Tarsius fuscus in Balocci Resort, Bantimurung-Bulusaraung National Park, South Sulawesi)* (Vol. 18, Issue 1).
- Narins, P. M., Feng, A. S., Yong, H.-S., & Christensen-Dalsgaard, J. (1998). *Morphological, Behavioral, and Genetic Divergence of Sympatric Morphotypes of the Treefrog Polypedates leucomystax in Peninsular Malaysia* (Vol. 54, Issue 2). <https://www.jstor.org/stable/3893420?seq=1&cid=pdf->
- Nugraha, A. P., Suprayogi, D., Kartika, W. D., & Setiawan, A. (2021). Distribusi Herpetofauna di Kawasan Hutan Lindung Gambut (Hlg) Sungai Buluh Tanjung Jabung Timur. *Majalah Ilmiah Biologi Biosfera : A Scientific Journal*, 38(1), 55–59. <https://doi.org/10.20884/1.mib.2021.38.1.1030>
- Nurdin, S. (2011). ANALISIS PERUBAHAN KADAR AIR DAN KUAT GESER TANAH GAMBUT LALOMBI AKIBAT PENGARUH TEMPERATUR DAN WAKTU PEMANASAN. *Jurnal SMARTEK*, 9(2), 88–108.
- Oktavia, D., Setiadi, Y., & Hilwan, I. (2015). The Comparison of Soil Properties in Heath Forest and Post-tin Mined Land: Basic for Ecosystem Restoration. *Procedia Environmental Sciences*, 28, 124–131. <https://doi.org/10.1016/j.proenv.2015.07.018>
- Oktavianti, S., Falahudin, I., & Herliadi, R. (2020). Keanekaragaman Spesies Ikan Pada Aliran Drainase Lahan Gambut di Wilayah Kecamatan Pedamaran Kabupaten OKI Sumatera Selatan. In *Prosiding Seminar Nasional Sains dan Teknologi Terapan* (Vol. 3, Issue 1).
- ONRIZAL, O., KUSMANA, C., SAHARJO, B. H., HANDAYANI, I. P., & KATO, T. (1970). Species composition and structure of ex-burned heath forest in Danau Sentarum National Park, West Kalimantan. *Biodiversitas Journal of Biological Diversity*, 6(4). <https://doi.org/10.13057/biodiv/d060410>

- Page, S., Hosičilo, A., Wösten, H., Jauhiainen, J., Silvius, M., Rieley, J., Ritzema, H., Tansey, K., Graham, L., Vasander, H., & Limin, S. (2009). Restoration ecology of lowland tropical peatlands in Southeast Asia: Current knowledge and future research directions. *Ecosystems*, *12*(6), 888–905. <https://doi.org/10.1007/s10021-008-9216-2>
- Penar, W., Magiera, A., & Klocek, C. (2020). Applications of bioacoustics in animal ecology. *Ecological Complexity*, *43*. <https://doi.org/10.1016/j.ecocom.2020.100847>
- Rahayuningsih, M., & Abdullah, M. (2012). Persebaran dan Keanekaragaman Herpetofauna Dalam Mendukung Konservasi Keanekaragaman Hayati di Kampus Sekaran Universitas Negeri Semarang. *Indonesian Journal of Conservation*, *1*(1).
- Ridout, M. S., & Linkie, M. (2009). Estimating *overlap* of daily activity patterns from camera trap data. *Journal of Agricultural, Biological, and Environmental Statistics*, *14*(3), 322–337. <https://doi.org/10.1198/jabes.2009.08038>
- Rohadian, A. R., Susatya, A., Saprinurdin, D., Kehutanan, J., Bengkulu, U., Raya, J., Limun, K., & 38371a, B. (2022). Keanekaragaman Jenis Ordo Anura pada beberapa Habitat di Kawasan Hutan Pendidikan Palak Siring Kemumu Kabupaten Bengkulu Utara. *Journal of Global Forest and Environmental Science*, *2*(1).
- Rosidah, S., Wahyuni, I., Usman, Mahrawi, Ratnasari, D., & Rifqiawati, I. (2022). Inventory of Amphibian Species (Order Anura) in Ujung Kulon National Park. *Berkala Ilmiah Biologi*, *13*(3), 1–8. <https://doi.org/10.22146/bib.v13i3.4819>
- Saleh, Z., Tamin, R. P., & Ulfa, M. (2021). IDENTIFIKASI POTENSI PENYEBAR BENIH TUMBUHAN PADA HUTAN RAWA GAMBUT DALAM RANGKA REGENERASI ALAMI DAN RESTORASI LAHAN GAMBUT PASCA KEBAKARAN. *Wahana Forestra: Jurnal Kehutanan*, *16*(2), 181–192. <https://doi.org/10.31849/forestra.v16i2.6279>
- Schalk, C. M., & Saenz, D. (2016). Environmental drivers of anuran calling phenology in a seasonal Neotropical ecosystem. *Austral Ecology*, *41*(1), 16–27. <https://doi.org/10.1111/aec.12281>
- Schiesari, L., Gordo, M., & Hödl, W. (2003). Treeholes as calling, breeding, and developmental sites for the Amazonian canopy frog, *Phrynohyas resinifictrix* (Hylidae). *Copeia*, *2*, 263–272. [https://doi.org/10.1643/0045-8511\(2003\)003\[0263:TACBAD\]2.0.CO;2](https://doi.org/10.1643/0045-8511(2003)003[0263:TACBAD]2.0.CO;2)
- Schoeman, R. P., Erbe, C., Pavan, G., Righini, R., & Thomas, J. A. (2022). Analysis of *Soundscapes* as an Ecological Tool. In *Exploring Animal Behavior Through Sound: Volume 1* (pp. 217–267). Springer International Publishing. [https://doi.org/10.1007/978-3-030-97540-1\\_7](https://doi.org/10.1007/978-3-030-97540-1_7)
- Schwartz, J. J., & Bee, M. A. (2013). *Anuran Acoustic Signal Production in Noisy Environments* (pp. 91–132). [https://doi.org/10.1007/978-3-642-41494-7\\_5](https://doi.org/10.1007/978-3-642-41494-7_5)
- Setiawan, H. (2016). Prosiding Seminar Nasional from Basic Science to Comprehensive Education Makassar. *Prosiding Seminar Nasional from Basic Science to Comprehensive Education Makassar*.
- Surahman, M., & Setyawati, T. R. (2018). Komposisi Jenis Katak (Anura) di Taman Nasional Gunung Palung, Kalimantan Barat. *Protobiont*, *7*(3), 97–110.
- Syazali, M., Al Idrus, A., & Hadiprayitno, G. (2017). Analisis Multivariat dari Faktor Lingkungan yang Berpengaruh terhadap Struktur Komunitas Amfibi di Pulau Lombok Multivariate Analyze of Environment Factors That Effect on Structure of Amphibian Community in Lombok Island. <https://doi.org/10.20961/bioedukasi-uns.v10i2.11532>

- Tajalli, A., Kusrini, M. D., Abdiansyah, R., & Kartono, A. P. (2021). Keanekaragaman Jenis Reptil dan Amfibi di Kawasan Lindung Sungai Lesan, Kalimantan Timur. *Zoo Indonesia*, 30(2), 68–84.
- Tang, L., Kan, Z., Zhang, X., Sun, F., Yang, X., & Li, Q. (2016). A network Kernel Density Estimation for linear features in space–time analysis of big trace data. *International Journal of Geographical Information Science*, 30(9), 1717–1737. <https://doi.org/10.1080/13658816.2015.1119279>
- Tichý, L. (2014). *GLAMA-Gap Light Analysis Mobile App User's manual application version 3.0*. <http://www.sci.muni.cz/botany/glama/>
- Tichý, L. (2016). Field test of canopy cover estimation by hemispherical photographs taken with a smartphone. *Journal of Vegetation Science*, 27(2), 427–435. <https://doi.org/10.1111/jvs.12350>
- Toft, C. A. (1985). *Resource Partitioning in Amphibians and Reptiles* (Vol. 11, Issue 1). <https://about.jstor.org/terms>
- Wells, K. D. (2007). *The Ecology and Behavior of Amphibians*. University of Chicago Press. <https://doi.org/10.7208/chicago/9780226893334.001.0001>
- Wood, C. M., Champion, J., Brown, C., Brommelsiek, W., Laredo, I., Rogers, R., & Chaopricha, P. (2023). Challenges and opportunities for bioacoustics in the study of rare species in remote environments. *Conservation Science and Practice*, 5(6). <https://doi.org/10.1111/csp2.12941>
- Yuliany, E. H. (2021). Keanekaragaman Jenis Herpetofauna (Ordo Squamata) di Kawasan Hutan Rawa Gambut Tropis Mangsang-Kepayang, Sumatera Selatan. *Biota : Jurnal Ilmiah Ilmu-Ilmu Hayati*, 6(2), 111–119. <https://doi.org/10.24002/biota.v6i2.2996>