

## DAFTAR PUSTAKA

- Adeyemi, N. O., Atayese, M. O., Olubode, A. A., & Akan, M. E. (2020). Effect of commercial arbuscular mycorrhizal fungi inoculant on growth and yield of soybean under controlled and natural field conditions. *Journal of Plant Nutrition*, 43(4), 487–499. <https://doi.org/10.1080/01904167.2019.1685101>
- Allard, S. M., Ottesen, A. R., Brown, E. W., & Micallef, S. A. (2018). Insect exclusion limits variation in bacterial microbiomes of tomato flowers and fruit. *Journal of Applied Microbiology*, 125(6), 1749–1760. <https://doi.org/10.1111/jam.14087>
- Aulia, R., & Bayu, E. S. (2014). Respon pertumbuhan dan produksi beberapa varietas kedelai hitam (*Glycine max* L.) berdasarkan ukuran biji. *Jurnal Online Agroekoteknologi*, 2(4), 1324–1332.
- Bais, H. P., Weir, T. L., Perry, L. G., Gilroy, S., & Vivanco, J. M. (2006). The role of root exudates in rhizosphere interactions with plants and other organisms. *Annual Review of Plant Biology*, 57(1), 233–266. <https://doi.org/10.1146/annurev.arplant.57.032905.105159>
- Barret, M., Briand, M., Bonneau, S., Prèveaux, A., Valière, S., Bouchez, O., Hunault, G., Simoneau, P., & Jacquesa, M.-A. (2015). Emergence shapes the structure of the seed microbiota. *Applied and Environmental Microbiology*, 81(4), 1257–1266. Scopus. <https://doi.org/10.1128/AEM.03722-14>
- Basiru, S., Mwanza, H. P., & Hijri, M. (2021). Analysis of Arbuscular Mycorrhizal Fungal Inoculant Benchmarks. *Microorganisms*, 9(1), 81–99. <https://doi.org/10.3390/microorganisms9010081>
- Bergmann, G. E., & Leveau, J. H. J. (2022). A metacommunity ecology approach to understanding microbial community assembly in developing plant seeds. *Frontiers in Microbiology*, 13(1), 1–12. <https://www.frontiersin.org/articles/10.3389/fmicb.2022.877519>
- Brundrett, M. (2004). Diversity and classification of mycorrhizal associations. *Biological Reviews*, 79(3), 473–495. <https://doi.org/10.1017/S1464793103006316>
- Cardarelli, M., Woo, S. L., Roupael, Y., & Colla, G. (2022). Seed treatments with microorganisms can have a biostimulant effect by influencing germination

and seedling growth of crops. *Plants (Basel, Switzerland)*, *11*(3), 259-273.  
<https://doi.org/10.3390/plants11030259>

Cely, M. V. T., de Oliveira, A. G., de Freitas, V. F., de Luca, M. B., Barazetti, A. R., dos Santos, I. M. O., Gionco, B., Garcia, G. V., Prete, C. E. C., & Andrade, G. (2016). Inoculant of Arbuscular Mycorrhizal Fungi (*Rhizophagus clarus*) Increase Yield of Soybean and Cotton under Field Conditions. *Frontiers in Microbiology*, *7*(720), 1-9.  
<https://www.frontiersin.org/articles/10.3389/fmicb.2016.00720>

Chauhan, S., Mahawar, S., Jain, D., Udpadhyay, S. K., Mohanty, S. R., Singh, A., & Maharjan, E. (2022). Boosting Sustainable Agriculture by Arbuscular Mycorrhiza under Stress Condition: Mechanism and Future Prospective. *BioMed Research International*, *1*(2022), 1-28.  
<https://doi.org/10.1155/2022/5275449>

De Santis, M. A., Giuliani, M. M., Flagella, Z., Pellegrino, E., & Ercoli, L. (2022). Effect of Arbuscular Mycorrhizal Fungal Seed Coating on Grain Protein and Mineral Composition of Old and Modern Bread Wheat Genotypes. *Agronomy*, *12*(10), 1-17. <https://doi.org/10.3390/agronomy12102418>

Domingues, L. (Ed.). (2017). *PCR: Methods and Protocols* (Vol. 1620). Springer New York. <https://doi.org/10.1007/978-1-4939-7060-5>

Dotzler, N., Krings, M., Taylor, T. N., & Agerer, R. (2006). Germination shields in *Scutellospora* (Glomeromycota: Diversisporales, Gigasporaceae) from the 400 million-year-old Rhynie chert. *Mycological Progress*, *5*(3), 178-184.  
<https://doi.org/10.1007/s11557-006-0511-z>

Fehr, W. R., & Caviness, C. E. (1977). *Stages of soybean development*. Special Report 87. IOWA. <http://lib.dr.iastate.edu/specialreports/87>

Field, K. J., & Pressel, S. (2018). Unity in diversity: Structural and functional insights into the ancient partnerships between plants and fungi. *New Phytologist*, *220*(4), 996-1011. <https://doi.org/10.1111/nph.15158>

Fisher, M. M., & Triplett, E. W. (1999). Automated Approach for Ribosomal Intergenic Spacer Analysis of Microbial Diversity and Its Application to Freshwater Bacterial Communities. *Applied and Environmental Microbiology*, *65*(10), 4630-4636.

Hardoim, P. R., Hardoim, C. C. P., Overbeek, L. S. van, & Elsas, J. D. van. (2012). Dynamics of Seed-Borne Rice Endophytes on Early Plant Growth Stages. *PLOS ONE*, *7*(2), e30438. <https://doi.org/10.1371/journal.pone.0030438>

- Hassani, M. A., Durán, P., & Hacquard, S. (2018). Microbial interactions within the plant holobiont. *Microbiome*, 6(1), 58. <https://doi.org/10.1186/s40168-018-0445-0>
- Hawkins, H.-J., Cargill, R. I. M., Van Nuland, M. E., Hagen, S. C., Field, K. J., Sheldrake, M., Soudzilovskaia, N. A., & Kiers, E. T. (2023). Mycorrhizal mycelium as a global carbon pool. *Current Biology*, 33(11), R560–R573. <https://doi.org/10.1016/j.cub.2023.02.027>
- Heras, J., Dominguez, C., Mata, E., Pascual, V., Lozano, C., Torres, C., & Zarazaga, M. (2015). A survey of tools for analysing DNA fingerprints. *Briefings in Bioinformatics*, 17(6), 903–911. <https://doi.org/10.1093/bib/bbv016>
- Huey, C. J., Gopinath, S. C. B., Uda, M. N. A., Zulhaimi, H. I., Jaafar, M. N., Kasim, F. H., & Yaakub, A. R. W. (2020). Mycorrhiza: A natural resource assists plant growth under varied soil conditions. *3 Biotech*, 10(5), 204. <https://doi.org/10.1007/s13205-020-02188-3>
- Jacquemyn, H., & Merckx, V. S. F. T. (2019). Mycorrhizal symbioses and the evolution of trophic modes in plants. *Journal of Ecology*, 107(4), 1567–1581. <https://doi.org/10.1111/1365-2745.13165>
- Johnston-Monje, D., Gutiérrez, J. P., & Lopez-Lavalle, L. A. B. (2021). Seed-Transmitted Bacteria and Fungi Dominate Juvenile Plant Microbiomes. *Frontiers in Microbiology*, 12(1372): 1-26. <https://www.frontiersin.org/articles/10.3389/fmicb.2021.737616>
- Johnston-Monje, & Mejia. (2020). Botanical microbiomes on the cheap: Inexpensive molecular fingerprinting methods to study plant-associated communities of bacteria and fungi. *Applications in Plant Sciences*, 8(4): 1-25. <https://doi.org/10.1002/aps3.11334>
- Kehri, H. K., Akhtar, O., Zoomi, I., & Pandey, D. (2018). Arbuscular mycorrhizal fungi: taxonomy and its systematics. *International Journal of Life Sciences Research*, 6(4): 58-71.
- Kirk, J. L., Beaudette, L. A., Hart, M., Moutoglis, P., Klironomos, J. N., Lee, H., & Trevors, J. T. (2004). Methods of studying soil microbial diversity. *Journal of Microbiological Methods*, 58(2), 169–188. <https://doi.org/10.1016/j.mimet.2004.04.006>
- Kovacs, A., Yacoby, K., & Gophna, U. (2010). A systematic assessment of automated ribosomal intergenic spacer analysis (ARISA) as a tool for

estimating bacterial richness. *Research in Microbiology*, 161(3), 192–197.  
<https://doi.org/10.1016/j.resmic.2010.01.006>

Kumar, A., Singh, R., & Adholeya, A. (2017). Biotechnological Advancements in Industrial Production of Arbuscular Mycorrhizal Fungi: Achievements, Challenges, and Future Prospects. Dalam T. Satyanarayana, S. K. Deshmukh, & B. N. Johri (Ed.), *Developments in Fungal Biology and Applied Mycology* (hlm. 413–431). Springer Singapore.  
[https://doi.org/10.1007/978-981-10-4768-8\\_21](https://doi.org/10.1007/978-981-10-4768-8_21)

Mbofung, G. C. Y., Goggi, A. S., Leandro, L. F. S., & Mullen, R. E. (2013). Effects of storage temperature and relative humidity on viability and vigor of treated soybean seeds. *Crop Science*, 53(3), 1086–1095.  
<https://doi.org/10.2135/cropsci2012.09.0530>

Nahar, K., Hasanuzzaman, M., & Fujita, M. (2016). Heat stress responses and thermotolerance in soybean/ *Abiotic and Biotic Stresses in Soybean Production*, 1(1), 261–284. <https://doi.org/10.1016/B978-0-12-801536-0.00012-8>

Nelson, E. B. (2018). The seed microbiome: Origins, interactions, and impacts. *Plant and Soil*, 4(1), 7–34. <https://doi.org/10.1007/s11104-017-3289-7>

Norman, A. G. (Ed.). (1978). *Soybean physiology, agronomy, and utilization*. Academic Press. New York.

Oliveira, R. S., Rocha, I., Ma, Y., Vosátka, M., & Freitas, H. (2016). Seed coating with arbuscular mycorrhizal fungi as an ecotechnological approach for sustainable agricultural production of common wheat (*Triticum aestivum* L.). *Journal of Toxicology and Environmental Health. Part A*, 79(7), 329–337. <https://doi.org/10.1080/15287394.2016.1153448>

Ondreičková, K., Gubišová, M., Gubiš, J., Klčová, L., & Horník, M. (2019). Rhizosphere Bacterial Communities of *Arundo Donax* Grown in Soil Fertilised with Sewage Sludge and Agricultural by-Products. *Agriculture (Pol'nohospodárstvo)*, 65(1), 37–41. <https://doi.org/10.2478/agri-2019-0004>

Parniske, M. (2008). Arbuscular mycorrhiza: The mother of plant root endosymbioses. *Nature Reviews Microbiology*, 6(10), 763–775.  
<https://doi.org/10.1038/nrmicro1987>

Remy, W., Taylor, T. N., Hass, H., & Kerp, H. (1994). Four hundred-million-year-old vesicular arbuscular mycorrhizae. *Proceedings of the National Academy*

*of Sciences*, 91(25), 11841–11843.  
<https://doi.org/10.1073/pnas.91.25.11841>

Rocha, I., Duarte, I., Ma, Y., Souza-Alonso, P., Látr, A., Vosátka, M., Freitas, H., & Oliveira, R. S. (2019a). Seed Coating with Arbuscular Mycorrhizal Fungi for Improved Field Production of Chickpea. *Agronomy*, 9(8), 471. <https://doi.org/10.3390/agronomy9080471>

Rocha, I., Ma, Y., Souza-Alonso, P., Vosátka, M., Freitas, H., & Oliveira, R. S. (2019b). Seed Coating: A Tool for Delivering Beneficial Microbes to Agricultural Crops. *Frontiers in Plant Science*, 10(1): 1-20. <https://doi.org/10.3389/fpls.2019.01357>

Roriz, M., Carvalho, S. M. P., & Vasconcelos, M. W. (2014). High relative air humidity influences mineral accumulation and growth in iron deficient soybean plants. *Frontiers in Plant Science*, 5(1): 1-18. <https://www.frontiersin.org/articles/10.3389/fpls.2014.00726>

Rouphael, Y., Franken, P., Schneider, C., Schwarz, D., Giovannetti, M., Agnolucci, M., Pascale, S. D., Bonini, P., & Colla, G. (2015). Arbuscular mycorrhizal fungi act as biostimulants in horticultural crops. *Scientia Horticulturae*, 19(6), 91–108. <https://doi.org/10.1016/j.scienta.2015.09.002>

Sasse, J., Martinoia, E., & Northen, T. (2018). Feed Your Friends: Do Plant Exudates Shape the Root Microbiome? *Trends in Plant Science*, 23(1), 25–41. <https://doi.org/10.1016/j.tplants.2017.09.003>

Schüßler, A., Schwarzott, D., & Walker, C. (2001). A new fungal phylum, the Glomeromycota: Phylogeny and evolution. *Mycological Research*, 105(12), 1413–1421. <https://doi.org/10.1017/S0953756201005196>

Singh, G. (Ed.). (2010). *The soybean: Botany, production and uses*. CABI. London.

Smith, S. E., Jakobsen, I., Grønlund, M., & Smith, F. A. (2011). Roles of Arbuscular Mycorrhizas in Plant Phosphorus Nutrition: Interactions between Pathways of Phosphorus Uptake in Arbuscular Mycorrhizal Roots Have Important Implications for Understanding and Manipulating Plant Phosphorus Acquisition. *Plant Physiology*, 156(3), 1050–1057. <https://doi.org/10.1104/pp.111.174581>

Smith, S. E., & Read, D. J. (2008). *Mycorrhizal Symbiosis* (3rd ed). Academic Press. Oxford.

- Souza, T. (2015). *Handbook of Arbuscular Mycorrhizal Fungi*. Springer International Publishing. New York. <https://doi.org/10.1007/978-3-319-24850-9>
- Sundari, T. D. (2012). *Respons tanaman kedelai terhadap lingkungan tumbuh*. Buletin Palawija 23(1):13-26.
- Trappe, J. M. (2005). A.B. Frank and mycorrhizae: The challenge to evolutionary and ecologic theory. *Mycorrhiza*, 15(4), 277–281. <https://doi.org/10.1007/s00572-004-0330-5>
- Truyens, S., Weyens, N., Cuypers, A., & Vangronsveld, J. (2015). Bacterial seed endophytes: Genera, vertical transmission and interaction with plants. *Environmental Microbiology Reports*, 7(1), 40–50. <https://doi.org/10.1111/1758-2229.12181>
- Varma, A., Prasad, R., & Tuteja, N. (Ed.). (2017). *Mycorrhiza—Nutrient Uptake, Biocontrol, Eco restoration*. Springer International Publishing. New York. <https://doi.org/10.1007/978-3-319-68867-1>
- Veresoglou, S. D., Chen, B., & Rillig, M. C. (2012). Arbuscular mycorrhiza and soil nitrogen cycling. *Soil Biology and Biochemistry*, 46(1), 53–62. <https://doi.org/10.1016/j.soilbio.2011.11.018>
- Vives-Peris, V., De Ollas, C., Gómez-Cadenas, A., & Pérez-Clemente, R. M. (2020). Root exudates: From plant to rhizosphere and beyond. *Plant Cell Reports*, 39(1), 3–17. <https://doi.org/10.1007/s00299-019-02447-5>
- Wang, Ma, H., Song, L., Shu, Y., & Gu, W. (2012). Comparative proteomics analysis reveals the mechanism of pre-harvest seed deterioration of soybean under high temperature and humidity stress. *Journal of Proteomics*, 75(7), 2109–2127. <https://doi.org/10.1016/j.jprot.2012.01.007>
- Wang, X., Pan, Q., Chen, F., Yan, X., & Liao, H. (2011). Effects of co-inoculation with arbuscular mycorrhizal fungi and rhizobia on soybean growth as related to root architecture and availability of N and P. *Mycorrhiza*, 21(3), 173–181. <https://doi.org/10.1007/s00572-010-0319-1>
- Wang, Yeun, L. H., Xue, J.-Y., Liu, Y., Ané, J.-M., & Qiu, Y.-L. (2010). Presence of three mycorrhizal genes in the common ancestor of land plants suggests a key role of mycorrhizas in the colonization of land by plants. *New Phytologist*, 186(2), 514–525. <https://doi.org/10.1111/j.1469-8137.2009.03137.x>

- Widiastuti, & Latifah. (2016). Growth and biomass soybean (*Glycine max* (L)) varieties performance in paddy field of liquid organic fertilizer application. *Jurnal Ilmu Pertanian Indonesia*, 21(2), 90–97. <https://doi.org/10.18343/jipi.21.2.90>
- Woeng, T. F. C., & Lugtenberg, B. J. J. (2008). Root Colonisation Following Seed Inoculation. Dalam A. Varma, L. Abbott, D. Werner, & R. Hampp (Ed.), *Plant Surface Microbiology* (hlm. 13–33). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-540-74051-3\\_2](https://doi.org/10.1007/978-3-540-74051-3_2)
- Yang, H., Ye, W., Yu, Z., Shen, W., Li, S., Wang, X., Chen, J., Wang, Y., & Zheng, X. (2023). Host niche, genotype, and field location shape the diversity and composition of the soybean microbiome. *Journal of Integrative Agriculture*, 22(8), 2412–2425. <https://doi.org/10.1016/j.jia.2023.01.006>
- Yu, Z., & Mohn, W. W. (2001). Bacterial diversity and community structure in an aerated lagoon revealed by ribosomal intergenic spacer analyses and 16s ribosomal dna sequencing. *Applied and Environmental Microbiology*, 67(4), 1565–1574. <https://doi.org/10.1128/AEM.67.4.1565-1574.2001>
- Yudiono, K. (2020). Peningkatan daya saing kedelai lokal terhadap kedelai impor sebagai bahan baku tempe melalui pemetaan fisiko-kimia. *AGROINTEK*, 14(1), 57–66. <https://doi.org/10.21107/agrointek.v14i1.6311>
- Zhang, Q., Zhang, X., Yang, Z., Huang, Q., & Qiu, R. (2022). Characteristics of plastic greenhouse high-temperature and high-humidity events and their impacts on facility tomatoes growth. *Frontiers in Earth Science*, 10(1):1-20. <https://www.frontiersin.org/articles/10.3389/feart.2022.848924>
- Zhang, Zou, Y.-N., & Wu, Q.-S. (2018). Quantitative estimation of water uptake by mycorrhizal extraradical hyphae in citrus under drought stress. *Scientia Horticulturae*, 229(1), 132–136. <https://doi.org/10.1016/j.scienta.2017.10.038>