

DAFTAR PUSTAKA

- [1] P. Farida, *Hukum Islam Zakat dan Wakaf*. Jakarta: Papas Sinar Mentari dengan Badan Penerbit Fakultas Hukum Universitas Indonesia, 2005.
- [2] S. L. Sulistiani;, I. Nurrachmi;, and E. M. Bayuni;, “ASPEK HUKUM PERAN WAKAF TUNAI PADA MASA PANDEMI COVID 19,” vol. 51, no. 1, pp. 217–228, 2021.
- [3] M. N. R. Al Arif, “Efek multiplier wakaf uang dan pengaruhnya,” *Ilmu Syariah Dan Huk.*, vol. 46, no. 1, pp. 297–314, 2012.
- [4] World Health Organization, “WHO Coronavirus Disease (Covid-19) Dashboard.” 2020, [Online]. Available: <https://covid19.who.int/table> (accessed Dec.02, 2020).
- [5] S. Amrie, S. Kurniawan, J. H. Windiatmaja, and Y. Ruldeviyani, “Analysis of Google Play Store’s Sentiment Review on Indonesia’s P2P Fintech Platform,” *2022 IEEE Delhi Sect. Conf. DELCON 2022*, no. March 2020, pp. 1–5, 2022, doi: 10.1109/DELCON54057.2022.9753108.
- [6] U. Musahidah and N. Sobari, “Determinants of the Intentions of Indonesian Muslim Millennials in Cash Waqf Using E-Payment,” *J. Ekon. dan Perbank. Syariah*, vol. 9, no. 2, pp. 65–91, 2021.
- [7] M. R. Islam, “Numeric rating of Apps on Google Play Store by sentiment analysis on user reviews,” *1st Int. Conf. Electr. Eng. Inf. Commun. Technol. ICEEICT 2014*, pp. 1–4, 2014, doi: 10.1109/ICEEICT.2014.6919058.
- [8] D. S. Rajput, Ramjeevan Singh Thakur;, and eds; S. Muzamil Basha, *Sentiment Analysis and Knowledge Discovery in Contemporary Business*. IGI Global, 2018.
- [9] B. Liu, “Sentiment Analysis and Opinion Mining,” *Morgan Claypool Publ.*, 2012.
- [10] Z. Fachrina and D. H. Widyantoro, “Aspect-sentiment classification in opinion mining using the combination of rule-based and machine learning,” *Proc. 2017 Int. Conf. Data Softw. Eng. ICoDSE 2017*, vol. 2018-Janua, pp. 1–6, 2018, doi: 10.1109/ICODSE.2017.8285850.
- [11] A. Agung, K. Arifuddin, and D. Urumsah, “Faktor-faktor penentu niat pengguna dalam berdonasi melalui platform urun dana: model konseptual,” vol. 4, pp. 98–105, 2022, doi: 10.20885/ncaf.vol4.art14.
- [12] A. Ganda, R; Mahmood, “Sentiment Analysis With Recurrent Neural Network And Unsupervised Neural Language Model,” 2017. <https://www.researchgate.net/publication/320086745>.
- [13] M. A. Nurrohmat and A. SN, “Sentiment Analysis of Novel Review Using Long Short-Term Memory Method,” *IJCCS (Indonesian J. Comput. Cybern. Syst.*, vol. 13, no. 3, p. 209, 2019, doi: 10.22146/ijccs.41236.
- [14] K. LUTHFIL and E. Winarko, “ANALISIS SENTIMEN BERBASIS ASPEK TERHADAP TOKOH POLITIK PADA TWITTER,” DEPARTEMEN ILMU KOMPUTER DAN ELEKTRONIKA, 2021.
- [15] D. A. Wibowo and A. Musdholifah, “Sentiments Analysis of Indonesian Tweet about Covid-19 Vaccine Using Support Vector Machine and Fasttext Embedding,” *2021 4th Int. Semin. Res. Inf. Technol. Intell. Syst. ISRITI 2021*, pp. 184–188, 2021, doi: 10.1109/ISRITI54043.2021.9702871.



- [16] A. Nurdin, B. Anggo Seno Aji, A. Bustamin, and Z. Abidin, "Perbandingan Kinerja Word Embedding Word2Vec, Glove, Dan Fasttext Pada Klasifikasi Teks," *J. Tekno Kompak*, vol. 14, no. 2, p. 74, 2020, doi: 10.33365/jtk.v14i2.732.
- [17] A. N. Farhan and M. L. Khodra, "Sentiment-specific word embedding for Indonesian sentiment analysis," *Proc. - 2017 Int. Conf. Adv. Informatics Concepts, Theory Appl. ICAICTA 2017*, 2017, doi: 10.1109/ICAICTA.2017.8090964.
- [18] B. Kuyumcu, C. Aksakalli, and S. Delil, "An automated new approach in fast text classification (fastText): A case study for Turkish text classification without pre-processing," *ACM Int. Conf. Proceeding Ser.*, pp. 1–4, 2019, doi: 10.1145/3342827.3342828.
- [19] A. Amalia, O. S. Sitompul, E. B. Nababan, and T. Mantoro, "An Efficient Text Classification Using fastText for Bahasa Indonesia Documents Classification," *2020 Int. Conf. Data Sci. Artif. Intell. Bus. Anal. DATABIA 2020 - Proc.*, pp. 69–75, 2020, doi: 10.1109/DATABIA50434.2020.9190447.
- [20] R. P. Aluna, I. N. Yulita, and R. Sudrajat, "Electronic News Sentiment Analysis Application to New Normal Policy during the Covid-19 Pandemic Using Fasttext and Machine Learning," *2021 Int. Conf. Artif. Intell. Big Data Anal. ICAIBDA 2021*, pp. 236–241, 2021, doi: 10.1109/ICAIBDA53487.2021.9689756.
- [21] A. M. Sari, N. F. Ariyani, and A. S. Ahmadiyah, "Evaluating the Preliminary Models to Identify Fake News on COVID-19 Tweets," *Proc. 2021 13th Int. Conf. Inf. Commun. Technol. Syst. ICTS 2021*, no. April 2020, pp. 336–341, 2021, doi: 10.1109/ICTS52701.2021.9607996.
- [22] I. R. Hendrawan, E. Utami, and A. D. Hartanto, "Comparison of Naïve Bayes Algorithm and XGBoost on Local Product Review Text Classification," *Edumatic J. Pendidik. Inform.*, vol. 6, no. 1, pp. 143–149, 2022, doi: 10.29408/edumatic.v6i1.5613.
- [23] L. Mandloi and R. Patel, "Twitter sentiments analysis using machine learning methods," *2020 Int. Conf. Emerg. Technol. INCET 2020*, pp. 1–5, 2020, doi: 10.1109/INCET49848.2020.9154183.
- [24] S. Gojali and M. L. Khodra, "Aspect based sentiment analysis for review rating prediction," *4th IGNITE Conf. 2016 Int. Conf. Adv. Informatics Concepts, Theory Appl. ICAICTA 2016*, 2016, doi: 10.1109/ICAICTA.2016.7803110.
- [25] L. B. Ilmawan and E. Winarko, "Aplikasi Mobile untuk Analisis Sentimen pada Google Play," *IJCCS (Indonesian J. Comput. Cybern. Syst.*, vol. 9, no. 1, p. 53, 2015, doi: 10.22146/ijccs.6640.
- [26] A. T. J. Harjanta, A. Syukur, and C. Supriyan, "Penerapan Pembobotan Atribut Pada Algoritma Naive Bayes Untuk Analisis Sentimen Review Aplikasi Android Dari Google Play," *J. Teknol. Inf. - J. CyberKU*, vol. 11, no. 1, pp. 78–89, 2015, [Online]. Available: <http://research.pps.dinus.ac.id/index.php/Cyberku/article/view/59/54>.
- [27] A. R. Isnain, A. I. Sakti, D. Alita, and N. S. Marga, "Sentimen Analisis Publik Terhadap Kebijakan Lockdown Pemerintah Jakarta Menggunakan Algoritma Svm," *J. Data Min. dan Sist. Inf.*, vol. 2, no. 1, p. 31, 2021, doi: 10.33365/jdmsi.v2i1.1021.
- [28] H. Syah and A. Witanti, "Analisis Sentimen Masyarakat Terhadap Vaksinasi Covid-19 Pada Media Sosial Twitter Menggunakan Algoritma Support Vector Machine (Svm)," *J. Sist. Inf.*

dan Inform., vol. 5, no. 1, pp. 59–67, 2022, doi: 10.47080/simika.v5i1.1411.

- [29] M. D. Rahman, A. Djunaidy, and F. Mahananto, “Penerapan Weighted Word Embedding pada Pengklasifikasian Teks Berbasis Recurrent Neural Network untuk Layanan Pengaduan Perusahaan Transportasi,” *J. Sains dan Seni ITS*, vol. 10, no. 1, 2021, doi: 10.12962/j23373520.v10i1.56145.
- [30] W. Parasati, F. Abdurrachman Bachtiar, and N. Y. Setiawan, “Analisis Sentimen Berbasis Aspek pada Ulasan Pelanggan Restoran Bakso President Malang dengan Metode Naïve Bayes Classifier,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 4, no. 4, pp. 1090–1099, 2020, [Online]. Available: <http://j-ptiik.ub.ac.id>.
- [31] R. Naquitasia, D. H. Fudholi, and L. Iswari, “Analisis Sentimen Berbasis Aspek pada Wisata Halal dengan Metode Deep Learning,” *J. Teknoinfo*, vol. 16, no. 2, p. 156, 2022, doi: 10.33365/jti.v16i2.1516.
- [32] E. Lyjanto, “Analisis Ulasan Food Lovers Menggunakan Metode Long Short Term Memory,” Universitas Tarumanagara, 2021.
- [33] A. Aksoy, Y. E. Ertürk, S. Erdoğan, E. Eydurhan, and M. M. Tariq, “Estimation of honey production in beekeeping enterprises from eastern part of Turkey through some data mining algorithms,” *Pak. J. Zool.*, vol. 50, no. 6, pp. 2199–2207, 2018, doi: 10.17582/journal.pjz/2018.50.6.2199.2207.
- [34] O. Araque, R. Barbado, J. Fernando Sánchez-Rada, and C. A. Iglesias, “Applying Recurrent Neural Networks to Sentiment Analysis of Spanish Tweets,” *TASS 2017 Work. Semant. Anal. SEPLN*, pp. 71–76, 2017, [Online]. Available: http://ceur-ws.org/Vol-1896/p8_gsi_tass2017.pdf.
- [35] Y. Wang, M. Huang, L. Zhao, and X. Zhu, “Attention-based LSTM for aspect-level sentiment classification,” *EMNLP 2016 - Conf. Empir. Methods Nat. Lang. Process. Proc.*, pp. 606–615, 2016, doi: 10.18653/v1/d16-1058.
- [36] J. Feldman, R. Snager, *The Text Mining Handbook: Advanced Approaches in Analyzing Unstructured Data*. New York: Cambridge University Press, 2007.
- [37] P. dan S. Manning, C.D., Raghavan, “Introduction to Information Retrieval,” *Cambridge Univ. Press*, vol. 53, no. 9, pp. 462–463, 2007, doi: DOI:10.1017/CBO9780511809071.
- [38] Adiwijaya, *Text Mining dan Knowledge Discovery*. Komunitas Data mining Indonesia & Soft-computing Indonesia, 2006.
- [39] B. Pang, L. Lee, and S. Vaithyanathan, “Thumbs up? Sentiment Classification using Machine Learning Techniques,” 2002, doi: 10.3115/1118693.1118704.
- [40] B. Liu, *Sentiment Analysis: A Fascinating Problem*. 2012.
- [41] C. R. Fink, D. S. Chou, J. J. Kopecky, and A. J. Llorens, “Coarse- and fine-grained sentiment analysis of social media text,” *Johns Hopkins APL Tech. Dig. (Applied Phys. Lab.)*, 2011.
- [42] and E. F. Jesse Read, Bernhard Pfahringer, Geoff Holmes, “Classifier Chains for Multi-label Classification - Machine Learning and Knowledge Discovery in Databases - Lecture Notes in Computer Science,” *Mach. {Learning} {Knowledge} {Discovery} {Databases}*, vol. 5782, pp. 254-269–269, 2009, [Online]. Available: <http://link.springer.com/10.1007/978-3-642->

04174-7_17%0Ahttp://www.springerlink.com/content/y70208vk20350763/.

- [43] S. Bangsa, MHD.T.A., Suyanto, Y. dan Priyanta, *Analisis Sentimen Berbasis Aspek pada Ulasan Toko Online Menggunakan Convolutional Neural Network*. Yogyakarta, 2019.
- [44] I. Hemalatha, D. G. P. S. Varma, and D. A. Govardhan, "Preprocessing The Informal Data for Efficient Sentiment Analysis," *Int. J. Emerg. Trends Technol. Comput. Sci.*, vol. 1, no. 2, p. 58, 2012, [Online]. Available: <http://ijettcs.org/Volume1Issue2/IJETTCS-2012-08-14-047.pdf>.
- [45] P. Baldi, P., Frasconi, P., dan Smyth, "Modelling The Internet And The Web. In: Probabilistic Methods And Algorithms," *S.L. Wiley Online Libr.*, 2003.
- [46] N. V Chawla, K. W. Bowyer, L. O. Hall, and W. P. Kegelmeyer, "SMOTE : Synthetic Minority Over-sampling Technique," vol. 16, pp. 321–357, 2002.
- [47] G. Developers, "google developers," 2023. <https://developers.google.com/machine-learning/data-prep/construct/sampling-splitting/imbalanced-data> (accessed Jun. 23, 2023).
- [48] D. E. Rumelhart, G. E. Hinton, and R. J. Williams, "Learning representations by back-propagating errors," *Nature*, vol. 323, no. 6088, pp. 533–536, 1986, doi: 10.1038/323533a0.
- [49] Rong, "word2vec Parameter Learning Explained." <http://arxiv.org/abs/1411.2738> (accessed Mar. 29, 2023).
- [50] J. Mikolov, T., Sutskever, I., Chen, K., Corrado, G. dan Dean, "Distributed Representations of Words and Phrases and their Compositionality," *arXiv:1310.4546 [cs, stat]*, 2013. .
- [51] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov, "Enriching Word Vectors with Subword Information," vol. 5, pp. 135–146, 2017.
- [52] K. Kiki and S. Kusumadewi, "Jaringan Saraf Tiruan dengan Metode Backpropagation untuk Mendeteksi Gangguan Psikologi," *Media Inform.*, vol. 2, no. 2, pp. 1–11, 2004, doi: 10.20885/informatika.vol2.iss2.art1.
- [53] S. Hochreiter and J. Schmidhuber, "Long Short-Term Memory," *Neural Comput.*, vol. 9, no. 8, pp. 1735–1780, 1997, doi: 10.1162/neco.1997.9.8.1735.
- [54] C. Olah, "Understanding LSTM Networks -- colah's blog." <https://colah.github.io/posts/2015-08-Understanding-LSTMs/> (accessed Jul. 01, 2023).
- [55] N. Zaki Fuadi, D. Farida, and N. Saadah, "Empathy or Self-credibility? An Empirical Study of Intentions to Donate through Social Crowdfunding using the UTAUT Model," pp. 1–8, 2020, doi: 10.4108/eai.21-9-2019.2293953.
- [56] J. Moon, Y., & Hwang, "Crowdfunding as an alternative means for funding sustainable appropriate technology: Acceptance determinants of backers," *Sustainability*, 2018.