

- Adam, O. A. O., Abadi, R. S. M., & Ayoub, S. M. H. (2019). The effect of extraction method and solvents on yield and antioxidant activity of certain sudanese medicinal plant extracts. *The Journal of Phytopharmacology*, 8 (5), 248-252.
- Adams, J. M., & Cory, S. (2007). The Bcl-2 apoptotic switch in cancer development and therapy. *Oncogene*, 26 (9), 1324-1337.
- Adedapo, A. A., Oyagbemi, A. A., Fagbohun, O. A., Omobowale, T. O., & Yakubu, M. A. (2016). Evaluation of the anticancer properties of the methanol leaf extract of *Chromolaena odorata* on HT-29 cell line. *Journal of Pharmacognosy and Phytochemistry*, 5(2), 52.
- Adelaja, A. A., Ayoola, M. D., Otulana, J. O., Akinola, O. B., Olayiwola, A., & Ejiwunmi, A.B. (2008). Evaluation of the histo-gastroprotective and antimicrobial activities of *Heliotropium indicum* Linn (Boraginaceae). *The Malaysian Journal of Medical Sciences*, 15 (3), 22.
- Adetuyi, B. O., Adebisi, O. A., Awoyelu, E. H., Adetuyi, O. A., & Ogunlana, O. O. (2020). Phytochemical and Toxicological effect of Ethanol extract of *Heliotropium indicum* on Liver of Male Albino Rats. *Letters in Applied NanoBioscience*, 10 (2), 2085-2095.
- Agarwal, G., Carcache, P. J. B., Addo, E. M., & Kinghorn, A. D. (2020). Current status and contemporary approaches to the discovery of antitumor agents from higherplants. *Biotechnology advances*, 38, 107337.
- Akbari, B., Baghaei-Yazdi, N., Bahmaie, M., & Mahdavi Abhari, F. (2022). The role of plant-derived natural antioxidants in reduction of oxidative stress. *BioFactors*, 48(3), 611- 633.
- Aktaş, Y., Andrieux, K., Alonso, M. J., Calvo, P., Gürsoy, R. N., Couvreur, P., & Çapan, Y. (2005). Preparation and *in vitro* evaluation of chitosan nanoparticles containing a caspase inhibitor. *International journal of pharmaceutics*, 298 (2), 378-383.
- Ali, I. (2011). Nano anti-cancer drugs: pros and cons and future perspectives. *Current cancerdrug targets*, 11 (2), 131-134.
- Alonso, M. J., & Sánchez, A. (2003). The potential of chitosan in ocular drug delivery. *Journal of pharmacy and pharmacology*, 55 (11), 1451-1463.

- American Cancer Society. (2021). Breast Cancer. <https://www.cancer.org/cancer/breast-cancer.html-National> Cancer Institute. (2021). Breast Cancer. <https://www.cancer.gov/types/breast> 4137.
- Ammerman, N. C., Beier-Sexton, M., & Azad, A. F. (2008). Growth and maintenance of Verocell lines. *Current protocols in microbiology*, 11 (1), A-4E.
- Anal, A. K., Stevens, W. F., & Remunan-Lopez, C. (2006). Ionotropic cross-linked chitosan microspheres for controlled release of ampicillin. *International journal of pharmaceutics*, 312 (1-2), 166-173.
- Armendáriz-Barragán, B., Zafar, N., Badri, W., Galindo-Rodríguez, S. A., Kabbaj, D., Fessi, H., & Elaissari, A. (2016). Plant extracts: from encapsulation to application. *Expert Opinion on Drug Delivery*, 13 (8), 1165-1175.
- Aruoma, O. I. (1998). Free radicals, oxidative stress, and antioxidants in human health and disease. *Journal of the American oil chemists' society*, 75 (2), 199-212.
- Azeez, S. O., Ayo-Lawal, R. A., Olawuni, I. J., & Abraham, O. G. (2020). Evaluation of the bio-toxicity and cytogenetic effects of methanolic leaf extract of *Heliotropium indicum* L. *International Journal of Biological and Chemical Sciences*, 14 (1), 1-10.
- Babu, A., Templeton, A. K., Munshi, A., & Ramesh, R. (2013). Nanoparticle-based drug delivery for therapy of lung cancer: progress and challenges. *Journal of Nanomaterials*, 2013, 14.
- Bahuguna, A., Khan, I., Bajpai, V. K., & Kang, S. C. (2017). MTT assay to evaluate the cytotoxic potential of a drug. *Bangladesh Journal of Pharmacology*, 12 (2), 115-118.
- Bao, H.; Zhang, Q.; Zhu, Z.; Xu, H.; Ding, F.; Wang, M.; Du, S.; Du, Y.; Yan, Z. BHX, a novel pyrazoline derivative, inhibits breast cancer cell invasion by reversing the epithelial-mesenchymal transition and down-regulating Wnt/ β -catenin signaling. *Scientific Report*, 2017 (7), 9153.
- Basak, M., & Dey, B. K. (2016). Phytochemical and antipyretic potential of ethanolic leaf extract of *Heliotropium indicum* L. *Journal of Applied Pharmaceutical Research*, 4 (2), 06-10.
- Basak, M., & Saha, S. (2021). Phytochemical and Antiulcer potential of Ethanolic leaf extract of *Heliotropium indicum* Linn. *Research Journal of Pharmacy and Technology*, 14 (4), 1938-1944.

- Baumgärtner, W., Krakowka, S., & Blakeslee, J. R. (1987). Persistent Infection of Vero Cells by Paramyxoviruses: A Morphological and Immunoelectron Microscopic Investigation. *Intervirology*, 27(4), 218-223.
- Bhadra, D., Bhadra, S., Jain, S., & Jain, N. K. (2003). A PEGylated dendritic nanoparticulate carrier of fluorouracil. *International journal of pharmaceutics*, 257(1-2), 111-124.d
- Bhat, K. P., Kosmeder, J. W., & Pezzuto, J. M. (2001). Biological effects of resveratrol. *Antioxidants and redox signaling*, 3(6), 1041-1064.
- Burkill, H. M. (1985). The useful plants of West Africa. *Royal Botanical Gardens, Kew*, 1, 319.
- Burstein, H. J., Gelber, S., Guadagnoli, E., & Weeks, J. C. (1999). Use of alternative medicine by women with early-stage breast cancer. *New England Journal of Medicine*, 340 (22), 1733-1739.
- Carocho, M., & Ferreira, I. C. (2013). A review on antioxidants, prooxidants and related controversy: Natural and synthetic compounds, screening and analysis methodologies and future perspectives. *Food and chemical toxicology*, 51, 15-25.
- Chittenden, F. J. (1951). *Dictionary of gardening*, Vols. 1-4.
- Colin, J., Gaumer, S., Guenal, I., & Mignotte, B. (2009). Mitochondria, Bcl-2 family proteins and apoptosomes: of worms, flies and men. *Frontiers in Bioscience-Landmark*, 14(11), 4127-
- Da-Costa-Rocha, I., Bonnlaender, B., Sievers, H., Pischel, I., & Heinrich, M. (2014). *Hibiscus sabdariffa* L.—A phytochemical and pharmacological review. *Food chemistry*, 165, 424-443.
- Dai, X., Li, T., Bai, Z., Yang, Y., Liu, X., Zhan, J., & Shi, B. (2015). Breast cancer intrinsic subtype classification, clinical use and future trends. *American journal of cancer research*, 5(10), 2929.
- Dash, G. K., & Abdullah, M. S. (2013). A review on *Heliotropium indicum* L. (Boraginaceae). *International Journal of Pharmaceutical Sciences and Research*, 4(4), 1253.
- Dash, G. K., & Murthy, P. N. (2011). Studies on wound healing activity of *Heliotropium indicum* Linn. leaves on rats. *International Scholarly Research Notices*, 2011.

- Datta, A., Narula, A., Bansal, K. C., & Srivastava, P. S. (2003). Enhanced alkaloid production in callus cultures of *Heliotropium indicum* L. and regeneration of plantlets. *Journal of plant Biochemistry and Biotechnology*, 12 (2), 139-142.
- De Campos, A. M., Sánchez, A., & Alonso, M. J. (2001). Chitosan nanoparticles: a new vehicle for the improvement of the delivery of drugs to the ocular surface. Application to cyclosporin A. *International journal of pharmaceutics*, 224 (1-2), 159-168.
- Debnath, S., Kumar, R. S., & Babu, M. N. (2011). Ionotropic gelation—a novel method to prepare chitosan nanoparticles. *Research Journal of Pharmacy and Technology*, 4 (4), 492-495.
- Dechant, M. J., Fellenberg, J., Scheuerpflug, C. G., Ewerbeck, V., & Debatin, K. M. (2004). Mutation analysis of the apoptotic “death-receptors” and the adaptors TRADD and FADD/MORT-1 in osteosarcoma tumor samples and osteosarcoma cell lines. *International journal of cancer*, 109 (5), 661-667.
- Ding, J., & Guo, Y. (2022). Recent advances in chitosan and its derivatives in cancer treatment. *Frontiers in Pharmacology*, 13, 888740.
- El-hefian, E. A., Nasef, M. M., & Yahaya, A. H. (2011). Chitosan physical forms: A short review. *Australian Journal of Basic and Applied Sciences*, 5 (5), 670-677.
- Farnsworth, N. R., Akerele, O., Bingel, A. S., Soejarto, D. D., & Guo, Z. (1985). Medicinal plants in therapy. *Bulletin of the world health organization*, 63 (6), 965.
- Ghosh, P., Das, P., Das, C., Mahapatra, S., & Chatterjee, S. (2018). Morphological characteristics and phyto-pharmacological detailing of Hatishur (*Heliotropium indicum* Linn.): A concise review. *Journal of Pharmacognosy and Phytochemistry*, 7 (5), 1900-1907.
- Gonçalves, E. M., Ventura, C. Â., Yano, T., Macedo, M. L. R., & Genari, S. C. (2006). Morphological and growth alterations in Vero cells transformed by cisplatin. *Cell biology international*, 30 (6), 485-494.
- Gorrini, C., Harris, I. S., & Mak, T. W. (2013). Modulation of oxidative stress as an anticancer strategy. *Nature reviews Drug discovery*, 12 (12), 931-947.
- Goyal, N., & Sharma, S. K. (2014). Bioactive phytoconstituents and plant extracts from genus *Heliotropium*. *International Journal of Green Pharmacy*, 8 (4).
- Greenwell, M., & Rahman, P. K. S. M. (2015). Medicinal plants: their use in anticancer treatment. *International journal of pharmaceutical sciences and research*, 6 (10), 4103.

- Grenha, A., Seijo, B., & Remunán-López, C. (2005). Microencapsulated chitosan nanoparticles for lung protein delivery. *European journal of pharmaceutical sciences*, 25 (4-5), 427-437.
- Griñan-Lison, C., Blaya-Cánovas, J. L., López-Tejada, A., Ávalos-Moreno, M., Navarro-Ocón, A., Cara, F. E., & Granados-Principal, S. (2021). Antioxidants for the treatment of breast cancer: Are we there yet?. *Antioxidants*, 10 (2), 205.
- Halim, A. P., Wijayanti, N., Hidayati, L., & Nuringtyas, T. R. (2022, May). Antioxidant Activity Evaluation of Agarwood *Aquilaria Malaccensis* Lamk. Leaves Extract Using DPPH, FRAP and ABTS Assays. In *7th International Conference on Biological Science (ICBS 2021)* (pp. 18-25). Atlantis Press.
- Hamid, A. A., Aiyelaagbe, O. O., Usman, L. A., Ameen, O. M., & Lawal, A. (2010). Antioxidants: Its medicinal and pharmacological applications. *African Journal of pure and applied chemistry*, 4 (8), 142-151.
- Hassan, M., Watari, H., AbuAlmaaty, A., Ohba, Y., & Sakuragi, N. (2014). Apoptosis and molecular targeting therapy in cancer. *BioMed research international*, 2014.
- Hecht, F., Pessoa, C. F., Gentile, L. B., Rosenthal, D., Carvalho, D. P., & Fortunato, R. S. (2016). The role of oxidative stress on breast cancer development and therapy. *Tumorbiology*, 37, 4281-4291.
- Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A review of its effects on human health. *Foods*, 6 (10), 92.
- Holliday, D. L., & Speirs, V. (2011). Choosing the right cell line for breast cancer research. *Breast cancer research*, 13(4), 1-7.
- <https://www.cancerresearchuk.org/about-cancer/breast-cancer/symptoms>
- Hussain, A., Oves, M., Alajmi, M. F., Hussain, I., Amir, S., Ahmed, J., & Ali, I. (2019). Biogenesis of ZnO nanoparticles using *Pandanus odorifer* leaf extract: anticancer and antimicrobial activities. *The Royal society of Chemistry advances*, 9 (27), 15357- 15369.
- Inamdar, N., Edalat, S., Kotwal, V. B., & Pawar, S. (2008). Herbal drugs in milieu of modern drugs. *International Journal of Green Pharmacy (IJGP)*, 2(1).
- Jabeen, R., Bhat, S. V., & Wani, A. A. (2013). Functions and stability of lycopene: A review. *Indian Horticulture Journal*, 3(3 and 4), 57-63.

- Jain, A., Sharma, G., Ghoshal, G., Kesharwani, P., Singh, B., Shivhare, U. S., & Katare, O. P. (2018). Lycopene loaded whey protein isolate nanoparticles: An innovative endeavor for enhanced bioavailability of lycopene and anti-cancer activity. *International journal of pharmaceutics*, 546 (1-2), 97-105.
- Janardhanan, S. (2010). *Phytochemical and Pharmacological studies on Cyathula Prostrata (Linn) Blume and Heliotropium Indicum (Linn)* (Doctoral dissertation, The Tamilnadu Dr. MGR Medical University, Chennai).
- Jayachitra, J., & Bharathi, M. (2016). In vitro studies on phytochemical analysis and antioxidant activity of *Heliotropium indicum* linn. *International Journal of Research Publications*, 5 (2), 108-114.
- Kalyan, S. B., Jasmin Sajni, R., Karthik, R., Raamamurthy, J., Christina, A., & Sasikumar, S. (2007). Antiinflammatory and anti-nociceptive activities of *Heliotropium indicum* Linn. in experimental animal models. *Pharmacologyonline*, 3, 438-445.
- Khurana, R. K., Jain, A., Jain, A., Sharma, T., Singh, B., & Kesharwani, P. (2018). Administration of antioxidants in cancer: debate of the decade. *Drug discovery today*, 23(4), 763-770.
- Kincheloe, L. (1997). Herbal medicines can reduce costs in HMO. *HerbalGram (USA)*.
- King, S. A., Suffness, M., Leyland-Jones, B., Hoth, D. F., & O'Dwyer, P. J. (1987). Indicine N-oxide: clinical use of a pyrrolizidine alkaloid. *Cancer Treatment Report*. 71(5), 517-524.
- Klaunig, J. E., Xu, Y., Isenberg, J. S., Bachowski, S., Kolaja, K. L., Jiang, J., ... & Walborg Jr, E. F. (1998). The role of oxidative stress in chemical carcinogenesis. *Environmental health perspectives*, 106 (suppl 1), 289-295.
- Koffuor, G. A., Boye, A., Amoateng, P., Ameyaw, E. O., & Abaitey, A. K. (2012). Investigating the site of action of an aqueous extract of *Heliotropium indicum* Linn (Boraginaceae) on smooth muscles. *Research Journal of Pharmacology*, 6 (1), 12-19.
- Komlaga, G., Agyare, C., Dickson, R. A., Mensah, M. L. K., Annan, K., Loiseau, P. M., & Champy, P. (2015). Medicinal plants and finished marketed herbal products used in the treatment of malaria in the Ashanti region, Ghana. *Journal of Ethnopharmacology*, 172, 333-346.
- Krishnamoorthy, G., Selvakumar, K., Venkataraman, P., Elumalai, P., & Arunakaran, J. (2013). Lycopene supplementation prevents reactive oxygen species mediated apoptosis in Sertoli cells of adult albino rats exposed to polychlorinated biphenyls. *Interdisciplinary Toxicology*, 6(2), 83-92.

- Kugelman, M., Liu, W. C., Axelrod, M., McBride, T. J., & Rao, K. V. (1976). Indicine-N-oxide: the antitumor principle of *Heliotropium indicum*. *Lloydia*, 39 (2-3), 125-128.
- Kumar, M., Nanavati, R., Modi, T. G., & Dobariya, C. (2016). Oral cancer: Etiology and riskfactors: A review. *Journal of cancer research and therapeutics*, 12(2), 458.
- Kumar, S., & Pandey, A. K. (2015). Free radicals: health implications and their mitigation byherbals. *British Journal of Medicine and Medical Research*, 7(6), 438-457.
- Kumar, S., Dilbaghi, N., Saharan, R., & Bhanjana, G. (2012). Nanotechnology as emerging tool for enhancing solubility of poorly water-soluble drugs. *Bionanoscience*, 2(4), 227-250.
- Kumar, S., Sharma, S., & Vasudeva, N. (2017). Review on antioxidants and evaluation procedures. *Chinese journal of integrative medicine*, 1-12.
- Kumara, P., Sunil, K., & Arun Kumar, B. (2018). Determination of DPPH Free Radical Scavenging Activity by RP-HPLC, Rapid Sensitive Method for the Screening of Berry Fruit Juice Freeze Dried Extract. *Natural Product Chemistry & Research*, 6 (5), 1-7.
- Labhasetwar, V., Song, C., & Levy, R. J. (1997). Nanoparticle drug delivery system for restenosis. *Advanced Drug Delivery Reviews*, 24 (1), 63-85.
- Lacroix, M., & Leclercq, G. (2004). Relevance of breast cancer cell lines as models for breasttumours: an update. *Breast cancer research and treatment*, 83 (3), 249-289.
- Lacroix, M., Haibe-Kains, B., Hennuy, B., Laes, J. F., Lallemand, F., Gonze, I., ... & Sotiriou, C. (2004). Gene regulation by phorbol 12-myristate 13-acetate in MCF-7 and MDA-MB-231, two breast cancer cell lines exhibiting highly different phenotypes. *Oncology reports*, 12 (4), 701-707.
- Langer, R. (2000). Biomaterials in drug delivery and tissue engineering: one laboratory's experience. *Accounts of Chemical Research*, 33 (2), 94-101.
- Levenbook, I. S., Petricciani, J. C., & Elisberg, B. L. (1984). Tumorigenicity of Vero cells. *Journal of biological standardization*, 12 (4), 391-398.
- Li, P., Zhou, C., Yan, Y., Li, J., Liu, J., Zhang, Y., & Liu, P. (2019). Crumbs protein homolog 3 (CRB3) expression is associated with oestrogen and progesterone receptor positivityin breast cancer. *Clinical and Experimental Pharmacology and Physiology*, 46(9), 837-844.
- Liu, Y., & Zhu, X. (2017). Endoplasmic reticulum-mitochondria tethering in neurodegenerative diseases. *Translational neurodegeneration*, 6 (1), 1-8.

- Liu, Z., Ren, Z., Zhang, J., Chuang, C. C., Kandaswamy, E., Zhou, T., & Zuo, L. (2018). Role of ROS and nutritional antioxidants in human diseases. *Frontiers in physiology*, 9, 477.
- Lobo, V., Patil, A., Phatak, A., & Chandra, N. (2010). Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacognosy reviews*, 4 (8), 118.
- Lopez, J., & Tait, S. W. G. (2015). Mitochondrial apoptosis: killing cancer using the enemy within. *British journal of cancer*, 112 (6), 957-962.
- Luntungan, A. H., Mandey, L. C., Rumengan, I. F., & Suptijah, P. (2017). The Effects of Nanochitosan Coating to Phenolic Compounds of Basil Leaf (*Ocimum basilicum* L) Extracts. *Jurnal Ilmu dan Teknologi Pangan*, 5 (2), 20-25.
- Ma, P., & Mumper, R. J. (2013). Paclitaxel nano-delivery systems: a comprehensive review. *Journal of nanomedicine & nanotechnology*, 4 (2), 1000164.
- Macfarlane, D. E., & Sommerville, R. G. (1969). VERO cells (*Cercopithecus aethiops* kidney)-Growth characteristics and viral susceptibility for use in diagnostic virology. *Archiv für die gesamte Virusforschung*, 27, 379-385.
- Mahmoodi, N., Motamed, N., & Paylakhi, S. H. (2014). The comparison of the effects of silybin and silybin-phosphatidylcholine on viability and ESR expression in human breast cancer T47D cell line. *Cell Journal (Yakhteh)*, 16 (3), 299.
- Mahmoud, K. F., Ali, H. S., & Amin, A. A. (2018). Nanoencapsulation of bioactive compounds extracted from Egyptian prickly pears peel fruit: Antioxidant and their application in Guava juice. *Asian Journal of Scientific Research*, 11, 574-586.
- Mandal A., (n.d).News Medical Life sciences. Retrieved October, 2022, from <https://www.news-medical.net/health/What-is-Breast-Cancer.aspx>
- Manikandan, M., & Kannan, K. (2017). Pharmacokinetic and pharmacodynamic evaluation of camptothecin encapsulated poly (methacrylic acid-co-methyl methacrylate) nanoparticles. *Journal of Applied Pharmaceutical Science*, 7(3), 009-016.
- Maulik, N., & Das, D. K. (2002). Redox signaling in vascular angiogenesis. *Free Radical Biology and Medicine*, 33(8), 1047-1060.
- Mitra, S., Gaur, U., Ghosh, P. C., & Maitra, A. N. (2001). Tumor targeted delivery of encapsulated dextran–doxorubicin conjugate using chitosan nanoparticles as carrier. *Journal of controlled release*, 74(1-3), 317-323.
- Moussa, H. I., Logan, M., Chan, W. Y., Wong, K., Rao, Z., Aucoin, M. G., & Tsui, T. Y. (2018). Pattern-Dependent Mammalian Cell (Vero) Morphology on

Tantalum/SiliconOxide 3D Nanocomposites. *Materials*, 11(8), 1306.

- Mulik, R. S., Mönkkönen, J., Juvonen, R. O., Mahadik, K. R., & Paradkar, A. R. (2010). Transferrin mediated solid lipid nanoparticles containing curcumin: enhanced in vitro anticancer activity by induction of apoptosis. *International journal of pharmaceutics*, 398(1-2), 190-203.
- Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: A review. *International Journal of Molecular Sciences*, 22(7), 3380.
- Nowsheen, S., & Yang, E. (2012). The intersection between DNA damage response and cell death pathways. *Experimental oncology*.
- Nurgali, K., Jagoe, R. T., & Abalo, R. (2018). Adverse effects of cancer chemotherapy: Anything new to improve tolerance and reduce sequelae?. *Frontiers in pharmacology*, 9, 245.
- Ohnuma, T., Sridhar, K. S., Ratner, L. H., & Holland, J. F. (1982). Phase Study of Indicine N-Oxide in Patients with Advanced Cancer^{1, 2}. *Cancer Treatment Reports*, 66(7), 1509-1515.
- Oribayo, O. O., Owolabi, M. A., Ukpo, G. E., & Shode, F. O. (2018). Antioxidant activity of some Nigerian medicinal plants used in malaria treatment. *Tropical Journal of Natural Product Research*, 2 (1), 18-22.
- Osada, N., Kohara, A., Yamaji, T., Hirayama, N., Kasai, F., Sekizuka, T., ... & Hanada, K. (2014). The genome landscape of the african green monkey kidney-derived vero cell line. *DNA research*, 21(6), 673-683.
- Osungunna, M. O., & Adedeji, K. A. (2011). Phytochemical and antimicrobial screening of methanol extract of *Heliotropium indicum* leaf. *Journal of Microbiology and Antimicrobials*, 3(8), 213-216.
- Ovalle, J. D. T., Ovalle, J. M. M., & Garcia, O. A. T. (2022). Systematic review of the phytochemical compounds use of *Heliotropium indicum* taking advantage of its advantage in modern medicine. *Journal of Applied Biotechnology and Bioengineering*, 9 (5), 132-136.
- Pandey, A., & Tripathi, S. (2014). Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy and Phytochemistry*, 2(5), 115-119.
- Patil, S., Jolly, C. I., & Narayanan, S. (2003). Free radical scavenging activity of *Acacia catechu* and *Rotula aquatica*: implications in cancer therapy. *Indian drugs*, 40 (6), 328-332.

- Paul, S., & Kundu, R. (2018). ROS mediated DNA damage and induction of apoptosis in cervical cancer cells by *Heliotropium indicum* L. *Journal of Applied Pharmaceutical Science*, 8 (8), 092-106.
- Paul, S., Chakraborty, S., Mukherjee, A., & Kundu, R. (2015). Evaluation of cytotoxicity and DNA damaging activity of three plant extracts on cervical cancer cell lines. *Int J PharmSci Rev Res*, 31(1), 183-189.
- Pérez-Soto, E., Estanislao-Gómez, C. C., Pérez-Ishiwara, D. G., Ramirez-Celis, C., & del Consuelo Gómez-García, M. (2019). Cytotoxic effect and mechanisms from some plant-derived compounds in breast cancer. *Cytotoxicity-definition, identification, and cytotoxic compounds*, 45.
- Pisoschi, A. M., & Negulescu, G. P. (2011). Methods for total antioxidant activity determination: a review. *Journal of Biochemistry & Analytical Biochemistry*, 1 (1), 106.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., ... & Bitto, A. (2017). Oxidative stress: harms and benefits for human health. *Oxidative medicine and cellular longevity*, 2017.
- Pobezinskaya, Y. L., & Liu, Z. (2012). The role of TRADD in death receptor signaling. *Cell Cycle*, 11(5), 871-876.
- Poster, D. S., Bruno, S., Penta, J., & Macdonald, J. S. (1981). Indicine-N-oxide: a new antitumor agent. *Cancer Treatment Reports*, 65(1-2), 53-56.
- Rahman, M. A., Mia, M., & Shahid, I. (2011). Pharmacological and phytochemical screen activities of roots of *Heliotropium indicum* Linn. *Pharmacologyonline*, 1 (1), 185-192.
- Rao, B. N. (2003). Bioactive phytochemicals in Indian foods and their potential in health promotion and disease prevention. *Asia Pacific Journal of clinical nutrition*, 12 (1).
- Rao, P. R., Nammi, S., & Raju, A. D. V. (2002). Studies on the antimicrobial activity of *Heliotropium indicum* Linn. *Journal of Natural Remedies*, 2 (2), 195-198.
- Rasul, M. G. (2018). Conventional extraction methods use in medicinal plants, their advantages and disadvantages. *The International Journal of Basic Sciences and Applied Computing*, 2, 10-14.
- Reinsel, R. A., Starr, T. D., O'Sullivan, B., Passik, S. D., & Kavey, N. B. (2015). Polysomnographic study of sleep in survivors of breast cancer. *Journal of Clinical Sleep Medicine*, 11(12), 1361-1370.
- Rex, J. R. S., Muthukumar, N. M. S. A., & Selvakumar, P. M. (2018). Phytochemicals as

a potential source for anti-microbial, anti-oxidant and wound healing-a review. *MOJ Bioorganic & Organic Chemistry*, 2 (2), 61-70.

Roy, A. (2015). Pharmacological activities of Indian Heliotrope (*Heliotropium indicum* L.): areview. *Journal of Pharmacognosy and Phytochemistry*, 4(3).

Rumengan, I. F., Rumampuk, N. D., Mandey, L. C., Kandou, G. D., & Luntungan, A. H. (2020,June). Antioxidant activitiy of bitter leaves (*Vernonia amygdalina*) extract coated withthe nanochitosan derived from parrot fish (*Scarus* sp) scales. *IOP Conference Series:Earth and Environmental Science*, 517 (1), 012017.

Sagar, V., Done, J. E., Drwade, A. P., Sonawane, K. B., Kadu, A. K., & Waghamare, S. U. (2023), Cultivation & Isolation of T. brevifolia. *International Journal of Research in Engineering and Science*, 11 (4), 601-605

Salama, R. M., Osman, H., & Ibrahim, H. M. (2022). Preparation of biocompatible chitosan nanoparticles loaded with Aloe vera extract for use as a novel drug delivery mechanism to improve the antibacterial characteristics of cellulose-based fabrics. *Egyptian Journal of Chemistry*, 65 (3), 589-604.

Salwa, S. (2021). Antioxidant Activity of Sunflower (*Helianthus Annuus* l.) Ethanolic Extract with DPPH Method and Determination of Total Phenolic and Flavonoid Levels. *Journal of Nutraceuticals and Herbal Medicine*, 4 (1), 31-42.

Sangour, M. H., Ali, I. M., Atwan, Z. W., & Al Ali, A. A. A. L. A. (2021). Effect of Ag nanoparticles on viability of MCF-7 and Vero cell lines and gene expression of apoptotic genes. *Egyptian Journal of Medical Human Genetics*, 22, 1-11.

Santhosha, D., Ramesh, A., Hemalatha, E., & Nagulu, M. (2015). Phyto chemical screening and Antioxidant activity of ethanolic extract of *Heliotropium indicum*. *International Research Journal of Pharmacy*, 6 (8), 567-572.

Sarkar, C., Mondal, M., Khanom, B., Hossain, M., Sureda, A., Islam, M. T., & Al-Rawahi, A. (2021). *Heliotropium indicum* L.: From Farm to a Source of Bioactive Compounds with Therapeutic Activity. *Evidence-Based Complementary and Alternative Medicine*, 2021.

Sarma, S., Agarwal, S., Bhuyan, P., Hazarika, J., & Ganguly, M. (2022). Resveratrol-loaded chitosan–pectin core–shell nanoparticles as novel drug delivery vehicle for sustained release and improved antioxidant activities. *Royal Society Open Science*, 9 (2), 210784.

Sasco, A. J. (2003). Breast cancer and the environment. *Hormone Research in Paediatrics*, 60 (Suppl. 3), 50-50.

Saxena, M., Saxena, J., Nema, R., Singh, D., & Gupta, A. (2013). Phytochemistry of medicinal plants. *Journal of pharmacognosy and phytochemistry*, 1(6), 168-182.

- Segeritz, C. P., & Vallier, L. (2017). Cell culture: Growing cells as model systems in vitro. *Basic science methods for clinical researchers* (pp. 151-172). Academic Press.
- Sène, M. A., Xia, Y., & Kamen, A. A. (2022). Overview of recent advances in Vero cells genomic characterization and engineering for high-throughput vaccine manufacturing. *Clinical and Translational Discovery*, 2 (2), e40.
- Serpe, L., Catalano, M. G., Cavalli, R., Ugazio, E., Bosco, O., Canaparo, R., & Zara, G. P. (2004). Cytotoxicity of anticancer drugs incorporated in solid lipid nanoparticles on HT-29 colorectal cancer cell line. *European Journal of Pharmaceutics and Biopharmaceutics*, 58 (3), 673-680.
- Shannon, S. (2014). *Radiation Protective Foods*. Author House.
- Shinohara, M., Adachi, Y., Mitsushita, J., Kuwabara, M., Nagasawa, A., Harada, S., ... & Kamata, T. (2010). Reactive Oxygen Generated by NADPH Oxidase 1 (Nox1) Contributes to Cell Invasion by Regulating Matrix Metalloprotease-9 Production and Cell Migration 2. *Journal of Biological Chemistry*, 285 (7), 4481-4488.
- Siddeeg, A., AlKehayez, N. M., Abu-Hiamed, H. A., Al-Sanea, E. A., & Al-Farga, A. M. (2021). Mode of action and determination of antioxidant activity in the dietary sources: An overview. *Saudi Journal of Biological Sciences*, 28 (3), 1633-1644.
- Sih, B. T. (2018). Effects of chemotherapy and radiotherapy on blood components of breast cancer patients. *Pakistan Journal of Biotechnology*, 15 (3), 821-825.
- Singh, A., Mittal, A., & Benjakul, S. (2021). Chitosan nanoparticles: Preparation, food applications and health benefits. *Science Asia*, 47 (2021), 1-10.
- Sivajothi, V., Shruthi, D. S., & Sajini Jasmin, R. (2015). Cytotoxic effect of *Heliotropium indicum* extracts on hela cell line. *International Journal of Pharmaceutical Sciences*, 7 (6), 412-414.
- Slowing, I. I., Vivero-Escoto, J. L., Wu, C. W., & Lin, V. S. Y. (2008). Mesoporous silica nanoparticles as controlled release drug delivery and gene transfection carriers. *Advanced Drug Delivery Reviews*, 60(11), 1278-1288.
- Soleimani, M., & Sajedi, N. (2020). Myricetin apoptotic effects on T47D breast cancer cells is a P53-independent approach. *Asian Pacific Journal of Cancer Prevention*, 21(12), 3697.
- Sonia, T. A., & Sharma, C. P. (2011). Chitosan and its derivatives for drug delivery perspective. *Chitosan for Biomaterials I*, 23-53.
- Southorn, P. A., & Powis, G. (1988, April). Free radicals in medicine. I. Chemical nature

andbiologic reactions. In *Mayo Clinic Proceedings*, 63 (4), 381-389.

Souza, J. S. N., Machado, L. L., Pessoa, O. D., Braz-Filho, R., Overk, C. R., Yao, P., ... & Lemos, T. L. (2005). Pyrrolizidine alkaloids from *Heliotropium indicum*. *Journal of the Brazilian Chemical Society*, 16, 1410-1414.

Spigno, G., Tramelli, L., & De Faveri, D. M. (2007). Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *Journal of food engineering*, 81 (1), 200-208.

Stacey, G. (2001). Primary cell cultures and immortal cell lines. *eLS*.

Sukweenadhi, J., Setiawan, F., Yunita, O., Kartini, K., & Avanti, C. (2020). Antioxidant activity screening of seven Indonesian herbal extract. *Biodiversitas*, 21(5), 2062-2067.

Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *A Cancer Journal for Clinicians*, 71(3), 209-249.

Takayama, S., Taniguchi, T., & Kitasumi, H. (1985). Scanning electron microscopic examination of the secondary constriction of Vero cells. *Experimental cell research*, 157(2), 556-560.

Tembe-Fokunang, E. A., Charles, F., Kaba, N., Donatien, G., Michael, A., & Bonaventure, N. (2019). The potential pharmacological and medicinal properties of neem (*Azadirachta indica* A. Juss) in the drug development of phytomedicine. *Journal of Complementary and Alternative Medical Research*, 7(1), 1-18.

Teng, Z., Yuan, C., Zhang, F., Huan, M., Cao, W., Li, K., ... & Mei, Q. (2012). Intestinal absorption and first-pass metabolism of polyphenol compounds in rat and their transport dynamics in Caco-2 cells. *PLoS One*, 7(1), e29647.

Togola, A., Diallo, D., Dembélé, S., Barsett, H., & Paulsen, B. S. (2005). Ethnopharmacological survey of different uses of seven medicinal plants from Mali, (West Africa) in the regions Doila, Kolokani and Siby. *Journal of Ethnobiology and Ethnomedicine*, 1(1), 1-9.

Torck, M., & Pinkas, M. (1996). Camptothecin and derivatives: a new class of antitumor agents. *Journal de Pharmacie de Belgique*, 51(4), 200-207.

Tudek, B., Winczura, A., Janik, J., Siomek, A., Foksinski, M., & Oliński, R. (2010). Involvement of oxidatively damaged DNA and repair in cancer development and aging. *American Journal of Translational Research*, 2(3), 254.

United States Department of Agriculture's Natural Resources Conservation Service
(n.d).retrievedOctober,2022,from
<https://plants.usda.gov/home/plantProfile?symbol=HEIN>

URL: [http://www. The nutritionreporter.com](http://www.The nutritionreporter.com)

- Utari, R. D., Saputra, B., Kristiana, R., Yunita, T., Kusumaningtyas, V. A., & Jasmansyah, J. (2022). Characteristics and Antioxidant Activity of Nanoparticles Chitosan Roselle (*Hibiscus sabdariffa*). *Jurnal Kartika Kimia*, 5(2), 157-162.
- Vaidya, A. D., & Devasagayam, T. P. (2007). Current status of herbal drugs in India: an overview. *Journal of clinical biochemistry and nutrition*, 41(1), 1-11.
- Verma, A., Gautam, S. P., Bansal, K. K., Prabhakar, N., & Rosenholm, J. M. (2019). Green nanotechnology: Advancement in phytoformulation research. *Medicines*, 6 (1), 39.
- Vijayarathna, S., & Sasidharan, S. (2012). Cytotoxicity of methanol extracts of *Elaeis guineensis* on MCF-7 and Vero cell lines. *Asian pacific journal of tropical biomedicine*, 2 (10), 826-829.
- Villa-Pulgarín, J. A., Gajate, C., Botet, J., Jimenez, A., Justies, N., Varela-M, R. E., & Mollinedo, F. (2017). Mitochondria and lipid raft-located FOF1-ATP synthase as major therapeutic targets in the antileishmanial and anticancer activities of ether lipid edelfosine. *PLoS Neglected Tropical Diseases*, 11(8), e0005805.
- Voutsadakis, I. A. (2000). Apoptosis and the pathogenesis of lymphoma. *Acta oncologica*, 39(2), 151-156.
- Weinberg, R. A. (1996). How cancer arises. *Scientific American*, 275 (3), 62-70.
- Wiernsperger, N. F. (2003). Oxidative stress as a therapeutic target in diabetes: revisiting the controversy. *Diabetes & metabolism*, 29 (6), 579-585.
- Wilczewska, A. Z., Niemirowicz, K., Markiewicz, K. H., & Car, H. (2012). Nanoparticles as drug delivery systems. *Pharmacological reports*, 64 (5), 1020-1037.
- Woldenberg, N., & Joines, M. M. (2018). Mass in Lactating Female. *Breast Imaging*,
- Yap, K. M., Sekar, M., Fuloria, S., Wu, Y. S., Gan, S. H., Mat Rani, N. N. I., ... & Fuloria, N. K. (2021). Drug delivery of natural products through nanocarriers for effective breast cancer therapy: A comprehensive review of literature. *International Journal of Nanomedicine*, 7891-7941.
- Yilmaz, Y., & Toledo, R. T. (2006). Oxygen radical absorbance capacities of grape/wine industry byproducts and effect of solvent type on extraction of grape seed polyphenols. *Journal of Food Composition and Analysis*, 19 (1), 41-48.

- Yin, L. M., Wei, Y., Wang, Y., Xu, Y. D., & Yang, Y. Q. (2013). Long term and standard incubations of WST-1 reagent reflect the same inhibitory trend of cell viability in rat airway smooth muscle cells. *International Journal of Medical Sciences*, 10 (1), 68.
- Zaman, S., Wang, R., & Gandhi, V. (2014). Targeting the apoptosis pathway in hematologic malignancies. *Leukemia & lymphoma*, 55 (9), 1980-1992.
- Zhang, L., Gu, F. X., Chan, J. M., Wang, A. Z., Langer, R. S., & Farokhzad, O. C. (2008). Nanoparticles in medicine: therapeutic applications and developments. *Clinical pharmacology & therapeutics*, 83 (5), 761-769.
- Zhao, C. (2023). Cell culture: in vitro model system and a promising path to in vivo applications. *Journal of Histotechnology*, 46(1), 1-4.

