



DAFTAR PUSTAKA

Apfelbaum, J. L., Chen, C., Mehta, S. S., Gan, T. J. (2003) ‘Postoperative pain experience: Results from a national survey suggest postoperative pain continues to be undermanaged’, *Anesthesia and Analgesia*, 97(2), pp. 534–540. doi: 10.1213/01.ANE.0000068822.10113.9E.

Ayad, S., Babazede, R., Elsharkawy, H., Nadar, V., Lokhnade, C., Makarova, N., et al. (2016) ‘Comparison of transversus abdominis plane infiltration with liposomal bupivacaine versus continuous epidural analgesia versus intravenous opioid analgesia’, *PLoS ONE*, 11(4), pp. 1–15. doi: 10.1371/journal.pone.0153675.

Babazade, R., Saasouh, W., Naylor, A. J., Makarova, N., Udeh, C. I., Turan, A., Udeh, B. L. (2019) ‘The cost-effectiveness of epidural, patient-controlled intravenous opioid analgesia, or transversus abdominis plane infiltration with liposomal bupivacaine for postoperative pain management’, *Journal of Clinical Anesthesia*. Elsevier, 53(October 2018), pp. 56–63. doi: 10.1016/j.jclinane.2018.10.003.

Bartha, E., Carlsson, P. and Kalman, S. (2006) ‘Evaluation of costs and effects of epidural analgesia and patient-controlled intravenous analgesia after major abdominal surgery’, *British Journal of Anaesthesia*. British Journal of Anaesthesia, 96(1), pp. 111–117. doi: 10.1093/bja/aei270.

Birant, D., Akca, A., Bozkurt, B., Baglan, M.. (2022) ‘Classification of Scatter Plot Images Using Deep Learning’, *Deu Muhendislik Fakultesi Fen ve Muhendislik*, 24(71), pp. 631–642. doi: 10.21205/deufmd.2022247126.

Bonnet, F. and Marret, E. (2005) ‘Influence of anaesthetic and analgesic techniques on outcome after surgery’, 95(1), pp. 52–58. doi: 10.1093/bja/aei038.

Chou, R., Gordon, D. B., de Leon-Casasola, O. A., Rosenberg, J. M., Bickler, S., Brennan, T., Carter, T., et al. (2016) ‘Management of postoperative pain: A clinical practice guideline from the American pain society, the American society of regional anesthesia and pain medicine, and the American society of anesthesiologists’ committee on regional anesthesia, executive committee, and administrative council’, *Journal of Pain*. Elsevier, 17(2), pp. 131–157. doi: 10.1016/j.jpain.2015.12.008.

Culley, D. J., Richebe, P., Capdevilla, X., Rivat, C. (2018) ‘Persistent Postsurgical Pain : Pathophysiology and Preventive Pharmacologic Considerations’, *Anesthesiology* (XXX), pp. 1–18. doi : 10.1097/ALN.0000000000002238

El Sayed Moawad, H. and Mokbel, E. M. (2014) ‘Postoperative analgesia after major abdominal surgery: Fentanyl-bupivacaine patient controlled epidural analgesia versus fentanyl patient controlled intravenous analgesia’, *Egyptian Journal of Anaesthesia*. Elsevier B.V., 30(4), pp. 393–397. doi: 10.1016/j.ejga.2014.06.002.

Fletcher, D., Stamer, U. M., Pogatzki-Rahn, E., Zaslansky, R., Tanase, N. V., Prruchoud, C., Kranke, P. et al. (2015) ‘Chronic postsurgical pain in Europe An observational study’, *Eur J Anaesthesiol* ; pp. 725–734. doi: 10.1097/EJA.0000000000000319.



Gan, T. J. (2017) 'Poorly controlled postoperative pain: prevalence, consequences, and prevention', *Journal of Pain Research* 2017:10 pp. 2287–2298.

Garimella, V., Cellini, C. (2013) 'Postoperative Pain Control', *Clinical Colon Rectal Surgery* 2013, vol 26 (3) pp 191-196

Glare, P., Aubrey, K. R. and Myles, P. S. (2019) 'Series Postoperative pain management and opioids 1 Transition from acute to chronic pain after surgery', *The Lancet*. Elsevier Ltd, 393(10180), pp. 1537–1546. doi: 10.1016/S0140-6736(19)30352-6.

Hermanides, J., Hollman, M., W., Stevens, M., S., Lirk, P. (2012) 'Failed epidural: Causes and management', *British Journal of Anaesthesia*, 109(2), pp. 144–154. doi: 10.1093/bja/aes214.

Higgins, A. M., Harris, A. H. (2012) 'Health Economic Methods ':, *Critical Care Clinical*. Elsevier Inc., 28(1), pp. 11–24. doi: 10.1016/j.ccc.2011.10.002.

Hughes, M. J. et al. (2014) 'Analgesia After Open Abdominal Surgery in the Setting of Enhanced Recovery Surgery A Systematic Review and Meta-analysis', 149(12), pp. 1224–1230. doi: 10.1001/jamasurg.2014.210.

Kristin, E., Endarti, D., Anggriani, Y., Setiawan, E., Siahaan, S., A., S., et al. (2016). *Pedoman Teknis Analisis Farmakoekonomi di Fasilitas Kesehatan*. Direktorat Jendral Kefarmasian dan Alat Kesehatan, Kementerian Kesehatan Republik Indonesia, Jakarta. ISBN : 976-602-416-109-5

Lindberg, M., Franklin, O., Svensson, J., Franklin, K. A. (2020) 'Postoperative pain after colorectal surgery', *International Journal of Colorectal Disease*. International Journal of Colorectal Disease, 35(7), pp. 1265–1272. doi: 10.1007/s00384-020-03580-4.

Oderda, G. M., Said, Q., Evans, R. S., Stoddard, G. J., Llyod, J., Jackson, K., Rublee, D., Samore, M. H. (2007) 'Opioid-related adverse drug events in surgical hospitalizations: Impact on costs and length of stay', *Annals of Pharmacotherapy*, 41(3), pp. 400–407. doi: 10.1345/aph.1H386.

Popping, D. M., Elia, N., Van Aken, H.N., Marret, E, Schug, S.A., et al (2014) 'Impact of Epidural Analgesia on Mortality and Morbidity', *Annals of Surgery* 259(6). doi: 10.1097/SLA.0000000000000237.

Puntillo, F., Giglio, M. and Varrassi, G. (2021) 'The Routes of Administration for Acute Postoperative Pain Medication', *Pain and Therapy*. Springer Healthcare, 10(2), pp. 909–925. doi: 10.1007/s40122-021-00286-5.

Singh, K.P., Saikia, P., Lahakar, M. (2016) 'Prevalence of acute post-operative pain in patients in adult age-group undergoing inpatient abdominal surgery and correlation of intensity of pain and satisfaction with analgesic management : A cross-sectional single institute-based study', *Indian Journal of Anesthesia* (45), pp. 737–744. doi: 10.4103/0019-5049.191686.

Sommer, M., Rijke, J. M., van Kleef, M., Kessels, A. G. H., Peters, M. L., Geurts, J. W. J. M., Gramke, H. F., Marcus, M. A. E. (2008) 'Original Article The prevalence of postoperative pain in a sample of 1490 surgical inpatients', *European Journal of Anaesthesiology* pp. 267–274. doi: 10.1017/S0265021507003031.



Straatman, J., Cuesta, M. A. and Klerk, E. S. M. D. L. De (2016) ‘Long-Term Survival After Complications Following Major Abdominal Surgery’, pp. 1034–1041. doi: 10.1007/s11605-016-3084-4.

Thabran, H., Afdhal, A., F., Thobari, J., A., (2013). *Pedoman Penerapan Kajian Farmakoekonomi*. Direktorat Jendral Bina Kefarmasian dan Alat Kesehatan, Kementerian Kesehatan Republik Indonesia, Jakarta. ISBN : 978-602-235-207-5

Thapa, P. and Euasobhon, P. (2018) ‘Chronic postsurgical pain : current evidence for prevention and management’, 31(3), pp. 155–173.

Tilleul, P., Aissou, M., Bocquet, F., Thiriat, N., le Grelle, O., Burke, M. J., Hutton, J., Beaussier, M. (2012) ‘Cost-effectiveness analysis comparing epidural, patient-controlled intravenous morphine, and continuous wound infiltration for postoperative pain management after open abdominal surgery’, *British Journal of Anaesthesia*, 108(6), pp. 998–1005. doi: 10.1093/bja/aes091.

Viderman, D., Tapinova, K., Nabidollayeva, F., Tankacheev, R., Abdildin, Y., G. (2022) ‘Intravenous versus Epidural Routes of Patient-Controlled Analgesia in Abdominal Surgery: Systematic Review with Meta-Analysis’, *Journal of Clinical Medicine*, 11(9). doi: 10.3390/jcm11092579.

Wick, E.C., Grant, M.C., Wu, C.L. (2017) ‘Postoperative Multimodal Analgesia Pain Management With Nonopioid Analgesics and Techniques A Review’, *JAMA Surgery* 152(7). doi: 10.1001/jamasurg.2017.0898.

Wilson, F. and Jones, C. N. (2019) ‘Analgesia for open abdominal surgery’, (Mi), pp. 1–8. doi: 10.21037/dmr.2019.08.05.

Wu, C. L., Cohen, S. R., Richman, J. M., Rowlingson, A. J., Courpas, G.E., Cheung, K., Lin, E. E., et al. (2005) ‘Efficacy of postoperative patient-controlled and continuous infusion epidural analgesia versus intravenous patient-controlled analgesia with opioids: A meta-analysis’, *Anesthesiology*, 103(5), pp. 1079–1088. doi: 10.1097/00000542-200511000-00023.